Roberto Cattaneo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/900225/roberto-cattaneo-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

5,666 84 44 75 h-index g-index citations papers 6,261 8.6 88 5.68 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
84	C Proteins: Controllers of Orderly Paramyxovirus Replication and of the Innate Immune Response <i>Viruses</i> , 2022 , 14,	6.2	1
83	Highly Efficient SARS-CoV-2 Infection of Human Cardiomyocytes: Spike Protein-Mediated Cell Fusion and Its Inhibition. <i>Journal of Virology</i> , 2021 , 95, e0136821	6.6	3
82	Measles Virus (Paramyxoviridae) 2021 , 619-628		
81	Measles virus exits human airway epithelia within dislodged metabolically active infectious centers. <i>PLoS Pathogens</i> , 2021 , 17, e1009458	7.6	2
80	A recombinant Cedar virus based high-throughput screening assay for henipavirus antiviral discovery. <i>Antiviral Research</i> , 2021 , 193, 105084	10.8	
79	Receptor-mediated cell entry of paramyxoviruses: Mechanisms, and consequences for tropism and pathogenesis. <i>Journal of Biological Chemistry</i> , 2020 , 295, 2771-2786	5.4	29
78	Development of Entry-Targeted Oncolytic Measles Viruses. <i>Methods in Molecular Biology</i> , 2020 , 2058, 51-75	1.4	2
77	The C Protein Is Recruited to Measles Virus Ribonucleocapsids by the Phosphoprotein. <i>Journal of Virology</i> , 2020 , 94,	6.6	10
76	Severe Acute Respiratory Syndrome Coronavirus 2, COVID-19, and the Renin-Angiotensin System: Pressing Needs and Best Research Practices. <i>Hypertension</i> , 2020 , 76, 1350-1367	8.5	36
75	Oncolytic Measles Virotherapy and Opposition to Measles Vaccination. <i>Mayo Clinic Proceedings</i> , 2019 , 94, 1834-1839	6.4	4
74	Stronger together: Multi-genome transmission of measles virus. Virus Research, 2019 , 265, 74-79	6.4	13
73	Cyclical adaptation of measles virus quasispecies to epithelial and lymphocytic cells: To V, or not to V. <i>PLoS Pathogens</i> , 2019 , 15, e1007605	7.6	20
72	-endocytosis elicited by nectins transfers cytoplasmic cargo, including infectious material, between cells. <i>Journal of Cell Science</i> , 2019 , 132,	5.3	15
71	Measles Virus Ribonucleoprotein Complexes Rapidly Spread across Well-Differentiated Primary Human Airway Epithelial Cells along F-Actin Rings. <i>MBio</i> , 2019 , 10,	7.8	12
70	Structural and functional analyses reveal promiscuous and species specific use of ephrin receptors by Cedar virus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 20707-20715	11.5	17
69	Rescue and characterization of recombinant cedar virus, a non-pathogenic Henipavirus species. <i>Virology Journal</i> , 2018 , 15, 56	6.1	15
68	Direct cell-to-cell transmission of respiratory viruses: The fast lanes. <i>PLoS Pathogens</i> , 2018 , 14, e10070	1 <i>5</i> 7.6	53

(2014-2018)

67	Upon Infection, Cellular WD Repeat-Containing Protein 5 (WDR5) Localizes to Cytoplasmic Inclusion Bodies and Enhances Measles Virus Replication. <i>Journal of Virology</i> , 2018 , 92,	6.6	13
66	Extensive editing of cellular and viral double-stranded RNA structures accounts for innate immunity suppression and the proviral activity of ADAR1p150. <i>PLoS Biology</i> , 2018 , 16, e2006577	9.7	47
65	Canine Distemper Virus Spread and Transmission to Naive Ferrets: Selective Pressure on Signaling Lymphocyte Activation Molecule-Dependent Entry. <i>Journal of Virology</i> , 2018 , 92,	6.6	15
64	Nectin-4 Interactions Govern Measles Virus Virulence in a New Model of Pathogenesis, the Squirrel Monkey (Saimiri sciureus). <i>Journal of Virology</i> , 2017 , 91,	6.6	19
63	How to develop viruses into anticancer weapons. <i>PLoS Pathogens</i> , 2017 , 13, e1006190	7.6	17
62	A Tupaia paramyxovirus vector system for targeting and transgene expression. <i>Journal of General Virology</i> , 2017 , 98, 2248-2257	4.9	5
61	A Structurally Unresolved Head Segment of Defined Length Favors Proper Measles Virus Hemagglutinin Tetramerization and Efficient Membrane Fusion Triggering. <i>Journal of Virology</i> , 2016 , 90, 68-75	6.6	14
60	In vivo transduction of primitive mobilized hematopoietic stem cells after intravenous injection of integrating adenovirus vectors. <i>Blood</i> , 2016 , 128, 2206-2217	2.2	59
59	Cell-to-Cell Contact and Nectin-4 Govern Spread of Measles Virus from Primary Human Myeloid Cells to Primary Human Airway Epithelial Cells. <i>Journal of Virology</i> , 2016 , 90, 6808-6817	6.6	28
58	Reverse genetics of Mononegavirales: How they work, new vaccines, and new cancer therapeutics. <i>Virology</i> , 2015 , 479-480, 331-44	3.6	47
57	Nuclear reprogramming with a non-integrating human RNA virus. <i>Stem Cell Research and Therapy</i> , 2015 , 6, 48	8.3	11
56	Measles Virus Defective Interfering RNAs Are Generated Frequently and Early in the Absence of C Protein and Can Be Destabilized by Adenosine Deaminase Acting on RNA-1-Like Hypermutations. <i>Journal of Virology</i> , 2015 , 89, 7735-47	6.6	59
55	The Nectin-4/Afadin Protein Complex and Intercellular Membrane Pores Contribute to Rapid Spread of Measles Virus in Primary Human Airway Epithelia. <i>Journal of Virology</i> , 2015 , 89, 7089-96	6.6	37
54	Connections matterhow viruses use cellBell adhesion components. <i>Journal of Cell Science</i> , 2015 , 128, 431-9	5.3	65
53	The measles virus hemagglutinin stalk: structures and functions of the central fusion activation and membrane-proximal segments. <i>Journal of Virology</i> , 2014 , 88, 6158-67	6.6	23
52	New viruses for cancer therapy: meeting clinical needs. <i>Nature Reviews Microbiology</i> , 2014 , 12, 23-34	22.2	187
51	Measles virus C protein impairs production of defective copyback double-stranded viral RNA and activation of protein kinase R. <i>Journal of Virology</i> , 2014 , 88, 456-68	6.6	59
50	Different roles of the three loops forming the adhesive interface of nectin-4 in measles virus binding and cell entry, nectin-4 homodimerization, and heterodimerization with nectin-1. <i>Journal of Virology</i> , 2014 , 88, 14161-71	6.6	15

49	Morbillivirus control of the interferon response: relevance of STAT2 and mda5 but not STAT1 for canine distemper virus virulence in ferrets. <i>Journal of Virology</i> , 2014 , 88, 2941-50	6.6	30
48	Sequence of events in measles virus replication: role of phosphoprotein-nucleocapsid interactions. <i>Journal of Virology</i> , 2014 , 88, 10851-63	6.6	37
47	Structural basis of efficient contagion: measles variations on a theme by parainfluenza viruses. <i>Current Opinion in Virology</i> , 2014 , 5, 16-23	7.5	29
46	The measles virus hemagglutinin Epropeller head A-B hydrophobic groove governs functional interactions with nectin-4 and CD46 but not those with the signaling lymphocytic activation molecule. <i>Journal of Virology</i> , 2013 , 87, 9208-16	6.6	32
45	Measles virus entry through the signaling lymphocyte activation molecule governs efficacy of mantle cell lymphoma radiovirotherapy. <i>Molecular Therapy</i> , 2013 , 21, 2019-31	11.7	24
44	Nectin-4-dependent measles virus spread to the cynomolgus monkey tracheal epithelium: role of infected immune cells infiltrating the lamina propria. <i>Journal of Virology</i> , 2013 , 87, 2526-34	6.6	42
43	Hydrophobic and charged residues in the central segment of the measles virus hemagglutinin stalk mediate transmission of the fusion-triggering signal. <i>Journal of Virology</i> , 2013 , 87, 10401-4	6.6	19
42	Base of the measles virus fusion trimer head receives the signal that triggers membrane fusion. Journal of Biological Chemistry, 2012 , 287, 33026-35	5.4	34
41	Membrane fusion triggering: three modules with different structure and function in the upper half of the measles virus attachment protein stalk. <i>Journal of Biological Chemistry</i> , 2012 , 287, 38543-51	5.4	43
40	Canine distemper virus epithelial cell infection is required for clinical disease but not for immunosuppression. <i>Journal of Virology</i> , 2012 , 86, 3658-66	6.6	50
39	The heads of the measles virus attachment protein move to transmit the fusion-triggering signal. <i>Nature Structural and Molecular Biology</i> , 2011 , 18, 128-34	17.6	84
38	Adherens junction protein nectin-4 is the epithelial receptor for measles virus. <i>Nature</i> , 2011 , 480, 530-3	50.4	405
37	A recombinant measles virus unable to antagonize STAT1 function cannot control inflammation and is attenuated in rhesus monkeys. <i>Journal of Virology</i> , 2011 , 85, 348-56	6.6	47
36	Mechanisms of protein kinase PKR-mediated amplification of beta interferon induction by C protein-deficient measles virus. <i>Journal of Virology</i> , 2010 , 84, 380-6	6.6	64
35	Measles virus infection of alveolar macrophages and dendritic cells precedes spread to lymphatic organs in transgenic mice expressing human signaling lymphocytic activation molecule (SLAM, CD150). <i>Journal of Virology</i> , 2010 , 84, 3033-42	6.6	79
34	Measles virus selectively blind to signaling lymphocytic activation molecule (SLAM; CD150) is attenuated and induces strong adaptive immune responses in rhesus monkeys. <i>Journal of Virology</i> , 2010 , 84, 3413-20	6.6	64
33	Paramyxovirus entry and targeted vectors for cancer therapy. <i>PLoS Pathogens</i> , 2010 , 6, e1000973	7.6	18
32	Protein kinase PKR mediates the apoptosis induction and growth restriction phenotypes of C protein-deficient measles virus. <i>Journal of Virology</i> , 2009 , 83, 961-8	6.6	65

(2001-2008)

31	Reprogrammed viruses as cancer therapeutics: targeted, armed and shielded. <i>Nature Reviews Microbiology</i> , 2008 , 6, 529-40	22.2	297
30	Dynamic interaction of the measles virus hemagglutinin with its receptor signaling lymphocytic activation molecule (SLAM, CD150). <i>Journal of Biological Chemistry</i> , 2008 , 283, 11763-71	5.4	57
29	Attenuation of V- or C-defective measles viruses: infection control by the inflammatory and interferon responses of rhesus monkeys. <i>Journal of Virology</i> , 2008 , 82, 5359-67	6.6	87
28	Measles virus blind to its epithelial cell receptor remains virulent in rhesus monkeys but cannot cross the airway epithelium and is not shed. <i>Journal of Clinical Investigation</i> , 2008 , 118, 2448-58	15.9	169
27	Tyrosine 110 in the measles virus phosphoprotein is required to block STAT1 phosphorylation. <i>Virology</i> , 2007 , 360, 72-83	3.6	139
26	Measles virus vaccine attenuation: suboptimal infection of lymphatic tissue and tropism alteration. Journal of Infectious Diseases, 2007 , 196, 541-9	7	57
25	Species B adenovirus serotypes 3, 7, 11 and 35 share similar binding sites on the membrane cofactor protein CD46 receptor. <i>Journal of General Virology</i> , 2007 , 88, 2925-2934	4.9	58
24	Canine distemper virus uses both the anterograde and the hematogenous pathway for neuroinvasion. <i>Journal of Virology</i> , 2006 , 80, 9361-70	6.6	79
23	Receptor (SLAM [CD150]) recognition and the V protein sustain swift lymphocyte-based invasion of mucosal tissue and lymphatic organs by a morbillivirus. <i>Journal of Virology</i> , 2006 , 80, 6084-92	6.6	124
22	Measles virus superinfection immunity and receptor redistribution in persistently infected NT2 cells. <i>Journal of General Virology</i> , 2005 , 86, 2291-2303	4.9	19
21	Measles virus phosphoprotein gene products: conformational flexibility of the P/V protein amino-terminal domain and C protein infectivity factor function. <i>Journal of Virology</i> , 2004 , 78, 11632-40	6.6	69
20	Four viruses, two bacteria, and one receptor: membrane cofactor protein (CD46) as pathogensU magnet. <i>Journal of Virology</i> , 2004 , 78, 4385-8	6.6	174
19	Targeting Measles Virus Entry 2003 , 321-336		
18	Polyploid measles virus with hexameric genome length. <i>EMBO Journal</i> , 2002 , 21, 2364-72	13	93
17	Measles virus preferentially transduces the basolateral surface of well-differentiated human airway epithelia. <i>Journal of Virology</i> , 2002 , 76, 2403-9	6.6	56
16	Measles virus envelope glycoproteins hetero-oligomerize in the endoplasmic reticulum. <i>Journal of Biological Chemistry</i> , 2001 , 276, 44239-46	5.4	88
15	The hemagglutinin of canine distemper virus determines tropism and cytopathogenicity. <i>Journal of Virology</i> , 2001 , 75, 6418-27	6.6	133
14	Roles of macrophages in measles virus infection of genetically modified mice. <i>Journal of Virology</i> , 2001 , 75, 3343-51	6.6	57

13	Single-chain antibody displayed on a recombinant measles virus confers entry through the tumor-associated carcinoembryonic antigen. <i>Journal of Virology</i> , 2001 , 75, 2087-96	6.6	107
12	Characterization of a region of the measles virus hemagglutinin sufficient for its dimerization. <i>Journal of Virology</i> , 2000 , 74, 6485-93	6.6	56
11	Recombinant measles viruses efficiently entering cells through targeted receptors. <i>Journal of Virology</i> , 2000 , 74, 9928-36	6.6	97
10	In vitro and in vivo infection of neural cells by a recombinant measles virus expressing enhanced green fluorescent protein. <i>Journal of Virology</i> , 2000 , 74, 7972-9	6.6	60
9	Measles virus spread by cell-cell contacts: uncoupling of contact-mediated receptor (CD46) downregulation from virus uptake. <i>Journal of Virology</i> , 1999 , 73, 5265-73	6.6	44
8	A matrix-less measles virus is infectious and elicits extensive cell fusion: consequences for propagation in the brain. <i>EMBO Journal</i> , 1998 , 17, 3899-908	13	208
7	Measles viruses with altered envelope protein cytoplasmic tails gain cell fusion competence. Journal of Virology, 1998 , 72, 1224-34	6.6	228
6	Preferential initiation at the second AUG of the measles virus F mRNA: a role for the long untranslated region. <i>Virology</i> , 1995 , 214, 628-32	3.6	83
5	Subacute sclerosing panencephalitis is typically characterized by alterations in the fusion protein cytoplasmic domain of the persisting measles virus. <i>Virology</i> , 1992 , 188, 910-5	3.6	101
4	Measles virus phosphoprotein retains the nucleocapsid protein in the cytoplasm. <i>Virology</i> , 1991 , 185, 299-308	3.6	116
3	Measles virus editing provides an additional cysteine-rich protein. <i>Cell</i> , 1989 , 56, 759-64	56.2	308
2	Biased hypermutation and other genetic changes in defective measles viruses in human brain infections. <i>Cell</i> , 1988 , 55, 255-65	56.2	380
1	Measles virus exits human airway epithelia via infectious center sloughing		3