
## Takashige Omatsu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9002336/publications.pdf Version: 2024-02-01



| #  | Article                                                                                                                                                                                                   | IF  | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | Generation of hexagonal close-packed ring-shaped structures using an optical vortex.<br>Nanophotonics, 2022, 11, 855-864.                                                                                 | 2.9 | 14        |
| 2  | Intracavity spherical aberration for selective generation of single-transverse-mode Laguerre-Gaussian output with order up to 95. PhotoniX, 2022, 3, .                                                    | 5.5 | 14        |
| 3  | Tunable 2.3–3 μm optical vortex parametric laser. Laser Physics, 2022, 32, 045001.                                                                                                                        | 0.6 | 3         |
| 4  | Tunable terahertz Bessel beams with orbital angular momentum. , 2022, 1, 633.                                                                                                                             |     | 5         |
| 5  | Optical vortex array for two-dimensional exclusive-OR operation. Applied Physics B: Lasers and Optics, 2022, 128, .                                                                                       | 1.1 | 6         |
| 6  | Laser-induced forward-transfer with light possessing orbital angular momentum. Journal of<br>Photochemistry and Photobiology C: Photochemistry Reviews, 2022, 52, 100535.                                 | 5.6 | 9         |
| 7  | Nanotwist of aluminum with irradiation of a single optical vortex pulse. OSA Continuum, 2021, 4, 403.                                                                                                     | 1.8 | 9         |
| 8  | Near and mid-infrared optical vortex parametric oscillator based on KTA. Scientific Reports, 2021, 11, 8013.                                                                                              | 1.6 | 11        |
| 9  | Chirogenesis and Amplification of Molecular Chirality Using Optical Vortices. Angewandte Chemie, 2021, 133, 12929-12933.                                                                                  | 1.6 | 5         |
| 10 | Chirogenesis and Amplification of Molecular Chirality Using Optical Vortices. Angewandte Chemie -<br>International Edition, 2021, 60, 12819-12823.                                                        | 7.2 | 23        |
| 11 | Radially polarized solid-state Raman laser. , 2021, , .                                                                                                                                                   |     | 0         |
| 12 | Azo-polymer spiral surface relief formation with rotating Hermite-Gaussian beams. , 2021, , .                                                                                                             |     | 0         |
| 13 | Optical vortex lattice mode generation from a diode-pumped Pr <sup>3+</sup> :LiYF <sub>4</sub> laser.<br>Journal of Optics (United Kingdom), 2021, 23, 075502.                                            | 1.0 | 16        |
| 14 | High-resolution terahertz single-pixel imaging for 2D spectral analysis. , 2021, , .                                                                                                                      |     | 0         |
| 15 | Light twists materials. , 2021, , .                                                                                                                                                                       |     | 0         |
| 16 | Laguerre-Gaussian beam generation via enhanced intracavity spherical aberration. Optics Express, 2021, 29, 27783.                                                                                         | 1.7 | 24        |
| 17 | Direct generation of 523â€nm orbital Poincaré mode from a diode-pumped<br>Pr <sup>3+</sup> :LiYF <sub>4</sub> laser with an off-axis optical needle pumping geometry. Optics<br>Express, 2021, 29, 30409. | 1.7 | 24        |
| 18 | Direct Generation of Vortex Lattice Modes from an Intracavity Frequency Doubled Pr:YLF laser. , 2021, ,                                                                                                   |     | 3         |

| #  | Article                                                                                                                                                                                                                               | IF  | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Propagation-invariant vortex Airy beam whose singular pointÂfollows its main lobe. New Journal of<br>Physics, 2021, 23, 113043.                                                                                                       | 1.2 | 4         |
| 20 | Cascaded vector vortex mode generation from a solid-state Raman laser. Applied Optics, 2021, 60, 10638-10642.                                                                                                                         | 0.9 | 2         |
| 21 | Plasmonic Manipulation of Sodium Chlorate Chiral Crystallization: Directed Chirality Transfer via<br>Contact-Induced Polymorphic Transformation and Formation of Liquid Precursor. Crystal Growth<br>and Design, 2020, 20, 5493-5507. | 1.4 | 7         |
| 22 | Plasmonic Manipulation-Controlled Chiral Crystallization of Sodium Chlorate. Journal of Physical Chemistry Letters, 2020, 11, 4422-4426.                                                                                              | 2.1 | 29        |
| 23 | Tunable near- and mid-infrared (1.36–1.63 <i>µ</i> m and 3.07–4.81 <i>µ</i> m) optical vortex laser source. Laser Physics Letters, 2020, 17, 045402.                                                                                  | 0.6 | 14        |
| 24 | Microneedle structuring of Si(111) by irradiation with picosecond optical vortex pulses. Applied Physics Express, 2020, 13, 062006.                                                                                                   | 1.1 | 6         |
| 25 | Investigation of laser-induced-metal phase of MoTe <sub>2</sub> and its contact property via scanning gate microscopy. Nanotechnology, 2020, 31, 205205.                                                                              | 1.3 | 11        |
| 26 | Twisted mass transport enabled by the angular momentum of light. Journal of Nanophotonics, 2020, 14, 1.                                                                                                                               | 0.4 | 15        |
| 27 | Purity and efficiency of hybrid orbital angular momentum-generating metasurfaces. Journal of<br>Nanophotonics, 2020, 14, 1.                                                                                                           | 0.4 | 13        |
| 28 | Picosecond optical vortex-induced chiral surface relief in an azo-polymer film. Journal of Nanophotonics, 2020, 14, 1.                                                                                                                | 0.4 | 12        |
| 29 | Direct generation of 1108â€nm and 1173â€nm Laguerre-Gaussian modes from a self-Raman<br>Nd:GdVO <sub>4</sub> laser. Optics Express, 2020, 28, 24095.                                                                                  | 1.7 | 17        |
| 30 | Broadband high-resolution terahertz single-pixel imaging. Optics Express, 2020, 28, 28868.                                                                                                                                            | 1.7 | 23        |
| 31 | Ultraviolet intracavity frequency-doubled Pr3+:LiYF4 orbital Poincaré laser. Optics Express, 2020, 28,<br>37397.                                                                                                                      | 1.7 | 18        |
| 32 | Photopolymerization with high-order Bessel light beams. Optics Letters, 2020, 45, 4080.                                                                                                                                               | 1.7 | 19        |
| 33 | 1108 nm vortex mode generation from a Self-Raman Nd:GdVO4 laser. , 2020, , .                                                                                                                                                          |     | Ο         |
| 34 | Spinning twin-mode generation in a bacteriorhodopsin suspension. , 2020, , .                                                                                                                                                          |     | 0         |
| 35 | Fractional optical vortex creates a curved "spin-jet". , 2020, , .                                                                                                                                                                    |     | 0         |
| 36 | Two photon-induced chiral structures of azo-polymers. , 2020, , .                                                                                                                                                                     |     | 0         |

| #  | Article                                                                                                                                                                                                                | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Fractional Optical Vortex Induced Mass Forward Transfer -Deflected â€~Spin-Jet' , 2020, , .                                                                                                                            |     | Ο         |
| 38 | Optical vortex induced flower-shaped surface relief of azo-polymers. , 2020, , .                                                                                                                                       |     | 0         |
| 39 | Twisted Materials: A New Twist for Materials Science: The Formation of Chiral Structures Using the<br>Angular Momentum of Light (Advanced Optical Materials 14/2019). Advanced Optical Materials, 2019, 7,<br>1970052. | 3.6 | 2         |
| 40 | Interparticle-Interaction-Mediated Anomalous Acceleration of Nanoparticles under Light-Field with<br>Coupled Orbital and Spin Angular Momentum. Nano Letters, 2019, 19, 4873-4878.                                     | 4.5 | 18        |
| 41 | Generation of Multiple Up-Converted OAM States from a Tunable Optical Vortex Parametric Laser Source. , 2019, , .                                                                                                      |     | Ο         |
| 42 | Handedness Control of Visible Optical Vortex Output from a Diode-Pumped Pr3+:YLF Laser. , 2019, , .                                                                                                                    |     | 1         |
| 43 | Dynamics analysis of nanoparticles optically driven by a Laguerre-Gaussian beam with optical spin.<br>Journal of Physics: Conference Series, 2019, 1220, 012008.                                                       | 0.3 | 2         |
| 44 | A New Twist for Materials Science: The Formation of Chiral Structures Using the Angular Momentum of Light. Advanced Optical Materials, 2019, 7, 1801672.                                                               | 3.6 | 89        |
| 45 | In Situ Microscopic Observation on Surface Kinetics in Optical Trapping-Induced Crystal Growth: Step<br>Formation, Wetting Transition, and Nonclassical Growth. Crystal Growth and Design, 2019, 19,<br>4138-4150.     | 1.4 | 3         |
| 46 | Power-scalable and high-speed orbital angular momentum modulator. Japanese Journal of Applied<br>Physics, 2019, 58, 032009.                                                                                            | 0.8 | 5         |
| 47 | Symmetry Breaking of Optical Vortex in Bacteriorhodopsin Suspensions. , 2019, , .                                                                                                                                      |     | 3         |
| 48 | Creation of Two-Photon Absorption Photo-Polymerization Induced Helical Microfibers. , 2019, , .                                                                                                                        |     | 1         |
| 49 | Plasmonic Trapping-Induced Crystallization of Acetaminophen. Crystal Growth and Design, 2019, 19, 529-537.                                                                                                             | 1.4 | 11        |
| 50 | Direct generation of red and orange optical vortex beams from an off-axis diode-pumped<br>Pr <sup>3+</sup> :YLF laser. Optics Express, 2019, 27, 18190.                                                                | 1.7 | 36        |
| 51 | Generation of high-quality terahertz OAM mode based on soft-aperture difference frequency generation. Optics Express, 2019, 27, 31840.                                                                                 | 1.7 | 29        |
| 52 | Optical vortex-induced forward mass transfer: manifestation of helical trajectory of optical vortex.<br>Optics Express, 2019, 27, 38019.                                                                               | 1.7 | 9         |
| 53 | Two-photon induced chiral mass-transport of azo-polymers as a function of pulse duration. , 2019, , .                                                                                                                  |     | Ο         |
| 54 | Micron-scale â€~ink-jet' created by optical vortex ablation. , 2019, , .                                                                                                                                               |     | 0         |

Micron-scale  $\hat{a} \in \tilde{\} ink-jet \hat{a} \in \mathbb{M}$  created by optical vortex ablation. , 2019, , . 54

| #  | Article                                                                                                                                                                                  | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Direct generation of vortex beams from a diode-pumped Pr3+:YLF laser. , 2019, , .                                                                                                        |     | 1         |
| 56 | Special Section Guest Editorial: Optical Manipulation and Structured Materials. Journal of Nanophotonics, 2019, 13, 1.                                                                   | 0.4 | 0         |
| 57 | Generation of coupled orbital angular momentum modes from an optical vortex parametric laser source. Optics Express, 2019, 27, 37025.                                                    | 1.7 | 5         |
| 58 | Optical vortex-induced forward mass transfer: manifestation of helical trajectory of optical vortex.<br>Optics Express, 2019, 27, 38019.                                                 | 1.7 | 18        |
| 59 | "Freezing―of NaClO <sub>3</sub> Metastable Crystalline State by Optical Trapping in Unsaturated<br>Microdroplet. Crystal Growth and Design, 2018, 18, 734-741.                           | 1.4 | 19        |
| 60 | Bottle beam generation from a frequency-doubled Nd:YVO4 laser. Scientific Reports, 2018, 8, 16576.                                                                                       | 1.6 | 9         |
| 61 | Tunable 3 µm optical vortex parametric oscillator. Japanese Journal of Applied Physics, 2018, 57, 122701.                                                                                | 0.8 | 9         |
| 62 | Photopolymerization with Light Fields Possessing Orbital Angular Momentum: Generation of Helical Microfibers. ACS Photonics, 2018, 5, 4156-4163.                                         | 3.2 | 33        |
| 63 | Feature issue introduction: Topological Photonics and Materials. Optics Express, 2018, 26, 25507.                                                                                        | 1.7 | 2         |
| 64 | In Situ Observation of Chiral Symmetry Breaking in NaClO <sub>3</sub> Chiral Crystallization Realized by Thermoplasmonic Micro-Stirring. Crystal Growth and Design, 2018, 18, 4230-4239. | 1.4 | 10        |
| 65 | Ultra-widely tunable mid-infrared (6–18  î¼m) optical vortex source. Applied Optics, 2018, 57, 620.                                                                                      | 0.9 | 11        |
| 66 | Nanoscale chiral surface relief of azo-polymers with nearfield OAM light. Optics Express, 2018, 26, 22197.                                                                               | 1.7 | 28        |
| 67 | Tunable near-infrared optical vortex parametric laser with versatile orbital angular momentum states. Applied Optics, 2018, 57, 10004.                                                   | 0.9 | 8         |
| 68 | Two photon absorption induced chiral mass transport of azo–polymer by optical vortex illumination.<br>, 2018, , .                                                                        |     | 0         |
| 69 | Optical vortex parametric laser with a versatile orbital angular momentum. , 2018, , .                                                                                                   |     | 0         |
| 70 | Enhancement of Nonlinearity by Terahertz Vortex Beam. , 2018, , .                                                                                                                        |     | 1         |
| 71 | Handedness control of a mid-infrared 3.5 μm optical vortex MgO: PPLN parametric oscillator. , 2018, , .                                                                                  |     | 0         |
|    |                                                                                                                                                                                          |     |           |

72 Low threshold tunable 2  $\hat{l} {}^1\!\!/ 4m$  optical vortex laser source. , 2018, , .

| #  | Article                                                                                                        | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Direct generation of bottle beam from a frequency-doubled Nd:YVO4 laser. , 2018, , .                           |     | Ο         |
| 74 | Chiral Mass Transport Induced by Optical Angular Momentum. The Review of Laser Engineering, 2018,<br>46, 200.  | 0.0 | 0         |
| 75 | Can light twist materials?. , 2018, , .                                                                        |     | 0         |
| 76 | Optical vortices establish self-written helical fiber via two photon absorption. , 2018, , .                   |     | 0         |
| 77 | Creation of Structured Materials with Optical Vortices. , 2018, , .                                            |     | Ο         |
| 78 | Two-photon induced â€~super-resolution' single-armed relief in azo-polymer film. , 2018, , .                   |     | 0         |
| 79 | Power- and Frequency-Scalable Modulation of the Optical Orbital Angular Momentum. , 2018, , .                  |     | Ο         |
| 80 | Widely tunable (2-6THz) Terahertz vortex source. , 2018, , .                                                   |     | 0         |
| 81 | Versatile vortex laser sources and their application. , 2018, , .                                              |     | Ο         |
| 82 | Fabrication of hollow microneedles by optical vortex illumination. , 2018, , .                                 |     | 1         |
| 83 | Optical vortex induced chiral mass-transport of azo-polymer through two photon absorption. , 2018, ,           |     | 1         |
| 84 | String-shaped Au structures fabricated by optical vortex ablation. , 2018, , .                                 |     | 0         |
| 85 | Shrinking optical vortex to the nanoscale. , 2018, , .                                                         |     | 2         |
| 86 | Sub-millimeter helical fiber created by Bessel vortex beam illumination. , 2018, , .                           |     | 0         |
| 87 | Bottle beam generation from a frequency-doubled Nd:YVO4 laser with a tightly end-pumping geometry. , 2018, , . |     | Ο         |
| 88 | Welcome to OSA Continuum. OSA Continuum, 2018, 1, 1.                                                           | 1.8 | 0         |
| 89 | Circularly polarized lights twist azo-polymer to form helical surface relief. Proceedings of SPIE, 2017, , .   | 0.8 | 0         |
| 90 | Twisted polymeric microfiber formed by structured light illumination. Proceedings of SPIE, 2017, , .           | 0.8 | 0         |

| #   | Article                                                                                                                                                                                                                     | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91  | Plasmonic Au nano-needle fabricated by optical vortex laser illumination. , 2017, , .                                                                                                                                       |     | Ο         |
| 92  | Optical vortex pumped solid-state Raman laser. , 2017, , .                                                                                                                                                                  |     | 1         |
| 93  | Plasmonic Heating-Assisted Laser-Induced Crystallization from a NaClO <sub>3</sub> Unsaturated Mother Solution. Crystal Growth and Design, 2017, 17, 809-818.                                                               | 1.4 | 15        |
| 94  | Wavelength-versatile optical vortex lasers. Journal of Optics (United Kingdom), 2017, 19, 123002.                                                                                                                           | 1.0 | 82        |
| 95  | Ultra-broadband tunable (0.67–2.57 µm) optical vortex parametric oscillator. Japanese Journal of<br>Applied Physics, 2017, 56, 102701.                                                                                      | 0.8 | 6         |
| 96  | Circularly polarized lights illumination to fabricate helical surface relief in azo-polymer film. , 2017, ,                                                                                                                 |     | 0         |
| 97  | Mid-infrared optical vortex parametric laser with topological charge versatility. , 2017, , .                                                                                                                               |     | 0         |
| 98  | Mid-infrared 3–5 μηι optical vortex MgO:PPLN parametric oscillator. , 2017, , .                                                                                                                                             |     | 0         |
| 99  | Ultraviolet optical vortex generation using a pair of β-BaB_2O_4 crystals with inverted orientations.<br>Applied Optics, 2017, 56, 8075.                                                                                    | 0.9 | 3         |
| 100 | Chiral nearfield generation from a chiral surface relief fabricated by optical vortex illumination with nano-imprinting technology. , 2017, , .                                                                             |     | 0         |
| 101 | Exploring the self-mode locking and vortex structures of nonplanar elliptical modes in selectively end-pumped Nd:YVO_4 lasers: manifestation of large fractional orbital angular momentum. Optics Express, 2017, 25, 22769. | 1.7 | 11        |
| 102 | Generating laser transverse modes analogous to quantum Green's functions of two-dimensional<br>harmonic oscillators. Photonics Research, 2017, 5, 733.                                                                      | 3.4 | 12        |
| 103 | Focus issue introduction: synergy of structured light and structured materials. Optics Express, 2017, 25, 16681.                                                                                                            | 1.7 | 10        |
| 104 | Azo-polymer film twisted to form a helical surface relief by illumination with a circularly polarized Gaussian beam. Optics Express, 2017, 25, 12499.                                                                       | 1.7 | 32        |
| 105 | Crystalline silicon (111) needle formed by optical vortex illumination. , 2017, , .                                                                                                                                         |     | 1         |
| 106 | Millijoule-level, ultra-broadband tunable (0.67–2.4 μm) optical vortex parametric laser. , 2017, , .                                                                                                                        |     | 0         |
| 107 | Q-switched self-Raman vortex laser using a defect mirror. , 2017, , .                                                                                                                                                       |     | 0         |
| 108 | Widely tunable optical vortex parametric laser with versatility of orbital angular momentum. , 2017, , .                                                                                                                    |     | 0         |

| #   | Article                                                                                                                                                                           | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Optical vortex illumination to form polymeric twisted fiber. , 2017, , .                                                                                                          |     | Ο         |
| 110 | High average power ultraviolet picosecond optical vortex generation. , 2017, , .                                                                                                  |     | 0         |
| 111 | Creating a crystalline silicon (111) needle by optical vortex illumination. , 2017, , .                                                                                           |     | 0         |
| 112 | Picosecond optical vortex pulse illumination forms a monocrystalline silicon needle. Scientific Reports, 2016, 6, 21738.                                                          | 1.6 | 106       |
| 113 | Highly intense monocycle terahertz vortex generation by utilizing a Tsurupica spiral phase plate.<br>Scientific Reports, 2016, 6, 38880.                                          | 1.6 | 33        |
| 114 | Constructive spin-orbital angular momentum coupling can twist materials to create spiral structures in optical vortex illumination. Applied Physics Letters, 2016, 108, .         | 1.5 | 54        |
| 115 | Terahertz Phonon Modes of Highly Efficient Electro-optic Phenyltriene OH1 Crystals. Journal of<br>Physical Chemistry C, 2016, 120, 24360-24369.                                   | 1.5 | 12        |
| 116 | Nanostructures creation by optical angular momentum transfer. Proceedings of SPIE, 2016, , .                                                                                      | 0.8 | 0         |
| 117 | Octave-band tunable optical vortex parametric oscillator. Optics Express, 2016, 24, 15204.                                                                                        | 1.7 | 18        |
| 118 | Beam propagation of efficient frequency-doubled optical vortices. Applied Optics, 2016, 55, 5263.                                                                                 | 2.1 | 7         |
| 119 | Optical vortex pulse illumination to create chiral monocrystalline silicon nanostructures. Physica<br>Status Solidi (A) Applications and Materials Science, 2016, 213, 1063-1068. | 0.8 | 28        |
| 120 | A continuous-wave vortex Raman laser with sum frequency generation. Applied Physics B: Lasers and Optics, 2016, 122, 1.                                                           | 1.1 | 12        |
| 121 | Optical angular momentum structures chiral materials and devices. , 2016, , .                                                                                                     |     | 0         |
| 122 | Towards chiral materials science based on optical vortices illumination. , 2016, , .                                                                                              |     | 0         |
| 123 | Tunable optical vortex generation in a â€~whole mid-infrared' wavelength region of 6-18 μm. , 2016, , .                                                                           |     | 0         |
| 124 | Monocycle 0.6-terahertz vortex generation. , 2016, , .                                                                                                                            |     | 0         |
| 125 | Monocrystalline silicon needle formation by optical vortex illumination. , 2016, , .                                                                                              |     | 0         |
| 126 | Octave-band tunable (0.74-1.89 Âμm) optical vortex laser. , 2016, , .                                                                                                             |     | 0         |

| #   | Article                                                                                                                                                                                              | IF          | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------|
| 127 | High average power picosecond sapphire face-cooled Nd :YVO <inf>4</inf> bounce laser<br>system. , 2015, , .                                                                                          |             | 0         |
| 128 | Terahertz bolometric detection by thermal noise in graphene field effect transistor. Applied Physics<br>Letters, 2015, 107, .                                                                        | 1.5         | 5         |
| 129 | Optical vortices pioneer chiral nano-structures. , 2015, , .                                                                                                                                         |             | 0         |
| 130 | Broadband THz vortex pulse generation by a Tsurupica spiral phase plate. , 2015, , .                                                                                                                 |             | 0         |
| 131 | Handedness control in a tunable midinfrared (60–125  μm) vortex laser. Journal of the Optical Society<br>America B: Optical Physics, 2015, 32, 2406.                                                 | y of<br>0.9 | 21        |
| 132 | Novel THz-wave detection technique via interaction between optical pumping waves and THz-wave generated by Cherenkov phase matching. , 2015, , .                                                     |             | 0         |
| 133 | Highly efficient frequency doubling of optical vortex. , 2015, , .                                                                                                                                   |             | 1         |
| 134 | Handedness control of sub-millijoule mid-infrared (6–12μm) vortex laser. , 2015,<br>, .                                                                                                              |             | 0         |
| 135 | Terahertz wave generation using type II phase matching polarization combination via difference frequency generation with LiNbO <sub>3</sub> . Japanese Journal of Applied Physics, 2015, 54, 062202. | 0.8         | 13        |
| 136 | High average power, diffraction-limited picosecond output from a sapphire face-cooled Nd:YVO_4 slab amplifier. Journal of the Optical Society of America B: Optical Physics, 2015, 32, 714.          | 0.9         | 9         |
| 137 | Real-time terahertz wave sensing via infrared detection interacted with evanescent terahertz waves.<br>Optical Review, 2015, 22, 166-169.                                                            | 1.2         | 2         |
| 138 | Widely-tunable vortex output from a singly resonant optical parametric oscillator. Optics Express, 2015, 23, 18338.                                                                                  | 1.7         | 24        |
| 139 | Widely tunable 1μm optical vortex laser. , 2015, , .                                                                                                                                                 |             | 0         |
| 140 | Handedness control of mid-infrared (9-12î¼m) vortex laser. , 2015, , .                                                                                                                               |             | 0         |
| 141 | Real-time THz-wave spectroscopy via infrared lights detection interacted with evanescent THz waves. , 2014, , .                                                                                      |             | 0         |
| 142 | Chiral polymeric relief structures fabricated by using optical vortices. , 2014, , .                                                                                                                 |             | 0         |
| 143 | Evaluation of polarized terahertz waves generated by Cherenkov phase matching. Applied Optics, 2014, 53, 1518.                                                                                       | 0.9         | 7         |
| 144 | Helical lights twist materials to form chiral structures -Chiral Photonics , 2014, , .                                                                                                               |             | 0         |

| #   | Article                                                                                                                                                    | IF  | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | An intracavity, frequency-doubled self-Raman vortex laser. Optics Express, 2014, 22, 5400.                                                                 | 1.7 | 39        |
| 146 | Ultraviolet vortex generation using periodically bonded β-BaB_2O_4 device. Optics Express, 2014, 22, 12829.                                                | 1.7 | 15        |
| 147 | Tunable mid-infrared (63–12 μm)optical vortex pulse generation. Optics Express, 2014, 22, 26351.                                                           | 1.7 | 31        |
| 148 | Direct observation of the topological charge of a terahertz vortex beam generated by a Tsurupica spiral phase plate. Applied Physics Letters, 2014, 104, . | 1.5 | 83        |
| 149 | Frequency-doubling of an optical vortex output from a stressed Yb-doped fiber amplifier. Applied<br>Physics B: Lasers and Optics, 2014, 116, 249-254.      | 1.1 | 11        |
| 150 | Light induced conch-shaped relief in an azo-polymer film. Scientific Reports, 2014, 4, 4281.                                                               | 1.6 | 113       |
| 151 | Tunable mid-infrared (6.3–7.8 µm) optical vortex laser. , 2014, , .                                                                                        |     | Ο         |
| 152 | Chiral mono-crystalline silicon nano-cone fabrication by optical vortex pumping. , 2014, , .                                                               |     | 0         |
| 153 | GR-FET application for high-frequency detection device. Nanoscale Research Letters, 2013, 8, 22.                                                           | 3.1 | 3         |
| 154 | Cherenkov phase-matched terahertz wave generation and its spectroscopic applications. Proceedings of SPIE, 2013, , .                                       | 0.8 | 1         |
| 155 | Ultra-violet optical vortex generation. , 2013, , .                                                                                                        |     | Ο         |
| 156 | Broadband terahertz light source pumped by a 1Âμm picosecond laser. Applied Physics B: Lasers and Optics, 2013, 110, 321-326.                              | 1.1 | 13        |
| 157 | Transfer of Light Helicity to Nanostructures. Physical Review Letters, 2013, 110, 143603.                                                                  | 2.9 | 272       |
| 158 | Broadband THz-wave generation by satisfying the noncollinear phase-matching condition with a reflected signal beam. Applied Optics, 2013, 52, 8305.        | 0.9 | 7         |
| 159 | Direct generation of a first-Stokes vortex laser beam from a self-Raman laser. Optics Express, 2013, 21, 12401.                                            | 1.7 | 58        |
| 160 | THz-wave sensing via pump and signal wave detection interacted with evanescent THz waves. Optics<br>Letters, 2013, 38, 3687.                               | 1.7 | 4         |
| 161 | Handedness control in a 2-μm optical vortex parametric oscillator. Optics Express, 2013, 21, 23604.                                                        | 1.7 | 29        |
| 162 | Efficient high-quality picosecond Nd:YVO_4bounce laser system. Journal of the Optical Society of<br>America B: Optical Physics, 2013, 30, 894.             | 0.9 | 15        |

Takashige Omatsu

| #   | Article                                                                                                                                                                  | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Spiral relief formation in an azo-polymer film by the irradiation of a circularly polarized optical vortex beam. , 2013, , .                                             |     | 1         |
| 164 | Helicity control of a 2-μm optical vortex output from a vortex-pumped optical parametric oscillator. , 2013, , .                                                         |     | 0         |
| 165 | Chiral structure control of metal nano-needles fabrictaed by optical vortex laser ablation. , 2013, , .                                                                  |     | 2         |
| 166 | High Power Optical Vortex Lasers and Their Application to Material Processing. The Review of Laser Engineering, 2013, 41, 708.                                           | 0.0 | 0         |
| 167 | Measurement of thermal lensing in a CW BaWO_4 intracavity Raman laser. Optics Express, 2012, 20, 9810.                                                                   | 1.7 | 22        |
| 168 | Tunable 2-μm optical vortex parametric oscillator. Optics Express, 2012, 20, 23666.                                                                                      | 1.7 | 45        |
| 169 | Over 25W nanosecond vortex laser based on a stressed Yb-doped fiber power amplifier. , 2012, , .                                                                         |     | 0         |
| 170 | Preparation and characterization of phospholipid-conjugated indocyanine green as a near-infrared probe. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 7481-7485. | 1.0 | 35        |
| 171 | Using Optical Vortex To Control the Chirality of Twisted Metal Nanostructures. Nano Letters, 2012, 12, 3645-3649.                                                        | 4.5 | 436       |
| 172 | Nano-needle fabrication based on optical vortex laser ablation. , 2012, , .                                                                                              |     | 0         |
| 173 | The Current Trends in SBS and phase conjugation. Laser and Particle Beams, 2012, 30, 117-174.                                                                            | 0.4 | 25        |
| 174 | Recent progress of high power optical vortex laser technologies. , 2012, , .                                                                                             |     | 0         |
| 175 | Milli-joule level 2m vortex pulses from an optical vortex pumped optical parametric oscillator. , 2012, ,                                                                |     | 0         |
| 176 | Multicolored electrochromism in 4,4′-biphenyl dicarboxylic acid diethyl ester. Physical Chemistry<br>Chemical Physics, 2011, 13, 11838.                                  | 1.3 | 31        |
| 177 | Power scaling of a picosecond vortex laser based on a stressed Yb-doped fiber amplifier. Optics Express, 2011, 19, 994.                                                  | 1.7 | 39        |
| 178 | Optical vortex pumped mid-infrared optical parametric oscillator. Optics Express, 2011, 19, 12220.                                                                       | 1.7 | 49        |
| 179 | Nanosecond vortex laser pulses with millijoule pulse energies from a Yb-doped double-clad fiber power amplifier. Optics Express, 2011, 19, 14420.                        | 1.7 | 29        |
| 180 | Dual-frequency picosecond optical parametric generator pumped by a Nd-doped vanadate bounce laser.<br>Optics Express, 2011, 19, 18523.                                   | 1.7 | 25        |

| #   | Article                                                                                                                                                                       | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | Sub-mJ nano-second vortex pulse generation from a stressed Yb-doped double-clad fiber amplifier. , 2011, , .                                                                  |     | 0         |
| 182 | Controllable direction switching of vortex output in a Nd:YVO <inf>4</inf> bounce laser. , 2011, , .                                                                          |     | 1         |
| 183 | Generation of Optical Pulses with Phase and/or Polarization Singularities and Their Applications.<br>Hyomen Kagaku, 2011, 32, 748-754.                                        | 0.0 | 0         |
| 184 | 1.3-Âμm passive Q-switching of a Nd-doped mixed vanadate bounce laser in combination with a V:YAG saturable absorber. Applied Physics Β: Lasers and Optics, 2010, 101, 65-70. | 1.1 | 8         |
| 185 | Laser ablation by optical vortex beams. , 2010, , .                                                                                                                           |     | Ο         |
| 186 | Metal nano-particles manipulation by using optical multiple vortex tweezer. Proceedings of SPIE, 2010,                                                                        | 0.8 | 0         |
| 187 | Over 20W pico-second vortex output from a large-mode-area fiber MOPA system. , 2010, , .                                                                                      |     | Ο         |
| 188 | Picosecond-Pulse-Pumped Distributed-Feedback Thick-Film Waveguide Blue Laser Using Fluorescent<br>Brightener 135. Japanese Journal of Applied Physics, 2010, 49, 072105.      | 0.8 | 8         |
| 189 | Metal microneedle fabricationâ€ <sup>-</sup> using twisted light with spin. Optics Express, 2010, 18, 17967.                                                                  | 1.7 | 223       |
| 190 | Optical phase conjugation of picosecond pulses at 106 μm in Sn_2P_2S_6:Te for wavefront correction in high-power Nd-doped amplifier systems. Optics Express, 2010, 18, 87.    | 1.7 | 10        |
| 191 | Optical-vortex laser ablation. Optics Express, 2010, 18, 2144.                                                                                                                | 1.7 | 208       |
| 192 | 25 W pico-second vortex output from a mixed-vanadate master laser and a Yb-doped fiber power amplifier. , 2010, , .                                                           |     | 1         |
| 193 | 50W pico-second Nd:GdVO4 bounce laser with a phase-conjugate mirror. , 2010, , .                                                                                              |     | Ο         |
| 194 | 105 W pico-second Nd:YVO4 bounce amplifier system with a photorefractive phase conjugate mirror. ,<br>2010, , .                                                               |     | 0         |
| 195 | Advanced Laser Technologies Based on A Functional Diffractive Optics. The Review of Laser Engineering, 2009, 37, 788-791.                                                     | 0.0 | 0         |
| 196 | Pico-second vortex output from a large-mode area fiber amplifier. , 2009, , .                                                                                                 |     | 0         |
| 197 | Nano-particles transportation using a holographic multiple-vortex tweezer. , 2009, , .                                                                                        |     | 0         |
| 198 | High-power pico-second vortex laser based on a large-mode area fiber amplifier. , 2009, , .                                                                                   |     | 0         |

| #   | Article                                                                                                                                                                                            | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 199 | Highly Efficient Long-Lifetime Dual-Layered Waveguide Dye Laser Containing<br>SiO2Nanoparticle-Dispersed Random Scattering Active Media. Japanese Journal of Applied Physics, 2009,<br>48, 112503. | 0.8 | 15        |
| 200 | Passive Q-switching of a diode-side-pumped Nd doped 1.3m ceramic YAG bounce laser. Optics Communications, 2009, 282, 4784-4788.                                                                    | 1.0 | 17        |
| 201 | Passively Q-switched yellow laser formed by a self-Raman composite Nd:YVO4/YVO4 crystal. Applied<br>Physics B: Lasers and Optics, 2009, 97, 799-804.                                               | 1.1 | 39        |
| 202 | High power picosecond vortex laser based on a large-mode-area fiber amplifier. Optics Express, 2009, 17, 14362.                                                                                    | 1.7 | 34        |
| 203 | Sub-100 W picosecond output from a phase-conjugate Nd:YVO_4 bounce amplifier. Optics Express, 2009, 17, 20816.                                                                                     | 1.7 | 37        |
| 204 | Near-ultraviolet laser based on organic waveguide dye laser containing a random scattering active media. , 2009, , .                                                                               |     | 0         |
| 205 | Laser ablation using a nanosecond optical vortex pulse. , 2009, , .                                                                                                                                |     | Ο         |
| 206 | Passive Q-switching of a diode-side-pumped Nd-doped mixed gadolinium yttrium vanadate bounce laser.<br>Applied Physics B: Lasers and Optics, 2008, 90, 445-449.                                    | 1.1 | 16        |
| 207 | Direct production of high-power radially polarized output from a side-pumped Nd:YVO_4 bounce amplifier using a photonic crystal mirror. Optics Express, 2008, 16, 10762.                           | 1.7 | 18        |
| 208 | Picosecond master-oscillator, power-amplifier system based on a mixed vanadate phase conjugate bounce amplifier. Optics Express, 2008, 16, 16382.                                                  | 1.7 | 11        |
| 209 | Ultra-high-power optical vortex output from a side-pumped Nd:GdVO <inf>4</inf> bounce laser. , 2008, , .                                                                                           |     | Ο         |
| 210 | 35 MW pulses with 44 W average power from a pico-second phase-conjugate Nd:GdVO4 laser system. , 2008, , .                                                                                         |     | 0         |
| 211 | Ultra-fast phase conjugate laser system. , 2007, , .                                                                                                                                               |     | Ο         |
| 212 | Compact continuous-wave yellow laser based on a self-stimulating Raman Nd:YVO4 laser. , 2007, ,<br>WB19.                                                                                           |     | 1         |
| 213 | Highly efficient pico-second waveguide dye laser based on a random active medium. , 2007, , .                                                                                                      |     | Ο         |
| 214 | ãf¬ãf¼ã,¶ãf¼å‰æ³¢é¢å^¶å¾¡æŠ€è;"ã뜌å‰åååðŽææ−™ã,ã®å¿œç". Kobunshi, 2007, 56, 501-504.                                                                                                                | 0.0 | 0         |
| 215 | Measurement of Contrast Transfer Function in Super-Resolution Microscopy Using Two-Color<br>Fluorescence Dip Spectroscopy. Applied Spectroscopy, 2007, 61, 6-10.                                   | 1.2 | 12        |
| 216 | Direct generation of high power Laguerre–Gaussian output from a diode-pumped Nd:YVO_4 1.3-μm<br>bounce laser. Optics Express, 2007, 15, 7616.                                                      | 1.7 | 79        |

| #   | Article                                                                                                                                                                                                   | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 217 | MW ps pulse generation at sub-MHz repetition rates from a phase conjugate Nd:YVO_4 bounce amplifier. Optics Express, 2007, 15, 9123.                                                                      | 1.7 | 44        |
| 218 | Birefringence generation mechanism in a fiber Fabry-Perot etalon buried in a fiber connector housing.<br>Electronics and Communications in Japan, 2007, 90, 56-62.                                        | 0.1 | 0         |
| 219 | Thermal-lens measurement in a side-pumped 1.31¼m Nd:YVO4 bounce laser. Optics Communications, 2007, 277, 125-129.                                                                                         | 1.0 | 11        |
| 220 | High quality, high power pico-second laser system with a phase conjugate mirror. The Review of Laser<br>Engineering, 2007, 35, 58-59.                                                                     | 0.0 | 0         |
| 221 | Highly efficient phase-conjugation of a pico-second 1μm Laguerre-Gaussian beam. , 2006, , .                                                                                                               |     | Ο         |
| 222 | High-peak power output from a waveguide dye laser based on a random active layer. , 2006, , .                                                                                                             |     | 0         |
| 223 | Highly efficient phase-conjugation of a 1 µm pico-second Laguerre-Gaussian beam. Optics Express, 2006,<br>14, 2250.                                                                                       | 1.7 | 15        |
| 224 | High repetition rate Q-switching performance in transversely diode-pumped Nd doped mixed gadolinium yttrium vanadate bounce laser. Optics Express, 2006, 14, 2727.                                        | 1.7 | 32        |
| 225 | Over 40-watt diffraction-limited Q-switched output from neodymium-doped YAG ceramic bounce amplifiers. Optics Express, 2006, 14, 8198.                                                                    | 1.7 | 21        |
| 226 | Highly efficient 1181nm output from a transversely diode-pumped Nd3+:KGd(WO4)2 self-stimulating<br>Raman laser. Optics Communications, 2006, 260, 675-679.                                                | 1.0 | 14        |
| 227 | Preparation of a hologram composed of a striped gold layer using photographic materials. Journal of Applied Physics, 2006, 100, 013102.                                                                   | 1.1 | 2         |
| 228 | Self-diffraction of a femto-second Laguerre-Gaussian beam in a dye polymer. , 2006, , .                                                                                                                   |     | 0         |
| 229 | >100kHz Q-switched operation in transversely diode-pumped ceramic Nd3+:YAG laser in bounce geometry. Optics Communications, 2005, 249, 531-537.                                                           | 1.0 | 30        |
| 230 | Waveguide dye laser including a SiO2 nanoparticle-dispersed random scattering active layer. Applied<br>Physics Letters, 2005, 86, 151123.                                                                 | 1.5 | 38        |
| 231 | Two-Point Separation in Far-Field Super-Resolution Fluorescence Microscopy Based on Two-Color<br>Fluorescence Dip Spectroscopy, Part I: Experimental Evaluation. Applied Spectroscopy, 2005, 59, 868-872. | 1.2 | 5         |
| 232 | Phase conjugation of pico-second pulses by four wave mixing in a Nd:YVO4 slab amplifier. Optics Express, 2005, 13, 3506.                                                                                  | 1.7 | 4         |
| 233 | Heat generation in Nd doped vanadate crystals with 1.34 μm laser action. Optics Express, 2005, 13, 4909.                                                                                                  | 1.7 | 32        |
| 234 | Power scaling of highly neodymium-doped YAG ceramic lasers with a bounce amplifier geometry.<br>Optics Express, 2005, 13, 7011.                                                                           | 1.7 | 17        |

| #   | Article                                                                                                                                                                               | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 235 | Over 10-watt pico-second diffraction-limited output from a Nd:YVO4 slab amplifier with a phase conjugate mirror. Optics Express, 2005, 13, 8993.                                      | 1.7 | 28        |
| 236 | Characterization of a Pico-Second Phase Conjugate Nd:YVO4Laser System. Japanese Journal of Applied Physics, 2004, 43, 2515-2518.                                                      | 0.8 | 13        |
| 237 | Formation of nano-dots of phenylazomethine dendrimers with Rhodamine 6G on mica. Polymers for Advanced Technologies, 2004, 15, 159-163.                                               | 1.6 | 10        |
| 238 | Efficient 1181 nm self-stimulating Raman output from transversely diode-pumped Nd3+:KGd(WO4)2<br>laser. Optics Communications, 2004, 232, 327-331.                                    | 1.0 | 35        |
| 239 | Efficient frequency extension of a diode-side-pumped Nd:YAG laser by intracavity SRS in crystalline materials. Optics Communications, 2004, 242, 575-579.                             | 1.0 | 10        |
| 240 | Au-nano-particles production by pico-second ultra-violet laser deposition in Au-ion doped PMMA film.<br>Chemical Physics Letters, 2004, 390, 166-169.                                 | 1.2 | 16        |
| 241 | Efficient phase conjugation by pico-second four-wave-mixing in solid-dye amplifier. Optics Express, 2004, 12, 1243.                                                                   | 1.7 | 3         |
| 242 | Two-Point-Separation in Far-Field Super-Resolution Fluorescence Microscopy Based on Two-Color<br>Fluorescence Dip Spectroscopy. Hyomen Kagaku, 2004, 25, 466-472.                     | 0.0 | 0         |
| 243 | Two-color far-field super-resolution microscope using a doughnut beam. Chemical Physics Letters, 2003, 371, 634-639.                                                                  | 1.2 | 41        |
| 244 | Investigation of the fluorescence depletion process in the condensed phase; application to a tryptophan aqueous solution. Chemical Physics Letters, 2003, 372, 773-778.               | 1.2 | 30        |
| 245 | Azo-benzene polymer thin-film laser amplifier with grating couplers based on light-induced relief hologram. Optics Communications, 2003, 228, 279-283.                                | 1.0 | 16        |
| 246 | Predicted Spatial Resolution of Super-Resolving Fluorescence Microscopy Using Two-Color<br>Fluorescence Dip Spectroscopy. Applied Spectroscopy, 2003, 57, 1312-1316.                  | 1.2 | 19        |
| 247 | Polarization state fixer composed of passive optical devices. Journal of the Optical Society of America<br>A: Optics and Image Science, and Vision, 2003, 20, 342.                    | 0.8 | 3         |
| 248 | Efficient self-pumped phase conjugation with a loop geometry in a Rhodamine-6G solid dye laser amplifier. Optics Express, 2003, 11, 176.                                              | 1.7 | 5         |
| 249 | Two-point-separation in super-resolution fluorescence microscope based on up-conversion fluorescence depletion technique. Optics Express, 2003, 11, 3271.                             | 1.7 | 80        |
| 250 | Self-stimulating, Transversely Diode-pumped Nd3+: PbWO4 yellow laser. , 2003, , 21.                                                                                                   |     | 0         |
| 251 | Diffraction Efficiency of Holographic Grating Formed in Au Nano particle-Doped Sol–Gel Silica Film by<br>Laser Irradiation. Japanese Journal of Applied Physics, 2003, 42, 1288-1289. | 0.8 | 16        |
| 252 | High Quality 7.5 W Continuous-Wave Operation of a Nd:YVO4Laser with a Rh:BaTiO3Phase Conjugate<br>Mirror. Japanese Journal of Applied Physics, 2002, 41, 2024-2027.                   | 0.8 | 8         |

Takashige Omatsu

| #   | Article                                                                                                                                                                                                             | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 253 | A Novel Phase Conjugate Broad-Stripe Diode Laser with an External Ring Geometry. Japanese Journal of<br>Applied Physics, 2002, 41, 606-608.                                                                         | 0.8 | 3         |
| 254 | Characterization of an axisymmetric birefringent optical fiber. , 2002, 4920, 510.                                                                                                                                  |     | 0         |
| 255 | Spatial Resolution Enhancement in BOTDR by Spectrum Separation Method. Optical Review, 2002, 9, 49-53.                                                                                                              | 1.2 | 12        |
| 256 | Self-diffraction of pico-second pulses in a saturable amplifier polymer dye. Optics Communications, 2002, 206, 165-170.                                                                                             | 1.0 | 2         |
| 257 | Thermal conductivity of a self-frequency-doubling laser crystal measured by use of optical methods.<br>Applied Optics, 2001, 40, 1372.                                                                              | 2.1 | 4         |
| 258 | Influence of laser action on thermal loading in diode-pumped Nd:YVO4 , 2001, , ME17.                                                                                                                                |     | 1         |
| 259 | Diode-pumped, self-stimulating, passively Q-switched Nd3+:PbWO4 Raman laser. Optics<br>Communications, 2001, 194, 401-407.                                                                                          | 1.0 | 125       |
| 260 | Vectorial phase conjugator by degenerated four-wave mixing in a laser-pumped polymer dye amplifier.<br>Optics Communications, 2001, 199, 215-222.                                                                   | 1.0 | 2         |
| 261 | Yb:YAl3(B03)4: an efficient green self-frequency-doubled laser source. , 2001, , WA3.                                                                                                                               |     | 2         |
| 262 | Tunable phase conjugation by intracavity degenerate four-wave mixing in an injection-seeded solid dye<br>laser. Optics Letters, 2000, 25, 1267.                                                                     | 1.7 | 6         |
| 263 | Suppression of Self-Frequency-Scanning and Brightness Improvement of a Broad-Stripe Laser Diode using Phase Conjugate Feedback. Japanese Journal of Applied Physics, 1999, 38, 3522-3525.                           | 0.8 | 4         |
| 264 | Quantitative Measurement of Thermal Lens in Diode-Laser Pumped Self-Frequency-Doubled<br>Nd,Lu:YAl3(BO3)4Laser under Lasing and Non-Lasing Conditions. Japanese Journal of Applied Physics,<br>1999, 38, 6335-6339. | 0.8 | 3         |
| 265 | Modal Power Analysis for Two-Mode Fibers Illuminated by an Offset Beam Based on Near Field Pattern<br>Measurement. Optical Review, 1999, 6, 330-333.                                                                | 1.2 | 5         |
| 266 | Highly efficient degenerate four-wave mixing with multipass geometries in a polymer laser dye saturable amplifier. Optics Letters, 1999, 24, 1620.                                                                  | 1.7 | 15        |
| 267 | <title>Thermal transmission characteristics of a set of fiber Fabry-Perot etalons designed for an optical FDM system integrated for broadcasting and communication</title> . , 1999, , .                            |     | 0         |
| 268 | Influence of laser action on thermal loading in diode-pumped Nd:YVO4. , 1999, , .                                                                                                                                   |     | 0         |
| 269 | Investigation of photorefractive phase conjugate feedback on the lasing spectrum of a broad-stripe laser diode. Optics Communications, 1998, 146, 167-172.                                                          | 1.0 | 15        |
| 270 | Injection locking of a broad-area diode laser through a double phase-conjugate mirror. Optics<br>Communications, 1998, 146, 6-10.                                                                                   | 1.0 | 28        |

| #   | Article                                                                                                                                                                                      | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 271 | Tunable, visible phase conjugator with a saturable-amplifier polymer laser dye. Optics Letters, 1998, 23,<br>1432.                                                                           | 1.7 | 12        |
| 272 | Thermal lensing measurements in line-focus end-pumped neodymium yttrium aluminium garnet using holographic lateral shearing interferometry. Journal of Applied Physics, 1998, 83, 2901-2906. | 1.1 | 41        |
| 273 | <title>Self-adaptive external resonator for second-harmonic generation in laser-diode-pumped NYAB&lt;br&gt;laser using photorefractive phase conjugate feedback</title> . , 1998, 3554, 191. |     | Ο         |
| 274 | <title>Improvement of the oscillation mode of the broad-area diode lasers by injection locking with photorefractive mutually pumped phase conjugators</title> . , 1998, 3554, 133.           |     | 0         |
| 275 | Measurements of thermal lensing in line-focus end-pumped Nd:YAG slabs. , 1998, , .                                                                                                           |     | 1         |
| 276 | Transient thermal lensing measurement in a laser diode pumped NdxY1â^'xAl3(BO3)4 laser using a holographic shearing interferometer. Optics Communications, 1997, 140, 237-241.               | 1.0 | 14        |
| 277 | <title>Longitudinal single-mode operation of broad-stripe laser diode using a photorefractive phase conjugator</title> . , 1996, 2896, 110.                                                  |     | 1         |
| 278 | High Sensitive Detection of Trace Gases Using Optical Heterodyne Method with a High Finesse<br>Intra-Cavity Resonator. Optical Review, 1996, 3, 243-250.                                     | 1.2 | 9         |
| 279 | Thermal effects in laser diode pumped self-frequency-doubled NdxY1â^'xAl3(BO3)4(NYAB) microchip<br>laser. Optics Communications, 1995, 118, 302-308.                                         | 1.0 | 43        |
| 280 | Second Harmonic Generation of a Copper Vapor Laser Using an Anamorphic Optical System. Japanese<br>Journal of Applied Physics, 1994, 33, 4903-4904.                                          | 0.8 | 3         |
| 281 | Intra-pulse decrease of M2 of a copper vapor laser beam. Optics Communications, 1993, 101, 199-204.                                                                                          | 1.0 | 5         |
| 282 | Saturation of the conversion efficiency of second harmonic generation of a copper vapor laser.<br>Optics Communications, 1993, 97, 65-68.                                                    | 1.0 | 5         |
| 283 | Evolution of the spatial coherence in a copper vapor laser. Optics Communications, 1992, 92, 50-56.                                                                                          | 1.0 | 5         |
| 284 | Parametric Study On The Second Harmonic Generation Of A Copper Vapor Laser. Proceedings of SPIE, 1989, 1041, 60.                                                                             | 0.8 | 6         |
| 285 | Azo-benzene polymer thin-film laser amplifier with grating couplers based on light-induced relief hologram. , 0, , .                                                                         |     | 0         |
| 286 | Optical-fiber laser produces high-power vortex output. SPIE Newsroom, 0, , .                                                                                                                 | 0.1 | 0         |
| 287 | Optical Vortices Illumination Enables the Creation of Chiral Nanostructures. , 0, , .                                                                                                        |     | 3         |
| 288 | Direct Generation of Vortex Laser Beams and Their Non-Linear Wavelength Conversion. , 0, , .                                                                                                 |     | 2         |

| #   | Article                                                                                               | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------|-----|-----------|
| 289 | Microfabrication of Au Film Using Optical Vortex Beam. Journal of Laser Micro Nanoengineering, 0, , . | 0.4 | 1         |