

# Marie Krogh Nielsen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9002464/publications.pdf>

Version: 2024-02-01

28  
papers

590  
citations

623188

14  
h-index

676716

22  
g-index

31  
all docs

31  
docs citations

31  
times ranked

714  
citing authors

#	ARTICLE	IF	CITATIONS
1	EX-vivo whole blood stimulation with A2E does not elicit an inflammatory cytokine response in patients with age-related macular degeneration. <i>Scientific Reports</i> , 2021, 11, 8226.	1.6	3
2	Prevalence of Charles Bonnet syndrome in patients with age-related macular degeneration: systematic review and meta-analysis. <i>Acta Ophthalmologica</i> , 2020, 98, 121-131.	0.6	23
3	Plasma levels of inflammatory chemokines in patients with polypoidal choroidal vasculopathy. <i>Acta Ophthalmologica</i> , 2020, 98, 384-389.	0.6	5
4	Serum neurofilament light chain in healthy elderly and in patients with age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2020, 98, e393-e394.	0.6	5
5	Age-related macular degeneration: A two-level model hypothesis. <i>Progress in Retinal and Eye Research</i> , 2020, 76, 100825.	7.3	108
6	Systemic levels of C-reactive protein in patients with age-related macular degeneration: A systematic review with meta-analyses. <i>Mechanisms of Ageing and Development</i> , 2020, 191, 111353.	2.2	12
7	Patients with myeloproliferative neoplasms and high levels of systemic inflammation develop age-related macular degeneration. <i>EClinicalMedicine</i> , 2020, 26, 100526.	3.2	10
8	Plasma Levels of Matrix Metalloprotease MMP-9 and Tissue Inhibitor TIMP-1 in Caucasian Patients with Polypoidal Choroidal Vasculopathy. <i>Vision (Switzerland)</i> , 2020, 4, 27.	0.5	2
9	Systemic levels of interleukin-6 in patients with age-related macular degeneration: a systematic review and meta-analysis. <i>Acta Ophthalmologica</i> , 2020, 98, 434-444.	0.6	24
10	Chemokine Profile and the Alterations in CCR5-CCL5 Axis in Geographic Atrophy Secondary to Age-Related Macular Degeneration. , 2020, 61, 28.		17
11	Patients with a fast progression profile in geographic atrophy have increased CD200 expression on circulating monocytes. <i>Clinical and Experimental Ophthalmology</i> , 2019, 47, 69-78.	1.3	14
12	Low health literacy levels in patients with chronic retinal disease. <i>BMC Ophthalmology</i> , 2019, 19, 174.	0.6	28
13	The transcriptome of peripheral blood mononuclear cells in patients with clinical subtypes of late age-related macular degeneration. <i>Immunity and Ageing</i> , 2019, 16, 20.	1.8	18
14	Irrigating the eye after intravitreal injection reduces epithelial damage but not patient discomfort. <i>Acta Ophthalmologica</i> , 2019, 97, e670-e671.	0.6	7
15	Systemic Levels of Interleukin-6 Correlate With Progression Rate of Geographic Atrophy Secondary to Age-Related Macular Degeneration. , 2019, 60, 202.		55
16	Polypoidal Choroidal Vasculopathy Associate With Diminished Regulatory T Cells That Are Polarized Into a T Helper 2-Like Phenotype. , 2019, 60, 2583.		10
17	Association of CD11b <sup>+</sup> Monocytes and Anti-Vascular Endothelial Growth Factor Injections in Treatment of Neovascular Age-Related Macular Degeneration and Polypoidal Choroidal Vasculopathy. <i>JAMA Ophthalmology</i> , 2019, 137, 515.	1.4	18
18	Neutrophil-to-Lymphocyte ratio in age-related macular degeneration: a systematic review and meta-analysis. <i>Acta Ophthalmologica</i> , 2019, 97, 558-566.	0.6	38

#	ARTICLE	IF	CITATIONS
19	Treatment failure in neovascular age-related macular degeneration is associated with a complex chemokine receptor profile. <i>BMJ Open Ophthalmology</i> , 2019, 4, e000307.	0.8	4
20	Plasma markers of chronic low-grade inflammation in polypoidal choroidal vasculopathy and neovascular age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2019, 97, 99-106.	0.6	43
21	Imbalances in tissue inhibitors of metalloproteinases differentiate choroidal neovascularization from geographic atrophy. <i>Acta Ophthalmologica</i> , 2019, 97, 84-90.	0.6	26
22	Altered proportion of CCR2 <sup>+</sup> and CX3CR1 <sup>+</sup> circulating monocytes in neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. <i>Clinical and Experimental Ophthalmology</i> , 2018, 46, 661-669.	1.3	25
23	Association between presenting complaints of acutely admitted medical patients and mortality: A cohort study. <i>European Journal of Internal Medicine</i> , 2018, 54, e29-e32.	1.0	3
24	Optical Coherence Tomography Angiography of Purtscher Retinopathy after Severe Traffic Accident in 16-Year-Old Boy. <i>Case Reports in Ophthalmological Medicine</i> , 2018, 2018, 1-4.	0.3	4
25	Systemic frequencies of T helper 1 and T helper 17 cells in patients with age-related macular degeneration: A case-control study. <i>Scientific Reports</i> , 2017, 7, 605.	1.6	29
26	Altered activation state of circulating neutrophils in patients with neovascular age-related macular degeneration. <i>Immunity and Ageing</i> , 2017, 14, 18.	1.8	18
27	CD11b and CD200 on Circulating Monocytes Differentiate Two Angiographic Subtypes of Polypoidal Choroidal Vasculopathy. , 2017, 58, 5242.		19
28	T-cell differentiation and CD56+ levels in polypoidal choroidal vasculopathy and neovascular age-related macular degeneration. <i>Aging</i> , 2017, 9, 2436-2452.	1.4	22