## C J Apfelbacher

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9002988/publications.pdf

Version: 2024-02-01

250 papers

7,731 citations

45 h-index

53794

75 g-index

282 all docs 282 docs citations

282 times ranked 8788 citing authors

#	Article	IF	Citations
1	COVID-19 Home Confinement Negatively Impacts Social Participation and Life Satisfaction: A Worldwide Multicenter Study. International Journal of Environmental Research and Public Health, 2020, 17, 6237.	2.6	301
2	The Harmonising Outcome Measures for Eczema (HOME) statement to assess clinical signs of atopic eczema in trials. Journal of Allergy and Clinical Immunology, 2014, 134, 800-807.	2.9	257
3	Efficacy and tolerability of proactive treatment with topical corticosteroids and calcineurin inhibitors for atopic eczema: systematic review and meta-analysis of randomized controlled trials. British Journal of Dermatology, 2011, 164, 415-428.	1.5	219
4	Risk factors for post-COVID-19 condition in previously hospitalised children using the ISARIC Global follow-up protocol: a prospective cohort study. European Respiratory Journal, 2022, 59, 2101341.	6.7	216
5	Prevalence, correlates and characteristics of chronic pruritus: a population-based cross-sectional study. Acta Dermato-Venereologica, 2011, 91, 674-679.	1.3	186
6	The Harmonizing Outcome Measures for Eczema (HOME) Roadmap: A Methodological Framework to Develop Core Sets of Outcome Measurements in Dermatology. Journal of Investigative Dermatology, 2015, 135, 24-30.	0.7	184
7	Towards global consensus on outcome measures for atopic eczema research: results of the <scp>HOME II</scp> meeting. Allergy: European Journal of Allergy and Clinical Immunology, 2012, 67, 1111-1117.	5.7	169
8	Prevalence of Female Sexual Dysfunction Among Premenopausal Women: A Systematic Review and Meta-Analysis of Observational Studies. Sexual Medicine Reviews, 2016, 4, 197-212.	2.9	160
9	Predictors of female sexual dysfunction: a systematic review and qualitative analysis through gender inequality paradigms. BMC Women's Health, 2018, 18, 108.	2.0	150
10	Pruritus as a leading symptom: clinical characteristics and quality of life in German and Ugandan patients. British Journal of Dermatology, 2006, 155, 957-964.	1.5	146
11	Patient-Oriented Eczema Measure (POEM), a core instrument to measure symptoms in clinical trials: a Harmonising Outcome Measures for Eczema (HOME) statement. British Journal of Dermatology, 2017, 176, 979-984.	1.5	141
12	Evidence Synthesis of Digital Interventions to Mitigate the Negative Impact of the COVID-19 Pandemic on Public Mental Health: Rapid Meta-review. Journal of Medical Internet Research, 2021, 23, e23365.	4.3	140
13	Research needs in allergy: an EAACI position paper, in collaboration with EFA. Clinical and Translational Allergy, 2012, 2, 21.	3.2	127
14	Globally altered sleep patterns and physical activity levels by confinement in 5056 individuals: ECLB COVID-19 international online survey. Biology of Sport, 2021, 38, 495-506.	3.2	124
15	Incidence and risk factors for persistent symptoms in adults previously hospitalized for COVIDâ€19. Clinical and Experimental Allergy, 2021, 51, 1107-1120.	2.9	116
16	Report from the fourth international consensus meeting to harmonize core outcome measures for atopic eczema/dermatitis clinical trials (HOME initiative). British Journal of Dermatology, 2016, 175, 69-79.	1.5	115
17	Incidence and Determinants of Chronic Pruritus: A Population-based Cohort Study. Acta Dermato-Venereologica, 2013, 93, 532-537.	1.3	113
18	Infant eczema, infant sleeping problems, and mental health at 10  years of age: the prospective birth cohort study LISAplus. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 404-411.	5.7	111

#	Article	IF	Citations
19	Determinants of eczema: population-based cross-sectional study in Germany. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 206-213.	5.7	102
20	Sleep Quality and Physical Activity as Predictors of Mental Wellbeing Variance in Older Adults during COVID-19 Lockdown: ECLB COVID-19 International Online Survey. International Journal of Environmental Research and Public Health, 2021, 18, 4329.	2.6	100
21	Report from the fifth international consensus meeting to harmonize core outcome measures for atopic eczema/dermatitis clinical trials (HOME initiative). British Journal of Dermatology, 2018, 178, e332-e341.	1.5	96
22	Report from the third international consensus meeting to harmonise core outcome measures for atopic eczema/dermatitis clinical trials (HOME). British Journal of Dermatology, 2014, 171, 1318-1325.	1.5	95
23	The role of mobile health technologies in allergy care: An EAACI position paper. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 259-272.	5.7	95
24	Infant-onset eczema in relation to mental health problems at age 10 years: Results from a prospective birth cohort study (German Infant Nutrition Intervention plus). Journal of Allergy and Clinical Immunology, 2010, 125, 404-410.	2.9	94
25	Effects of structured patient education in adults with atopic dermatitis: Multicenter randomized controlled trial. Journal of Allergy and Clinical Immunology, 2017, 140, 845-853.e3.	2.9	87
26	Developing a core outcome domain set to assessing effectiveness of interdisciplinary multimodal pain therapy: the VAPAIN consensus statement on core outcome domains. Pain, 2018, 159, 673-683.	4.2	86
27	Long-term outcome after the acute respiratory distress syndrome: different from general critical illness?. Current Opinion in Critical Care, 2018, 24, 35-40.	3.2	82
28	Overview of systematic reviews in allergy epidemiology. Allergy: European Journal of Allergy and Clinical Immunology, 2017, 72, 849-856.	5.7	76
29	Studying the post-COVID-19 condition: research challenges, strategies, and importance of Core Outcome Set development. BMC Medicine, 2022, 20, 50.	5.5	72
30	Evaluation of the measurement properties of symptom measurement instruments for atopic eczema: a systematic review. Allergy: European Journal of Allergy and Clinical Immunology, 2017, 72, 146-163.	5.7	71
31	Measuring the Prevalence of Chronic Itch in the General Population: Development and Validation of a Questionnaire for Use in Large-scale Studies. Acta Dermato-Venereologica, 2009, 89, 250-256.	1.3	68
32	Secondary individual prevention of occupational skin diseases in health care workers, cleaners and kitchen employees: aims, experiences and descriptive results. International Archives of Occupational and Environmental Health, 2007, 80, 477-484.	2.3	67
33	Predictors of overweight and obesity in five to seven-year-old children in Germany: Results from cross-sectional studies. BMC Public Health, 2008, 8, 171.	2.9	67
34	Parents' intention to get vaccinated and to have their child vaccinated against COVID-19: cross-sectional analyses using data from the KUNO-Kids health study. European Journal of Pediatrics, 2021, 180, 3405-3410.	2.7	66
35	Occurrence and prognosis of hand eczema in the car industry: results from the PACO follow-up study (PACO II). Contact Dermatitis, 2008, 58, 322-329.	1.4	60
36	The impact of measures for secondary individual prevention of workâ€related skin diseases in health care workers: 1â€year followâ€up study. Contact Dermatitis, 2009, 60, 144-149.	1.4	58

#	Article	IF	CITATIONS
37	Low vitamin D serum level is inversely associated with eczema in children and adolescents in Germany. Allergy: European Journal of Allergy and Clinical Immunology, 2013, 68, 906-910.	5.7	58
38	StopCOVID cohort: An observational study of 3,480 patients admitted to the Sechenov University hospital network in Moscow city for suspected COVID-19 infection. Clinical Infectious Diseases, 2021, 73, 1-11.	5.8	58
39	Measurement properties of adult qualityâ€ofâ€life measurement instruments for eczema: a systematic review. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 358-370.	5.7	56
40	Occupational skin diseases in cleaning and kitchen employees: Course and quality of life after measures of secondary individual prevention. JDDG - Journal of the German Society of Dermatology, 2007, 5, 670-676.	0.8	55
41	Neuroticism, extraversion, stressful life events and asthma: a cohort study of middleâ€aged adults. Allergy: European Journal of Allergy and Clinical Immunology, 2009, 64, 1444-1450.	5.7	53
42	Development and initial testing of a new instrument to measure the experience of eczema control in adults and children: Recap of atopic eczema ( <scp>RECAP</scp> ). British Journal of Dermatology, 2020, 183, 524-536.	1.5	52
43	Recommended core outcome instruments for healthâ€related quality of life, longâ€term control and itch intensity in atopic eczema trials: results of the HOME VII consensus meeting*. British Journal of Dermatology, 2021, 185, 139-146.	1.5	52
44	The HOME Core outcome set for clinical trials of atopic dermatitis. Journal of Allergy and Clinical Immunology, 2022, 149, 1899-1911.	2.9	51
45	Instruments to measure outcomes of post-intensive care syndrome in outpatient care settings – Results of an expert consensus and feasibility field test. Journal of the Intensive Care Society, 2021, 22, 159-174.	2.2	50
46	Measurement properties of quality-of-life measurement instruments for infants, children and adolescents with eczema: a systematic review. British Journal of Dermatology, 2017, 176, 878-889.	1.5	48
47	Global Allergy Forum and 3rd Davos Declaration 2015. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 588-592.	5.7	47
48	Characteristics and Provision of Care in Patients with Chronic Hand Eczema: Updated Data from the CARPE Registry. Acta Dermato-Venereologica, 2014, 94, 163-167.	1.3	46
49	Indication Criteria for Total Knee Arthroplasty in Patients with Osteoarthritis – A Multi-perspective Consensus Study. Zeitschrift Fur Orthopadie Und Unfallchirurgie, 2017, 155, 539-548.	0.7	46
50	Differences in medication adherence are associated with beliefs about medicines in asthma and COPD. Clinical and Translational Allergy, 2017, 7, 39.	3.2	46
51	Navigating the landscape of core outcome set development in dermatology. Journal of the American Academy of Dermatology, 2019, 81, 297-305.	1.2	46
52	Stigmatization from Work-Related COVID-19 Exposure: A Systematic Review with Meta-Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 6183.	2.6	45
53	Obesity and Adult Asthma: Potential Effect Modification by Gender, But Not by Hay Fever. Annals of Epidemiology, 2008, 18, 283-289.	1.9	43
54	The Quality of Life in Hand Eczema Questionnaire (QOLHEQ): validation of the German version of a new disease-specific measure of quality of life for patients with hand eczema. British Journal of Dermatology, 2014, 171, 304-312.	1.5	43

#	Article	IF	CITATIONS
55	Trends in non-help-seeking for mental disorders in Germany between 1997–1999 and 2009–2012: a repeated cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1005-1013.	3.1	42
56	Influenza vaccination coverage among high-risk groups in 11 European countries. European Journal of Public Health, 2012, 22, 562-568.	0.3	41
57	No high level evidence to support the use of oral H1 antihistamines as monotherapy for eczema: a summary of a Cochrane systematic review. Systematic Reviews, 2014, 3, 25.	5.3	41
58	Report from the kick-off meeting of the Cochrane Skin Group Core Outcome Set Initiative (CSG-COUSIN). British Journal of Dermatology, 2016, 174, 287-295.	1.5	41
59	Children and adolescents' health-related quality of life in relation to eczema, asthma and hay fever: results from a population-based cross-sectional study. Quality of Life Research, 2011, 20, 1295-1305.	3.1	40
60	Depressive Symptoms, Social Support, and Risk of Adult Asthma in a Population-Based Cohort Study. Psychosomatic Medicine, 2010, 72, 309-315.	2.0	39
61	Measuring asthmaâ€specific quality of life: structured review. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 439-457.	5.7	37
62	Health literacy in the general population in the context of epidemic or pandemic coronavirus outbreak situations: Rapid scoping review. Patient Education and Counseling, 2021, 104, 223-234.	2.2	37
63	Evaluating Written Patient Information for Eczema in German: Comparing the Reliability of Two Instruments, DISCERN and EQIP. PLoS ONE, 2015, 10, e0139895.	2.5	35
64	Determinants of current hand eczema: results from caseâ€"control studies nested in the PACO followâ€up study (PACO II). Contact Dermatitis, 2010, 62, 363-370.	1.4	34
65	Medical, psychological and socioâ€economic implications of chronic hand eczema: a crossâ€sectional study. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 628-637.	2.4	34
66	Oral H1 antihistamines as â€~add-on' therapy to topical treatment for eczema. The Cochrane Library, 2019, 2019, CD012167.	2.8	33
67	KUNO-Kids birth cohort study: rationale, design, and cohort description. Molecular and Cellular Pediatrics, 2019, 6, 1.	1.8	33
68	Healthâ€related quality of life in health care workers with workâ€related skin diseases. Contact Dermatitis, 2009, 61, 145-151.	1.4	32
69	Chronic hand eczema in Germany: 5â€year followâ€up data from the CARPE registry. Contact Dermatitis, 2019, 80, 45-53.	1.4	32
70	Prevalence of overweight and obesity in East and West German children in the decade after reunification: population-based series of cross-sectional studies. Journal of Epidemiology and Community Health, 2008, 62, 125-130.	3.7	30
71	Prevalence and predictors of female sexual dysfunction: a protocol for a systematic review. Systematic Reviews, 2014, 3, 75.	5.3	30
72	Eczema Trials: Quality of Life Instruments Used and Their Relation to Patient-reported Outcomes. A Systematic Review. Acta Dermato-Venereologica, 2016, 96, 596-601.	1.3	29

#	Article	IF	Citations
73	<scp>TRE</scp> atment of <scp>AT</scp> opic eczema ( <scp>TREAT</scp> ) Registry Taskforce: consensus on how and when to measure the core dataset for atopic eczema treatment research registries. British Journal of Dermatology, 2019, 181, 492-504.	1.5	29
74	Cochrane Reviews and Dermatological Trials Outcome Concordance: Why Core Outcome Sets Could Make Trial Results More Usable. Journal of Investigative Dermatology, 2019, 139, 1045-1053.	0.7	29
75	Measuring atopic eczema symptoms in clinical practice: The first consensus statement from the Harmonising Outcome Measures for Eczema in clinical practice initiative. Journal of the American Academy of Dermatology, 2020, 82, 1181-1186.	1.2	29
76	Epidemiology of Tick Bites and Borreliosis in Children Attending Kindergarten or So-Called "Forest Kindergarten―in Southwest Germany. Journal of Investigative Dermatology, 2006, 126, 584-590.	0.7	28
77	<scp>TRE</scp> atment of <scp>AT</scp> opic eczema ( <scp>TREAT</scp> ) Registry Taskforce: an international Delphi exercise to identify a core set of domains and domain items for national atopic eczema photo―and systemic therapy registries. British Journal of Dermatology, 2019, 180, 790-801.	1.5	26
78	Validity of two common asthma-specific quality of life questionnaires: Juniper mini asthma quality of life questionnaire and Sydney asthma quality of life questionnaire. Health and Quality of Life Outcomes, 2012, 10, 97.	2.4	25
79	The International TREatment of ATopic Eczema (TREAT) Registry Taskforce: An Initiative to Harmonize Data Collection across National Atopic Eczema Photo- and Systemic Therapy Registries. Journal of Investigative Dermatology, 2017, 137, 2014-2016.	0.7	25
80	Standardized reporting of the Eczema Area and Severity Index (EASI) and the Patient-Oriented Eczema Measure (POEM): a recommendation by the Harmonising Outcome Measures for Eczema (HOME) Initiative. British Journal of Dermatology, 2018, 179, 540-541.	1.5	25
81	Itching in Patients with Chronic Hand Eczema: Data from the CARPE Registry. Dermatology, 2014, 229, 146-153.	2.1	24
82	Pain, social support and depressive symptoms in patients with rheumatoid arthritis: testing the stress-buffering hypothesis. Rheumatology International, 2017, 37, 931-936.	3.0	24
83	Impact of the COVID-19 pandemic on ongoing health research: an ad hoc survey among investigators in Germany. BMJ Open, 2021, 11, e049086.	1.9	23
84	Measurement properties of quality of life measurement instruments for infants, children and adolescents with eczema: protocol for a systematic review. Systematic Reviews, 2016, 5, 25.	5.3	22
85	Patterns of chronic hand eczema: a semantic map analysis of the <scp>CARPE</scp> registry data. British Journal of Dermatology, 2018, 178, 229-237.	1.5	22
86	TREatment of ATopic eczema (TREAT) Registry Taskforce: protocol for an international Delphi exercise to identify a core set of domains and domain items for national atopic eczema registries. Trials, 2017, 18, 87.	1.6	21
87	Ambulatory and stationary healthcare use in survivors of ARDS during the first year after discharge from ICU: findings from the DACAPO cohort. Annals of Intensive Care, 2019, 9, 70.	4.6	21
88	Measurement properties of qualityâ€ofâ€ife outcome measures for children and adults with eczema: An updated systematic review. Pediatric Allergy and Immunology, 2020, 31, 66-77.	2.6	21
89	CARPE: ein Registerprojekt der Deutschen Dermatologischen Gesellschaft (DDG) zur Charakterisierung und Versorgung des chronischen Handekzems. JDDG - Journal of the German Society of Dermatology, 2011, 9, 682-689.	0.8	20
90	Patterns of multiple lifestyle risk factors and their link to mental health in the German adult population: a cross-sectional study. BMJ Open, 2018, 8, e022184.	1.9	20

#	Article	IF	CITATIONS
91	Oral H1 antihistamines as monotherapy for eczema. The Cochrane Library, 2016, 2016, CD007770.	2.8	19
92	â€The lesser of two evils…' – views of persons with rheumatoid arthritis on medication adherence: a qualitative study. Psychology and Health, 2016, 31, 675-692.	2.2	19
93	Quality of inter-hospital transportation in 431 transport survivor patients suffering from acute respiratory distress syndrome referred to specialist centers. Annals of Intensive Care, 2018, 8, 5.	4.6	19
94	Measurement properties of patient-reported outcome measures (PROMs) for women with genitourinary syndrome of menopause: a systematic review. Menopause, 2019, 26, 1342-1353.	2.0	19
95	Why Offered Pancreases Are Refused in the Allocation Processâ€"A Descriptive Study Using Routine Data From Eurotransplant. Transplantation, 2013, 95, 1134-1141.	1.0	18
96	Influence of quality of care and individual patient characteristics on quality of life and return to work in survivors of the acute respiratory distress syndrome: protocol for a prospective, observational, multi-centre patient cohort study (DACAPO). BMC Health Services Research, 2015, 15, 563.	2.2	18
97	Assessment of pet exposure by self-report in epidemiological studies of allergy and asthma: a systematic review. Journal of Asthma, 2016, 53, 363-373.	1.7	18
98	Which outcomes have been measured in hand eczema trials? A systematic review. Contact Dermatitis, 2019, 80, 201-207.	1.4	18
99	Influence of quality of intensive care on quality of life/return to work in survivors of the acute respiratory distress syndrome: prospective observational patient cohort study (DACAPO). BMC Public Health, 2020, 20, 861.	2.9	18
100	CARPE: a registry project of the German Dermatological Society (DDG) for the characterization and care of chronic hand eczema. JDDG - Journal of the German Society of Dermatology, 2011, 9, 682-688.	0.8	17
101	Assessing Health-related Quality of Life in Hand Eczema Patients: How to Overcome Psychometric Faults when Using the Dermatology Life Quality Index. Acta Dermato-Venereologica, 2014, 94, 658-662.	1.3	17
102	Contact to cat or dog, allergies and parental education. Pediatric Allergy and Immunology, 2010, 21, 284-291.	2.6	16
103	Choice of outcomes and measurement instruments in randomised trials on eLearning in medical education: a systematic mapping review protocol. Systematic Reviews, 2018, 7, 75.	5.3	16
104	Determinants of Quality of Life and Return to Work Following Acute Respiratory Distress Syndrome. Deutsches Ärzteblatt International, 2017, 114, 103-109.	0.9	16
105	Healthcare professionals' perceptions of impacts of the Covid-19-pandemic on outpatient care in rural areas: a qualitative study. BMC Health Services Research, 2021, 21, 1298.	2.2	16
106	Interplay between natural environment, human microbiota and immune system: A scoping review of interventions and future perspectives towards allergy prevention. Science of the Total Environment, 2022, 821, 153422.	8.0	16
107	Patients' needs in asthma treatment: development and initial validation of the NEAT questionnaire. Journal of Asthma, 2016, 53, 427-437.	1.7	15
108	The state of asthma epidemiology: an overview of systematic reviews and their quality. Clinical and Translational Allergy, 2017, 7, 12.	3.2	15

#	Article	IF	CITATIONS
109	Factors associated with generic health-related quality of life in adult asthma patients in Germany: Cross-sectional study. Journal of Asthma, 2017, 54, 325-334.	1.7	15
110	German-wide prospective DACAPO cohort of survivors of the acute respiratory distress syndrome (ARDS): a cohort profile. BMJ Open, 2018, 8, e019342.	1.9	15
111	Physicians' perspectives on implementing the prevention scheme "Physical Activity on Prescription― Results of a survey in Bavaria. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2018, 131-132, 66-72.	0.9	15
112	Gender and occupational allergy: Report from the task force of the EAACI Environmental and Occupational Allergy Interest Group. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2753-2763.	5.7	15
113	Outcome assessment in dermatology clinical trials and cochrane reviews: call for a dermatologyâ€specific outcome taxonomy. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 523-535.	2.4	15
114	Validity of three asthma-specific quality of life questionnaires: the patients' perspective. BMJ Open, 2016, 6, e011793.	1.9	14
115	Cross-Cultural Validation of the QualityÂofÂLife in Hand Eczema Questionnaire (QOLHEQ). Journal of Investigative Dermatology, 2017, 137, 1454-1460.	0.7	14
116	Chronic hand eczema: A prospective analysis of the Swiss CARPE registry focusing on factors associated with clinical and quality of life improvement. Contact Dermatitis, 2018, 79, 136-148.	1.4	14
117	TREatment of ATopic eczema (TREAT) Registry Taskforce: protocol for a European safety study of dupilumab and other systemic therapies in patients with atopic eczema. British Journal of Dermatology, 2020, 182, 1423-1429.	1.5	14
118	Specific, but not general beliefs about medicines are associated with medication adherence in patients with COPD, but not asthma: Cohort study in a population of people with chronic pulmonary disease. Journal of Psychosomatic Research, 2018, 107, 46-52.	2.6	13
119	Measurement properties of adult quality-of-life measurement instruments for eczema: protocol for a systematic review. Systematic Reviews, 2015, 4, 48.	5.3	12
120	Factors That Predict Remission of Infant Atopic Dermatitis: A Systematic Review. Acta Dermato-Venereologica, 2015, 95, 389-394.	1.3	12
121	Severity and functional disability of patients with occupational contact dermatitis: validation of the German version of the Occupational Contact Dermatitis Disease Severity Index. Contact Dermatitis, 2015, 72, 84-89.	1.4	12
122	Characteristics and provision of care of patients with the acute respiratory distress syndrome: descriptive findings from the DACAPO cohort baseline and comparison with international findings. Journal of Thoracic Disease, 2017, 9, 818-830.	1.4	12
123	Factors associated with generic health-related quality of life (HRQOL) in patients with chronic obstructive pulmonary disease (COPD): a cross-sectional study. Journal of Thoracic Disease, 2018, 10, 766-775.	1.4	12
124	12-year changes in cardiovascular risk factors in people with major depressive or bipolar disorder: a prospective cohort analysis in Germany. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 565-576.	3.2	12
125	A model for estimating the lifelong exposure to PM2.5 and NO2 and the application to population studies. Environmental Research, 2019, 178, 108629.	7.5	12
126	The association of intensive care with utilization and costs of outpatient healthcare services and quality of life. PLoS ONE, 2019, 14, e0222671.	2.5	12

#	Article	IF	CITATIONS
127	Quality of life in atopic dermatitis in Asian countries: a systematic review. Archives of Dermatological Research, 2022, 314, 445-462.	1.9	12
128	The association of childhood maltreatment, somatization and health-related quality of life in adult age: Results from a population-based cohort study. Child Abuse and Neglect, 2021, 120, 105226.	2.6	12
129	Outcomes, Measurement Instruments, and Their Validity Evidence in Randomized Controlled Trials on Virtual, Augmented, and Mixed Reality in Undergraduate Medical Education: Systematic Mapping Review. JMIR Serious Games, 2022, 10, e29594.	3.1	12
130	Depression moderates the associations between beliefs about medicines and medication adherence in patients with rheumatoid arthritis: Cross-sectional study. Journal of Health Psychology, 2018, 23, 1185-1195.	2.3	11
131	Sociodemographic factors associated with health literacy in a large sample of mothers of newborn children: cross-sectional findings from the KUNO-Kids birth cohort study. European Journal of Pediatrics, 2020, 179, 165-169.	2.7	11
132	Development of a validated shortâ€form of the Childhood Atopic Dermatitis Impact Scale, the CADIS‧F15. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 1773-1778.	2.4	11
133	Hyperhidrosis Quality of Life Index (HidroQoL©): further validation and clinical application in patients with axillary hyperhidrosis using data from a phase III randomized controlled trial*. British Journal of Dermatology, 2021, 184, 473-481.	1.5	11
134	Guideline for translation and national validation of the $\langle scp \rangle Q \langle scp \rangle u$ ality of $\langle scp \rangle L \langle scp \rangle i$ in $\langle scp \rangle H \langle scp \rangle E \langle scp \rangle c$ contact Dermatitis, 2017, 77, 106-115.	1.4	10
135	Patientâ€reported outcome measures and qualitative research in dermatology: the quest for authenticity. British Journal of Dermatology, 2017, 176, 285-287.	1.5	10
136	Acute kidney injury may impede results after transcatheter aortic valve implantation. CKJ: Clinical Kidney Journal, 2021, 14, 261-268.	2.9	10
137	The BIOMarkers in Atopic Dermatitis and Psoriasis (BIOMAP) glossary: developing a lingua franca to facilitate data harmonization and crossâ€cohort analyses. British Journal of Dermatology, 2021, 185, 1066-1069.	1.5	10
138	Patients' Views on Asthma-Specific Quality of Life Questionnaires: Qualitative Interview Study in Germany. Journal of Asthma, 2012, 49, 875-883.	1.7	9
139	Suicidality and risk of suicidality in psoriasis: a critical appraisal of two systematic reviews and metaâ€analyses. British Journal of Dermatology, 2019, 181, 717-721.	1.5	9
140	Depression Partially Mediates the Association of Adverse Childhood Experiences with Pain Intensity in Patients with Chronic Pelvic Pain Syndrome: Results from a Cross-Sectional Patient Survey. Pain Medicine, 2021, 22, 1174-1184.	1.9	9
141	Learning from disease registries during a pandemic: Moving toward an international federation of patient registries. Clinics in Dermatology, 2021, 39, 467-478.	1.6	9
142	Core outcome set implementation supported by the <i>BJD</i> . British Journal of Dermatology, 2021, 184, 987-989.	1.5	9
143	The German RECAP questionnaire: linguistic validation and cognitive debriefing in German adults with self-reported atopic eczema and parents of affected children. Journal of Patient-Reported Outcomes, 2021, 5, 13.	1.9	9
144	Associations of Medications With Lower Odds of Typical COVID-19 Symptoms: Cross-Sectional Symptom Surveillance Study. JMIR Public Health and Surveillance, 2020, 6, e22521.	2.6	9

#	Article	IF	Citations
145	Food allergy in infants assessed in two German birth cohorts 10Âyears after the EuroPrevall Study. Pediatric Allergy and Immunology, 2022, 33, .	2.6	9
146	Predictors of non-transplantation of adult donor organs - an observational study using routine data from Eurotransplant. BMC Health Services Research, 2014, 14, 584.	2.2	8
147	Diagnosing and treating female sexual dysfunction: a survey of the perspectives of obstetricians and gynaecologists. Sexual Health, 2016, 13, 234.	0.9	8
148	Stressors and strains of next of kin of patients with ARDS in intensive care: A qualitative interview study using a stress–strain approach. Intensive and Critical Care Nursing, 2020, 57, 102783.	2.9	8
149	Do smoking, nutrition, alcohol use, and physical activity vary between regions in Germany? - results of a cross-sectional study. BMC Public Health, 2020, 20, 277.	2.9	8
150	IDQoL, CDLQI and the 45â€item CADIS received a sufficient content validity rating during the HOME VII meeting in Japan: a group discussion study. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 458-463.	2.4	8
151	Pool Testing as a Strategy for Prevention of SARS-CoV-2 Outbreaks in Schools: Protocol for a Feasibility Study. JMIR Research Protocols, 2021, 10, e28673.	1.0	8
152	Tracheostomy in patients with acute respiratory distress syndrome is not related to quality of life, symptoms of psychiatric disorders or return-to-work: the prospective DACAPO cohort study. Annals of Intensive Care, 2020, 10, 52.	4.6	8
153	Is the impact of atopic disease on children and adolescents' health related quality of life modified by mental health? Results from a population-based cross-sectional study. Health and Quality of Life Outcomes, 2013, 11, 115.	2.4	7
154	Written emotional disclosure for asthma. The Cochrane Library, 2014, , CD007676.	2.8	7
155	Determinants of patients' needs in asthma treatment: a cross-sectional study. Npj Primary Care Respiratory Medicine, 2016, 26, 16044.	2.6	7
156	Depression and inflammatory arthritis are associated in both Western and Non-Western countries: Findings from the World Health Survey 2002. Journal of Psychosomatic Research, 2017, 92, 49-54.	2.6	7
157	Evaluation of responsiveness and estimation of smallest detectable change and minimal important change scores for the Childhood Atopic Dermatitis Impact Scale. British Journal of Dermatology, 2020, 182, 348-354.	1.5	7
158	Recommended core outcome instruments for healthâ€related quality of life, longâ€term control and itch intensity in atopic eczema trials: results of the HOME VII consensus meeting. British Journal of Dermatology, 2020, 185, 139.	1.5	7
159	Piloting an ICU follow-up clinic to improve health-related quality of life in ICU survivors after a prolonged intensive care stay (PINA): study protocol for a pilot randomised controlled trial. Pilot and Feasibility Studies, 2021, 7, 90.	1.2	7
160	Refinement and validation of the ItchyQoL using classical test theory and item response theory resulted in a reduction of the response categories from a 5â€point to a 3â€point scale. British Journal of Dermatology, 2021, 185, 548-554.	1.5	7
161	Incidence and Mortality of Malignant Melanoma in Relation to Dermatologist Density in Bavaria. Advances in Therapy, 2021, 38, 5548-5556.	2.9	7
162	Peer-relationship-problems account for quality of life impairments in pediatric psoriasis. Journal of Psychosomatic Research, 2016, 84, 31-36.	2.6	6

#	Article	IF	Citations
163	The quality of acute intensive care and the incidence of critical events have an impact on health-related quality of life in survivors of the acute respiratory distress syndrome - a nationwide prospective multicenter observational study. GMS German Medical Science, 2020, 18, Doc01.	2.7	6
164	Lifetime prevalence and determinants of hand eczema in an adolescent population in Germany: 15â€year followâ€up of the LISA cohort study. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 547-556.	2.4	6
165	Determination of individual bile acids in acute respiratory distress syndrome reveals a specific pattern of primary and secondary bile acids and a shift to the acidic pathway as an adaptive response to the critical condition. Clinical Chemistry and Laboratory Medicine, 2022, 60, 891-900.	2.3	6
166	Intensive Care Units Healthcare Professionals' Experiences and Negotiations at the Beginning of the COVID-19 Pandemic in Germany: A Grounded Theory Study. Inquiry (United States), 2022, 59, 004695802210810.	0.9	6
167	Which factors are associated with the use of systemic antihistamines in patients with chronic hand eczema? Results from the <scp>CARPE</scp> registry. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 50-56.	2.4	5
168	Electrocardiographic Screening in the First Days of Life for Diagnosing Long QT Syndrome: Findings from a Birth Cohort Study in Germany. Neonatology, 2020, 117, 756-763.	2.0	5
169	Perspectives on HIV PrEP care in Germany: qualitative insights from primary care physicians and specialists. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 994-1000.	1.2	5
170	Adherence to the Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) checklist in articles published in EAACI Journals: A bibliographic study. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 3581-3588.	5.7	5
171	Measurement properties of patient-reported outcome measures for pruritus: An updated systematic review. Journal of Investigative Dermatology, 2021, , .	0.7	5
172	Feasibility of a surveillance programme based on gargle samples and pool testing to prevent SARS-CoV-2 outbreaks in schools. Scientific Reports, 2021, 11, 19521.	3.3	5
173	Participant experiences of a written emotional disclosure intervention in asthma. Stress and Health, 2010, 26, 45-50.	2.6	4
174	Is Story-based Blended Learning a Promising Avenue for Skin and Sexual Health Education? Results from the PAEDIMED Project. Acta Dermato-Venereologica, 2010, 90, 152-158.	1.3	4
175	Proliferation of the WReN spider, an instrument to measure health professionals' experience of research: a bibliographic study. BMC Medical Education, 2019, 19, 255.	2.4	4
176	The Patient Needs in Asthma Treatment (NEAT) questionnaire: Further evidence on its psychometric properties. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 1511-1521.	5.7	4
177	Impact of pulmonary rehabilitation on patients' health care needs and asthma control: a quasi-experimental study. BMC Pulmonary Medicine, 2020, 20, 267.	2.0	4
178	Breastfeeding behavior is not associated with health literacy: evidence from the German KUNO-Kids birth cohort study. Archives of Gynecology and Obstetrics, 2021, 304, 1161-1168.	1.7	4
179	Experiences, opinions and expectations of health care providers towards an intensive care unit follow-up clinic: Qualitative study and online survey. Intensive and Critical Care Nursing, 2021, 67, 103084.	2.9	4
180	Determinants of maternal health four weeks after delivery: cross-sectional findings from the KUNO-kids health study. BMC Public Health, 2021, 21, 1676.	2.9	4

#	Article	IF	CITATIONS
181	Content validity of the Recap of atopic eczema (RECAP) instrument in Dutch, English and German to measure eczema control in young people with atopic eczema: a cognitive interview study. British Journal of Dermatology, 2022, 187, 919-926.	1.5	4
182	Informed Consent Affects Prevalence Estimates in an Epidemiological Study on Chronic Pruritus: Lessons Learned from a Pretest. Annals of Epidemiology, 2009, 19, 754-756.	1.9	3
183	Clearing up misunderstandings around core outcomes for atopic dermatitis. British Journal of Dermatology, 2015, 173, 623-624.	1.5	3
184	A critical appraisal and implications of the new National Institute for Health and Care Excellence guideline on dupilumab for treating moderateâ€ŧoâ€severe atopic eczema. British Journal of Dermatology, 2019, 180, 435-437.	1.5	3
185	Protocol for the development of a core domain set for hand eczema trials. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 2871-2876.	2.4	3
186	A qualitative study exploring content validity and feasibility of frequently used generic health-related quality of life measures in older people with hip fracture: The patients' perspective. Injury, 2021, 52, 134-141.	1.7	3
187	Measurement properties of patient-reported outcome measures (PROMs) in hyperhidrosis: a systematic review. Quality of Life Research, 2022, 31, 671-686.	3.1	3
188	Gesundheitsbezogene Lebensqualitäbei Handekzempatienten: internationale Entwicklung und Validierung eines Erfassungsinstrumentes. Dermatologie in Beruf Und Umwelt, 2012, 60, 102-105.	0.5	3
189	Information on, knowledge and utilisation of support services during pregnancy and after childbirth: cross-sectional analyses of predictors using data from the KUNO-Kids health study. BMJ Open, 2020, 10, e037745.	1.9	3
190	Digital Media Exposure and Predictors for Screen Time in 12-Month-Old Children: A Cross-Sectional Analysis of Data From a German Birth Cohort. Frontiers in Psychiatry, 2021, 12, 737178.	2.6	3
191	Measurement properties of asthma-specific quality-of-life measures: protocol for a systematic review. Systematic Reviews, 2014, 3, 83.	5.3	2
192	Epidemiology of hand eczema from adolescence to adulthood. British Journal of Dermatology, 2014, 171, 210-211.	1.5	2
193	Health-Related Quality of Life Measures in Atopic Dermatitis: A Critical Appraisal. Current Dermatology Reports, 2015, 4, 155-158.	2.1	2
194	The Patientâ€Oriented Eczema Measure: estimating the minimal important change in an outpatient clinic cohort. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 1273-1279.	2.4	2
195	New evidence for construct validity and interpretability of the German Quality of Life in Hand Eczema Questionnaire (QOLHEQ). Contact Dermatitis, 2020, 83, 189-195.	1.4	2
196	The evidence for interventions in early childhood allergy prevention $\hat{a} \in \text{``towards a living systematic'}$ review: protocol. F1000Research, 0, 10, 235.	1.6	2
197	Validation of the German Day-to-Day Impact of Vaginal Aging (DIVA) Questionnaire in Peri- and Postmenopausal Women. Sexual Medicine, 2021, 9, 100382-100382.	1.6	2
198	Exploring real-world experiences of early PrEP adopters in southern Germany. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 754-759.	1.2	2

#	Article	IF	CITATIONS
199	CoronaCare study protocol: an ethnographic study of the risks to and potential for social health during the COVID-19 pandemic. BMJ Open, 2021, 11, e048212.	1.9	2
200	Striving for Health Equity: The Importance of Social Determinants of Health and Ethical Considerations in Pandemic Preparedness Planning. International Journal of Public Health, 2022, 67, 1604542.	2.3	2
201	Guidance is also needed on how to choose from existing asthma-specific quality-of-life measures. Journal of Allergy and Clinical Immunology, 2012, 130, 1219.	2.9	1
202	Onset and severity of atopic dermatitis, atopy and hand eczema in adolescents. British Journal of Dermatology, 2015, 173, 1121-1122.	1.5	1
203	Dermatoepidemiology; what's up people?. British Journal of Dermatology, 2015, 173, 881-883.	1.5	1
204	Measuring the impact of skin disease on children's quality of life. British Journal of Dermatology, 2016, 174, 720-721.	1.5	1
205	Oral H1 antihistamines as â€~add-on' therapy to topical treatment for eczema. The Cochrane Library, 0, , .	2.8	1
206	Herausforderung Fragilitäsfrakturen – aus Sicht eines Alterstraumazentrums. Public Health Forum, 2017, 25, 151-154.	0.2	1
207	Working in the dirt and heat: Bavarian farmers' insights into barriers to implementing sun protection related to the demands of their agricultural work. British Journal of Dermatology, 2019, 180, 1291-1292.	1.5	1
208	Measurement properties of patient-reported outcome measures (PROMs) in patients with hyperhidrosis: protocol for a systematic review. Systematic Reviews, 2021, 10, 163.	5.3	1
209	Frequency of hand eczema in the elderly: Crossâ€sectional findings from the <scp>German AugUR</scp> study. Contact Dermatitis, 2021, 85, 489-493.	1.4	1
210	Study protocol for the SeMaCo study: A longitudinal regional cohort study to assess COVID-19 seroprevalence in blood donors. F1000Research, 0, 10, 982.	1.6	1
211	Prevention in Metalworkers., 2012,, 1205-1210.		1
212	The impact of skin conditions on generic health-related quality of life. British Journal of Dermatology, 2017, 176, 1109-1110.	1.5	1
213	Das carpe-Register: bisherige Ergebnisse und neue Fragestellungen zur Versorgung von Patienten mit chronischem Handekzem. Allergologie, 2015, 38, 227-235.	0.1	1
214	Development and Content Validation of a Comprehensive Health Literacy Survey Instrument for Use in Individuals with Asthma during the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2022, 19, 1923.	2.6	1
215	Comments on †Validity and responsiveness of the Osnabrà ¼ck Hand Eczema Severity Index (OHSI): a methodological study'. British Journal of Dermatology, 2009, 161, 481-481.	1.5	0
216	Oral H1 antihistamines as monotherapy for eczema. Journal of Evidence-Based Medicine, 2013, 6, 117-117.	2.4	0

#	Article	IF	CITATIONS
217	Health outcomes, education, healthcare delivery and quality $\hat{a} \in "3047$ . What do patients think about asthma-specific quality of life questionnaires? Qualitative interview study in the UK. World Allergy Organization Journal, 2013, 6, P217.	3.5	O
218	Allergic diseases of the skin and drug allergies – 2011. Is the impact of atopic conditions on children and adolescent health related quality of life modified by mental health? Results from a population-based cross-sectional study. World Allergy Organization Journal, 2013, 6, P98.	<b>3.</b> 5	0
219	Translation and cross-cultural adaptation of the Nordic Occupational Skin Questionnaire (NOSQ-2002) to German. Journal of Occupational Medicine and Toxicology, 2014, 9, .	2.2	O
220	How Can the Quality of Life in Hand Eczema Questionnaire (qolheq) be Interpreted? A Banding Study. Value in Health, 2014, 17, A612.	0.3	0
221	Severity And Functional Disability Of Patients With Occupational Contact Dermatitis: Validation Of The German Version Of The Occupational Contact Dermatitis Disease Severity Index (ODDI). Value in Health, 2014, 17, A567.	0.3	0
222	Achieving consensus over the assessment of clinical signs in eczema trials. Trials, 2015, 16, .	1.6	0
223	No difference in skin condition between workers exposed and not exposed to glove occlusion in a semiconductor company. British Journal of Dermatology, 2015, 172, 855-856.	1.5	0
224	Research questions for the treatment of alopecia areata have been prioritized. British Journal of Dermatology, 2017, 176, 1128-1129.	1.5	0
225	Several patientâ€reported outcome measures exist for children with atopic eczema/dermatitis, but their validity is largely unknown. Pediatric Allergy and Immunology, 2017, 28, 699-700.	2.6	0
226	Medikamentenbezogene Überzeugungen ("beliefs about medicines"): Konzept und Rolle in Public Health. Public Health Forum, 2017, 25, 232-234.	0.2	0
227	The Cochrane Skin Group's COUSIN convened for the second time. British Journal of Dermatology, 2018, 178, 837-838.	1.5	0
228	The time healthcare workers wear disposable gloves daily is associated with hand eczema in a dose-dependent fashion. British Journal of Dermatology, 2018, 178, 323-324.	1.5	0
229	Acceptability of a German multicentre healthcare research study: a survey of research personnels' attitudes, experiences and work load. BMJ Open, 2018, 8, e023166.	1.9	0
230	Consensus on measurement of core dataset for AE treatment research registries. British Journal of Dermatology, 2019, 181, e65.	1.5	0
231	TREAT eDelphi exercise for AE photo―and systemic therapy registries. British Journal of Dermatology, 2019, 180, e123.	1.5	0
232	AE å‰ç——和系统治痗登记数æ®åº"çš" TREAT eDelphi 练ä¹. British Journal of Dermatology, 201	9, <b>1181</b> 0, e1	a9£
233	Good evidence on measurement properties of the Dermatology Life Quality Index, Itchy Quality of Life and 5â€dimensions itch scales in atopic eczema, but problems with structural validity remain. British Journal of Dermatology, 2019, 180, 979-980.	1.5	0
234	å³äºŽ AE 治痗ç"究注册æ¸å¿fæ•°æ®é›†æµ‹é‡çš"å±è¯†. British Journal of Dermatology, 2019, 181, e	771.5	0

#	Article	IF	CITATIONS
235	Einführung von patientenberichteten Endpunkten: erhöhen sie die Qualitävon Behandlungen?. Public Health Forum, 2019, 27, 211-213.	0.2	О
236	Reply to Russo et al. Clinical Infectious Diseases, 2021, 72, e1159-e1160.	5.8	0
237	特应性湿ç−¹çš"æ²»ç−— (TREAT) 登记工作组:比较 Dupilumab 与其ä»−全谫è¬ç‰©æ²»ç−	- <b>-1ä</b> ¸åº¦è‡	³��‡•�º¦æ¹¿ç—
238	TREatment of ATopic eczema (TREAT) Registry Taskforce: method for comparing the safety of dupilumab with other systemic therapies for moderateâ€toâ€severe eczema. British Journal of Dermatology, 2020, 182, e187.	1.5	0
239	A study looking at changes in scores over time when using the Childhood Atopic Dermatitis Impact Scale. British Journal of Dermatology, 2020, 182, e67.	1.5	0
240	一项使ç"-儿童特应性皮ç,Žå½±å"é‡è;¨ç"ç©¶å^†æ•°éšæ—¶é—′å∙化的ç"ç©¶. British Journal of Deri	m <b>at</b> ology,	2 <b>0</b> 20, 182, e
241	The evidence for interventions in early childhood allergy prevention – towards a living systematic review: protocol. F1000Research, 0, 10, 235.	1.6	0
242	Evaluation of Undescended Testes in Newborns: It Is Really Simple, Just Not Easy. Urologia Internationalis, 2021, 105, 1-5.	1.3	0
243	Ein neues Instrument zur Erfassung von Schweregrad und funktioneller BeeintrÄchtigung beim berufsbedingten Kontaktekzemen in deutscher Sprache: der ODDI. Dermatologie in Beruf Und Umwelt, 2014, 62, 170-173.	0.5	0
244	Prevention in Metalworkers. , 2018, , 1-8.		0
245	Gesundheitsbezogene Lebensqualit¤beim Handekzem. Dermatologie in Beruf Und Umwelt, 2018, 66, 120-125.	0.5	0
246	Prevention in Metalworkers. , 2020, , 1655-1662.		0
247	Information on, knowledge and utilisation of support services during pregnancy and after childbirth: cross-sectional analyses of predictors using data from the KUNO-Kids health study. BMJ Open, 2020, 10, e037745.	1.9	0
248	Improvements and advances in core outcome set methodology: proceedings of the CS-COUSIN & Dermatological Research, 2022, , 1.	1.9	0
249	Gesundheitskompetenz in der Allgemeinbevölkerung im Kontext der COVID-19 Pandemie. Public Health Forum, 2022, 30, 80-82.	0.2	0
250	Closing a gap: an investigator global assessment for use in hidradenitis suppurativa clinical trials. British Journal of Dermatology, 0, , .	1.5	0