Rudolf Lucas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9003024/publications.pdf Version: 2024-02-01



| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 1 | Update on the Features and Measurements of Experimental Acute Lung Injury in Animals: An Official American Thoracic Society Workshop Report. American Journal of Respiratory Cell and Molecular Biology, 2022, 66, e1-e14. | 1.4 | 82 |
| 2 | Elevated Cytokine Levels in Plasma of Patients with SARS-CoV-2 Do Not Contribute to Pulmonary Microvascular Endothelial Permeability. Microbiology Spectrum, 2022, 10, e0167121. | 1.2 | 7 |
| 3 | Safety and preliminary efficacy of sequential multiple ascending doses of solnatide to treat pulmonary permeability edema in patients with moderate to severe ARDS in a randomized, placebo-controlled, double-blind trial: preliminary evaluation of safety and feasibility in light of the COVID-19 pandemic. Trials. 2022. 23. 252. | 0.7 | 4 |
| 4 | Pathophysiological Considerations in Periorbital Necrotizing Fasciitis: A Case Report. Ocular Immunology and Inflammation, 2022, , 1-6. | 1.0 | 1 |
| 5 | Conformational ensemble of the TNF-derived peptide solnatide in solution. Computational and Structural Biotechnology Journal, 2022, 20, 2082-2090. | 1.9 | 5 |
| 6 | Dual Role of Hydrogen Peroxide as an Oxidant in Pneumococcal Pneumonia. Antioxidants and Redox Signaling, 2021, 34, 962-978. | 2.5 | 13 |
| 7 | Mice with a specific deficiency of <i>Pfkfb3</i> in myeloid cells are protected from hypoxiaâ€induced pulmonary hypertension. British Journal of Pharmacology, 2021, 178, 1055-1072. | 2.7 | 25 |
| 8 | Streptococcus pneumoniae and Its Virulence Factors H2O2 and Pneumolysin Are Potent Mediators of the Acute Chest Syndrome in Sickle Cell Disease. Toxins, 2021, 13, 157. | 1.5 | 10 |
| 9 | Proteomic Characterization, Biodistribution, and Functional Studies of Immune-Therapeutic Exosomes: Implications for Inflammatory Lung Diseases. Frontiers in Immunology, 2021, 12, 636222. | 2.2 | 13 |
| 10 | Deficiency of Myeloid Pfkfb3 Protects Mice From Lung Edema and Cardiac Dysfunction in LPS-Induced Endotoxemia. Frontiers in Cardiovascular Medicine, 2021, 8, 745810. | 1.1 | 9 |
| 11 | Safety and preliminary efficacy of sequential multiple ascending doses of solnatide to treat pulmonary permeability edema in patients with moderate-to-severe ARDS—a randomized, placebo-controlled, double-blind trial. Trials, 2021, 22, 643. | 0.7 | 11 |
| 12 | Dichotomous Role of Tumor Necrosis Factor in Pulmonary Barrier Function and Alveolar Fluid Clearance. Frontiers in Physiology, 2021, 12, 793251. | 1.3 | 16 |
| 13 | Loaded Leukosomes. Circulation Research, 2020, 126, 38-40. | 2.0 | 2 |
| 14 | Does the 6-minute walk test in hospitalized COPD patients exclusively correlate with lung function parameters or should psychological factors also be taken into account?. PLoS ONE, 2020, 15, e0232587. | 1.1 | 5 |
| 15 | Impact of Bacterial Toxins in the Lungs. Toxins, 2020, 12, 223. | 1.5 | 21 |
| 16 | PFKFB3-mediated endothelial glycolysis promotes pulmonary hypertension. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 13394-13403. | 3.3 | 113 |
| 17 | Reactive Oxygen Species-Dependent Calpain Activation Contributes to Airway and Pulmonary Vascular Remodeling in Chronic Obstructive Pulmonary Disease. Antioxidants and Redox Signaling, 2019, 31, 804-818. | 2.5 | 25 |
| 18 | The TNF-derived TIP peptide activates the epithelial sodium channel and ameliorates experimental nephrotoxic serum nephritis. Kidney International, 2019, 95, 1359-1372. | 2.6 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A single high-fat meal provokes pathological erythrocyte remodeling and increases myeloperoxidase levels: implications for acute coronary syndrome. Laboratory Investigation, 2018, 98, 1300-1310. | 1.7 | 23 |
| 20 | Editorial: Cytokine-Ion Channel Interactions in Pulmonary Inflammation. Frontiers in Immunology, 2018, 9, 2598. | 2.2 | 5 |
| 21 | Listeriolysin O Causes ENaC Dysfunction in Human Airway Epithelial Cells. Toxins, 2018, 10, 79. | 1.5 | 5 |
| 22 | Hsp70 Suppresses Mitochondrial Reactive Oxygen Species and Preserves Pulmonary Microvascular Barrier Integrity Following Exposure to Bacterial Toxins. Frontiers in Immunology, 2018, 9, 1309. | 2.2 | 33 |
| 23 | Kidney-targeted inhibition of protein kinase C-α ameliorates nephrotoxic nephritis with restoration of mitochondrial dysfunction. Kidney International, 2018, 94, 280-291. | 2.6 | 12 |
| 24 | Histone deacetylases in vascular permeability and remodeling associated with acute lung injury. Vessel Plus, 2018, 2, 15. | 0.4 | 9 |
| 25 | Role of Adipose Tissue Endothelial ADAM17 in Age-Related Coronary Microvascular Dysfunction. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 1180-1193. | 1.1 | 49 |
| 26 | RhoA S-nitrosylation as a regulatory mechanism influencing endothelial barrier function in response to G + -bacterial toxins. Biochemical Pharmacology, 2017, 127, 34-45. | 2.0 | 15 |
| 27 | Obesity-induced vascular dysfunction and arterial stiffening requires endothelial cell arginase 1. Cardiovascular Research, 2017, 113, 1664-1676. | 1.8 | 82 |
| 28 | Obesity-induced vascular inflammation involves elevated arginase activity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2017, 313, R560-R571. | 0.9 | 34 |
| 29 | Solnatide Demonstrates Profound Therapeutic Activity in a Rat Model of Pulmonary Edema Induced by Acute Hypobaric Hypoxia and Exercise. Chest, 2017, 151, 658-667. | 0.4 | 25 |
| 30 | Restoration of Epithelial Sodium Channel Function by Synthetic Peptides in Pseudohypoaldosteronism Type 1B Mutants. Frontiers in Pharmacology, 2017, 8, 85. | 1.6 | 16 |
| 31 | Listeriolysin O Regulates the Expression of Optineurin, an Autophagy Adaptor That Inhibits the Growth of Listeria monocytogenes. Toxins, 2017, 9, 273. | 1.5 | 16 |
| 32 | TNF Lectin-Like Domain Restores Epithelial Sodium Channel Function in Frameshift Mutants Associated with Pseudohypoaldosteronism Type 1B. Frontiers in Immunology, 2017, 8, 601. | 2.2 | 12 |
| 33 | Epithelial Sodium Channel-α Mediates the Protective Effect of the TNF-Derived TIP Peptide in Pneumolysin-Induced Endothelial Barrier Dysfunction. Frontiers in Immunology, 2017, 8, 842. | 2.2 | 35 |
| 34 | Inhaled AP301 for treatment of pulmonary edema in mechanically ventilated patients with acute respiratory distress syndrome: a phase IIa randomized placebo-controlled trial. Critical Care, 2017, 21, 194. | 2.5 | 41 |
| 35 | Cytokine–Ion Channel Interactions in Pulmonary Inflammation. Frontiers in Immunology, 2017, 8, 1644 | 2.2 | 33 |
| 36 | The Lectin-like Domain of TNF Increases ENaC Open Probability through a Novel Site at the Interface between the Second Transmembrane and C-terminal Domains of the I±-Subunit. Journal of Biological Chemistry, 2016, 291, 23440-23451. | 1.6 | 20 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Treatment with polyamine oxidase inhibitor reduces microglial activation and limits vascular injury in ischemic retinopathy. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2016, 1862, 1628-1639. | 1.8 | 21 |
| 38 | Role of growth hormone-releasing hormone in dyslipidemia associated with experimental type 1 diabetes. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 1895-1900. | 3.3 | 16 |
| 39 | Pneumococcal Hydrogen Peroxide–Induced Stress Signaling Regulates Inflammatory Genes. Journal of Infectious Diseases, 2015, 211, 306-316. | 1.9 | 31 |
| 40 | Caveolin-1 prevents sustained angiotensin II-induced resistance artery constriction and obesity-induced high blood pressure. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 308, H376-H385. | 1.5 | 24 |
| 41 | Glycosylation-dependent activation of epithelial sodium channel by solnatide. Biochemical Pharmacology, 2015, 98, 740-753. | 2.0 | 18 |
| 42 | Endothelial Nitric Oxide Synthase Deficient Mice Are Protected from Lipopolysaccharide Induced Acute Lung Injury. PLoS ONE, 2015, 10, e0119918. | 1.1 | 37 |
| 43 | Glycosylationâ€dependent activation of ENaC by the TNF lectin like domain derived peptide AP301. FASEB Journal, 2015, 29, 844.9. | 0.2 | 0 |
| 44 | Regulation of NADPH Oxidase 5 by Protein Kinase C Isoforms. PLoS ONE, 2014, 9, e88405. | 1.1 | 75 |
| 45 | PKC-Dependent Phosphorylation of eNOS at T495 Regulates eNOS Coupling and Endothelial Barrier Function in Response to G+ -Toxins. PLoS ONE, 2014, 9, e99823. | 1.1 | 46 |
| 46 | Lipopolysaccharide-induced Lung Injury Involves the Nitration-mediated Activation of RhoA. Journal of Biological Chemistry, 2014, 289, 4710-4722. | 1.6 | 50 |
| 47 | Protective effect of Growth Hormone-Releasing Hormone agonist in bacterial toxin-induced pulmonary barrier dysfunction. Frontiers in Physiology, 2014, 5, 259. | 1.3 | 18 |
| 48 | Protective effect of adenosine receptors against lipopolysaccharide-induced acute lung injury. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2014, 306, L497-L507. | 1.3 | 50 |
| 49 | A FIM Study to Assess Safety and Exposure of Inhaled Single Doses of AP301—A Specific ENaC Channel Activator for the Treatment of Acute Lung Injury. Journal of Clinical Pharmacology, 2014, 54, 341-350. | 1.0 | 22 |
| 50 | A Novel Tumor Necrosis Factor–mediated Mechanism of Direct Epithelial Sodium Channel Activation. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 522-532. | 2.5 | 49 |
| 51 | Arginase in the Vascular Endothelium: Friend or Foe?. Frontiers in Immunology, 2014, 5, 589. | 2.2 | 19 |
| 52 | Dimethylarginine Dimethylaminohydrolase II Overexpression Attenuates LPS-Mediated Lung Leak in Acute Lung Injury. American Journal of Respiratory Cell and Molecular Biology, 2014, 50, 614-625. | 1.4 | 37 |
| 53 | l itrulline protects from kidney damage in STZâ€diabetic rodents (151.10). FASEB Journal, 2014, 28, . | 0.2 | 0 |
| 54 | Molecular mechanism of lung oedema clearance by AP301: dependence of ENaC pore forming subunits (LB781). FASEB Journal, 2014, 28, LB781. | 0.2 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | AP301, a synthetic peptide mimicking the lectin-like domain of TNF, enhances amiloride-sensitive Na+ current in primary dog, pig and rat alveolar type II cells. Pulmonary Pharmacology and Therapeutics, 2013, 26, 356-363. | 1.1 | 24 |
| 56 | Cytokine profiling of young overweight and obese female African American adults with prediabetes. Cytokine, 2013, 64, 310-315. | 1.4 | 49 |
| 57 | Mechanism of Action of Novel Lung Edema Therapeutic AP301 by Activation of the Epithelial Sodium Channel. Molecular Pharmacology, 2013, 84, 899-910. | 1.0 | 23 |
| 58 | The Subcellular Compartmentalization of Arginine Metabolizing Enzymes and Their Role in Endothelial Dysfunction. Frontiers in Immunology, 2013, 4, 184. | 2.2 | 25 |
| 59 | Mini-Review: Novel Therapeutic Strategies to Blunt Actions of Pneumolysin in the Lungs. Toxins, 2013, 5, 1244-1260. | 1.5 | 26 |
| 60 | Arginase 1: An Unexpected Mediator of Pulmonary Capillary Barrier Dysfunction in Models of Acute Lung Injury. Frontiers in Immunology, 2013, 4, 228. | 2.2 | 27 |
| 61 | l-Citrulline Protects from Kidney Damage in Type 1 Diabetic Mice. Frontiers in Immunology, 2013, 4, 480. | 2.2 | 34 |
| 62 | A Combined Impedance and AlphaLISA-Based Approach to Identify Anti-inflammatory and Barrier-Protective Compounds in Human Endothelium. Journal of Biomolecular Screening, 2013, 18, 67-74. | 2.6 | 17 |
| 63 | Adenosine A1 Receptors Promote Vasa Vasorum Endothelial Cell Barrier Integrity via Gi and Akt-Dependent Actin Cytoskeleton Remodeling. PLoS ONE, 2013, 8, e59733. | 1.1 | 28 |
| 64 | The lectinâ€like domain of TNF directly increases ENaC activity. FASEB Journal, 2013, 27, 913.40. | 0.2 | 0 |
| 65 | β-Nicotinamide adenine dinucleotide attenuates lipopolysaccharide-induced inflammatory effects in a murine model of acute lung injury. Experimental Lung Research, 2012, 38, 223-232. | 0.5 | 13 |
| 66 | Protein Kinase C-α and Arginase I Mediate Pneumolysin-Induced Pulmonary Endothelial Hyperpermeability. American Journal of Respiratory Cell and Molecular Biology, 2012, 47, 445-453. | 1.4 | 60 |
| 67 | Agonist of growth hormone-releasing hormone reduces pneumolysin-induced pulmonary permeability edema. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 2084-2089. | 3.3 | 50 |
| 68 | Treament Of Edematous Respiratory Failure: Preclinical And Early Clinical Development Of Synthetic Peptide AP301. , 2012, , . | | 0 |
| 69 | A Computational Study of the Oligosaccharide Binding Sites in the Lectin-Like Domain of Tumor Necrosis Factor and the TNF-derived TIP Peptide. Current Pharmaceutical Design, 2012, 18, 4236-4243. | 0.9 | 7 |
| 70 | Adenosine A1 Receptors Mediated Enhancement Of Barrier Function In Vasa Vasorum Endothelial Cells. , 2012, , . | | 0 |
| 71 | Growth Hormone Releasing Hormone Agonist Protects From Pneumolysin-Induced Pulmonary Permeability. , 2012, , | | 0 |
| 72 | Genetic polymorphism analysis of killer cell immunoglobulin-like receptor genes in the Chinese Uygur population. Molecular Biology Reports, 2012, 39, 3017-3028. | 1.0 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | P2Y receptors as regulators of lung endothelial barrier integrity. Journal of Cardiovascular Disease Research (discontinued), 2011, 2, 14-22. | 0.1 | 26 |
| 74 | Extracellular Beta Nicotinamide Adenine Dinucleotide (B-NAD) - Is This the Molecule to Treat Acute Lung Injury and Adult Respiratory Distress Syndrome. Chest, 2011, 140, 586A. | 0.4 | 0 |
| 75 | CXCL9 induces chemotaxis, chemorepulsion and endothelial barrier disruption through CXCR3-mediated activation of melanoma cells. British Journal of Cancer, 2011, 104, 469-479. | 2.9 | 63 |
| 76 | Diversity of Killer Cell Immunoglobulinâ€like Receptor Genes in the Bai Ethnic Minority of Yunnan, China. Scandinavian Journal of Immunology, 2011, 73, 284-292. | 1.3 | 8 |
| 77 | Application of Alpha7 Nicotinic Acetylcholine Receptor Agonists in Inflammatory Diseases: An Overview. Pharmaceutical Research, 2011, 28, 413-416. | 1.7 | 44 |
| 78 | Alpha7 nicotinic receptors as novel therapeutic targets for inflammation-based diseases. Cellular and Molecular Life Sciences, 2011, 68, 931-949. | 2.4 | 170 |
| 79 | αVβ3 integrin regulates macrophage inflammatory responses via PI3 kinase/Aktâ€dependent NFâ€₽̂B activation. Journal of Cellular Physiology, 2011, 226, 469-476. | 2.0 | 106 |
| 80 | Caspase 9 gene polymorphism and susceptibility to lumbar disc disease in the Han population in northern China. Connective Tissue Research, 2011, 52, 198-202. | 1.1 | 13 |
| 81 | Role of Protein Kinase Câ€alpha in Listeriolysinâ€induced ENaC dysfunction in human airway epithelial cells. FASEB Journal, 2011, 25, 1039.22. | 0.2 | Ο |
| 82 | L•itrulline prevents progression of diabetic nephropathy by reducing arginase activity. FASEB Journal, 2011, 25, . | 0.2 | 0 |
| 83 | The lectin-like domain of tumor necrosis factor improves lung function after rat lung transplantation—Potential role for a reduction in reactive oxygen species generation*. Critical Care Medicine, 2010, 38, 871-878. | 0.4 | 64 |
| 84 | Population genetic analysis of 15 autosomal STR loci in the Russian population of northeastern Inner-Mongolia, China. Molecular Biology Reports, 2010, 37, 3889-3895. | 1.0 | 22 |
| 85 | Harvesting, identification and barrier function of human lung microvascular endothelial cells. Vascular Pharmacology, 2010, 52, 175-181. | 1.0 | 38 |
| 86 | The lectin-like domain of TNF protects from listeriolysin-induced hyperpermeability in human pulmonary microvascular endothelial cells — A crucial role for protein kinase C-α inhibition. Vascular Pharmacology, 2010, 52, 207-213. | 1.0 | 25 |
| 87 | Extracellular βâ€nicotinamide adenine dinucleotide (βâ€NAD) promotes the endothelial cell barrier integrity via PKA―and EPAC1/Rac1â€dependent actin cytoskeleton rearrangement. Journal of Cellular Physiology, 2010, 223, 215-223. | 2.0 | 37 |
| 88 | An α7 Nicotinic Acetylcholine Receptor-Selective Agonist Reduces Weight Gain and Metabolic Changes in a Mouse Model of Diabetes. Journal of Pharmacology and Experimental Therapeutics, 2010, 332, 173-180. | 1.3 | 97 |
| 89 | Distributions of HLA-A and -B alleles and haplotypes in the Yi ethnic minority of Yunnan, China: relationship to other populations. Journal of Zhejiang University: Science B, 2010, 11, 127-135. | 1.3 | 21 |
| 90 | The dual role of TNF in pulmonary edema. Journal of Cardiovascular Disease Research (discontinued), 2010, 1, 29-36. | 0.1 | 58 |

6

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Novel mechanisms of endothelial dysfunction in diabetes. Journal of Cardiovascular Disease Research (discontinued), 2010, 1, 59-63. | 0.1 | 43 |
| 92 | Allelic diversity and haplotype structure of HLA loci in the Chinese Han population living in the Guanzhong region of the Shaanxi province. Human Immunology, 2010, 71, 627-633. | 1.2 | 23 |
| 93 | Killer cell immunoglobulin-like receptor gene diversity in the Tibetan ethnic minority group of China. Human Immunology, 2010, 71, 1116-1123. | 1.2 | 13 |
| 94 | Essential Structural Features of TNF-α Lectin-like Domain Derived Peptides for Activation of Amiloride-Sensitive Sodium Current in A549 Cells. Journal of Medicinal Chemistry, 2010, 53, 8021-8029. | 2.9 | 27 |
| 95 | Extracellular Purines in Endothelial Cell Barrier Regulation. , 2010, , 39-55. | | 0 |
| 96 | TNFâ€derived TIP peptide ameliorates High Glucose (HG)â€induced Arginase (ARG) mediated Endothelial Dysfunction (ED) via inhibiting PKCâ€î± activation. FASEB Journal, 2010, 24, 571.6. | 0.2 | 0 |
| 97 | TERBUTALINE IMPROVES ISCHEMIA-REPERFUSION INJURY AFTER LEFT-SIDED ORTHOTOPIC RAT LUNG TRANSPLANTATION. Experimental Lung Research, 2009, 35, 175-185. | 0.5 | 1 |
| 98 | Regulators of endothelial and epithelial barrier integrity and function in acute lung injury. Biochemical Pharmacology, 2009, 77, 1763-1772. | 2.0 | 214 |
| 99 | Ebselen Improves Ischemia-Reperfusion Injury After Rat Lung Transplantation. Lung, 2009, 187, 98-103. | 1.4 | 17 |
| 100 | The lectinâ€like domain of TNF, but not cAMP, protects from Listeriolysin Oâ€induced endothelial hyperpermeability. FASEB Journal, 2009, 23, LB389. | 0.2 | 0 |
| 101 | The lectinâ€like domain of TNF blunts LLOâ€mediated suppression of SGK1 activity and hyperpermeability in human airway H441 cells. FASEB Journal, 2009, 23, LB166. | 0.2 | 0 |
| 102 | Recent advances on the role of the endothelium in pulmonary function and disease. Vascular Pharmacology, 2008, 49, 111-112. | 1.0 | 2 |
| 103 | TNF: a moonlighting protein at the interface between cancer and infection. Frontiers in Bioscience - Landmark, 2008, Volume, 5374. | 3.0 | 34 |
| 104 | The Tumor Necrosis Factor-Derived TIP Peptide: A Potential Anti-Edema Drug. Letters in Drug Design and Discovery, 2007, 4, 336-340. | 0.4 | 0 |
| 105 | Endothelial Cell-Based Methods for the Detection of Cyanobacterial Anti- Inflammatory and Wound-Healing Promoting Metabolites. Drug Metabolism Letters, 2007, 1, 254-260. | 0.5 | 4 |
| 106 | ATP-Depleting Carbohydrates Prevent Tumor Necrosis Factor Receptor 1-Dependent Apoptotic and Necrotic Liver Injury in Mice. Journal of Pharmacology and Experimental Therapeutics, 2007, 321, 875-883. | 1.3 | 8 |
| 107 | Montelukast exerts no acute direct effect on NO synthases. Pulmonary Pharmacology and Therapeutics, 2007, 20, 525-533. | 1.1 | 2 |
| 108 | Circulating endothelial cells and angiogenic serum factors during neoadjuvant chemotherapy of primary breast cancer. British Journal of Cancer, 2006, 94, 524-531. | 2.9 | 205 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Innovative Cancer Treatments that Augment Radiotherapy or Chemotherapy by the Use of Immunotherapy or Gene Therapy. Recent Patents on Anti-Cancer Drug Discovery, 2006, 1, 201-208. | 0.8 | 2 |
| 110 | Dichotomal Role of TNF in Experimental Pulmonary Edema Reabsorption. Journal of Immunology, 2005, 175, 3402-3408. | 0.4 | 104 |
| 111 | Kupffer Cell-Expressed Membrane-Bound TNF Mediates Melphalan Hepatotoxicity via Activation of Both TNF Receptors. Journal of Immunology, 2005, 175, 4076-4083. | 0.4 | 31 |
| 112 | Tumor Necrosis Factor: How to Make a Killer Molecule Tumor-Specific?. Current Cancer Drug Targets, 2005, 5, 381-392. | 0.8 | 21 |
| 113 | Toxicity of nutritionally available selenium compounds in primary and transformed hepatocytes. Toxicology, 2004, 201, 21-30. | 2.0 | 55 |
| 114 | The potential of GM-CSF to improve resistance against infections in organ transplantation. Trends in Pharmacological Sciences, 2004, 25, 254-258. | 4.0 | 6 |
| 115 | Potential of colony-stimulating factors to improve host defense in organ transplant recipients. Current Opinion in Organ Transplantation, 2004, 9, 411-417. | 0.8 | 2 |
| 116 | Redox control of hepatic cell death. Toxicology Letters, 2003, 139, 111-118. | 0.4 | 21 |
| 117 | GM-CSF Restores Innate, But Not Adaptive, Immune Responses in Glucocorticoid-Immunosuppressed Human Blood In Vitro. Journal of Immunology, 2003, 171, 938-947. | 0.4 | 25 |
| 118 | Functional Identification of the Alveolar Edema Reabsorption Activity of Murine Tumor Necrosis Factor-α. American Journal of Respiratory and Critical Care Medicine, 2003, 168, 1043-1050. | 2.5 | 68 |
| 119 | Tumor Necrosis Factor-α and Angiostatin Are Mediators of Endothelial Cytotoxicity in Bronchoalveolar Lavages of Patients with Acute Respiratory Distress Syndrome. American Journal of Respiratory and Critical Care Medicine, 2002, 166, 651-656. | 2.5 | 98 |
| 120 | Trypanosoma cruzi is lysed by coelomic cytolytic factor-1, an invertebrate analogue of tumor necrosis factor, and induces phenoloxidase activity in the coelomic fluid of Eisenia foetida foetida. Developmental and Comparative Immunology, 2002, 26, 27-34. | 1.0 | 29 |
| 121 | An invertebrate defense molecule activates membrane conductance in mammalian cells by means of its lectin-like domain. Developmental and Comparative Immunology, 2002, 26, 35-43. | 1.0 | 11 |
| 122 | Increased Angiostatin Levels in Bronchoalveolar Lavage Fluids from ARDS Patients and from Human Volunteers after Lung Instillation of Endotoxin. Thrombosis and Haemostasis, 2002, 87, 966-971. | 1.8 | 31 |
| 123 | Mechanisms of TNF-α stimulation of amiloride-sensitive sodium transport across alveolar epithelium. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2001, 280, L1258-L1265. | 1.3 | 94 |
| 124 | Lectin-deficient TNF mutants display comparable anti-tumour but reduced pro-metastatic potential as compared to the wild-type molecule. International Journal of Cancer, 2001, 91, 543-549. | 2.3 | 8 |
| 125 | Pathogenesis of Cerebral Malaria: Recent Experimental Data and Possible Applications for Humans. Clinical Microbiology Reviews, 2001, 14, 810-820. | 5.7 | 217 |
| 126 | Role of ICAM-1 (CD54) in the development of murine cerebral malaria. Microbes and Infection, 1999, 1, 961-968. | 1.0 | 121 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Convergent evolution of cytokines. Nature, 1999, 400, 627-628. | 13.7 | 71 |
| 128 | The lectin-like domain of tumor necrosis factor-α increases membrane conductance in microvascular endothelial cells and peritoneal macrophages. European Journal of Immunology, 1999, 29, 3105-3111. | 1.6 | 74 |
| 129 | A role for lymphotoxin β receptor in host defense againstMycobacterium bovis BCG infection. European Journal of Immunology, 1999, 29, 4002-4010. | 1.6 | 40 |
| 130 | Membrane interaction of TNF is not sufficient to trigger increase in membrane conductance in mammalian cells. FEBS Letters, 1999, 460, 107-111. | 1.3 | 24 |
| 131 | The lectin-like domain of tumor necrosis factor-α increases membrane conductance in microvascular endothelial cells and peritoneal macrophages. , 1999, 29, 3105. | | 4 |
| 132 | The Endogenous Balance of Soluble Tumor Necrosis Factor Receptors and Tumor Necrosis Factor Modulates Cachexia and Mortality in Mice Acutely Infected with <i>Trypanosoma cruzi</i> . Infection and Immunity, 1999, 67, 5579-5586. | 1.0 | 45 |
| 133 | Both TNF receptors are required for direct TNF-mediated cytotoxicity in microvascular endothelial cells. European Journal of Immunology, 1998, 28, 3577-3586. | 1.6 | 56 |
| 134 | Specific Uptake of Tumor Necrosis Factor-α Is Involved in Growth Control of Trypanosoma brucei. Journal of Cell Biology, 1997, 137, 715-727. | 2.3 | 140 |
| 135 | TNF receptors in the microvascular pathology of acute respiratory distress syndrome and cerebral malaria. Journal of Leukocyte Biology, 1997, 61, 551-558. | 1.5 | 72 |
| 136 | TNF and its receptors in the microvascular pathology of acute respiratory distress syndrome and cerebral malaria. Shock, 1997, 7, 122. | 1.0 | 2 |
| 137 | Respective role of TNF receptors in the development of experimental cerebral malaria. Journal of Neuroimmunology, 1997, 72, 143-148. | 1.1 | 62 |
| 138 | Modulation of soluble and membrane-bound TNF-induced phenotypic and functional changes of human brain microvascular endothelial cells by recombinant TNF binding protein I. Journal of Neuroimmunology, 1997, 77, 107-115. | 1.1 | 20 |
| 139 | E5 2:45 Glucan-binding properties of a cytolytic protein of Eisenia foetida earthworms. Developmental and Comparative Immunology, 1997, 21, 115. | 1.0 | 2 |
| 140 | Crucial role of tumor necrosis factor (TNF) receptor 2 and membrane-bound TNF in experimental cerebral malaria. European Journal of Immunology, 1997, 27, 1719-1725. | 1.6 | 166 |
| 141 | Transgenic mice expressing high levels of soluble TNF-R1 fusion protein are protected from lethal septic shock and cerebral malaria, and are highly sensitive toListeria monocytogenes andLeishmania major infections. European Journal of Immunology, 1995, 25, 2401-2407. | 1.6 | 133 |
| 142 | Identification of a cytolytic protein in the coelomic fluid of Eisenia foetida earthworms. Immunology Letters, 1995, 45, 123-128. | 1.1 | 82 |
| 143 | The cachexia associated with <i>Trypanosoma cruzi</i> acute infection in mice is attenuated by antiâ€TNFâ€a, but not by antiâ€lLâ€6 or antiâ€lFNâ€7 antibodies. Parasite Immunology, 1995, 17, 561-568. | 0.7 | 60 |
| 144 | Mapping the lectin-like activity of tumor necrosis factor. Science, 1994, 263, 814-817. | 6.0 | 212 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Murine tumour necrosis factor plays a protective role during the initial phase of the experimental infection with Trypanosoma brucei brucei. Parasite Immunology, 1993, 15, 635-641. | 0.7 | 72 |