

Albert Braeuning

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9005038/albert-braeuning-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

1,806
citations

25
h-index

38
g-index

81
ext. papers

2,192
ext. citations

5.1
avg, IF

5.01
L-index

#	Paper	IF	Citations
74	An approach for mixture testing and prioritization based on common kinetic groups.. <i>Archives of Toxicology</i> , 2022 , 1	5.8	0
73	Investigating the in vitro steatotic mixture effects of similarly and dissimilarly acting test compounds using an adverse outcome pathway-based approach. <i>Archives of Toxicology</i> , 2021 ,	5.8	1
72	Off-target lipid metabolism disruption by the mouse constitutive androstane receptor ligand TCPOBOP in humanized mice.. <i>Biochemical Pharmacology</i> , 2021 , 114905	6	1
71	An eight-compound mixture but not corresponding concentrations of individual chemicals induces triglyceride accumulation in human liver cells. <i>Toxicology</i> , 2021 , 459, 152857	4.4	0
70	Cross-species analysis of hepatic cytochrome P450 and transport protein expression. <i>Archives of Toxicology</i> , 2021 , 95, 117-133	5.8	16
69	More than additive effects on liver triglyceride accumulation by combinations of steatotic and non-steatotic pesticides in HepaRG cells. <i>Archives of Toxicology</i> , 2021 , 95, 1397-1411	5.8	6
68	A targeted transcriptomics approach for the determination of mixture effects of pesticides. <i>Toxicology</i> , 2021 , 460, 152892	4.4	0
67	Transcriptomics analysis of hepatotoxicity induced by the pesticides imazalil, thiacloprid and clothianidin alone or in binary mixtures in a 28-day study in female Wistar rats. <i>Archives of Toxicology</i> , 2021 , 95, 1039-1053	5.8	2
66	Hepatotoxic pyrrolizidine alkaloids induce DNA damage response in rat liver in a 28-day feeding study. <i>Archives of Toxicology</i> , 2020 , 94, 1739-1751	5.8	9
65	The Connection of Azole Fungicides with Xeno-Sensing Nuclear Receptors, Drug Metabolism and Hepatotoxicity. <i>Cells</i> , 2020 , 9,	7.9	22
64	Array-based Western-blotting reveals spatial differences in hepatic signaling and metabolism following CAR activation. <i>Archives of Toxicology</i> , 2020 , 94, 1265-1278	5.8	4
63	Combinations of LXR and RXR agonists induce triglyceride accumulation in human HepaRG cells in a synergistic manner. <i>Archives of Toxicology</i> , 2020 , 94, 1303-1320	5.8	6
62	Mixture effects of chemicals: The difficulty to choose appropriate mathematical models for appropriate conclusions. <i>Environmental Pollution</i> , 2020 , 260, 113953	9.3	15
61	Identification of a transcriptomic signature of food-relevant genotoxins in human HepaRG hepatocarcinoma cells. <i>Food and Chemical Toxicology</i> , 2020 , 140, 111297	4.7	6
60	Hepatotoxicity of the pesticides imazalil, thiacloprid and clothianidin - Individual and mixture effects in a 28-day study in female Wistar rats. <i>Food and Chemical Toxicology</i> , 2020 , 140, 111306	4.7	16
59	Inflammation-associated suppression of metabolic gene networks in acute and chronic liver disease. <i>Archives of Toxicology</i> , 2020 , 94, 205-217	5.8	15
58	Ecatenin signaling, the constitutive androstane receptor and their mutual interactions. <i>Archives of Toxicology</i> , 2020 , 94, 3983-3991	5.8	6

57	The pyrrolizidine alkaloid senecionine induces CYP-dependent destruction of sinusoidal endothelial cells and cholestasis in mice. <i>Archives of Toxicology</i> , 2020 , 94, 219-229	5.8	23
56	An adverse outcome pathway-based approach to assess steatotic mixture effects of hepatotoxic pesticides in vitro. <i>Food and Chemical Toxicology</i> , 2020 , 139, 111283	4.7	22
55	Transcriptomic effect marker patterns of genotoxins - a comparative study with literature data. <i>Journal of Applied Toxicology</i> , 2020 , 40, 448-457	4.1	3
54	Stilbene compound trans-3,4,5,4'-tetramethoxystilbene, a potential anticancer drug, regulates constitutive androstane receptor (Car) target genes, but does not possess proliferative activity in mouse liver. <i>Toxicology Letters</i> , 2019 , 313, 1-10	4.4	3
53	Pregnane X receptor mediates steatotic effects of propiconazole and tebuconazole in human liver cell lines. <i>Archives of Toxicology</i> , 2019 , 93, 1311-1322	5.8	25
52	Metabolism of the lipophilic phycotoxin 13-Desmethylspirolide C using human and rat in vitro liver models. <i>Toxicology Letters</i> , 2019 , 307, 17-25	4.4	
51	The azole fungicide tebuconazole affects human CYP1A1 and CYP1A2 expression by an aryl hydrocarbon receptor-dependent pathway. <i>Food and Chemical Toxicology</i> , 2019 , 123, 481-491	4.7	19
50	Unexpected Effects of Propiconazole, Tebuconazole, and Their Mixture on the Receptors CAR and PXR in Human Liver Cells. <i>Toxicological Sciences</i> , 2018 , 163, 170-181	4.4	21
49	Regulation of Drug Metabolism by the Interplay of Inflammatory Signaling, Steatosis, and Xeno-Sensing Receptors in HepaRG Cells. <i>Drug Metabolism and Disposition</i> , 2018 , 46, 326-335	4	22
48	Adverse Outcome Pathway-Driven Analysis of Liver Steatosis in Vitro: A Case Study with Cyproconazole. <i>Chemical Research in Toxicology</i> , 2018 , 31, 784-798	4	34
47	Comparative proteomic analysis of silver nanoparticle effects in human liver and intestinal cells. <i>Journal of Applied Toxicology</i> , 2018 , 38, 638-648	4.1	10
46	Propiconazole is an activator of AHR and causes concentration additive effects with an established AHR ligand. <i>Archives of Toxicology</i> , 2018 , 92, 3471-3486	5.8	10
45	Mouse Hepatomas with and Mutations Differ in Mitogen-Activated Protein Kinase Signaling and Response to Constitutive Androstane Receptor Activation. <i>Drug Metabolism and Disposition</i> , 2018 , 46, 1462-1465	4	2
44	Comparative analysis of 3D culture methods on human HepG2 cells. <i>Archives of Toxicology</i> , 2017 , 91, 393-406	5.8	56
43	Hepatotoxic effects of cyproconazole and prochloraz in wild-type and hCAR/hPXR mice. <i>Archives of Toxicology</i> , 2017 , 91, 2895-2907	5.8	32
42	It takes more than a coating to get nanoparticles through the intestinal barrier in vitro. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2017 , 118, 21-29	5.7	25
41	Physiologically-based modelling in mice suggests an aggravated loss of clearance capacity after toxic liver damage. <i>Scientific Reports</i> , 2017 , 7, 6224	4.9	23
40	Proteomic analysis of 3-MCPD and 3-MCPD dipalmitate-induced toxicity in rat kidney. <i>Archives of Toxicology</i> , 2016 , 90, 1437-48	5.8	30

39	In vivo distribution of nanosilver in the rat: The role of ions and de novo-formed secondary particles. <i>Food and Chemical Toxicology</i> , 2016 , 97, 327-335	4-7	28
38	Inhibition of β -catenin signaling by phenobarbital in hepatoma cells in vitro. <i>Toxicology</i> , 2016 , 370, 94-105	4-4	5
37	Coordinate regulation of Cyp2e1 by β -catenin- and hepatocyte nuclear factor 1-dependent signaling. <i>Toxicology</i> , 2016 , 350-352, 40-8	4-4	11
36	Disturbance of firefly luciferase-based bioassays by different aluminum species. <i>Analytical Biochemistry</i> , 2016 , 504, 27-9	3-1	4
35	Tumor promotion and inhibition by phenobarbital in livers of conditional Apc-deficient mice. <i>Archives of Toxicology</i> , 2016 , 90, 1481-94	5-8	16
34	Proteomic responses of human intestinal Caco-2 cells exposed to silver nanoparticles and ionic silver. <i>Journal of Applied Toxicology</i> , 2016 , 36, 404-13	4-1	24
33	Proteomic analysis of 3-MCPD and 3-MCPD dipalmitate toxicity in rat testis. <i>Food and Chemical Toxicology</i> , 2015 , 83, 84-92	4-7	31
32	Activating and Inhibitory Functions of WNT/ β -Catenin in the Induction of Cytochromes P450 by Nuclear Receptors in HepaRG Cells. <i>Molecular Pharmacology</i> , 2015 , 87, 1013-20	4-3	27
31	Application of HC-AFW1 Hepatocarcinoma Cells for Mechanistic Studies: Regulation of Cytochrome P450 2B6 Expression by Dimethyl Sulfoxide and Early Growth Response 1. <i>Drug Metabolism and Disposition</i> , 2015 , 43, 1727-33	4	5
30	Signal integration by the CYP1A1 promoter--a quantitative study. <i>Nucleic Acids Research</i> , 2015 , 43, 5318-30	3-1	24
29	Comparative Analysis and Functional Characterization of HC-AFW1 Hepatocarcinoma Cells: Cytochrome P450 Expression and Induction by Nuclear Receptor Agonists. <i>Drug Metabolism and Disposition</i> , 2015 , 43, 1781-7	4	8
28	Analysis of 3-MCPD- and 3-MCPD dipalmitate-induced proteomic changes in rat liver. <i>Food and Chemical Toxicology</i> , 2015 , 86, 374-84	4-7	21
27	Phenobarbital induces cell cycle transcriptional responses in mouse liver humanized for constitutive androstane and pregnane x receptors. <i>Toxicological Sciences</i> , 2014 , 139, 501-11	4-4	54
26	Phenobarbital-mediated tumor promotion in transgenic mice with humanized CAR and PXR. <i>Toxicological Sciences</i> , 2014 , 140, 259-70	4-4	42
25	T-cell factor 4 and β -catenin chromatin occupancies pattern zonal liver metabolism in mice. <i>Hepatology</i> , 2014 , 59, 2344-57	11-2	95
24	Cooperation of structurally different aryl hydrocarbon receptor agonists and β -catenin in the regulation of CYP1A expression. <i>Toxicology</i> , 2014 , 325, 31-41	4-4	20
23	Chemically induced mouse liver tumors are resistant to treatment with atorvastatin. <i>BMC Cancer</i> , 2014 , 14, 766	4-8	8
22	Synergistic effects of β -catenin inhibitors and sorafenib in hepatoma cells. <i>Anticancer Research</i> , 2014 , 34, 4677-83	2-3	7

21	The time point of β -catenin knockout in hepatocytes determines their response to xenobiotic activation of the constitutive androstane receptor. <i>Toxicology</i> , 2013 , 308, 113-21	4.4	22
20	Paradoxical cytotoxicity of tert-butylhydroquinone in vitro: What kills the untreated cells?. <i>Archives of Toxicology</i> , 2012 , 86, 1481-7	5.8	28
19	The nuclear factor κ B inhibitor (E)-2-fluoro-4-methoxystilbene inhibits firefly luciferase. <i>Bioscience Reports</i> , 2012 , 32, 531-7	4.1	19
18	Interplay of β -catenin with xenobiotic-sensing receptors and its role in glutathione S-transferase expression. <i>Current Drug Metabolism</i> , 2012 , 13, 203-14	3.5	4
17	Phenotype of single hepatocytes expressing an activated version of β -catenin in liver of transgenic mice. <i>Journal of Molecular Histology</i> , 2011 , 42, 393-400	3.3	21
16	Coordinate regulation of cytochrome P450 1a1 expression in mouse liver by the aryl hydrocarbon receptor and the beta-catenin pathway. <i>Toxicological Sciences</i> , 2011 , 122, 16-25	4.4	57
15	Tumor formation in liver of conditional β -catenin-deficient mice exposed to a diethylnitrosamine/phenobarbital tumor promotion regimen. <i>Carcinogenesis</i> , 2011 , 32, 52-7	4.6	49
14	Gender-specific interplay of signaling through β -catenin and CAR in the regulation of xenobiotic-induced hepatocyte proliferation. <i>Toxicological Sciences</i> , 2011 , 123, 113-22	4.4	31
13	Wnt/beta-catenin signaling activates and determines hepatic zonal expression of glutathione S-transferases in mouse liver. <i>Toxicological Sciences</i> , 2010 , 115, 22-33	4.4	51
12	Zonation of heme synthesis enzymes in mouse liver and their regulation by β -catenin and Ha-ras. <i>Biological Chemistry</i> , 2010 , 391, 1305-13	4.5	16
11	beta-Catenin as a multilayer modulator of zonal cytochrome P450 expression in mouse liver. <i>Biological Chemistry</i> , 2010 , 391, 139-148	4.5	28
10	Phenotype and growth behavior of residual β -catenin-positive hepatocytes in livers of β -catenin-deficient mice. <i>Histochemistry and Cell Biology</i> , 2010 , 134, 469-81	2.4	33
9	Inducibility of drug-metabolizing enzymes by xenobiotics in mice with liver-specific knockout of Ctnnb1. <i>Drug Metabolism and Disposition</i> , 2009 , 37, 1138-45	4	68
8	The glycogen synthase kinase inhibitor 3-(2,4-dichlorophenyl)-4-(1-methyl-1H-indol-3-yl)-1H-pyrrole-2,5-dione (SB216763) is a partial agonist of the aryl hydrocarbon receptor. <i>Drug Metabolism and Disposition</i> , 2009 , 37, 1576-80	4	19
7	Regulation of cytochrome P450 expression by Ras- and beta-catenin-dependent signaling. <i>Current Drug Metabolism</i> , 2009 , 10, 138-58	3.5	28
6	Serum components and activated Ha-ras antagonize expression of perivenous marker genes stimulated by beta-catenin signaling in mouse hepatocytes. <i>FEBS Journal</i> , 2007 , 274, 4766-77	5.7	37
5	Zonal gene expression in mouse liver resembles expression patterns of Ha-ras and beta-catenin mutated hepatomas. <i>Drug Metabolism and Disposition</i> , 2007 , 35, 503-7	4	37
4	Zonal gene expression in murine liver: lessons from tumors. <i>Hepatology</i> , 2006 , 43, 407-14	11.2	118

- 3 Reply: *Hepatology*, **2006**, 44, 512-513 11.2
- 2 Differential gene expression in periportal and perivenous mouse hepatocytes. *FEBS Journal*, **2006**, 273, 5051-61 5.7 156
- 1 Rex3 (reduced in expression 3) as a new tumor marker in mouse hepatocarcinogenesis. *Toxicology*, **2006**, 227, 127-35 4.4 5