

Samuel A Tisherman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9005217/samuel-a-tisherman-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

7,919
citations

43
h-index

87
g-index

184
ext. papers

8,812
ext. citations

3.4
avg, IF

5.21
L-index

#	Paper	IF	Citations
153	Clinical practice guideline: red blood cell transfusion in adult trauma and critical care. <i>Critical Care Medicine</i> , 2009 , 37, 3124-57	1.4	1474
152	Delay in cooling negates the beneficial effect of mild resuscitative cerebral hypothermia after cardiac arrest in dogs: a prospective, randomized study. <i>Critical Care Medicine</i> , 1993 , 21, 1348-58	1.4	492
151	Mild hypothermia during hemorrhagic shock in rats improves survival without significant effects on inflammatory responses. <i>Critical Care Medicine</i> , 2003 , 31, 195-202	1.4	313
150	Mild cerebral hypothermia during and after cardiac arrest improves neurologic outcome in dogs. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 57-70	7.3	312
149	Mild hypothermic cardiopulmonary resuscitation improves outcome after prolonged cardiac arrest in dogs. <i>Critical Care Medicine</i> , 1991 , 19, 379-89	1.4	300
148	Out-of-hospital hypertonic resuscitation after traumatic hypovolemic shock: a randomized, placebo controlled trial. <i>Annals of Surgery</i> , 2011 , 253, 431-41	7.8	216
147	Out-of-hospital hypertonic resuscitation following severe traumatic brain injury: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 1455-64	27.4	203
146	Admission hypothermia and outcome after major trauma. <i>Critical Care Medicine</i> , 2005 , 33, 1296-301	1.4	193
145	Critical time window for intra-arrest cooling with cold saline flush in a dog model of cardiopulmonary resuscitation. <i>Circulation</i> , 2006 , 113, 2690-6	16.7	182
144	Emergency cardiopulmonary bypass for resuscitation from prolonged cardiac arrest. <i>American Journal of Emergency Medicine</i> , 1990 , 8, 55-67	2.9	144
143	Outcomes of a hospital-wide plan to improve care of comatose survivors of cardiac arrest. <i>Resuscitation</i> , 2008 , 79, 198-204	4	137
142	Clinical practice guideline: endpoints of resuscitation. <i>Journal of Trauma</i> , 2004 , 57, 898-912		125
141	Survival without brain damage after clinical death of 60-120 mins in dogs using suspended animation by profound hypothermia. <i>Critical Care Medicine</i> , 2003 , 31, 1523-31	1.4	124
140	Detailed description of all deaths in both the shock and traumatic brain injury hypertonic saline trials of the Resuscitation Outcomes Consortium. <i>Annals of Surgery</i> , 2015 , 261, 586-90	7.8	116
139	A controlled resuscitation strategy is feasible and safe in hypotensive trauma patients: results of a prospective randomized pilot trial. <i>Journal of Trauma and Acute Care Surgery</i> , 2015 , 78, 687-95; discussion 695-7	3.3	108
138	An early, novel illness severity score to predict outcome after cardiac arrest. <i>Resuscitation</i> , 2011 , 82, 1399-404	4	106
137	Profound Hypothermia (. <i>Journal of Trauma</i> , 1991 , 31, 1051-1062		106

136	Critical Care Delivery: The Importance of Process of Care and ICU Structure to Improved Outcomes: An Update From the American College of Critical Care Medicine Task Force on Models of Critical Care. <i>Critical Care Medicine</i> , 2015 , 43, 1520-5	1.4	97
135	Multifocal cerebral blood flow by Xe-CT and global cerebral metabolism after prolonged cardiac arrest in dogs. Reperfusion with open-chest CPR or cardiopulmonary bypass. <i>Resuscitation</i> , 1992 , 24, 27-47	4	93
134	Neuroprotection in acute brain injury: an up-to-date review. <i>Critical Care</i> , 2015 , 19, 186	10.8	89
133	Clinical practice guideline: red blood cell transfusion in adult trauma and critical care. <i>Journal of Trauma</i> , 2009 , 67, 1439-42		88
132	Clinical practice guideline: penetrating zone II neck trauma. <i>Journal of Trauma</i> , 2008 , 64, 1392-405		87
131	Hypothermia and minimal fluid resuscitation increase survival after uncontrolled hemorrhagic shock in rats. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 42, 213-22	9.4	81
130	Intensivist/patient ratios in closed ICUs: a statement from the Society of Critical Care Medicine Taskforce on ICU Staffing. <i>Critical Care Medicine</i> , 2013 , 41, 638-45	1.4	80
129	Mild hypothermia during prolonged cardiopulmonary cerebral resuscitation increases conscious survival in dogs. <i>Critical Care Medicine</i> , 2004 , 32, 2110-6	1.4	80
128	Therapeutic hypothermia in traumatology. <i>Surgical Clinics of North America</i> , 1999 , 79, 1269-89	4	76
127	The effect of resuscitative moderate hypothermia following epidural brain compression on cerebral damage in a canine outcome model. <i>Journal of Neurosurgery</i> , 1993 , 79, 241-51	3.2	73
126	Uncontrolled hemorrhagic shock outcome model in rats. <i>Resuscitation</i> , 1995 , 29, 143-52	4	70
125	Cerebral and systemic arteriovenous oxygen monitoring after cardiac arrest. Inadequate cerebral oxygen delivery. <i>Resuscitation</i> , 1994 , 27, 141-52	4	67
124	Therapeutic Deep Hypothermic Circulatory Arrest in Dogs. <i>Journal of Trauma</i> , 1990 , 30, 836-847		67
123	Complete recovery after normothermic hemorrhagic shock and profound hypothermic circulatory arrest of 60 minutes in dogs. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996 , 40, 388-95	9.4	65
122	Mild or moderate hypothermia, but not increased oxygen breathing, increases long-term survival after uncontrolled hemorrhagic shock in rats. <i>Critical Care Medicine</i> , 2000 , 28, 2465-74	1.4	61
121	Intravenous hydrogen sulfide does not induce hypothermia or improve survival from hemorrhagic shock in pigs. <i>Shock</i> , 2011 , 35, 67-73	3.4	60
120	Rapid induction of mild cerebral hypothermia by cold aortic flush achieves normal recovery in a dog outcome model with 20-minute exsanguination cardiac arrest. <i>Academic Emergency Medicine</i> , 2000 , 7, 1341-8	3.4	60
119	Use of presumptive antibiotics following tube thoracostomy for traumatic hemopneumothorax in the prevention of empyema and pneumonia--a multi-center trial. <i>Journal of Trauma</i> , 2004 , 57, 742-8; discussion 748-9		58

118	Suspended animation for delayed resuscitation from prolonged cardiac arrest that is unresuscitable by standard cardiopulmonary-cerebral resuscitation. <i>Critical Care Medicine</i> , 2000 , 28, N214-8	1.4	57
117	Mild or moderate hypothermia but not increased oxygen breathing prolongs survival during lethal uncontrolled hemorrhagic shock in rats, with monitoring of visceral dysoxia. <i>Critical Care Medicine</i> , 1999 , 27, 1557-64	1.4	57
116	Induction of profound hypothermia for emergency preservation and resuscitation allows intact survival after cardiac arrest resulting from prolonged lethal hemorrhage and trauma in dogs. <i>Circulation</i> , 2006 , 113, 1974-82	16.7	55
115	Outcome and quality of life of patients with acute pancreatitis requiring intensive care. <i>Journal of Surgical Research</i> , 2000 , 91, 89-94	2.5	53
114	Hypothermia, but not 100% oxygen breathing, prolongs survival time during lethal uncontrolled hemorrhagic shock in rats. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998 , 44, 485-91	9.4	50
113	Hypothermic aortic arch flush for preservation during exsanguination cardiac arrest of 15 minutes in dogs. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 47, 1028-36; discussion 1036-8	9.4	50
112	Emergency preservation and resuscitation with profound hypothermia, oxygen, and glucose allows reliable neurological recovery after 3 h of cardiac arrest from rapid exsanguination in dogs. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 302-11	7.3	44
111	Emergency preservation and delayed resuscitation allows normal recovery after exsanguination cardiac arrest in rats: a feasibility trial. <i>Critical Care Medicine</i> , 2007 , 35, 532-7	1.4	44
110	Transfusion of red blood cells in patients with a prehospital Glasgow Coma Scale score of 8 or less and no evidence of shock is associated with worse outcomes. <i>Journal of Trauma and Acute Care Surgery</i> , 2013 , 75, 8-14; discussion 14	3.3	43
109	Severe brief pressure-controlled hemorrhagic shock after traumatic brain injury exacerbates functional deficits and long-term neuropathological damage in mice. <i>Journal of Neurotrauma</i> , 2012 , 29, 2192-208	5.4	43
108	Web-based resources for critical care education. <i>Critical Care Medicine</i> , 2011 , 39, 541-53	1.4	42
107	Practice management guidelines for timing of tracheostomy: the EAST Practice Management Guidelines Work Group. <i>Journal of Trauma</i> , 2009 , 67, 870-4		42
106	Prolonged severe hemorrhagic shock and resuscitation in rats does not cause subtle brain damage. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998 , 45, 239-48; discussion 248-9	9.4	42
105	Severe traumatic injury: regional variation in incidence and outcome. <i>Annals of Surgery</i> , 2010 , 252, 149-57.8		39
104	Minocycline attenuates brain tissue levels of TNF- α produced by neurons after prolonged hypothermic cardiac arrest in rats. <i>Resuscitation</i> , 2014 , 85, 284-91	4	34
103	Titrated hypertonic/hyperoncotic solution for hypotensive fluid resuscitation during uncontrolled hemorrhagic shock in rats. <i>Resuscitation</i> , 2005 , 65, 87-95	4	34
102	Future directions for resuscitation research. V. Ultra-advanced life support. <i>Resuscitation</i> , 1997 , 34, 281-93		33
101	Mild hypothermia improves survival after prolonged, traumatic hemorrhagic shock in pigs. <i>Journal of Trauma</i> , 2005 , 59, 291-9; discussion 299-301		33

100	After spontaneous hypothermia during hemorrhagic shock, continuing mild hypothermia (34 degrees C) improves early but not late survival in rats. <i>Journal of Trauma</i> , 2003 , 55, 308-16		31
99	Veno-venous extracorporeal blood shunt cooling to induce mild hypothermia in dog experiments and review of cooling methods. <i>Resuscitation</i> , 2002 , 54, 89-98	4	31
98	Suspended animation can allow survival without brain damage after traumatic exsanguination cardiac arrest of 60 minutes in dogs. <i>Journal of Trauma</i> , 2004 , 57, 1266-75		30
97	Suspended animation for delayed resuscitation. <i>Current Opinion in Anaesthesiology</i> , 2002 , 15, 203-10	2.9	29
96	Effects of mild hypothermia on survival and serum cytokines in uncontrolled hemorrhagic shock in rats. <i>Shock</i> , 2002 , 17, 521-6	3.4	29
95	Resuscitation of dogs from cold-water submersion using cardiopulmonary bypass. <i>Annals of Emergency Medicine</i> , 1985 , 14, 389-96	2.1	29
94	Polynitroxylated-pegylated hemoglobin attenuates fluid requirements and brain edema in combined traumatic brain injury plus hemorrhagic shock in mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013 , 33, 1457-64	7.3	28
93	Systemic hypothermia, but not regional gut hypothermia, improves survival from prolonged hemorrhagic shock in rats. <i>Journal of Trauma</i> , 2002 , 53, 654-62		28
92	Microglial depletion using intrahippocampal injection of liposome-encapsulated clodronate in prolonged hypothermic cardiac arrest in rats. <i>Resuscitation</i> , 2012 , 83, 517-26	4	27
91	Mild hypothermia after cardiac arrest in dogs does not affect postarrest cerebral oxygen uptake/delivery mismatching. <i>Resuscitation</i> , 1994 , 27, 231-44	4	27
90	Development of the emergency preservation and resuscitation for cardiac arrest from trauma clinical trial. <i>Journal of Trauma and Acute Care Surgery</i> , 2017 , 83, 803-809	3.3	26
89	Regulatory challenges for the resuscitation outcomes consortium. <i>Circulation</i> , 2008 , 118, 1585-92	16.7	26
88	Suspended animation for resuscitation from exsanguinating hemorrhage. <i>Critical Care Medicine</i> , 2004 , 32, S46-50	1.4	26
87	Extracorporeal versus conventional cardiopulmonary resuscitation after ventricular fibrillation cardiac arrest in rats: a feasibility trial. <i>Critical Care Medicine</i> , 2013 , 41, e211-22	1.4	25
86	Emergency preservation and resuscitation for cardiac arrest from trauma. <i>International Journal of Surgery</i> , 2016 , 33, 209-212	7.5	23
85	Providing care for critically ill surgical patients: challenges and recommendations. <i>JAMA Surgery</i> , 2013 , 148, 669-74	5.4	23
84	Early antioxidant therapy with Tempol during hemorrhagic shock increases survival in rats. <i>Journal of Trauma</i> , 2002 , 53, 968-77		23
83	Regional TNF α mapping in the brain reveals the striatum as a neuroinflammatory target after ventricular fibrillation cardiac arrest in rats. <i>Resuscitation</i> , 2014 , 85, 694-701	4	22

82	Hypothermia and hemostasis in severe trauma: A new crossroads workshop report. <i>Journal of Trauma and Acute Care Surgery</i> , 2012 , 73, 809-17	3.3	20
81	Thiopental and phenytoin by aortic arch flush for cerebral preservation during exsanguination cardiac arrest of 20 minutes in dogs. An exploratory study. <i>Resuscitation</i> , 2001 , 49, 83-97	4	20
80	Salvage techniques in traumatic cardiac arrest: thoracotomy, extracorporeal life support, and therapeutic hypothermia. <i>Current Opinion in Critical Care</i> , 2013 , 19, 594-8	3.5	19
79	Deep hypothermia attenuates microglial proliferation independent of neuronal death after prolonged cardiac arrest in rats. <i>Anesthesia and Analgesia</i> , 2009 , 109, 914-23	3.9	19
78	Addressing the challenges of obtaining functional outcomes in traumatic brain injury research: missing data patterns, timing of follow-up, and three prognostic models. <i>Journal of Neurotrauma</i> , 2014 , 31, 1029-38	5.4	18
77	Therapeutic hypothermia: the Safar vision. <i>Journal of Neurotrauma</i> , 2009 , 26, 417-20	5.4	18
76	Exsanguination cardiac arrest in rats treated by 60 min, but not 75 min, emergency preservation and delayed resuscitation is associated with intact outcome. <i>Resuscitation</i> , 2007 , 75, 114-23	4	18
75	Winning the cold war: inroads into implementation of mild hypothermia after cardiac arrest in adults from the European Resuscitation Council Hypothermia After Cardiac Arrest Registry Study Group. <i>Critical Care Medicine</i> , 2007 , 35, 1199-202	1.4	18
74	Effects of increased oxygen breathing in a volume controlled hemorrhagic shock outcome model in rats. <i>Resuscitation</i> , 2000 , 45, 209-20	4	18
73	Reappraisal of mouth-to-mouth ventilation during bystander-initiated CPR. <i>Circulation</i> , 1998 , 98, 608-10	16.7	18
72	Performance of Vascular Exposure and Fasciotomy Among Surgical Residents Before and After Training Compared With Experts. <i>JAMA Surgery</i> , 2017 , 152, 581-588	5.4	17
71	The effect of hypothermia "dose" on vasopressor requirements and outcome after cardiac arrest. <i>Resuscitation</i> , 2013 , 84, 189-93	4	15
70	Fructose-1,6-bisphosphate and MK-801 by aortic arch flush for cerebral preservation during exsanguination cardiac arrest of 20 min in dogs. An exploratory study. <i>Resuscitation</i> , 2001 , 50, 205-16	4	15
69	Adenosine by aortic flush fails to augment the brain preservation effect of mild hypothermia during exsanguination cardiac arrest in dogs - an exploratory study. <i>Resuscitation</i> , 2000 , 44, 47-59	4	15
68	Efficacy of Trauma Surgery Technical Skills Training Courses. <i>Journal of Surgical Education</i> , 2019 , 76, 832-843	3.4	14
67	Assessment of the delta opioid agonist DADLE in a rat model of lethal hemorrhage treated by emergency preservation and resuscitation. <i>Resuscitation</i> , 2008 , 77, 220-8	4	14
66	Protein nitration and poly-ADP-ribosylation in brain after rapid exsanguination cardiac arrest in a rat model of emergency preservation and resuscitation. <i>Resuscitation</i> , 2008 , 79, 301-10	4	14
65	Critical care medicine education of surgeons: recommendations from the Surgical Section of the Society of Critical Care Medicine. <i>Critical Care Medicine</i> , 2000 , 28, 879-80	1.4	14

64	Unique brain region-dependent cytokine signatures after prolonged hypothermic cardiac arrest in rats. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015 , 5, 26-39	1.3	13
63	Acute care surgery survey: opinions of surgeons about a new training paradigm. <i>Archives of Surgery</i> , 2011 , 146, 101-6		13
62	Blood-brain barrier integrity in a rat model of emergency preservation and resuscitation. <i>Resuscitation</i> , 2009 , 80, 484-8	4	13
61	Structure of surgical critical care and trauma fellowships. <i>Critical Care Medicine</i> , 2006 , 34, 2282-6	1.4	12
60	Resuscitative hypothermia. <i>Critical Care Medicine</i> , 1996 , 24, 81S-89S	1.4	12
59	Promoting enteral feeding 101. <i>Critical Care Medicine</i> , 2002 , 30, 1653-4	1.4	12
58	ICU Management of Trauma Patients. <i>Critical Care Medicine</i> , 2018 , 46, 1991-1997	1.4	12
57	Intraperitoneal, but not enteric, adenosine administration improves survival after volume-controlled hemorrhagic shock in rats. <i>Critical Care Medicine</i> , 2001 , 29, 1767-73	1.4	11
56	Cadaver-Based Trauma Procedural Skills Training: Skills Retention 30 Months after Training among Practicing Surgeons in Comparison to Experts or More Recently Trained Residents. <i>Journal of the American College of Surgeons</i> , 2018 , 227, 270-279	4.4	11
55	Critical errors in infrequently performed trauma procedures after training. <i>Surgery</i> , 2019 , 166, 835-843	3.6	10
54	A Case for Change in Adult Critical Care Training for Physicians in the United States: A White Paper Developed by the Critical Care as a Specialty Task Force of the Society of Critical Care Medicine. <i>Critical Care Medicine</i> , 2018 , 46, 1577-1584	1.4	10
53	EXPLORATION OF PHARMACOLOGIC AORTIC ARCH FLUSH STRATEGIES FOR RAPID INDUCTION OF SUSPENDED ANIMATION (SA) (CEREBRAL PRESERVATION) DURING EXSANGUINATION CARDIAC ARREST (EXCA) OF 20 MIN IN DOGS. <i>Critical Care Medicine</i> , 1999 , 27, A65	1.4	9
52	Outcome of suicidal hanging patients and the role of targeted temperature management in hanging-induced cardiac arrest. <i>Journal of Trauma and Acute Care Surgery</i> , 2017 , 82, 387-391	3.3	8
51	Small volume resuscitation with tempol is detrimental during uncontrolled hemorrhagic shock in rats. <i>Resuscitation</i> , 2007 , 72, 295-305	4	8
50	Gut damage during hemorrhagic shock: effects on survival of oral or enteral interleukin-6. <i>Shock</i> , 2001 , 16, 449-53	3.4	8
49	Peritoneal ventilation with oxygen improves outcome after hemorrhagic shock in rats. <i>Critical Care Medicine</i> , 2000 , 28, 3896-901	1.4	8
48	Prolonged deep hypothermic circulatory arrest in rats can be achieved without cognitive deficits. <i>Life Sciences</i> , 2007 , 81, 543-52	6.8	7
47	Regardless of origin, uncontrolled hemorrhage is uncontrolled hemorrhage. <i>Critical Care Medicine</i> , 2000 , 28, 892-4	1.4	7

46	MILD HYPOTHERMIC AORTIC ARCH FLUSH IMPROVES NEUROLOGIC OUTCOME FROM EXSANGUINATION CARDIAC ARREST IN DOGS. <i>Critical Care Medicine</i> , 1999 , 27, 105A	1.4	6
45	Monitoring modalities and assessment of fluid status: A practice management guideline from the Eastern Association for the Surgery of Trauma. <i>Journal of Trauma and Acute Care Surgery</i> , 2018 , 84, 37-49 ³	3.3	5
44	Management of Major Vascular Injury: Open. <i>Otolaryngologic Clinics of North America</i> , 2016 , 49, 809-17	2	5
43	Can hyper-realistic physical models of peripheral vessel exposure and fasciotomy replace cadavers for performance assessment?. <i>Journal of Trauma and Acute Care Surgery</i> , 2017 , 83, S130-S135	3.3	5
42	Is fibrinogen the answer to coagulopathy after massive transfusions?. <i>Critical Care</i> , 2010 , 14, 154	10.8	5
41	Hydrogen sulfide: metabolic mediator or toxic gas?. <i>Pediatric Critical Care Medicine</i> , 2008 , 9, 129-30	3	5
40	Management of sepsis. <i>Surgical Clinics of North America</i> , 2006 , 86, 1523-39	4	5
39	Is 30 Newtons of Prevention Worth a Pound of a Cure?-Cricoid Pressure. <i>JAMA Surgery</i> , 2019 , 154, 18	5.4	5
38	Improving Postoperative Handoff in a Surgical Intensive Care Unit. <i>Critical Care Nurse</i> , 2019 , 39, e13-e21	1.6	4
37	Long-term outcomes, branch-specific expressivity, and disease-related mortality in von Hippel-Lindau type 2A. <i>Familial Cancer</i> , 2011 , 10, 701-7	3	4
36	Procedural Telementoring in Rural, Underdeveloped, and Austere Settings: Origins, Present Challenges, and Future Perspectives. <i>Annual Review of Biomedical Engineering</i> , 2021 , 23, 115-139	12	4
35	Ethical decision-making climate, moral distress, and intention to leave among ICU professionals in a tertiary academic hospital center.. <i>BMC Medical Ethics</i> , 2022 , 23, 45	2.9	4
34	Head-camera video recordings of trauma core competency procedures can evaluate surgical resident technical performance as well as colocated evaluators. <i>Journal of Trauma and Acute Care Surgery</i> , 2017 , 83, S124-S129	3.3	3
33	REDUCTION OF OVERALL ANTIOXIDANT RESERVE IN LIVER AND SMALL INTESTINE AFTER UNCONTROLLED HEMORRHAGIC SHOCK AND RESUSCITATION IN RATS. <i>Critical Care Medicine</i> , 1999 , 27, 106A	1.4	3
32	EFFECTS OF INCREASED OXYGEN BREATHING IN A VOLUME CONTROLLED HEMORRHAGIC SHOCK (HS) OUTCOME MODEL IN RATS. <i>Critical Care Medicine</i> , 1999 , 27, 177A	1.4	3
31	COLD AORTIC ARCH FLUSH DECREASES APOPTOSIS AFTER EXSANGUINATION CARDIAC ARREST IN DOGS. <i>Critical Care Medicine</i> , 1999 , 27, A30	1.4	3
30	Conflict of interest disclosure in orthopaedic and general surgical trauma literature. <i>Injury</i> , 2021 , 52, 2148-2153	2.5	3
29	Pharmacology for the geriatric surgical patient. <i>Surgical Clinics of North America</i> , 2015 , 95, 139-47	4	2

28	EMERGENCY CARDIOPULMONARY BYPASS FOR PROLONGED CARDIAC ARREST (CA) IN DOGS. <i>Critical Care Medicine</i> , 1988 , 16, 445	1.4	2
27	Novel Potentials for Emergency Hypothermia: Suspended Animation with Delayed Resuscitation from Exsanguination Cardiac Arrest 2004 , 271-277		2
26	DOES PERITONEAL VENTILATION WITH 100% OXYGEN (PV-O2) DURING AND AFTER SEVERE HEMORRHAGIC SHOCK (HS) PROTECT VISCERA AND IMPROVE OUTCOME? A PRELIMINARY STUDY IN RATS. <i>Critical Care Medicine</i> , 1999 , 27, 136A	1.4	2
25	Determining When Patients Need Transfusions. <i>JAMA Surgery</i> , 2015 , 150, 956	5.4	1
24	Anesthesia for Emergency Preservation and Resuscitation (EPR) for Traumatic Cardiac Arrest: a Brief Review. <i>Current Anesthesiology Reports</i> , 2018 , 8, 59-62	1	1
23	Surgical critical care training for emergency physicians: curriculum recommendations. <i>Journal of the American College of Surgeons</i> , 2013 , 217, 954-959.e3	4.4	1
22	Managing hypothermia during organ transplantation and cardiac arrest. <i>Therapeutic Hypothermia and Temperature Management</i> , 2013 , 3, 7-10	1.3	1
21	Can an ice cream headache save your life?. <i>Critical Care Medicine</i> , 2010 , 38, 1006-7	1.4	1
20	When it comes to hypothermia and trauma: kids are really little adults. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 301-2	3	1
19	Hypothermia in traumatic brain injury. <i>Critical Care Medicine</i> , 2007 , 35, 1999-2000	1.4	1
18	Comment on article by Ahmed and Cheng-Robles. <i>Journal of Trauma</i> , 2007 , 63, 455		1
17	Hot or cold? In support of cold. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2005 , 66, 78-80	0.8	1
16	The intensive care unit as a trauma unit. <i>Surgical Clinics of North America</i> , 2000 , 80, 783-90, vii	4	1
15	Development of Neurological Emergency Simulations for Assessment: Content Evidence and Response Process. <i>Neurocritical Care</i> , 2021 , 35, 389-396	3.3	1
14	Trauma fluid resuscitation in 2010. <i>Journal of Trauma</i> , 2003 , 54, S231-4		1
13	Cooling Strategies Outside the Central Nervous System. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015 , 5, 116-20	1.3	
12	Rescue therapies in the surgical patient. <i>Surgical Clinics of North America</i> , 2012 , 92, 433-9, x	4	
11	Reply to: Delta-opioid receptor ligands in shock treatment. <i>Resuscitation</i> , 2009 , 80, 1331-1332	4	

10	Ultrasonographic Appearance of Lung Sliding in a Patient With a Bronchopleural Fistula on a High-Frequency Oscillator Ventilator. <i>Journal of Diagnostic Medical Sonography</i> , 2011 , 27, 85-88	0.4
9	The future of surgical critical care: A European perspective. <i>Critical Care Medicine</i> , 2007 , 35, 985-986	1.4
8	No sampling technique was superior for the diagnosis of ventilator-associated pneumonia. <i>Critical Care</i> , 2005 , 9, E4	10.8
7	Direct mechanical ventricular actuation for resuscitation. How should efficacy be tested?. <i>Chest</i> , 1991 , 100, 3-4	5.3
6	To control temperature, all you need is a "cool" line. <i>Critical Care Medicine</i> , 2002 , 30, 2598-600	1.4
5	Quantitative analysis of intermuscular septa in the leg: implications for trauma surgery. <i>Trauma Surgery and Acute Care Open</i> , 2021 , 6, e000721	2.4
4	Sepsis and trauma resuscitation have significant differences. <i>Journal of Trauma and Acute Care Surgery</i> , 2016 , 80, 677	3.3
3	The authors reply. <i>Critical Care Medicine</i> , 2019 , 47, e429	1.4
2	Pre-operative fluid resuscitation in the emergency general surgery septic patient: does it really matter?. <i>BMC Emergency Medicine</i> , 2021 , 21, 86	2.4
1	Do Not Attempt Resuscitation in the Operating Room: A Misconstrued Paradox?. <i>Journal of the American College of Surgeons</i> , 2022 , 234, 953-957	4.4