
Steven E Lohrenz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9005689/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	A review of carbon monitoring in wet carbon systems using remote sensing. Environmental Research Letters, 2022, 17, 025009.	5.2	29
2	A Centuryâ€Long Trajectory of Phosphorus Loading and Export From Mississippi River Basin to the Gulf of Mexico: Contributions of Multiple Environmental Changes. Global Biogeochemical Cycles, 2022, 36,	4.9	3
3	Underway Hyperspectral Bio-Optical Assessments of Phytoplankton Size Classes in the River-Influenced Northern Gulf of Mexico. Remote Sensing, 2021, 13, 3346.	4.0	1
4	Increased extreme precipitation challenges nitrogen load management to the Gulf of Mexico. Communications Earth & Environment, 2020, 1, .	6.8	36
5	Longâ€∓erm Trajectory of Nitrogen Loading and Delivery From Mississippi River Basin to the Gulf of Mexico. Global Biogeochemical Cycles, 2020, 34, e2019GB006475.	4.9	44
6	Carbon cycling in the North American coastal ocean: a synthesis. Biogeosciences, 2019, 16, 1281-1304.	3.3	45
7	Satellite estimation of coastal pCO2 and air-sea flux of carbon dioxide in the northern Gulf of Mexico. Remote Sensing of Environment, 2018, 207, 71-83.	11.0	42
8	Photophysiological and light absorption properties of phytoplankton communities in the riverâ€dominated margin of the northern G ulf of M exico. Journal of Geophysical Research: Oceans, 2017, 122, 4922-4938.	2.6	12
9	Modeling <i>p</i> CO ₂ variability in the Gulf of Mexico. Biogeosciences, 2016, 13, 4359-4377.	3.3	21
10	Changing Dynamics of Dissolved Organic Matter Fluorescence in the Northern Gulf of Mexico Following the Deepwater Horizon Oil Spill. Environmental Science & Technology, 2016, 50, 4940-4950.	10.0	30
11	Centuryâ€long increasing trend and variability of dissolved organic carbon export from the Mississippi River basin driven by natural and anthropogenic forcing. Global Biogeochemical Cycles, 2016, 30, 1288-1299.	4.9	53
12	Climate extremes dominating seasonal and interannual variations in carbon export from the Mississippi River Basin. Global Biogeochemical Cycles, 2015, 29, 1333-1347.	4.9	46
13	How Can Present and Future Satellite Missions Support Scientific Studies that Address Ocean Acidification?. Oceanography, 2015, 25, 108-121.	1.0	16
14	Large increase in dissolved inorganic carbon flux from the Mississippi River to Gulf of Mexico due to climatic and anthropogenic changes over the 21st century. Journal of Geophysical Research G: Biogeosciences, 2015, 120, 724-736.	3.0	38
15	Temporal variation and stoichiometric ratios of organic matter remineralization in bottom waters of the northern <scp>G</scp> ulf of <scp>M</scp> exico during late spring and summer. Journal of Geophysical Research: Oceans, 2015, 120, 8304-8326.	2.6	15
16	The carbon dioxide system on the <scp>M</scp> ississippi <scp>R</scp> iverâ€dominated continental shelf in the northern <scp>G</scp> ulf of <scp>M</scp> exico: 1. Distribution and airâ€sea CO ₂ flux. Journal of Geophysical Research: Oceans, 2015, 120, 1429-1445.	2.6	72
17	The response of inorganic carbon distributions and dynamics to upwelling-favorable winds on the northern Gulf of Mexico during summer. Continental Shelf Research, 2015, 111, 211-222.	1.8	29
18	Phytoplankton community structure in the river‑influenced continental margin of the northern Gulf of Mexico. Marine Ecology - Progress Series, 2015, 521, 31-47.	1.9	54

#	Article	IF	CITATIONS
19	Increasing Mississippi river discharge throughout the 21st century influenced by changes in climate, land use, and atmospheric CO ₂ . Geophysical Research Letters, 2014, 41, 4978-4986.	4.0	96
20	Pulsed, crossâ€shelf export of terrigenous dissolved organic carbon to the Gulf of Mexico. Journal of Geophysical Research: Oceans, 2014, 119, 1176-1194.	2.6	59
21	Longâ€ŧerm trends in evapotranspiration and runoff over the drainage basins of the Gulf of Mexico during 1901–2008. Water Resources Research, 2013, 49, 1988-2012.	4.2	90
22	Characterization of oil components from the Deepwater Horizon oil spill in the Gulf of Mexico using fluorescence EEM and PARAFAC techniques. Marine Chemistry, 2013, 148, 10-21.	2.3	120
23	Effects of tropical cyclones on river chemistry: A case study of the lower Pearl River during Hurricanes Gustav and Ike. Estuarine, Coastal and Shelf Science, 2013, 129, 180-188.	2.1	19
24	Effects of a wind-driven cross-shelf large river plume on biological production and CO2 uptake on the Gulf of Mexico during spring. Limnology and Oceanography, 2013, 58, 1727-1735.	3.1	41
25	Modeling ocean circulation and biogeochemical variability in the Gulf of Mexico. Biogeosciences, 2013, 10, 7219-7234.	3.3	70
26	The United States' Next Generation of Atmospheric Composition and Coastal Ecosystem Measurements: NASA's Geostationary Coastal and Air Pollution Events (GEO-CAPE) Mission. Bulletin of the American Meteorological Society, 2012, 93, 1547-1566.	3.3	118
27	Carbon dynamics and community production in the Mississippi River plume. Limnology and Oceanography, 2012, 57, 1-17.	3.1	94
28	The stoichiometry of inorganic carbon and nutrient removal in the Mississippi River plume and adjacent continental shelf. Biogeosciences, 2012, 9, 2781-2792.	3.3	31
29	Acidification of subsurface coastal waters enhanced by eutrophication. Nature Geoscience, 2011, 4, 766-770.	12.9	928
30	Analyses of Water Samples From the Deepwater Horizon Oil Spill: Documentation of the Subsurface Plume. Geophysical Monograph Series, 2011, , 77-82.	0.1	37
31	Automated, in-water determination of colored dissolved organic material and phytoplankton community structure using the optical phytoplankton discriminator. Proceedings of SPIE, 2011, , .	0.8	5
32	Development of a suspended particulate matter (SPM) algorithm for the coastal zone mapping and imaging lidar (CZMIL). , 2010, , .		2
33	NIUST - Deepwater horizon oil spill response cruise. , 2010, , .		6
34	Seasonal variability in airâ€sea fluxes of CO ₂ in a riverâ€influenced coastal margin. Journal of Geophysical Research, 2010, 115, .	3.3	54
35	Characterization of subsurface polycyclic aromatic hydrocarbons at the Deepwater Horizon site. Geophysical Research Letters, 2010, 37, .	4.0	217
36	The central Gulf of Mexico Ocean Observing System: Development, resiliency and lessons learned. , 2009, , .		0

#	Article	IF	CITATIONS
37	Modeling the response of primary production and sedimentation to variable nitrate loading in the Mississippi River plume. Continental Shelf Research, 2008, 28, 1451-1465.	1.8	33
38	A retrospective analysis of nutrients and phytoplankton productivity in the Mississippi River plume. Continental Shelf Research, 2008, 28, 1466-1475.	1.8	109
39	A comparative overview of weathering intensity and HCO3â^' flux in the world's major rivers with emphasis on the Changjiang, Huanghe, Zhujiang (Pearl) and Mississippi Rivers. Continental Shelf Research, 2008, 28, 1538-1549.	1.8	203
40	Satellite Assessment of Bio-Optical Properties of Northern Gulf of Mexico Coastal Waters Following Hurricanes Katrina and Rita. Sensors, 2008, 8, 4135-4150.	3.8	30
41	Coastal Sediment Dynamics and River Discharge as Key Factors Influencing Coastal Ecosystem Productivity in Southeastern Lake Michigan. Oceanography, 2008, 21, 60-69.	1.0	18
42	A review of water column processes influencing hypoxia in the northern Gulf of Mexico. Estuaries and Coasts, 2007, 30, 735-752.	2.2	110
43	Satellite ocean color assessment of air-sea fluxes of CO2in a river-dominated coastal margin. Geophysical Research Letters, 2006, 33, n/a-n/a.	4.0	81
44	Vertical migration of the toxic dinoflagellateKarenia brevisand the impact on ocean optical properties. Journal of Geophysical Research, 2006, 111, .	3.3	40
45	A comparison of global estimates of marine primary production from ocean color. Deep-Sea Research Part II: Topical Studies in Oceanography, 2006, 53, 741-770.	1.4	574
46	Use of hyperspectral remote sensing reflectance for detection and assessment of the harmful alga, Karenia brevis. Applied Optics, 2006, 45, 5414.	2.1	83
47	Impacts of a recurrent resuspension event and variable phytoplankton community composition on remote sensing reflectance. Journal of Geophysical Research, 2004, 109, .	3.3	32
48	Spring phytoplankton photosynthesis, growth, and primary production and relationships to a recurrent coastal sediment plume and river inputs in southeastern Lake Michigan. Journal of Geophysical Research, 2004, 109, .	3.3	30
49	Transformation of dissolved and particulate materials on continental shelves influenced by large rivers: plume processes. Continental Shelf Research, 2004, 24, 833-858.	1.8	435
50	Physical-Biological Coupling in Southern Lake Michigan: Influence of Episodic Sediment Resuspension on Phytoplankton. Aquatic Ecology, 2003, 37, 393-408.	1.5	30
51	Phytoplankton spectral absorption as influenced by community size structure and pigment composition. Journal of Plankton Research, 2003, 25, 35-61.	1.8	106
52	Variations in phytoplankton pigments, size structure and community composition related to wind forcing and water mass properties on the North Carolina inner shelf. Continental Shelf Research, 2003, 23, 1447-1464.	1.8	37
53	Comparison of algorithms for estimating ocean primary production from surface chlorophyll, temperature, and irradiance. Global Biogeochemical Cycles, 2002, 16, 9-1-9-15.	4.9	232
54	Primary production on the continental shelf off Cape Hatteras, North Carolina. Deep-Sea Research Part II: Topical Studies in Oceanography, 2002, 49, 4479-4509.	1.4	40

#	Article	IF	CITATIONS
55	Phytoplankton dynamics within a discrete water mass off Cape Hatteras, North Carolina: the Lagrangian experiment. Deep-Sea Research Part II: Topical Studies in Oceanography, 2002, 49, 4511-4531.	1.4	11
56	PHYTOPLANKTON PIGMENTS IN COASTAL LAKE MICHIGAN: DISTRIBUTIONS DURING THE SPRING ISOTHERMAL PERIOD AND RELATION WITH EPISODIC SEDIMENT RESUSPENSION1. Journal of Phycology, 2002, 38, 639-648.	2.3	25
57	Chloropigment distribution and transport on the inner shelf off Duck, North Carolina. Journal of Geophysical Research, 2001, 106, 11581-11596.	3.3	5
58	Antimony and arsenic biogeochemistry in the western Atlantic Ocean. Deep-Sea Research Part II: Topical Studies in Oceanography, 2001, 48, 2895-2915.	1.4	123
59	Distribution and controlling mechanisms of primary production on the Louisiana–Texas continental shelf. Journal of Marine Systems, 2000, 25, 179-207.	2.1	61
60	Light absorption characteristics of individual phytoplankton cells from a natural community: examples from Lake Michigan during the winter period. Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 2000, 27, 1836-1840.	0.1	0
61	Photosynthesis–irradiance parameters and community structure associated with coastal filaments and adjacent waters in the northern Arabian Sea. Deep-Sea Research Part II: Topical Studies in Oceanography, 2000, 47, 1249-1277.	1.4	17
62	A novel theoretical approach to correct for pathlength amplification and variable sampling loading in measurements of particulate spectral absorption by the quantitative filter technique. Journal of Plankton Research, 2000, 22, 639-657.	1.8	52
63	MICROPHOTOMETRIC ASSESSMENT OF SPECTRAL ABSORPTION AND ITS POTENTIAL APPLICATION FOR CHARACTERIZATION OF HARMFUL ALGAL SPECIES. Journal of Phycology, 1999, 35, 1438-1446.	2.3	17
64	Nutrients, irradiance, and mixing as factors regulating primary production in coastal waters impacted by the Mississippi River plume. Continental Shelf Research, 1999, 19, 1113-1141.	1.8	288
65	Theoretical treatment of fluorescence detection by a dual-fiber-optic sensor with consideration of sampling variability and package effects associated with particles. Applied Optics, 1999, 38, 2524.	2.1	9
66	<title>Comparison of measured inherent optical properties with estimates determined from reflectance in coastal waters off Cape Hatteras, North Carolina, USA</title> . , 1997, , .		0
67	Time Series Measurements of Chlorophyll Fluorescence in the Oceanic Bottom Boundary Layer with a Multisensor Fiber-Optic Fluorometer. Journal of Atmospheric and Oceanic Technology, 1997, 14, 889-896.	1.3	5
68	Calculation of cell-specific growth rates: A clarification. Limnology and Oceanography, 1996, 41, 182-189.	3.1	2
69	Primary production in the Gulf of Mexico coastal waters using "remotely-sensed―trophic category approach. Continental Shelf Research, 1995, 15, 1355-1368.	1.8	11
70	Spatial and Temporal Variations of Photosynthetic Parameters in Relation to Environmental Conditions in Coastal Waters of the Northern Gulf of Mexico. Estuaries and Coasts, 1994, 17, 779.	1.7	61
71	The Relationship between Primary Production and the Vertical Export of Particulate Organic Matter in a River-Impacted Coastal Ecosystem. Estuaries and Coasts, 1994, 17, 829.	1.7	107
72	Seasonal patterns of ocean biogeochemistry at the U.S. JGOFS Bermuda Atlantic time-series study site. Deep-Sea Research Part I: Oceanographic Research Papers, 1994, 41, 1013-1038.	1.4	217

#	Article	IF	CITATIONS
73	Has the importance of photoautotrophic picoplankton been overestimated?. Limnology and Oceanography, 1994, 39, 432-438.	3.1	28
74	<title>Multisensor in-situ fiber optic fluorometer</title> . , 1994, , .		1
75	Distributions of pigments and primary production in a Gulf Stream meander. Journal of Geophysical Research, 1993, 98, 14545-14560.	3.3	32
76	A comparison of in situ and simulated in situ methods for estimating oceanic primary production. Journal of Plankton Research, 1992, 14, 201-221.	1.8	52
77	Seasonal variability in primary production and particle flux in the northwestern Sargasso Sea: U.S. JGOFS Bermuda Atlantic time-series study. Deep-sea Research Part A, Oceanographic Research Papers, 1992, 39, 1373-1391.	1.5	184
78	Enhanced primary production at the plume/oceanic interface of the Mississippi River. Continental Shelf Research, 1990, 10, 639-664.	1.8	221
79	Hydrogen peroxide in the western Mediterranean Sea: a tracer for vertical advection. Deep-sea Research Part A, Oceanographic Research Papers, 1989, 36, 241-254.	1.5	57
80	Satellite detection of transient enhanced primary production in the western Mediterranean Sea. Nature, 1988, 335, 245-247.	27.8	50
81	Interrelationships among primary production, chlorophyll, and environmental conditions in frontal regions of the western Mediterranean Sea. Deep-sea Research Part A, Oceanographic Research Papers, 1988, 35, 793-810.	1.5	84
82	Inorganic 14C as a probe of growth rate-dependent variations in intracellular free amino acid and protein composition of NH+4 -limited continuous cultures of Nannochloris atomis Butcher. Journal of Experimental Marine Biology and Ecology, 1987, 106, 31-55.	1.5	14
83	Instrumentation for the measurement of phytoplankton production1. Limnology and Oceanography, 1983, 28, 781-787.	3.1	9