

# Annina Salome Vischer

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/90070/annina-salome-vischer-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24  
papers

223  
citations

8  
h-index

14  
g-index

29  
ext. papers

315  
ext. citations

3.8  
avg. IF

3.43  
L-index

| #  | Paper   | IF  | Citations |
|----|---|-----|-----------|
| 24 | Desmoplakin missense and non-missense mutations in arrhythmogenic right ventricular cardiomyopathy: Genotype-phenotype correlation. <i>International Journal of Cardiology</i> , <b>2017</b> , 249, 268-273 <sup>2</sup>              | 3.6 | 46        |
| 23 | Principles of Blood Pressure Measurement - Current Techniques, Office vs Ambulatory Blood Pressure Measurement. <i>Advances in Experimental Medicine and Biology</i> , <b>2017</b> , 956, 85-96                                       | 3.6 | 33        |
| 22 | Reliability of single office blood pressure measurements. <i>Heart</i> , <b>2018</b> , 104, 1173-1179   | 5.1 | 29        |
| 21 | Role of defibrillation threshold testing in the contemporary defibrillator patient population. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2013</b> , 24, 437-41  | 2.7 | 21        |
| 20 | Performance of a Blood Pressure Smartphone App in Pregnant Women: The iPARR Trial (iPhone App Compared With Standard RR Measurement). <i>Hypertension</i> , <b>2018</b> , 71, 1164-1169   | 8.5 | 18        |
| 19 | Diagnosis and management of hypertrophic cardiomyopathy. <i>Journal of Animal Science and Technology</i> , <b>2015</b> , 2, R45-53  | 1.6 | 13        |
| 18 | Accuracy of 24-hour ambulatory blood pressure monitoring by a novel cuffless device in clinical practice. <i>Heart</i> , <b>2019</b> , 105, 399-405   | 5.1 | 13        |
| 17 | Improved agreement and diagnostic accuracy of a cuffless 24-h blood pressure measurement device in clinical practice. <i>Scientific Reports</i> , <b>2021</b> , 11, 1143  | 4.9 | 8         |
| 16 | Impact of single-visit American versus European office blood pressure measurement procedure on individual blood pressure classification: a cross-sectional study. <i>Clinical Research in Cardiology</i> , <b>2019</b> , 108, 990-999 | 6.1 | 6         |
| 15 | Electrophysiology Testing to Stratify Patients With Left Bundle Branch Block After Transcatheter Aortic Valve Implantation. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e014446                               | 6   | 6         |
| 14 | Heart failure in patients with arrhythmogenic right ventricular cardiomyopathy: Genetic characteristics. <i>International Journal of Cardiology</i> , <b>2019</b> , 286, 99-103   | 3.2 | 4         |
| 13 | Risk score for the exclusion of arrhythmic events in arrhythmogenic right ventricular cardiomyopathy at first presentation. <i>International Journal of Cardiology</i> , <b>2019</b> , 290, 100-105                                   | 3.2 | 4         |
| 12 | Impact of Single-Occasion American vs. Canadian Office Blood Pressure Measurement Recommendations on Blood Pressure Classification. <i>American Journal of Hypertension</i> , <b>2019</b> , 32, 143-145 <sup>2,3</sup>                | 2.3 | 4         |
| 11 | Blood Pressure and Brain Lesions in Patients With Atrial Fibrillation. <i>Hypertension</i> , <b>2021</b> , 77, 662-671  | 8.5 | 3         |
| 10 | Reverse Takotsubo syndrome, a case report of a rare cause for postpartum heart failure. <i>Neurology International</i> , <b>2018</b> , 8,   | 0   | 3         |
| 9  | How should we measure blood pressure? Implications of the fourth blood pressure measurement in office blood pressure. <i>Journal of Clinical Hypertension</i> , <b>2021</b> , 23, 35-43   | 2.3 | 2         |
| 8  | Outcome of patients with dilated cardiomyopathy in a contemporary Swiss population. <i>Acta Cardiologica</i> , <b>2009</b> , 64, 347-50   | 0.9 | 2         |

|   |   |     |   |
|---|---|-----|---|
| 7 | Influence of Antihypertensive Treatment on RAAS Peptides in Newly Diagnosed Hypertensive Patients. <i>Cells</i> , <b>2021</b> , 10,   | 7.9 | 2 |
| 6 | How Should We Measure and Deal with Office Blood Pressure in 2021?. <i>Diagnostics</i> , <b>2021</b> , 11,  | 3.8 | 2 |
| 5 | Analyzing 24-Hour Blood Pressure Measurements with a Novel Cuffless Pulse Transit Time Device in Clinical Practice-Does the Software for Heartbeat Detection Matter?. <i>Diagnostics</i> , <b>2020</b> , 10,      | 3.8 | 1 |
| 4 | Hemodynamic profiles in treatment-naive arterial hypertension and their clinical implication for treatment choice: an exploratory post hoc analysis. <i>Journal of Hypertension</i> , <b>2021</b> , 39, 1246-1253 | 1.9 | 1 |
| 3 | Accuracy of abbreviated protocols for unattended automated office blood pressure measurements, a retrospective study. <i>PLoS ONE</i> , <b>2021</b> , 16, e0248586  | 3.7 | 0 |
| 2 | Should we test all defibrillators at the time of implantation? An unanswered question. Reply to the letter of Hadid et al. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2013</b> , 24, E19             | 2.7 |   |
| 1 | Concurrent Cardioversion of Atrial Fibrillation during ICD Shock Testing. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2015</b> , 38, 864-9   | 1.6 |   |