

Adriana Zaleska-Medynska

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9008577/adriana-zaleska-medynska-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

6,572
citations

41
h-index

78
g-index

151
ext. papers

7,530
ext. citations

9
avg, IF

6.38
L-index

#	Paper	IF	Citations
137	Doped-TiO ₂ : A Review. <i>Recent Patents on Engineering</i> , 2008 , 2, 157-164	0.3	697
136	Self-organization of imidazolium ionic liquids in aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 329, 125-133	5.1	307
135	Noble metal-based bimetallic nanoparticles: the effect of the structure on the optical, catalytic and photocatalytic properties. <i>Advances in Colloid and Interface Science</i> , 2016 , 229, 80-107	14.3	296
134	Three-dimensional titanium dioxide nanomaterials. <i>Chemical Reviews</i> , 2014 , 114, 9487-558	68.1	295
133	Mechanism of phenol photodegradation in the presence of pure and modified-TiO ₂ : A review. <i>Water Research</i> , 2012 , 46, 5453-5471	12.5	271
132	Visible light activity of rare earth metal doped (Er ³⁺ , Yb ³⁺ or Er ³⁺ /Yb ³⁺) titania photocatalysts. <i>Applied Catalysis B: Environmental</i> , 2015 , 163, 40-49	21.8	256
131	Preparation and photocatalytic activity of boron-modified TiO ₂ under UV and visible light. <i>Applied Catalysis B: Environmental</i> , 2008 , 78, 92-100	21.8	198
130	Preparation of silver nanoparticles with controlled particle size. <i>Procedia Chemistry</i> , 2009 , 1, 1560-1566		191
129	Preparation and characterization of monometallic (Au) and bimetallic (Ag/Au) modified-titania photocatalysts activated by visible light. <i>Applied Catalysis B: Environmental</i> , 2011 , 101, 504-514	21.8	185
128	TiO ₂ photoactivity in vis and UV light: The influence of calcination temperature and surface properties. <i>Applied Catalysis B: Environmental</i> , 2008 , 84, 440-447	21.8	152
127	Comparison of different advanced oxidation processes for the degradation of room temperature ionic liquids. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2005 , 170, 45-50	4.7	152
126	Silver-doped TiO ₂ prepared by microemulsion method: Surface properties, bio- and photoactivity. <i>Separation and Purification Technology</i> , 2010 , 72, 309-318	8.3	149
125	Lanthanide co-doped TiO ₂ : The effect of metal type and amount on surface properties and photocatalytic activity. <i>Applied Surface Science</i> , 2014 , 307, 333-345	6.7	115
124	The effect of calcination temperature on structure and photocatalytic properties of Au/Pd nanoparticles supported on TiO ₂ . <i>Applied Catalysis B: Environmental</i> , 2014 , 152-153, 202-211	21.8	104
123	Size and shape-dependent cytotoxicity profile of gold nanoparticles for biomedical applications. <i>Journal of Materials Science: Materials in Medicine</i> , 2017 , 28, 92	4.5	99
122	The role of lanthanides in TiO ₂ -based photocatalysis: A review. <i>Applied Catalysis B: Environmental</i> , 2018 , 233, 301-317	21.8	99
121	Photocatalytic activity of boron-modified TiO ₂ under visible light: The effect of boron content, calcination temperature and TiO ₂ matrix. <i>Applied Catalysis B: Environmental</i> , 2009 , 89, 469-475	21.8	95

120	Ordered TiO ₂ nanotubes: The effect of preparation parameters on the photocatalytic activity in air purification process. <i>Applied Catalysis B: Environmental</i> , 2014 , 144, 674-685	21.8	93
119	Quantum dot-decorated semiconductor micro- and nanoparticles: A review of their synthesis, characterization and application in photocatalysis. <i>Advances in Colloid and Interface Science</i> , 2018 , 256, 352-372	14.3	90
118	Enhanced photocatalytic, electrochemical and photoelectrochemical properties of TiO nanotubes arrays modified with Cu, AgCu and Bi nanoparticles obtained via radiolytic reduction. <i>Applied Surface Science</i> , 2016 , 387, 89-102	6.7	90
117	Photocatalytic activity and luminescence properties of RE ₃ +TiO ₂ nanocrystals prepared by sol-gel and hydrothermal methods. <i>Applied Catalysis B: Environmental</i> , 2016 , 181, 825-837	21.8	84
116	Photocatalytic activity of nitrogen doped TiO ₂ nanotubes prepared by anodic oxidation: The effect of applied voltage, anodization time and amount of nitrogen dopant. <i>Applied Catalysis B: Environmental</i> , 2016 , 196, 77-88	21.8	83
115	Ionic liquids for nano- and microstructures preparation. Part 1: Properties and multifunctional role. <i>Advances in Colloid and Interface Science</i> , 2016 , 230, 13-28	14.3	81
114	The effect of gold shape and size on the properties and visible light-induced photoactivity of Au-TiO ₂ . <i>Applied Catalysis B: Environmental</i> , 2016 , 196, 27-40	21.8	70
113	Impact of gold nanoparticles shape on their cytotoxicity against human osteoblast and osteosarcoma in in vitro model. Evaluation of the safety of use and anti-cancer potential. <i>Journal of Materials Science: Materials in Medicine</i> , 2019 , 30, 22	4.5	70
112	Photocatalytic degradation of lindane, p,p'-DDT and methoxychlor in an aqueous environment. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2000 , 135, 213-220	4.7	67
111	Synthesis, characterization and photocatalytic activity of noble metal-modified TiO ₂ nanosheets with exposed {0 0 1} facets. <i>Applied Surface Science</i> , 2015 , 347, 275-285	6.7	66
110	Enhanced photocatalytic properties of lanthanide-TiO ₂ nanotubes: An experimental and theoretical study. <i>Applied Catalysis B: Environmental</i> , 2017 , 205, 376-385	21.8	64
109	Photocatalytically Active TiO ₂ /Ag ₂ O Nanotube Arrays Interlaced with Silver Nanoparticles Obtained from the One-Step Anodic Oxidation of Ti/Ag Alloys. <i>ACS Catalysis</i> , 2017 , 7, 2753-2764	13.1	60
108	Photodegradation of phenol by UV/TiO ₂ and Vis/N,C-TiO ₂ processes: Comparative mechanistic and kinetic studies. <i>Separation and Purification Technology</i> , 2009 , 68, 90-96	8.3	60
107	Ionic liquids for nano- and microstructures preparation. Part 2: Application in synthesis. <i>Advances in Colloid and Interface Science</i> , 2016 , 227, 1-52	14.3	58
106	Solubilization of benzene, toluene, and xylene (BTX) in aqueous micellar solutions of amphiphilic imidazolium ionic liquids. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 5653-8	3.4	57
105	Photoactivity of decahedral TiO ₂ loaded with bimetallic nanoparticles: Degradation pathway of phenol-1- ¹³ C and hydroxyl radical formation. <i>Applied Catalysis B: Environmental</i> , 2017 , 200, 56-71	21.8	56
104	The effect of metal cluster deposition route on structure and photocatalytic activity of mono- and bimetallic nanoparticles supported on TiO ₂ by radiolytic method. <i>Applied Surface Science</i> , 2016 , 378, 37-48	6.7	54
103	Thioacetamide and thiourea impact on visible light activity of TiO ₂ . <i>Applied Catalysis B: Environmental</i> , 2007 , 76, 1-8	21.8	53

102	The ILs-assisted solvothermal synthesis of TiO ₂ spheres: The effect of ionic liquids on morphology and photoactivity of TiO ₂ . <i>Applied Catalysis B: Environmental</i> , 2016 , 184, 223-237	21.8	49
101	Visible light photoactivity of TiO ₂ loaded with monometallic (Au or Pt) and bimetallic (Au/Pt) nanoparticles. <i>Applied Surface Science</i> , 2014 , 317, 1131-1142	6.7	48
100	Detoxification of parabens using UV-A enhanced by noble metals/TiO ₂ supported catalysts. <i>Journal of Environmental Chemical Engineering</i> , 2017 , 5, 3065-3074	6.8	47
99	Ag/Pt-modified TiO ₂ nanoparticles for toluene photooxidation in the gas phase. <i>Catalysis Today</i> , 2014 , 230, 104-111	5.3	46
98	Optical and photocatalytic properties of rare earth metal-modified ZnO quantum dots. <i>Applied Surface Science</i> , 2019 , 464, 651-663	6.7	46
97	Surface properties and visible light activity of W-TiO ₂ photocatalysts prepared by surface impregnation and sol-gel method. <i>Applied Catalysis B: Environmental</i> , 2012 , 117-118, 351-359	21.8	40
96	The effects of bifunctional linker and reflux time on the surface properties and photocatalytic activity of CdTe quantum dots decorated KTaO ₃ composite photocatalysts. <i>Applied Catalysis B: Environmental</i> , 2017 , 203, 452-464	21.8	39
95	Effect of irradiation intensity and initial pollutant concentration on gas phase photocatalytic activity of TiO ₂ nanotube arrays. <i>Catalysis Today</i> , 2017 , 284, 19-26	5.3	39
94	Methane formation over TiO ₂ -based photocatalysts: Reaction pathways. <i>Applied Catalysis B: Environmental</i> , 2015 , 164, 433-442	21.8	37
93	Urchin-like TiO ₂ structures decorated with lanthanide-doped Bi ₂ S ₃ quantum dots to boost hydrogen photogeneration performance. <i>Applied Catalysis B: Environmental</i> , 2020 , 272, 118962	21.8	37
92	Self-Organized TiO ₂ /MnO ₂ Nanotube Arrays for Efficient Photocatalytic Degradation of Toluene. <i>Molecules</i> , 2017 , 22,	4.8	34
91	Removal of 5-fluorouracil by solar-driven photoelectrocatalytic oxidation using Ti/TiO ₂ (NT) photoelectrodes. <i>Water Research</i> , 2019 , 157, 610-620	12.5	33
90	Copper-Modified TiO ₂ and ZrTiO ₄ : Cu Oxidation State Evolution during Photocatalytic Hydrogen Production. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 27745-27756	9.5	32
89	The effect of metals content on the photocatalytic activity of TiO ₂ modified by Pt/Au bimetallic nanoparticles prepared by sol-gel method. <i>Molecular Catalysis</i> , 2017 , 442, 154-163	3.3	31
88	Micelle formation of Tween 20 nonionic surfactant in imidazolium ionic liquids. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 471, 26-37	5.1	31
87	KTaO ₃ -based nanocomposites for air treatment. <i>Catalysis Today</i> , 2015 , 252, 47-53	5.3	30
86	Nano-QSAR modeling for ecosafe design of heterogeneous TiO ₂ -based nano-photocatalysts. <i>Environmental Science: Nano</i> , 2018 , 5, 1150-1160	7.1	30
85	Noble metal/TiO ₂ supported catalysts for the catalytic ozonation of parabens mixtures. <i>Chemical Engineering Research and Design</i> , 2017 , 111, 148-159	5.5	30

84	Synthesis and Characterization of Monometallic (Ag, Cu) and Bimetallic Ag-Cu Particles for Antibacterial and Antifungal Applications. <i>Journal of Nanomaterials</i> , 2016 , 2016, 1-11	3.2	30
83	Effect of Noble Metals (Ag, Pd, Pt) Loading over the Efficiency of TiO ₂ during Photocatalytic Ozonation on the Toxicity of Parabens. <i>ChemEngineering</i> , 2018 , 2, 4	2.6	29
82	Preparation of CdS and BiS quantum dots co-decorated perovskite-type KNbO ₃ ternary heterostructure with improved visible light photocatalytic activity and stability for phenol degradation. <i>Dalton Transactions</i> , 2018 , 47, 15232-15245	4.3	29
81	TiO ₂ and NaTaO ₃ Decorated by Trimetallic Au/Pd/Pt Core/Shell Nanoparticles as Efficient Photocatalysts: Experimental and Computational Studies. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 16665-16682	8.3	29
80	Shape-dependent enhanced photocatalytic effect under visible light of Ag ₃ PO ₄ particles. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018 , 367, 240-252	4.7	27
79	Rare earth ions doped K ₂ Ta ₂ O ₆ photocatalysts with enhanced UV-vis light activity. <i>Applied Catalysis B: Environmental</i> , 2018 , 224, 451-468	21.8	26
78	Surface properties and photocatalytic activity of KTaO ₃ , CdS, MoS ₂ semiconductors and their binary and ternary semiconductor composites. <i>Molecules</i> , 2014 , 19, 15339-60	4.8	26
77	Combined experimental and computational approach to developing efficient photocatalysts based on Au/Pd/TiO ₂ nanoparticles. <i>Environmental Science: Nano</i> , 2016 , 3, 1425-1435	7.1	26
76	Evaluating the toxicity of TiO ₂ -based nanoparticles to Chinese hamster ovary cells and a complementary experimental and computational approach. <i>Beilstein Journal of Nanotechnology</i> , 2017 , 8, 2171-2180	3	25
75	Photo-oxidation of dissolved cyanide using TiO ₂ catalyst. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2002 , 151, 201-205	4.7	25
74	Influence of the preparation method on the photocatalytic activity of Nd-modified TiO ₂ . <i>Beilstein Journal of Nanotechnology</i> , 2018 , 9, 447-459	3	24
73	Highly Visible-Light-Photoactive Heterojunction Based on TiO ₂ Nanotubes Decorated by Pt Nanoparticles and Bi ₂ S ₃ Quantum Dots. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 17215-17225	3.8	23
72	The Antibacterial and Antifungal Textile Properties Functionalized by Bimetallic Nanoparticles of Ag/Cu with Different Structures. <i>Journal of Nanomaterials</i> , 2016 , 2016, 1-13	3.2	23
71	Growth, Structure, and Photocatalytic Properties of Hierarchical V ₂ O ₅ /TiO ₂ Nanotube Arrays Obtained from the One-step Anodic Oxidation of Ti-V Alloys. <i>Molecules</i> , 2017 , 22,	4.8	21
70	Preparation and Characterization of Au/Pd Modified-TiO ₂ Photocatalysts for Phenol and Toluene Degradation under Visible Light: The Effect of Calcination Temperature. <i>Journal of Nanomaterials</i> , 2014 , 2014, 1-9	3.2	21
69	The effect of microemulsion composition on the morphology of Pd nanoparticles deposited at the surface of TiO ₂ and photoactivity of Pd-TiO ₂ . <i>Applied Surface Science</i> , 2017 , 405, 220-230	6.7	19
68	A chemoinformatics approach for the characterization of hybrid nanomaterials: safer and efficient design perspective. <i>Nanoscale</i> , 2019 , 11, 11808-11818	7.7	18
67	Experimental and computational study of Tm-doped TiO ₂ : The effect of Li ⁺ on Vis-response photocatalysis and luminescence. <i>Applied Catalysis B: Environmental</i> , 2019 , 252, 138-151	21.8	18

66	Dependence between Ionic Liquid Structure and Mechanism of Visible-Light-Induced Activity of TiO ₂ Obtained by Ionic-Liquid-Assisted Solvothermal Synthesis. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 3927-3937	8.3	18
65	TiO nanotube arrays-based reactor for photocatalytic oxidation of parabens mixtures in ultrapure water: Effects of photocatalyst properties, operational parameters and light source. <i>Science of the Total Environment</i> , 2019 , 689, 79-89	10.2	18
64	A new simple approach to prepare rare-earth metals-modified TiO ₂ nanotube arrays photoactive under visible light: Surface properties and mechanism investigation. <i>Results in Physics</i> , 2019 , 12, 412-423	3.7	18
63	Manganese Phosphatizing Coatings: The Effects of Preparation Conditions on Surface Properties. <i>Materials</i> , 2018 , 11,	3.5	18
62	Novel decahedral TiO ₂ photocatalysts modified with Ru or Rh NPs: Insight into the mechanism. <i>Molecular Catalysis</i> , 2017 , 434, 154-166	3.3	16
61	Monometallic nanoparticles decorated and rare earth ions doped KTaO ₃ /K ₂ Ta ₂ O ₆ photocatalysts with enhanced pollutant decomposition and improved H ₂ generation. <i>Journal of Catalysis</i> , 2018 , 364, 371-381	7.3	16
60	Mono- and bimetallic nanoparticles decorated KTaO ₃ photocatalysts with improved Vis and UV-Vis light activity. <i>Applied Surface Science</i> , 2018 , 441, 993-1011	6.7	15
59	Remarkable visible-light induced hydrogen generation with ZnIn ₂ S ₄ microspheres/CuInS ₂ quantum dots photocatalytic system. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 486-498	6.7	15
58	Preparation and photocatalytic properties of BaZrO ₃ and SrZrO ₃ modified with Cu ₂ O/Bi ₂ O ₃ quantum dots. <i>Solid State Sciences</i> , 2017 , 74, 13-23	3.4	14
57	Transport properties of aqueous ionic liquid microemulsions: influence of the anion type and presence of the cosurfactant. <i>Soft Matter</i> , 2015 , 11, 8992-9008	3.6	14
56	Visible light photocatalysis employing TiO ₂ /SrTiO ₃ -BiOI composites: Surface properties and photoexcitation mechanism. <i>Molecular Catalysis</i> , 2018 , 452, 154-166	3.3	14
55	Studies on formation and percolation in ionic liquids/TX-100/water microemulsions. <i>Journal of Molecular Liquids</i> , 2014 , 199, 552-558	6	14
54	Visible-Light Photocatalytic Activity of Ionic Liquid TiO ₂ Spheres: Effect of the Ionic Liquid Anion Structure. <i>ChemCatChem</i> , 2017 , 9, 4377-4388	5.2	14
53	Fabrication and photoactivity of ionic liquid-TiO structures for efficient visible-light-induced photocatalytic decomposition of organic pollutants in aqueous phase. <i>Beilstein Journal of Nanotechnology</i> , 2018 , 9, 580-590	3	14
52	Photocatalytic Air Purification. <i>Recent Patents on Engineering</i> , 2010 , 4, 200-216	0.3	13
51	Experimental and theoretical investigations of the influence of carbon on a Ho-TiO photocatalyst with Vis response. <i>Journal of Colloid and Interface Science</i> , 2019 , 549, 212-224	9.3	12
50	Shape-controllable synthesis of GdVO photocatalysts and their tunable properties in photocatalytic hydrogen generation. <i>Dalton Transactions</i> , 2019 , 48, 1662-1671	4.3	11
49	Nanoporous TiO ₂ electrode grown by laser ablation of titanium in air at atmospheric pressure and room temperature. <i>Thin Solid Films</i> , 2016 , 601, 41-44	2.2	11

48	The effect of imidazolium ionic liquid on the morphology of Pt nanoparticles deposited on the surface of SrTiO ₃ and photoactivity of Pt/SrTiO ₃ composite in the H ₂ generation reaction. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 26308-26321	6.7	10
47	How thermal stability of ionic liquids leads to more efficient TiO ₂ -based nanophotocatalysts: Theoretical and experimental studies. <i>Journal of Colloid and Interface Science</i> , 2020 , 572, 396-407	9.3	10
46	The Effect of AgInS ₂ , SnS, CuS ₂ , Bi ₂ S ₃ Quantum Dots on the Surface Properties and Photocatalytic Activity of QDs-Sensitized TiO ₂ Composite. <i>Catalysts</i> , 2020 , 10, 403	4	10
45	Electrochemically Obtained TiO ₂ /Cu _x O _y Nanotube Arrays Presenting a Photocatalytic Response in Processes of Pollutants Degradation and Bacteria Inactivation in Aqueous Phase. <i>Catalysts</i> , 2018 , 8, 2374	4	9
44	Metal oxide photocatalysts 2018 , 51-209		9
43	Synergy between AgInS quantum dots and ZnO nanopyramids for photocatalytic hydrogen evolution and phenol degradation. <i>Journal of Hazardous Materials</i> , 2020 , 398, 123250	12.8	8
42	Highly Active TiO ₂ Microspheres Formation in the Presence of Ethylammonium Nitrate Ionic Liquid. <i>Catalysts</i> , 2018 , 8, 279	4	8
41	Shape-Depended Biological Properties of AgPO Microparticles: Evaluation of Antimicrobial Properties and Cytotoxicity in Model-Safety Assessment of Potential Clinical Usage. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 6740325	6.7	8
40	Studies on novel Bi ₂ X ₃ -TiO ₂ /SrTiO ₃ composites: Surface properties and visible light-driven photoactivity. <i>Applied Surface Science</i> , 2018 , 435, 1174-1186	6.7	8
39	TiO ₂ nanotube catalysts for parabens mixture degradation by photocatalysis and ozone-based technologies. <i>Chemical Engineering Research and Design</i> , 2021 , 152, 601-613	5.5	8
38	Unexpected effect of ozone on the paraben ^B mixture degradation using TiO ₂ supported nanotubes. <i>Science of the Total Environment</i> , 2020 , 743, 140831	10.2	7
37	TiO ₂ CoxOy composite nanotube arrays via one step electrochemical anodization for visible light-induced photocatalytic reaction. <i>Surfaces and Interfaces</i> , 2018 , 12, 179-189	4.1	7
36	Systematic and detailed examination of NaYF ₄ -Er-Yb-TiO ₂ photocatalytic activity under Vis/NIR irradiation: Experimental and theoretical analyses. <i>Applied Surface Science</i> , 2021 , 536, 147805	6.7	7
35	Effect of synthesis method parameters on properties and photoelectrocatalytic activity under solar irradiation of TiO ₂ nanotubes decorated with CdS quantum dots. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 104816	6.8	7
34	Stannates, titanates and tantalates modified with carbon and graphene quantum dots for enhancement of visible-light photocatalytic activity. <i>Applied Surface Science</i> , 2021 , 541, 148425	6.7	7
33	Visible-light-driven lanthanide-organic-frameworks modified TiO ₂ photocatalysts utilizing up-conversion effect. <i>Applied Catalysis B: Environmental</i> , 2021 , 291, 120056	21.8	7
32	Fabrication of Durable Ordered TaO Nanotube Arrays Decorated with BiS Quantum Dots. <i>Nanomaterials</i> , 2019 , 9,	5.4	6
31	The effect of Ag, Au, Pt, and Pd on the surface properties, photocatalytic activity and toxicity of multicomponent TiO ₂ -based nanomaterials. <i>Environmental Science: Nano</i> , 2020 , 7, 3557-3574	7.1	6

30	Application of BiOCl _n Br _m photocatalyst to cytostatic drugs removal from water; mechanism and toxicity assessment. <i>Separation and Purification Technology</i> , 2021 , 254, 117601	8.3	6
29	On the excitation mechanism of visible responsible Er-TiO ₂ system proved by experimental and theoretical investigations for boosting photocatalytic activity. <i>Applied Surface Science</i> , 2020 , 527, 146815	6.7	5
28	Design, Synthesis, and Enzymatic Evaluation of Novel ZnO Quantum Dot-Based Assay for Detection of Proteinase 3 Activity. <i>Bioconjugate Chemistry</i> , 2018 , 29, 1576-1583	6.3	5
27	Photoreactor Design Aspects and Modeling of Light. <i>Green Chemistry and Sustainable Technology</i> , 2016 , 211-248	1.1	5
26	Application of metal oxide-based photocatalysis 2018 , 211-340		5
25	Enhanced Visible Light Active WO Thin Films Toward Air Purification: Effect of the Synthesis Conditions. <i>Materials</i> , 2020 , 13,	3.5	5
24	Facile Formation of Self-Organized TiO ₂ Nanotubes in Electrolyte Containing Ionic Liquid-Ethylammonium Nitrate and Their Remarkable Photocatalytic Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 14510-14522	8.3	5
23	Nanostructured photocatalysts for the abatement of contaminants by photocatalysis and photocatalytic ozonation: An overview.. <i>Science of the Total Environment</i> , 2022 , 837, 155776	10.2	5
22	Impact of Tetrazolium Ionic Liquid Thermal Decomposition in Solvothermal Reaction on the Remarkable Photocatalytic Properties of TiO Particles. <i>Nanomaterials</i> , 2019 , 9,	5.4	4
21	Theoretical and Experimental Studies on the Visible Light Activity of TiO ₂ Modified with Halide-Based Ionic Liquids. <i>Catalysts</i> , 2020 , 10, 371	4	4
20	Integrated Experimental and Theoretical Approach for Efficient Design and Synthesis of Gold-Based Double Halide Perovskites. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 26769-26779	3.8	4
19	Novel two-step synthesis method of thin film heterojunction of BiOBr/Bi ₂ WO ₆ with improved visible-light-driven photocatalytic activity. <i>Applied Surface Science</i> , 2021 , 569, 151082	6.7	4
18	Fundamentals of metal oxide-based photocatalysis 2018 , 3-50		3
17	The Photocatalytic Conversion of (Biodiesel Derived) Glycerol to Hydrogen - A Short Review and Preliminary Experimental Results Part 2: Photocatalytic Conversion of Glycerol to Hydrogen in Batch and Semi-batch Laboratory Reactors. <i>Journal of Advanced Oxidation Technologies</i> , 2014 , 17,		3
16	Problem of disposal of unwanted pesticides deposited in concrete tombs. <i>Waste Management and Research</i> , 1999 , 17, 220-227	4	3
15	Modified Manganese Phosphate Conversion Coating on Low-Carbon Steel. <i>Materials</i> , 2020 , 13,	3.5	2
14	Retraction notice to "Mechanism of phenol photodegradation in the presence of pure and modified-TiO ₂ : A review" [Water Res. 46/17 (2012) 5453-5471]. <i>Water Research</i> , 2018 , 135, 331	12.5	2
13	Ordered TiO ₂ Nanotubes with Improved Photoactivity through Self-organizing Anodization with the Addition of an Ionic Liquid: Effects of the Preparation Conditions. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 15585-15596	8.3	1

12	The Effect of the Metal Type on Luminescence and Photocatalytic Properties of Lanthanide-Organic Frameworks Modified Titania. <i>Proceedings (mdpi)</i> , 2019 , 16, 11	0.3	1
11	Photocatalysts for Solar Energy Conversion 2013 , 63-102		1
10	Metal Titanate (ATiO ₃ , A: Ni, Co, Mg, Zn) Nanorods for Toluene Photooxidation under LED Illumination. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 10850	2.6	1
9	Insights into the Intrinsic Creation of Heterojunction-Based Ordered TiO ₂ Nanotubes Obtained from the One-Step Anodic Oxidation of Titanium Alloys. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 70973-7108	3.8	1
8	Towards Computer-Aided Graphene Covered TiO ₂ -Cu/(Cu _x O _y) Composite Design for the Purpose of Photoinduced Hydrogen Evolution. <i>Catalysts</i> , 2021 , 11, 698	4	1
7	Betaine and l-carnitine ester bromides: Synthesis and comparative study of their thermal behaviour and surface activity. <i>Journal of Molecular Liquids</i> , 2021 , 334, 115988	6	1
6	Thermal annealing of ordered TiO ₂ nanotube arrays with water vapor-assisted crystallization under a continuous gas flow for superior photocatalytic performance. <i>Chemical Engineering Journal</i> , 2021 , 425, 130619	14.7	1
5	How Do Ionic Liquids Affect the Surface Structure of Titania Photocatalyst? An Electron-Trap Distribution-Analysis Study. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 28143-28149	3.8	1
4	The influence of ILs on TiO ₂ microspheres activity towards 5-FU removal under artificial sunlight irradiation. <i>Applied Surface Science</i> , 2022 , 573, 151431	6.7	0
3	Lead-free bismuth-based perovskites coupled with g-C ₃ N ₄ : A machine learning based novel approach for visible light induced degradation of pollutants. <i>Applied Surface Science</i> , 2022 , 588, 152921	6.7	0
2	A novel (Ti/Ce)UiO-X MOFs@TiO ₂ heterojunction for enhanced photocatalytic performance: Boosting via Ce ⁴⁺ /Ce ³⁺ and Ti ⁴⁺ /Ti ³⁺ redox mediators. <i>Applied Catalysis B: Environmental</i> , 2022 , 310, 121349	21.8	0
1	Editorial [Hot Topic: Light-Driven Reactions and Materials in the Environmental Technology (Guest Editor: Adriana Zaleska)]. <i>Recent Patents on Engineering</i> , 2010 , 4, 147-148	0.3	