

Daniela Di Giuseppe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9008842/publications.pdf>

Version: 2024-02-01

39
papers

1,204
citations

430442

18
h-index

377514

34
g-index

40
all docs

40
docs citations

40
times ranked

1858
citing authors

#	ARTICLE	IF	CITATIONS
1	Cigarette smoking and risk of rheumatoid arthritis: a dose-response meta-analysis. <i>Arthritis Research and Therapy</i> , 2014, 16, R61.	1.6	187
2	Long-term intake of dietary long-chain n-3 polyunsaturated fatty acids and risk of rheumatoid arthritis: a prospective cohort study of women. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1949-1953.	0.5	129
3	Long term alcohol intake and risk of rheumatoid arthritis in women: a population based cohort study. <i>BMJ</i> , The, 2012, 345, e4230-e4230.	3.0	87
4	Impact of the COVID-19 pandemic on morbidity and mortality in patients with inflammatory joint diseases and in the general population: a nationwide Swedish cohort study. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1086-1093.	0.5	79
5	Fish consumption and risk of rheumatoid arthritis: a dose-response meta-analysis. <i>Arthritis Research and Therapy</i> , 2014, 16, 446.	1.6	74
6	Mediterranean diet and risk of rheumatoid arthritis: a population-based case-control study. <i>Arthritis Research and Therapy</i> , 2018, 20, 175.	1.6	63
7	Treatment response and drug retention rates in 24 195 biologic-naïve patients with axial spondyloarthritis initiating TNFi treatment: routine care data from 12 registries in the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1536-1544.	0.5	58
8	Physical activity and risk of rheumatoid arthritis in women: a population-based prospective study. <i>Arthritis Research and Therapy</i> , 2015, 17, 40.	1.6	51
9	Familial aggregation and heritability of sarcoidosis: a Swedish nested case-control study. <i>European Respiratory Journal</i> , 2018, 52, 1800385.	3.1	51
10	Fish consumption and frying of fish in relation to type 2 diabetes incidence: a prospective cohort study of Swedish men. <i>European Journal of Nutrition</i> , 2017, 56, 843-852.	1.8	38
11	Patient characteristics influence the choice of biological drug in RA, and will make non-TNFi biologics appear more harmful than TNFi biologics. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 650-657.	0.5	36
12	Effectiveness and treatment retention of TNF inhibitors when used as monotherapy versus comedication with csDMARDs in 15 332 patients with psoriatic arthritis. Data from the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1410-1418.	0.5	28
13	Risk of first and recurrent serious infection in sarcoidosis: a Swedish register-based cohort study. <i>European Respiratory Journal</i> , 2020, 56, 2000767.	3.1	26
14	Consumption of Meat and Dairy Products Is Not Associated with the Risk for Rheumatoid Arthritis among Women: A Population-Based Cohort Study. <i>Nutrients</i> , 2019, 11, 2825.	1.7	24
15	Validity of food frequency questionnaire-based estimates of long-term long-chain n-3 polyunsaturated fatty acid intake. <i>European Journal of Nutrition</i> , 2014, 53, 549-555.	1.8	23
16	Comparative effectiveness of abatacept, rituximab, tocilizumab and TNFi biologics in RA: results from the nationwide Swedish register. <i>Rheumatology</i> , 2019, 58, 1367-1377.	0.9	22
17	Opportunities and challenges for real-world studies on chronic inflammatory joint diseases through data enrichment and collaboration between national registers: the Nordic example. <i>RMD Open</i> , 2018, 4, e000655.	1.8	21
18	Lymphoma risks in patients with rheumatoid arthritis treated with biological drugs—a Swedish cohort study of risks by time, drug and lymphoma subtype. <i>Rheumatology</i> , 2021, 60, 809-819.	0.9	21

#	ARTICLE	IF	CITATIONS
19	Anterior uveitis in patients with spondyloarthritis treated with secukinumab or tumour necrosis factor inhibitors in routine care: does the choice of biological therapy matter?. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1445-1452.	0.5	21
20	Treatment retention of infliximab and etanercept originators versus their corresponding biosimilars: Nordic collaborative observational study of 2334 biologics naïve patients with spondyloarthritis. <i>RMD Open</i> , 2019, 5, e001079.	1.8	17
21	Infection risk in sarcoidosis patients treated with methotrexate compared to azathioprine: A retrospective “target trial” emulated with Swedish real-world data. <i>Respirology</i> , 2021, 26, 452-460.	1.3	16
22	Comparison of treatment retention and response to secukinumab versus tumour necrosis factor inhibitors in psoriatic arthritis. <i>Rheumatology</i> , 2021, 60, 3635-3645.	0.9	14
23	Risk and predictors of heart failure in sarcoidosis in a population-based cohort study from Sweden. <i>Heart</i> , 2022, 108, 467-473.	1.2	13
24	Effects of the COVID-19 pandemic on patients with inflammatory joint diseases in Sweden: from infection severity to impact on care provision. <i>RMD Open</i> , 2021, 7, e001987.	1.8	13
25	Uptake of rheumatology biosimilars in the absence of forced switching. <i>Expert Opinion on Biological Therapy</i> , 2018, 18, 499-504.	1.4	12
26	Are infectious diseases risk factors for sarcoidosis or a result of reverse causation? Findings from a population-based nested case-control study. <i>European Journal of Epidemiology</i> , 2020, 35, 1087-1097.	2.5	12
27	Is tea consumption associated with reduction of risk of rheumatoid arthritis? A Swedish case-control study. <i>Arthritis Research and Therapy</i> , 2021, 23, 209.	1.6	10
28	European bio-naïve spondyloarthritis patients initiating TNF inhibitor: time trends in baseline characteristics, treatment retention and response. <i>Rheumatology</i> , 2022, 61, 3799-3807.	0.9	7
29	Comparison of treatment retention of originator vs biosimilar products in clinical rheumatology practice in Sweden. <i>Rheumatology</i> , 2022, 61, 3596-3605.	0.9	7
30	Validity of clinical psoriatic arthritis diagnoses made by rheumatologists in the Swedish National Patient Register. <i>Scandinavian Journal of Rheumatology</i> , 2023, 52, 374-384.	0.6	7
31	Long-Term Dietary Changes after Diagnosis of Rheumatoid Arthritis in Swedish Women: Data from a Population-Based Cohort. <i>International Journal of Rheumatology</i> , 2018, 2018, 1-7.	0.9	6
32	Risk of acute myocardial infarction in sarcoidosis: A population-based cohort study from Sweden. <i>Respiratory Medicine</i> , 2021, 188, 106624.	1.3	6
33	Influenza outcomes in patients with inflammatory joint diseases and DMARDs: how do they compare to those of COVID-19?. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 433-439.	0.5	6
34	The impact of a csDMARD in combination with a TNF inhibitor on drug retention and clinical remission in axial spondyloarthritis. <i>Rheumatology</i> , 2022, 61, 4741-4751.	0.9	6
35	Effectiveness of a Second Biologic After Failure of a Non-tumor Necrosis Factor Inhibitor As First Biologic in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2021, 48, 1512-1518.	1.0	5
36	Inflammatory hallmarks of lesser prominence in psoriatic arthritis patients starting biologics: a Nordic population-based cohort study. <i>Rheumatology</i> , 2021, 60, 140-146.	0.9	4

#	ARTICLE	IF	CITATIONS
37	Do patient-reported measures of disease activity in rheumatoid arthritis vary between countries? Results from a Nordic collaboration. <i>Rheumatology</i> , 2022, 61, 4286-4296.	0.9	2
38	The occurrence of multiple treatment switches in axial spondyloarthritis. Results from five Nordic rheumatology registries. <i>Rheumatology</i> , 2022, 61, 3647-3656.	0.9	2
39	FRI0082â€¦EFFECTIVENESS OF TNF INHIBITORS VS. NON-TNF INHIBITORS (ABATACEPT, TOCILIZUMAB AND) BETWEEN FIVE NATIONAL REGISTERS. , 2019, , .	1.0784314	10