

# Daniela Di Giuseppe

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9008842/daniela-di-giuseppe-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32  
papers

683  
citations

13  
h-index

26  
g-index

40  
ext. papers

962  
ext. citations

4.8  
avg, IF

4.18  
L-index

#	Paper	IF	Citations
32	Influenza outcomes in patients with inflammatory joint diseases and DMARDs: how do they compare to those of COVID-19?. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> ,	2.4	1
31	Comparison of treatment retention and response to secukinumab versus tumour necrosis factor inhibitors in psoriatic arthritis. <i>Rheumatology</i> , <b>2021</b> , 60, 3635-3645	3.9	2
30	Effectiveness of a Second Biologic After Failure of a Non-tumor Necrosis Factor Inhibitor As First Biologic in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , <b>2021</b> , 48, 1512-1518	4.1	3
29	Risk and predictors of heart failure in sarcoidosis in a population-based cohort study from Sweden. <i>Heart</i> , <b>2021</b> ,	5.1	4
28	Effectiveness and treatment retention of TNF inhibitors when used as monotherapy versus comedication with csDMARDs in 15 332 patients with psoriatic arthritis. Data from the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> , 80, 1410-1418	2.4	6
27	Anterior uveitis in patients with spondyloarthritis treated with secukinumab or tumour necrosis factor inhibitors in routine care: does the choice of biological therapy matter?. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> , 80, 1445-1452	2.4	1
26	Inflammatory hallmarks of lesser prominence in psoriatic arthritis patients starting biologics: a Nordic population-based cohort study. <i>Rheumatology</i> , <b>2021</b> , 60, 140-146	3.9	1
25	Lymphoma risks in patients with rheumatoid arthritis treated with biological drugs-a Swedish cohort study of risks by time, drug and lymphoma subtype. <i>Rheumatology</i> , <b>2021</b> , 60, 809-819	3.9	6
24	Impact of the COVID-19 pandemic on morbidity and mortality in patients with inflammatory joint diseases and in the general population: a nationwide Swedish cohort study. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> ,	2.4	37
23	Is tea consumption associated with reduction of risk of rheumatoid arthritis? A Swedish case-control study. <i>Arthritis Research and Therapy</i> , <b>2021</b> , 23, 209	5.7	2
22	Risk of acute myocardial infarction in sarcoidosis: A population-based cohort study from Sweden. <i>Respiratory Medicine</i> , <b>2021</b> , 188, 106624	4.6	1
21	Infection risk in sarcoidosis patients treated with methotrexate compared to azathioprine: A retrospective target trial demulated with Swedish real-world data. <i>Respirology</i> , <b>2021</b> , 26, 452-460	3.6	3
20	Effects of the COVID-19 pandemic on patients with inflammatory joint diseases in Sweden: from infection severity to impact on care provision. <i>RMD Open</i> , <b>2021</b> , 7,	5.9	1
19	Risk of first and recurrent serious infection in sarcoidosis: a Swedish register-based cohort study. <i>European Respiratory Journal</i> , <b>2020</b> , 56,	13.6	10
18	Are infectious diseases risk factors for sarcoidosis or a result of reverse causation? Findings from a population-based nested case-control study. <i>European Journal of Epidemiology</i> , <b>2020</b> , 35, 1087-1097	12.1	7
17	Treatment response and drug retention rates in 24 195 biologic-naïve patients with axial spondyloarthritis initiating TNFi treatment: routine care data from 12 registries in the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, 1536-1544	2.4	23
16	Comparative effectiveness of abatacept, rituximab, tocilizumab and TNFi biologics in RA: results from the nationwide Swedish register. <i>Rheumatology</i> , <b>2019</b> ,	3.9	13

15	Treatment retention of infliximab and etanercept originators versus their corresponding biosimilars: Nordic collaborative observational study of 2334 biologics naïve patients with spondyloarthritis. <i>RMD Open</i> , <b>2019</b> , 5, e001079	5.9	9
14	Consumption of Meat and Dairy Products Is Not Associated with the Risk for Rheumatoid Arthritis among Women: A Population-Based Cohort Study. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	12
13	Uptake of rheumatology biosimilars in the absence of forced switching. <i>Expert Opinion on Biological Therapy</i> , <b>2018</b> , 18, 499-504	5.4	8
12	Familial aggregation and heritability of sarcoidosis: a Swedish nested case-control study. <i>European Respiratory Journal</i> , <b>2018</b> , 52,	13.6	28
11	Long-Term Dietary Changes after Diagnosis of Rheumatoid Arthritis in Swedish Women: Data from a Population-Based Cohort. <i>International Journal of Rheumatology</i> , <b>2018</b> , 2018, 9152480	2	3
10	Mediterranean diet and risk of rheumatoid arthritis: a population-based case-control study. <i>Arthritis Research and Therapy</i> , <b>2018</b> , 20, 175	5.7	30
9	Patient characteristics influence the choice of biological drug in RA, and will make non-TNFi biologics appear more harmful than TNFi biologics. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 650-657	2.4	27
8	Opportunities and challenges for real-world studies on chronic inflammatory joint diseases through data enrichment and collaboration between national registers: the Nordic example. <i>RMD Open</i> , <b>2018</b> , 4, e000655	5.9	11
7	Fish consumption and frying of fish in relation to type 2 diabetes incidence: a prospective cohort study of Swedish men. <i>European Journal of Nutrition</i> , <b>2017</b> , 56, 843-852	5.2	32
6	Physical activity and risk of rheumatoid arthritis in women: a population-based prospective study. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 40	5.7	31
5	Long-term intake of dietary long-chain n-3 polyunsaturated fatty acids and risk of rheumatoid arthritis: a prospective cohort study of women. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 1949-53	2.4	91
4	Fish consumption and risk of rheumatoid arthritis: a dose-response meta-analysis. <i>Arthritis Research and Therapy</i> , <b>2014</b> , 16, 446	5.7	58
3	Cigarette smoking and risk of rheumatoid arthritis: a dose-response meta-analysis. <i>Arthritis Research and Therapy</i> , <b>2014</b> , 16, R61	5.7	138
2	Validity of food frequency questionnaire-based estimates of long-term long-chain n-3 polyunsaturated fatty acid intake. <i>European Journal of Nutrition</i> , <b>2014</b> , 53, 549-55	5.2	22
1	Long term alcohol intake and risk of rheumatoid arthritis in women: a population based cohort study. <i>BMJ, The</i> , <b>2012</b> , 345, e4230	5.9	60