

Esther Diana Rossi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9009563/esther-diana-rossi-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

3,203
citations

30
h-index

50
g-index

176
ext. papers

3,841
ext. citations

3.5
avg, IF

5.39
L-index

#	Paper	IF	Citations
161	A worldwide journey of thyroid cancer incidence centred on tumour histology. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 193-194	18.1	17
160	The Milan System, from Its Introduction to Its Current Adoption in the Diagnosis of Salivary Gland Cytology. <i>Journal of Molecular Pathology</i> , 2021, 2, 114-122	0.4	1
159	Overview of the Ultrasound Classification Systems in the Field of Thyroid Cytology. <i>Cancers</i> , 2021, 13,	6.6	2
158	How limited molecular testing can also offer diagnostic and prognostic evaluation of thyroid nodules processed with liquid-based cytology: Role of TERT promoter and BRAF V600E mutation analysis. <i>Cancer Cytopathology</i> , 2021, 129, 819-829	3.9	2
157	Assessing the diagnostic accuracy for pleomorphic adenoma and Warthin tumor by employing the Milan System for Reporting Salivary Gland Cytopathology: An international, multi-institutional study. <i>Cancer Cytopathology</i> , 2021, 129, 43-52	3.9	4
156	Thyroid paraganglioma: A diagnostic pitfall in thyroid FNA. <i>Cancer Cytopathology</i> , 2021, 129, 439-449	3.9	5
155	Fine needle aspiration of salivary gland carcinomas with high-grade transformation: A multi-institutional study of 22 cases and review of the literature. <i>Cancer Cytopathology</i> , 2021, 129, 318-323	3.9	2
154	Utility of ultrasound-guided fine needle aspiration cytology in assessing malignancy in head and neck pathology. <i>Cytopathology</i> , 2021, 32, 407-415	1.3	5
153	Thyroid and Molecular Testing. Advances in Thyroid Molecular Cytopathology. <i>Journal of Molecular Pathology</i> , 2021, 2, 77-92	0.4	0
152	Reporting Thyroid Cytology in a Globalized World. <i>Endocrines</i> , 2021, 2, 311-319	0.8	1
151	Cytologic and histological features of rare nonepithelial and nonlymphoid tumors of the thyroid. <i>Cancer Cytopathology</i> , 2021, 129, 583-602	3.9	
150	Is thyroid core needle biopsy a valid compliment to fine-needle aspiration?. <i>Journal of the American Society of Cytopathology</i> , 2020, 9, 383-388	2.4	3
149	Insulinoma-associated protein 1 (INSM-1) expression in medullary thyroid carcinoma FNA: a multi-institutional study. <i>Journal of the American Society of Cytopathology</i> , 2020, 9, 185-190	2.4	5
148	Cytologic grading of primary malignant salivary gland tumors: A blinded review by an international panel. <i>Cancer Cytopathology</i> , 2020, 128, 392-402	3.9	8
147	International perspectives: Impact of the COVID-19 pandemic on cytology. <i>Cancer Cytopathology</i> , 2020, 128, 307-308	3.9	7
146	Cytologic and histologic samples from patients infected by the novel coronavirus 2019 SARS-CoV-2: An Italian institutional experience focusing on biosafety procedures. <i>Cancer Cytopathology</i> , 2020, 128, 317-320	3.9	23
145	Performance of a dual-component molecular assay in cytologically indeterminate thyroid nodules. <i>Endocrine</i> , 2020, 68, 458-465	4	17

144	Biosafety in surgical pathology in the era of SARS-Cov2 pandemia. A statement of the Italian Society of Surgical Pathology and Cytology. <i>Pathologica</i> , 2020 , 112, 59-63	1.9	19
143	Biosafety procedures for handling intraoperative surgical samples during COVID-19 pandemic: an Italian pathology laboratory experience. <i>Pathologica</i> , 2020 , 112, 174-177	1.9	0
142	Diagnostic concordance between whole slide imaging and conventional light microscopy in cytopathology: A systematic review. <i>Cancer Cytopathology</i> , 2020 , 128, 17-28	3.9	24
141	PD-L1 and thyroid cytology: A possible diagnostic and prognostic marker. <i>Cancer Cytopathology</i> , 2020 , 128, 177-189	3.9	3
140	Description of a new biosafe procedure for cytological specimens from patients with COVID-19 processed by liquid-based preparations. <i>Cancer Cytopathology</i> , 2020 , 128, 905-909	3.9	5
139	Global impact of the COVID-19 pandemic on cytopathology practice: Results from an international survey of laboratories in 23 countries. <i>Cancer Cytopathology</i> , 2020 , 128, 885-894	3.9	16
138	Relevance of rosette patterns in variants of papillary thyroid carcinoma. <i>Cytopathology</i> , 2020 , 31, 533-540	3.9	3
137	Lung cancer and molecular testing in small biopsies versus cytology: The Logics of Worlds. <i>Cancer Cytopathology</i> , 2020 , 128, 637-641	3.9	1
136	The world of molecular cytopathology: Predictive testing and precision medicine: Highlights from the eighth International Molecular Cytopathology Meeting in Naples, Italy. <i>Cancer Cytopathology</i> , 2020 , 128, 599-600	3.9	0
135	A Call for Universal Acceptance of the Milan System for Reporting Salivary Gland Cytopathology. <i>Laryngoscope</i> , 2020 , 130, 80-85	3.6	17
134	The Diagnosis of Hyalinizing Trabecular Tumor: A Difficult and Controversial Thyroid Entity. <i>Head and Neck Pathology</i> , 2020 , 14, 778-784	3.3	7
133	Infiltrating Epitheliosis of the Breast: Fine Needle Aspiration Cytology. <i>International Journal of Surgical Pathology</i> , 2020 , 28, 38-43	1.2	0
132	The Role of Molecular Testing for the Indeterminate Thyroid FNA. <i>Genes</i> , 2019 , 10,	4.2	20
131	Ultrasound-guided FNA cytology of groin lymph nodes improves the management of squamous cell carcinoma of the vulva: Results from a comparative cytohistological study. <i>Cancer Cytopathology</i> , 2019 , 127, 514-520	3.9	8
130	International perspectives in cytology: Contributions from around the world. <i>Cancer Cytopathology</i> , 2019 , 127, 349	3.9	1
129	A large series of hyalinizing trabecular tumors: Cytomorphology and ancillary techniques on fine needle aspiration. <i>Cancer Cytopathology</i> , 2019 , 127, 390-398	3.9	6
128	Cytologic features of aggressive variants of follicular-derived thyroid carcinoma. <i>Cancer Cytopathology</i> , 2019 , 127, 432-446	3.9	6
127	Effect of alpha-lipoic acid and myoinositol on endometrial inflammasome from recurrent pregnancy loss women. <i>American Journal of Reproductive Immunology</i> , 2019 , 82, e13153	3.8	7

126	Mucoepidermoid carcinoma, acinic cell carcinoma, and adenoid cystic carcinoma on fine-needle aspiration biopsy and The Milan System: an international multi-institutional study. <i>Journal of the American Society of Cytopathology</i> , 2019 , 8, 270-277	2.4	10
125	NIFTP in Western Practice 2019 , 209-217		
124	Experience in Molecular Testing Using FNA Cytology in EU Countries 2019 , 443-449		
123	Application of the Milan System for Reporting Submandibular Gland Cytopathology: An international, multi-institutional study. <i>Cancer Cytopathology</i> , 2019 , 127, 306-315	3.9	20
122	The immunocytochemical expression of VE-1 (BRAF V600E-related) antibody identifies the aggressive variants of papillary thyroid carcinoma on liquid-based cytology. <i>Cytopathology</i> , 2019 , 30, 460-467	1.3	5
121	Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (NIFTP): Update and Diagnostic Considerations-a Review. <i>Endocrine Pathology</i> , 2019 , 30, 155-162	4.2	17
120	The application of current classification systems in pediatric cytopathology: Perspectives from the pediatric cytopathology symposium at the 20th International Congress of Cytology 2019. <i>Cancer Cytopathology</i> , 2019 , 127, 625-631	3.9	2
119	ICC 2019 in Sydney: Considerations for pediatric cytology classifications. <i>Cancer Cytopathology</i> , 2019 , 127, 621	3.9	
118	Salivary Gland Fine Needle Aspiration and Introduction of the Milan Reporting System. <i>Advances in Anatomic Pathology</i> , 2019 , 26, 84-92	5.1	25
117	Pitfalls in Thyroid Cytopathology. <i>Surgical Pathology Clinics</i> , 2019 , 12, 865-881	3.9	7
116	Management of Thyroid Nodules in Deceased Donors With Comparison Between Fine Needle Aspiration and Intraoperative Frozen Section in the Setting of Transplantation. <i>Progress in Transplantation</i> , 2019 , 29, 316-320	1.1	2
115	Molecular Diagnostics in Salivary Gland Cytology 2019 , 337-353		
114	34BetaE12 and Alfa-Methylacyl Coenzyme A Racemase (AMACR) Antibodies Better Than p63 Antibody Distinguish Normal and Neoplastic Glands in Prostatic Tissue With Thermal Artifacts. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019 , 27, 306-310	1.9	3
113	To Obtain More With Less: Cytologic Samples With Ancillary Molecular Techniques-The Useful Role of Liquid-Based Cytology. <i>Archives of Pathology and Laboratory Medicine</i> , 2018 , 142, 299-307	5	15
112	The Milan System for Reporting Salivary Gland Cytopathology (MSRSGC): an ASC-IAC-sponsored system for reporting salivary gland fine-needle aspiration. <i>Journal of the American Society of Cytopathology</i> , 2018 , 7, 111-118	2.4	32
111	Morphology combined with ancillary techniques: An algorithm approach for thyroid nodules. <i>Cytopathology</i> , 2018 , 29, 418-427	1.3	8
110	Advocating a Laboratory Information System-Centric Approach to Digital Pathology. <i>Archives of Pathology and Laboratory Medicine</i> , 2018 , 142, 434	5	2
109	The risk of malignancy of atypical urothelial cells of undetermined significance in patients treated with chemohyperthermia or electromotive drug administration. <i>Cancer Cytopathology</i> , 2018 , 126, 200-206	3.9	9

108	Non-Diagnostic 2018 , 11-20		1
107	Atypia of Undetermined Significance 2018 , 43-54		3
106	Suspicious for Malignancy 2018 , 85-95		
105	Pathology and Immunohistochemistry in Thyroid Tumors 2018 , 3-12		1
104	Impact on clinical follow-up of the Milan System for salivary gland cytology: A comparison with a traditional diagnostic classification. <i>Cytopathology</i> , 2018 , 29, 335-342	1.3	30
103	A novel nonsense EIF1AX mutation identified in a thyroid nodule histologically diagnosed as oncocytic carcinoma. <i>Endocrine</i> , 2018 , 62, 492-495	4	7
102	Diagnostic Approach to Fine Needle Aspirations of Cystic Lesions of the Salivary Gland. <i>Head and Neck Pathology</i> , 2018 , 12, 548-561	3.3	16
101	"Suspicious" salivary gland FNA: Risk of malignancy and interinstitutional variability. <i>Cancer Cytopathology</i> , 2018 , 126, 94-100	3.9	20
100	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features in the pediatric age group. <i>Cancer Cytopathology</i> , 2018 , 126, 27-35	3.9	12
99	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP): Implications for the risk of malignancy (ROM) in the Bethesda System for Reporting Thyroid Cytopathology (TBSRTC). <i>Cancer Cytopathology</i> , 2018 , 126, 20-26	3.9	48
98	Molecular Cytology Application on Thyroid 2018 , 179-204		
97	A review of the cytomorphological features of NIFTP. <i>Diagnostic Histopathology</i> , 2018 , 24, 409-416	0.7	0
96	One-Step Nucleic Acid Amplification (OSNA): A fast molecular test based on CK19 mRNA concentration for assessment of lymph-nodes metastases in early stage endometrial cancer. <i>PLoS ONE</i> , 2018 , 13, e0195877	3.7	21
95	The Milan System for Reporting Salivary Gland Cytopathology (MSRSGC): An international effort toward improved patient care-when the roots might be inspired by Leonardo da Vinci. <i>Cancer Cytopathology</i> , 2018 , 126, 756-766	3.9	32
94	Nodular fasciitis of the parotid gland: A challenging diagnosis on FNA. <i>Cancer Cytopathology</i> , 2018 , 126, 872-880	3.9	5
93	Ancillary molecular testing of indeterminate thyroid nodules. <i>Cancer Cytopathology</i> , 2018 , 126 Suppl 8, 654-671	3.9	13
92	Morphological features that can predict BRAF -mutated carcinoma in paediatric thyroid cytology. <i>Cytopathology</i> , 2017 , 28, 55-64	1.3	6
91	New Insight in a New Entity: NIFTPs and Valuable Role of Ancillary Techniques. The Role of PD-L1. <i>EBioMedicine</i> , 2017 , 18, 11-12	8.8	4

90	When Somatic Mutations Are Associated With a Higher Aggressive Behavior-A Story of Announced Evidence. <i>JAMA Oncology</i> , 2017 , 3, 1427-1428	13.4	
89	The role of miRNAs in the evaluation of follicular thyroid neoplasms: an overview of literature. <i>Journal of the American Society of Cytopathology</i> , 2017 , 6, 96-104	2.4	0
88	Diagnosis and Treatment of Metastases to the Thyroid Gland: a Meta-Analysis. <i>Endocrine Pathology</i> , 2017 , 28, 112-120	4.2	19
87	Clinicopathological analysis of mixed endometrial carcinomas: clinical relevance of different neoplastic components. <i>Human Pathology</i> , 2017 , 62, 99-107	3.7	5
86	FNA biopsy of secondary nonlymphomatous malignancies in salivary glands: A multi-institutional study of 184 cases. <i>Cancer Cytopathology</i> , 2017 , 125, 91-103	3.9	17
85	"Atypical" salivary gland fine needle aspiration: Risk of malignancy and interinstitutional variability. <i>Diagnostic Cytopathology</i> , 2017 , 45, 1088-1094	1.4	40
84	Incidence, malignancy rates of diagnoses and cyto-histological correlations in the new Italian Reporting System for Thyroid Cytology: An institutional experience. <i>Cytopathology</i> , 2017 , 28, 503-508	1.3	16
83	The Milan System for Reporting Salivary Gland Cytopathology: Analysis and suggestions of initial survey. <i>Cancer Cytopathology</i> , 2017 , 125, 757-766	3.9	84
82	Cytopathology of Follicular Cell Nodules. <i>Advances in Anatomic Pathology</i> , 2017 , 24, 45-55	5.1	8
81	The role of thyroid FNA cytology in pediatric malignant lesions: An overview of the literature. <i>Cancer Cytopathology</i> , 2017 , 125, 594-603	3.9	9
80	Intake of Boron, Cadmium, and Molybdenum enhances rat thyroid cell transformation. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017 , 36, 73	12.8	10
79	The expression of monocarboxylate transporters in thyroid carcinoma can be associated with the morphological features of BRAF mutation. <i>Endocrine</i> , 2017 , 56, 379-387	4	
78	The Role of Liquid Based Cytology and Ancillary Techniques in the Peritoneal Washing Analysis: Our Institutional Experience. <i>PLoS ONE</i> , 2017 , 12, e0168625	3.7	10
77	The chromosome analysis of the miscarriage tissue. Miscarried embryo/fetal crown rump length (CRL) measurement: A practical use. <i>PLoS ONE</i> , 2017 , 12, e0178113	3.7	2
76	Somatic mutations in solid tumors: a spectrum at the service of diagnostic armamentarium or an undecipherable puzzle? The morphological eyes looking for BRAF and somatic molecular detections on cyto-histological samples. <i>Oncotarget</i> , 2017 , 8, 3746-3760	3.3	6
75	Routine Digital Pathology Workflow: The Catania Experience. <i>Journal of Pathology Informatics</i> , 2017 , 8, 51	4.4	41
74	DIAGNOSIS OF ENDOCRINE DISEASE: High-yield thyroid fine-needle aspiration cytology: an update focused on ancillary techniques improving its accuracy. <i>European Journal of Endocrinology</i> , 2016 , 174, R53-63	6.5	15
73	The Bethesda System for Reporting Thyroid Cytopathology: Proposed Modifications and Updates for the Second Edition from an International Panel. <i>Acta Cytologica</i> , 2016 , 60, 399-405	3	88

72	When Morphology Meets Somatic Mutations: The New Possible Scenario in Thyroid Fine-Needle Aspiration. <i>Acta Cytologica</i> , 2016 , 60, 93-6	3	2
71	The cytological diagnosis of a "benign thyroid lesion" is it a real safe diagnosis for the patient?. <i>Cytopathology</i> , 2016 , 27, 168-75	1.3	6
70	Inflammosome in the human endometrium: further step in the evaluation of the "maternal side". <i>Fertility and Sterility</i> , 2016 , 105, 111-8.e1-4	4.8	48
69	The role of fine-needle aspiration in the thyroid nodules of elderly patients. <i>Oncotarget</i> , 2016 , 7, 11850-9.	3.3	7
68	Cytology of Thyroid Lesions 2016 , 25-35		
67	Cytology of Head and Neck Lesions 2016 , 753-805		
66	The evaluation of miRNAs on thyroid FNAC: the promising role of miR-375 in follicular neoplasms. <i>Endocrine</i> , 2016 , 54, 723-732	4	29
65	The Bethesda System for Reporting Thyroid Cytopathology: proposed modifications and updates for the second edition from an international panel. <i>Journal of the American Society of Cytopathology</i> , 2016 , 5, 245-251	2.4	1
64	Young investigator challenge: The morphologic analysis of noninvasive follicular thyroid neoplasm with papillary-like nuclear features on liquid-based cytology: Some insights into their identification. <i>Cancer Cytopathology</i> , 2016 , 124, 699-710	3.9	46
63	The impact of FNAC in the management of salivary gland lesions: Institutional experiences leading to a risk-based classification scheme. <i>Cancer Cytopathology</i> , 2016 , 124, 388-96	3.9	82
62	The potential of liquid-based cytology in lymph node cytological evaluation: the role of morphology and the aid of ancillary techniques. <i>Cytopathology</i> , 2016 , 27, 50-8	1.3	7
61	Interleukin-22: biomarker of maternal and fetal inflammation?. <i>Immunologic Research</i> , 2015 , 61, 4-10	4.3	11
60	The role of liquid-based cytology and ancillary techniques in pleural and pericardic effusions: an institutional experience. <i>Cancer Cytopathology</i> , 2015 , 123, 258-66	3.9	28
59	Large non-functioning parathyroid cysts: our institutional experience of a rare entity and a possible pitfall in thyroid cytology. <i>Cytopathology</i> , 2015 , 26, 114-21	1.3	14
58	The diagnostic and prognostic role of liquid-based cytology: are we ready to monitor therapy and resistance?. <i>Expert Review of Anticancer Therapy</i> , 2015 , 15, 911-21	3.5	16
57	Uncommon BRAF mutations in the follicular variant of thyroid papillary carcinoma: New insights. <i>Cancer Cytopathology</i> , 2015 , 123, 593-602	3.9	14
56	A meta-analytic review of the Bethesda System for Reporting Thyroid Cytopathology: Has the rate of malignancy in indeterminate lesions been underestimated?. <i>Cancer Cytopathology</i> , 2015 , 123, 713-22	3.9	112
55	Is thyroid gland only a "land" for primary malignancies? role of morphology and immunocytochemistry. <i>Diagnostic Cytopathology</i> , 2015 , 43, 374-80	1.4	11

54	Utilization of Molecular Testing in Thyroid Cytology 2015 , 20, 129-132		1
53	Well-differentiated thyroid cancer with a minor poorly differentiated component: clonal heterogeneity through the prognostic role of CXCR4 and BRAF analysis. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2015 , 23, 196-201	1.9	3
52	Thyroid FNA: international perspectives from the European Congress of Cytopathology: can we cross the bridge of classifications?. <i>Cancer Cytopathology</i> , 2015 , 123, 207-11	3.9	11
51	Terminology and nomenclature schemes for reporting thyroid cytopathology: An overview. <i>Seminars in Diagnostic Pathology</i> , 2015 , 32, 258-63	4.3	7
50	The Role of CD56 in Thyroid Fine Needle Aspiration Cytology: A Pilot Study Performed on Liquid Based Cytology. <i>PLoS ONE</i> , 2015 , 10, e0132939	3.7	16
49	Immunohistochemical Diagnosis of Thyroid Tumors. <i>Surgical Pathology Clinics</i> , 2014 , 7, 491-500	3.9	4
48	Thyroglossal duct cyst cancer most likely arises from a thyroid gland remnant. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 67-72	5.1	11
47	Is morphology alone able to predict BRAF-mutated malignancies on thyroid FNAC?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 247-8	5.1	12
46	Papillary thyroid microcarcinoma: a painstaking category to manage. <i>Clinical Endocrinology</i> , 2014 , 81, 785-6	3.4	3
45	Detection of common and less frequent EGFR mutations in cytological samples of lung cancer. <i>Acta Cytologica</i> , 2014 , 58, 275-80	3	9
44	Morphological parameters able to predict BRAF(V600E) -mutated malignancies on thyroid fine-needle aspiration cytology: Our institutional experience. <i>Cancer Cytopathology</i> , 2014 , 122, 883-91	3.9	30
43	The role of thyroid fine-needle aspiration cytology in the pediatric population: an institutional experience. <i>Cancer Cytopathology</i> , 2014 , 122, 359-67	3.9	19
42	Who was responsible for reaching the Americas-Columbus or his ships?: Focusing on the side of liquid-based cytology: the importance and role of the cytopathologist as opposed to the cytological method used. <i>Cancer Cytopathology</i> , 2014 , 122, 337-9	3.9	2
41	Utilization of Molecular Testing in Thyroid Cytology 2014 , 19, 3-7		1
40	The nightmare of indeterminate follicular proliferations: when liquid-based cytology and ancillary techniques are not a moon landing but a realistic plan. <i>Acta Cytologica</i> , 2014 , 58, 543-51	3	10
39	Role of ancillary testing in thyroid fine needle aspiration: Review and update. <i>Journal of the American Society of Cytopathology</i> , 2014 , 3, 218-224	2.4	1
38	Papillary thyroid carcinoma with predominant spindle cell component: report of two rare cases and discussion on the differential diagnosis with other spindled thyroid neoplasm. <i>Endocrine Pathology</i> , 2014 , 25, 307-14	4.2	8
37	Analysis of immunocytochemical and molecular BRAF expression in thyroid carcinomas: a cytohistologic institutional experience. <i>Cancer Cytopathology</i> , 2014 , 122, 527-35	3.9	37

36	Secondary malignancies of the uterine cervix: a potential diagnostic pitfall. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 23-9	5.1	12
35	BRAF (V600E) mutation analysis on liquid-based cytology-processed aspiration biopsies predicts bilaterality and lymph node involvement in papillary thyroid microcarcinoma. <i>Cancer Cytopathology</i> , 2013 , 121, 291-7	3.9	86
34	Can a gene-expression classifier with high negative predictive value solve the indeterminate thyroid fine-needle aspiration dilemma?. <i>Cancer Cytopathology</i> , 2013 , 121, 403	3.9	6
33	Detection of ectopic thyroid remnants: a serious diagnostic dilemma. When molecular biology and immunohistochemistry can solve the problem. <i>Pathology Research and Practice</i> , 2013 , 209, 59-61	3.4	11
32	Pre-analytic steps for molecular testing on thyroid fine-needle aspirations: The goal of good results. <i>CytoJournal</i> , 2013 , 10, 24	1.1	12
31	Diagnostic and prognostic role of HBME-1, galectin-3, and E-catenin in poorly differentiated and anaplastic thyroid carcinomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013 , 21, 237-41	4.9	24
30	The cytologic category of oncocytic (Hurthle) cell neoplasm mostly includes low-risk lesions at histology: an institutional experience. <i>European Journal of Endocrinology</i> , 2013 , 169, 649-55	6.5	27
29	Diagnostic and prognostic value of immunocytochemistry and BRAF mutation analysis on liquid-based biopsies of thyroid neoplasms suspicious for carcinoma. <i>European Journal of Endocrinology</i> , 2013 , 168, 853-9	6.5	55
28	Morphological and immunocytochemical diagnosis of thyroiditis: Comparison between conventional and liquid-based cytology. <i>Diagnostic Cytopathology</i> , 2012 , 40, 404-9	1.4	8
27	Images in endocrine pathology: spindle cell lesion of the thyroid gland. <i>Endocrine Pathology</i> , 2012 , 23, 132-4	4.2	5
26	Application of liquid-based cytology to fine-needle aspiration biopsies of the thyroid gland. <i>Frontiers in Endocrinology</i> , 2012 , 3, 57	5.7	26
25	Cribiform-morular variant of papillary thyroid carcinoma in an 8-year-old girl: a case report with immunohistochemical and molecular testing. <i>International Journal of Surgical Pathology</i> , 2012 , 20, 629-32	1.2	15
24	Liquid-based cytology in fine-needle aspiration biopsies of the thyroid gland. <i>Acta Cytologica</i> , 2011 , 55, 389-400	3	100
23	Follicular thyroid neoplasms can be classified as low- and high-risk according to HBME-1 and Galectin-3 expression on liquid-based fine-needle cytology. <i>European Journal of Endocrinology</i> , 2011 , 165, 447-53	6.5	85
22	Thyroid fine needle aspiration cytology processed by ThinPrep: an additional slide decreased the number of inadequate results. <i>Cytopathology</i> , 2010 , 21, 97-102	1.3	51
21	Surgical treatment of thyroid diseases in elderly patients. <i>American Journal of Surgery</i> , 2010 , 200, 467-72	2.7	32
20	Endoscopic ultrasound-guided fine-needle aspiration with liquid-based cytologic preparation in the diagnosis of primary pancreatic lymphoma. <i>Pancreas</i> , 2010 , 39, 1299-302	2.6	23
19	The role of fine-needle aspiration performed with liquid-based cytology in the surgical management of thyroid lesions. <i>In Vivo</i> , 2010 , 24, 333-7	2.3	6

18	Diagnostic efficacy of conventional as compared to liquid-based cytology in thyroid lesions: evaluation of 10,360 fine needle aspiration cytology cases. <i>Acta Cytologica</i> , 2009 , 53, 659-66	3	41
17	Evaluation of hilar biliary strictures by using a newly developed forward-viewing therapeutic echoendoscope: preliminary results of an ongoing experience. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, 356-60	5.2	30
16	Relevance of immunocytochemistry on thin-layer cytology in thyroid lesions suspicious for medullary carcinoma: a case-control study. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2008 , 16, 548-53	1.9	18
15	Thin-layer liquid-based preparation of non-gynaecological exfoliative and fine-needle aspiration biopsy cytology. <i>Diagnostic Histopathology</i> , 2008 , 14, 563-570	0.7	14
14	Application of liquid-based preparation to non-gynaecologic exfoliative cytology. <i>Pathologica</i> , 2008 , 100, 461-5	1.9	9
13	Metastases to the thyroid gland: prevalence, clinicopathological aspects and prognosis: a 10-year experience. <i>Clinical Endocrinology</i> , 2007 , 66, 565-71	3.4	103
12	Fine-needle aspiration biopsy of thyroid lesions processed by thin-layer cytology: one-year institutional experience with histologic correlation. <i>Thyroid</i> , 2006 , 16, 975-81	6.2	36
11	Gene expression profiling of adrenal cortical tumors by cDNA macroarray analysis. Results of a preliminary study. <i>Biomedicine and Pharmacotherapy</i> , 2006 , 60, 186-90	7.5	18
10	Diagnostic relevance of the immunohistochemical detection of growth factors in benign and malignant cartilaginous tumors. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2006 , 14, 334-40	1.0	5
9	Diagnostic efficacy of immunocytochemistry on fine needle aspiration biopsies processed by thin-layer cytology. <i>Acta Cytologica</i> , 2006 , 50, 129-35	3	46
8	Simultaneous immunohistochemical expression of HBME-1 and galectin-3 differentiates papillary carcinomas from hyperfunctioning lesions of the thyroid. <i>Histopathology</i> , 2006 , 48, 795-800	7.3	74
7	Granular cell tumour on conventional cytology and thin-layer smears. <i>Cytopathology</i> , 2005 , 16, 259-61	1.3	5
6	Safety of video-assisted thyroidectomy versus conventional surgery. <i>Head and Neck</i> , 2005 , 27, 58-64	4.2	78
5	Immunocytochemical evaluation of thyroid neoplasms on thin-layer smears from fine-needle aspiration biopsies. <i>Cancer</i> , 2005 , 105, 87-95	6.4	82
4	Asymptomatic intrathyroidal parathyroid adenoma. Report of a case with a cytologic differential diagnosis including thyroid neoplasms. <i>Acta Cytologica</i> , 2004 , 48, 437-40	3	12
3	Management of cystic or predominantly cystic thyroid nodules: the role of ultrasound-guided fine-needle aspiration biopsy. <i>Thyroid</i> , 2004 , 14, 43-7	6.2	74
2	Does the fine-needle aspiration diagnosis of "Hürthle-cell neoplasm/follicular neoplasm with oncocytic features" denote increased risk of malignancy?. <i>Diagnostic Cytopathology</i> , 2004 , 31, 307-12	1.4	123
1	BRAF(V599E) mutation is the leading genetic event in adult sporadic papillary thyroid carcinomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2414-20	5.6	235

