Claudio G Diniz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/900957/publications.pdf

Version: 2024-02-01

70 papers

1,672 citations

20 h-index 330143 37 g-index

74 all docs

74 docs citations

74 times ranked 2928 citing authors

#	Article	IF	CITATIONS
1	In vitro antioxidant potential of medicinal plant extracts and their activities against oral bacteria based on Brazilian folk medicine. Archives of Oral Biology, 2008, 53, 545-552.	1.8	109
2	Antigenic, microbicidal and antiparasitic properties of an l-amino acid oxidase isolated from Bothrops jararaca snake venom. Toxicon, 2009, 53, 330-341.	1.6	107
3	Prevalence and persistence of potentially pathogenic and antibiotic resistant bacteria during anaerobic digestion treatment of cattle manure. Bioresource Technology, 2014, 153, 284-291.	9.6	86
4	Comparative Properties of Amazonian Oils Obtained by Different Extraction Methods. Molecules, 2011, 16, 5875-5885.	3.8	76
5	Differential gene expression in a Bacteroides fragilis metronidazole-resistant mutant. Journal of Antimicrobial Chemotherapy, 2004, 54, 100-108.	3.0	64
6	Fungal Diversity of Human Gut Microbiota Among Eutrophic, Overweight, and Obese Individuals Based on Aerobic Culture-Dependent Approach. Current Microbiology, 2018, 75, 726-735.	2.2	60
7	Evaluation of the presence and efficiency of potential probiotic bacteria in the gut of tilapia (Oreochromis niloticus) using the fluorescent in situ hybridization technique. Aquaculture, 2013, 388-391, 115-121.	3 . 5	57
8	LyeTx I, a potent antimicrobial peptide from the venom of the spider Lycosa erythrognatha. Amino Acids, 2010, 39, 135-144.	2.7	55
9	Identification of periodontal pathogens and severity of periodontitis in patients with and without chronic kidney disease. Archives of Oral Biology, 2011, 56, 804-811.	1.8	54
10	Strategies and molecular tools to fight antimicrobial resistance: resistome, transcriptome, and antimicrobial peptides. Frontiers in Microbiology, 2013, 4, 412.	3. 5	51
11	Multidrug-Resistance and Toxic Metal Tolerance of Medically Important Bacteria Isolated from an Aquaculture System. Microbes and Environments, 2012, 27, 449-455.	1.6	50
12	Dynamics of antibiotic resistance genes and presence of putative pathogens during ambient temperature anaerobic digestion. Journal of Applied Microbiology, 2014, 117, 1689-1699.	3.1	50
13	Occurrence and antimicrobial drug susceptibility patterns of commensal and diarrheagenic Escherichia coli in fecal microbiota from children with and without acute diarrhea. Journal of Microbiology, 2011, 49, 46-52.	2.8	48
14	Diarrheagenic Escherichia coli Strains Recovered from Urban Pigeons (Columba livia) in Brazil and Their Antimicrobial Susceptibility Patterns. Current Microbiology, 2009, 59, 302-308.	2,2	47
15	Relationship between structure and antibacterial activity of lipophilic N-acyldiamines. Biomedicine and Pharmacotherapy, 2010, 64, 287-290.	5.6	41
16	Proteomic analysis of Escherichia coli with experimentally induced resistance to piperacillin/tazobactam. Research in Microbiology, 2010, 161, 268-275.	2.1	40
17	Comparative metagenome of a stream impacted by the urbanization phenomenon. Brazilian Journal of Microbiology, 2016, 47, 835-845.	2.0	39
18	Enhanced pathogenicity of susceptible strains of the Bacteroides fragilis group subjected to low doses of metronidazole. Microbes and Infection, 2003, 5, 19-26.	1.9	31

#	Article	IF	CITATIONS
19	Seasonal Variation on Microbial Community and Methane Production during Anaerobic Digestion of Cattle Manure in Brazil. Microbial Ecology, 2016, 71, 735-746.	2.8	26
20	Lipophilic gold(I) complexes with 1,3,4-oxadiazol-2-thione or 1,3-thiazolidine-2-thione moieties: synthesis and their cytotoxic and antimicrobial activities. BioMetals, 2017, 30, 841-857.	4.1	26
21	Prevalence, Antimicrobial Resistance, and Virulence Characteristics of <i>mecA</i> â€Encoding Coagulaseâ€Negative Staphylococci Isolated from Soft Cheese in Brazil. Journal of Food Science, 2013, 78, M594-9.	3.1	21
22	Obesity, Xenobiotic Intake and Antimicrobial-Resistance Genes in the Human Gastrointestinal Tract: A Comparative Study of Eutrophic, Overweight and Obese Individuals. Genes, 2019, 10, 349.	2.4	21
23	Antimicrobial susceptibility and vaginolysin in Gardnerella vaginalis from healthy and bacterial vaginosis diagnosed women. Journal of Infection in Developing Countries, 2016, 10, 913-919.	1.2	21
24	Detection of Group B Streptococcus in Brazilian pregnant women and antimicrobial susceptibility patterns. Brazilian Journal of Microbiology, 2010, 41, 1047-1055.	2.0	20
25	Synthesis and antimicrobial activity of novel amphiphilic aromatic amino alcohols. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 2883-2887.	2.2	20
26	Detection and enumeration of periodontopathogenic bacteria in subgingival biofilm of pregnant women. Brazilian Oral Research, 2012, 26, 443-449.	1.4	19
27	Enhanced pathogenicity of Fusobacterium nucleatum adapted to oxidative stress. Microbial Pathogenesis, 2005, 39, 131-138.	2.9	18
28	Epidemiological, Physiological, and Molecular Characteristics of a Brazilian Collection of Carbapenem-Resistant <i>Acinetobacter baumannii</i> and <i>Pseudomonas aeruginosa</i> Drug Resistance, 2017, 23, 852-863.	2.0	18
29	Chromosomal Breakage in the B. fragilis Group Induced by Metronidazole Treatment. Anaerobe, 2000, 6, 149-153.	2.1	17
30	Synthesis and Antibacterial Activity of Alkylated Diamines and Amphiphilic Amides of Quinic Acid Derivatives. Chemical Biology and Drug Design, 2015, 86, 344-350.	3.2	17
31	Antibiotic Resistance Genetic Markers and Integrons in White Soft Cheese: Aspects of Clinical Resistome and Potentiality of Horizontal Gene Transfer. Genes, 2018, 9, 106.	2.4	17
32	Synthesis, Cytotoxicity, Antibacterial and Antileishmanial Activities of Imidazolidine and Hexahydropyrimidine Derivatives. Medicinal Chemistry, 2013, 9, 351-359.	1.5	17
33	Synthesis and Antibacterial Activity of Aromatic and Heteroaromatic Amino Alcohols. Chemical Biology and Drug Design, 2011, 78, 876-880.	3.2	16
34	Occurrence of Multidrug-Resistant and Toxic-Metal Tolerant Enterococci in Fresh Feces from Urban Pigeons in Brazil. Microbes and Environments, 2012, 27, 179-185.	1.6	16
35	Effect of Metronidazole on the Pathogenicity of Resistant Bacteroides Strains in Gnotobiotic Mice. Antimicrobial Agents and Chemotherapy, 2000, 44, 2419-2423.	3.2	15
36	Isolation, identification and antimicrobial susceptibility of <i>Bacteroides fragilis </i> group strains recovered from broiler faeces. British Poultry Science, 2012, 53, 71-76.	1.7	15

3

#	Article	IF	Citations
37	Epidemiological characteristics and antimicrobial susceptibility among carbapenem-resistant non-fermenting bacteria in Brazil. Journal of Infection in Developing Countries, 2016, 10, 544-553.	1.2	14
38	Detection of Group B Streptococcus in Brazilian pregnant women and antimicrobial susceptibility patterns. Brazilian Journal of Microbiology, 2010, 41, 1047-55.	2.0	14
39	New methods in the evaluation of chemical disinfectants used in Health Care Services. American Journal of Infection Control, 2005, 33, 162-169.	2.3	12
40	In vitro activity of piperacillin/tazobactam and ertapenem against Bacteroides fragilis and Escherichia coli in pure and mixed cultures. Journal of Medical Microbiology, 2007, 56, 798-802.	1.8	12
41	Characterization of the microbial community in a lotic environment to assess the effect of pollution on nitrifying and potentially pathogenic bacteria. Brazilian Journal of Biology, 2014, 74, 612-622.	0.9	12
42	Synthesis and evaluation of antibacterial and antitumor activities of new galactopyranosylated amino alcohols. European Journal of Medicinal Chemistry, 2016, 108, 203-210.	5.5	12
43	Physiological and molecular characteristics of carbapenem resistance in Klebsiella pneumoniae and Enterobacter aerogenes. Journal of Infection in Developing Countries, 2016, 10, 592-599.	1.2	12
44	Distribution, detection of enterotoxigenic strains and antimicrobial drug susceptibility patterns of Bacteroides fragilis group in diarrheic and non-diarrheic feces from Brazilian infants. Brazilian Journal of Microbiology, 2010, 41, 603-611.	2.0	11
45	Synthesis and biological evaluation of a new series of N -acyldiamines as potential antibacterial and antifungal agents. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 4626-4629.	2.2	11
46	Exploratory Investigation of Bacteroides fragilis Transcriptional Response during In vitro Exposure to Subinhibitory Concentration of Metronidazole. Frontiers in Microbiology, 2016, 7, 1465.	3.5	10
47	Physiological alterations of a Fusobacterium nucleatum strain exposed to oxidative stress. Journal of Applied Microbiology, 2007, 103, 20-26.	3.1	9
48	Use of 2-D electrophoresis and ESI mass spectrometry techniques to characterize Fusobacterium nucleatum proteins up-regulated after oxidative stress. Anaerobe, 2010, 16, 179-182.	2.1	9
49	Morphological, biochemical, physiological and molecular aspects of the response of Fusobacterium nucleatum exposed to subinhibitory concentrations of antimicrobials. Anaerobe, 2012, 18, 566-575.	2.1	9
50	Seasonal dynamics of microbial community in an aquaculture system for Nile tilapia (<i>Oreochromis) Tj ETQq0</i>	0 0 rgBT /0	Overlock 10 T
51	Microbiome of industrialized Minas Frescal Cheese reveals high prevalence of putative bacteria: A concern in the One Health context. LWT - Food Science and Technology, 2021, 139, 110791.	5. 2	7
52	Plasmid-related Resistance to Clindamycin and Penicillin G in a Bacteroides vulgatus Strain. Anaerobe, 1999, 5, 447-449.	2.1	6
53	Comparative activity of ertapenem and piperacillin–tazobactam in a murine systemic infection model with Bacteroides fragilis and Escherichia coli. Journal of Medical Microbiology, 2007, 56, 1576-1579.	1.8	6
54	Bacteroides fragilis response to subinhibitory concentrations of antimicrobials includes different morphological, physiological and virulence patterns after inÂvitro selection. Microbial Pathogenesis, 2015, 78, 103-113.	2.9	6

#	Article	IF	Citations
55	Antimicrobialâ€Resistance Genetic Markers in Potentially Pathogenic Gram Positive Cocci Isolated from Brazilian Soft Cheese. Journal of Food Science, 2018, 83, 377-385.	3.1	6
56	Antibacterial Activity of Lipophilic Fluoroquinolone Derivatives. Medicinal Chemistry, 2009, 5, 419-421.	1.5	6
57	Assessment of vaginal microbiota in Brazilian women with and without bacterial vaginosis and comparison with Nugent score. Journal of Infection in Developing Countries, 2018, 12, 127-136.	1.2	6
58	Effects of oxidative stress on the virulence profile of Prevotella intermedia during experimental infection in gnotobiotic mice. Journal of Medical Microbiology, 2007, 56, 289-297.	1.8	5
59	The influence of molecular oxygen exposure on the biology of Prevotella intermedia, with emphasis on its antibiotic susceptibility. Journal of Applied Microbiology, 2007, 103, 882-891.	3.1	5
60	Potential spread of multidrug-resistant coagulase-negative staphylococci through healthcare waste. Journal of Infection in Developing Countries, 2015, 9, 029-034.	1.2	5
61	Antibiotic resistance in potentially bacteriocinogenic probiotic bacteria in aquaculture environments. Aquaculture Research, 2017, 48, 2113-2119.	1.8	5
62	Influence of Human Eating Habits on Antimicrobial Resistance Phenomenon: Aspects of Clinical Resistome of Gut Microbiota in Omnivores, Ovolactovegetarians, and Strict Vegetarians. Antibiotics, 2021, 10, 276.	3.7	5
63	Aquatic environments in the One Health context: modulating the antimicrobial resistance phenomenon. Acta Limnologica Brasiliensia, 0, 32, .	0.4	5
64	Inflammatory modulation and outer membrane vesicles (OMV) production associated to Bacteroides fragilis response to subinhibitory concentrations of metronidazole during experimental infection. Anaerobe, 2022, 73, 102504.	2.1	5
65	A watershed impacted by anthropogenic activities: Microbial community alterations and reservoir of antimicrobial resistance genes. Science of the Total Environment, 2021, 793, 148552.	8.0	4
66	Distribution of ESBL-producing enterobacteria associated to community-acquired monomicrobial urinary tract infections and antimicrobial susceptibility trends over a 9-year period. Journal of Chemotherapy, 2012, 24, 178-181.	1.5	3
67	Differentially regulated proteins in Prevotella intermedia after oxidative stress analyzed by 2D electrophoresis and mass spectrometry. Anaerobe, 2012, 18, 76-82.	2.1	3
68	Determinação do perfil protéico da membrana externa da Leptospira interrogans sorovariedade Hardjoprajitno. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2008, 60, 1301-1306.	0.4	2
69	Phenotypic and genotypic evaluation of beta-lactamases (ESBL and KPC) among enterobacteria isolated from community-acquired monomicrobial urinary tract infections. Journal of Chemotherapy, 2014, 26, 328-332.	1.5	1
70	The fragility of humoral immunity as a physiological safety marker for healthcare workers to return after COVID-19 convalescence. Journal of Microbiology, Immunology and Infection, 2021, 54, 141-143.	3.1	0