

Sikhulile Moyo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9010540/sikhulile-moyo-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160

papers

8,982

citations

29

h-index

94

g-index

176

ext. papers

11,028

ext. citations

6.5

avg, IF

4.83

L-index

#	Paper	IF	Citations
160	Prevention of HIV-1 infection with early antiretroviral therapy. <i>New England Journal of Medicine</i> , 2011 , 365, 493-505	59.2	5157
159	Acyclovir and transmission of HIV-1 from persons infected with HIV-1 and HSV-2. <i>New England Journal of Medicine</i> , 2010 , 362, 427-39	59.2	411
158	Antiretroviral regimens in pregnancy and breast-feeding in Botswana. <i>New England Journal of Medicine</i> , 2010 , 362, 2282-94	59.2	392
157	Hunger, waiting time and transport costs: time to confront challenges to ART adherence in Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2007 , 19, 658-65	2.2	361
156	Rapid epidemic expansion of the SARS-CoV-2 Omicron variant in southern Africa.. <i>Nature</i> , 2022 ,	50.4	205
155	Increased risk of preterm delivery among HIV-infected women randomized to protease versus nucleoside reverse transcriptase inhibitor-based HAART during pregnancy. <i>Journal of Infectious Diseases</i> , 2011 , 204, 506-14	7	161
154	Botswana's progress toward achieving the 2020 UNAIDS 90-90-90 antiretroviral therapy and virological suppression goals: a population-based survey. <i>Lancet HIV,the</i> , 2016 , 3, e221-30	7.8	147
153	Universal Testing, Expanded Treatment, and Incidence of HIV Infection in Botswana. <i>New England Journal of Medicine</i> , 2019 , 381, 230-242	59.2	104
152	Length of secondary schooling and risk of HIV infection in Botswana: evidence from a natural experiment. <i>The Lancet Global Health</i> , 2015 , 3, e470-e477	13.6	78
151	Prevalence and molecular characterization of Hepatitis B in HIV infected individuals in Botswana. <i>BMC Infectious Diseases</i> , 2014 , 14,	4	78
150	Higher-than-expected rates of lactic acidosis among highly active antiretroviral therapy-treated women in Botswana: preliminary results from a large randomized clinical trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 46, 318-22	3.1	70
149	The reverse transcriptase 67N 70R 215Y genotype is the predominant TAM pathway associated with virologic failure among HIV type 1C-infected adults treated with ZDV/ddI-containing HAART in southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2007 , 23, 868-78	1.6	60
148	Optimising growth conditions for the pectinolytic activity of <i>Kluyveromyces wickerhamii</i> by using response surface methodology. <i>International Journal of Food Microbiology</i> , 2003 , 85, 87-100	5.8	60
147	Point-of-Care Cepheid Xpert HIV-1 Viral Load Test in Rural African Communities Is Feasible and Reliable. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 3050-3055	9.7	50
146	Impact of sampling density on the extent of HIV clustering. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 1226-35	1.6	48
145	Treatment as Prevention: Characterization of Partner Infections in the HIV Prevention Trials Network 052 Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 74, 112-116	3.1	46
144	Response to zidovudine/didanosine-containing combination antiretroviral therapy among HIV-1 subtype C-infected adults in Botswana: two-year outcomes from a randomized clinical trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 51, 37-46	3.1	46

143	Increased risk of severe infant anemia after exposure to maternal HAART, Botswana. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 56, 428-36	3.1	42
142	HIV-1 subtype C in vitro growth and coreceptor utilization. <i>Virology</i> , 2006 , 347, 247-60	3.6	42
141	HIV-1 subtype C-infected individuals maintaining high viral load as potential targets for the "test-and-treat" approach to reduce HIV transmission. <i>PLoS ONE</i> , 2010 , 5, e10148	3.7	39
140	Transmission of single and multiple viral variants in primary HIV-1 subtype C infection. <i>PLoS ONE</i> , 2011 , 6, e16714	3.7	39
139	Early antiretroviral therapy in neonates with HIV-1 infection restricts viral reservoir size and induces a distinct innate immune profile. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	36
138	A year of genomic surveillance reveals how the SARS-CoV-2 pandemic unfolded in Africa. <i>Science</i> , 2021 , 374, 423-431	33.3	35
137	Serological evidence of HIV-associated infection among HIV-1-infected adults in Botswana. <i>Clinical Infectious Diseases</i> , 2006 , 43, 1612-5	11.6	34
136	HIV transmission and 24-month survival in a randomized trial of HAART to prevent MTCT during pregnancy and breastfeeding in Botswana. <i>Aids</i> , 2013 , 27, 1911-20	3.5	33
135	Viral load and CD4+ T-cell dynamics in primary HIV-1 subtype C infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 50, 65-76	3.1	33
134	Persistently elevated serum interleukin-6 predicts mortality among adults receiving combination antiretroviral therapy in Botswana: results from a clinical trial. <i>AIDS Research and Human Retroviruses</i> , 2013 , 29, 993-9	1.6	32
133	Non-nucleoside reverse transcriptase inhibitor outcomes among combination antiretroviral therapy-treated adults in Botswana. <i>Aids</i> , 2010 , 24 Suppl 1, S27-36	3.5	32
132	Evolution of proviral gp120 over the first year of HIV-1 subtype C infection. <i>Virology</i> , 2009 , 383, 47-59	3.6	30
131	HIV-exposed children account for more than half of 24-month mortality in Botswana. <i>BMC Pediatrics</i> , 2016 , 16, 103	2.6	27
130	Unintended pregnancy, contraceptive use, and childbearing desires among HIV-infected and HIV-uninfected women in Botswana: across-sectional study. <i>BMC Public Health</i> , 2016 , 16, 44	4.1	27
129	Better control of early viral replication is associated with slower rate of elicited antiviral antibodies in the detuned enzyme immunoassay during primary HIV-1C infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 52, 265-72	3.1	27
128	Old plants newly discovered: <i>Cassia sieberiana</i> D.C. and <i>Cassia abbreviata</i> Oliv. Oliv. root extracts inhibit in vitro HIV-1c replication in peripheral blood mononuclear cells (PBMCs) by different modes of action. <i>Journal of Ethnopharmacology</i> , 2012 , 141, 48-56	5	26
127	Effect of co-trimoxazole on mortality in HIV-exposed but uninfected children in Botswana (the Mpepu Study): a double-blind, randomised, placebo-controlled trial. <i>The Lancet Global Health</i> , 2017 , 5, e491-e500	13.6	25
126	Intra-host evolutionary rates in HIV-1C env and gag during primary infection. <i>Infection, Genetics and Evolution</i> , 2013 , 19, 361-8	4.5	25

125	Prevalence of human papillomavirus genotypes and associated cervical squamous intraepithelial lesions in HIV-infected women in Botswana. <i>Journal of Medical Virology</i> , 2011 , 83, 1689-95	19.7	25
124	Estimated age and gender profile of individuals missed by a home-based HIV testing and counselling campaign in a Botswana community. <i>Journal of the International AIDS Society</i> , 2015 , 18, 1991-8	5.4	24
123	High viral load and elevated angiogenic markers associated with increased risk of preeclampsia among women initiating highly active antiretroviral therapy in pregnancy in the Mma Bana study, Botswana. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 62, 517-24	3.1	24
122	Timing constraints of in vivo gag mutations during primary HIV-1 subtype C infection. <i>PLoS ONE</i> , 2009 , 4, e7727	3.7	24
121	An augmented SMS intervention to improve access to antenatal CD4 testing and ART initiation in HIV-infected pregnant women: a cluster randomized trial. <i>PLoS ONE</i> , 2015 , 10, e0117181	3.7	24
120	Identifying Recent HIV Infections: From Serological Assays to Genomics. <i>Viruses</i> , 2015 , 7, 5508-24	6.2	23
119	Phylogenetic relatedness of circulating HIV-1C variants in Mochudi, Botswana. <i>PLoS ONE</i> , 2013 , 8, e80589	3.7	22
118	High Rates of Occult Hepatitis B Virus Infection in HIV-Positive Individuals Initiating Antiretroviral Therapy in Botswana. <i>Open Forum Infectious Diseases</i> , 2017 , 4, ofx195	1	21
117	Prevalence of transmitted HIV drug resistance in Botswana: lessons learned from the HIVDR-Threshold Survey conducted among women presenting for routine antenatal care as part of the 2007 national sentinel survey. <i>AIDS Research and Human Retroviruses</i> , 2011 , 27, 365-72	1.6	21
116	Implementation of the World Health Organization Regional Office for Africa Stepwise Laboratory Quality Improvement Process Towards Accreditation. <i>African Journal of Laboratory Medicine</i> , 2016 , 5, 280	0.9	21
115	Brief Report: High Sensitivity and Specificity of the Cepheid Xpert HIV-1 Qualitative Point-of-Care Test Among Newborns in Botswana. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75, e128-e131	3.1	20
114	Rapid epidemic expansion of the SARS-CoV-2 Omicron variant in southern Africa. <i>Nature</i> ,	50.4	20
113	Env sequence determinants in CXCR4-using human immunodeficiency virus type-1 subtype C. <i>Virology</i> , 2012 , 433, 296-307	3.6	19
112	Dynamics and timing of in vivo mutations at Gag residue 242 during primary HIV-1 subtype C infection. <i>Virology</i> , 2010 , 403, 37-46	3.6	17
111	Quantitation of human immunodeficiency virus type 1 viral load in plasma using reverse transcriptase activity assay at a district hospital laboratory in Botswana: a decentralization pilot study. <i>Journal of Virological Methods</i> , 2009 , 159, 93-7	2.6	16
110	Prevalence and clinical associations of CXCR4-using HIV-1 among treatment-naive subtype C-infected women in Botswana. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 57, 46-50 ^{3.1}	3.1	16
109	Slow CD4 T-Cell Recovery in Human Immunodeficiency Virus/Hepatitis B Virus-Coinfected Patients Initiating Truvada-Based Combination Antiretroviral Therapy in Botswana. <i>Open Forum Infectious Diseases</i> , 2016 , 3, ofw140	1	15
108	Cross-sectional estimates revealed high HIV incidence in Botswana rural communities in the era of successful ART scale-up in 2013-2015. <i>PLoS ONE</i> , 2018 , 13, e0204840	3.7	15

107	Long-Range HIV Genotyping Using Viral RNA and Proviral DNA for Analysis of HIV Drug Resistance and HIV Clustering. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 2581-92	9.7	14
106	Importance of Viral Sequence Length and Number of Variable and Informative Sites in Analysis of HIV Clustering. <i>AIDS Research and Human Retroviruses</i> , 2015 , 31, 531-42	1.6	14
105	Evaluation of the false recent classification rates of multiassay algorithms in estimating HIV type 1 subtype C incidence. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 29-36	1.6	14
104	Highly active antiretroviral therapy versus zidovudine for prevention of mother-to-child transmission in a programmatic setting, Botswana. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 58, 353-7	3.1	14
103	HIV disease is associated with increased biomarkers of endothelial dysfunction despite viral suppression on long-term antiretroviral therapy in Botswana. <i>Cardiovascular Journal of Africa</i> , 2018 , 29, 155-161	0.7	14
102	Genetic and epidemiological analysis of norovirus from children with gastroenteritis in Botswana, 2013-2015. <i>BMC Infectious Diseases</i> , 2018 , 18, 246	4	14
101	HIV-1 full-genome phylogenetics of generalized epidemics in sub-Saharan Africa: impact of missing nucleotide characters in next-generation sequences. <i>AIDS Research and Human Retroviruses</i> , 2017 , 33, 1083-1098	1.6	13
100	Chronic and Occult Hepatitis B Virus Infection in Pregnant Women in Botswana. <i>Genes</i> , 2018 , 9,	4.2	13
99	Molecular detection of human papillomavirus (HPV) in highly fragmented DNA from cervical cancer biopsies using double-nested PCR. <i>MethodsX</i> , 2018 , 5, 569-578	1.9	13
98	Molecular characterisation of hepatitis B virus in HIV-1 subtype C infected patients in Botswana. <i>BMC Infectious Diseases</i> , 2015 , 15, 335	4	13
97	Efficacy and safety of dolutegravir with emtricitabine and tenofovir alafenamide fumarate or tenofovir disoproxil fumarate, and efavirenz, emtricitabine, and tenofovir disoproxil fumarate HIV antiretroviral therapy regimens started in pregnancy (IMPAACT 2010/VESTED): a multicentre, open-label, randomised, controlled, phase 3 trial. <i>Lancet, The</i> , 2021 , 397, 1276-1292	40	13
96	The effect of micronutrient supplementation on active TB incidence early in HIV infection in Botswana. <i>Nutrition and Dietary Supplements</i> , 2017 , 2017, 37-45	1.2	12
95	Cotrimoxazole prophylaxis was associated with enteric commensal bacterial resistance among HIV-exposed infants in a randomized controlled trial, Botswana. <i>Journal of the International AIDS Society</i> , 2017 , 20, e25021	5.4	12
94	Phylogenetic analysis of HIV sub-epidemics in Mochudi, Botswana. <i>Epidemics</i> , 2015 , 13, 44-55	5.1	12
93	Immunohaematological reference values for HIV-negative healthy adults in Botswana. <i>African Journal of Laboratory Medicine</i> , 2012 , 1,	0.9	12
92	Training-of-trainers: A strategy to build country capacity for SLMTA expansion and sustainability. <i>African Journal of Laboratory Medicine</i> , 2014 , 3, 196	0.9	12
91	Humoral Immune Pressure Selects for HIV-1 CXCR4-chemokine Receptor 4-using Variants. <i>EBioMedicine</i> , 2016 , 8, 237-247	8.8	12
90	Four-class drug-resistant HIV-1 subtype C in a treatment experienced individual on dolutegravir-based antiretroviral therapy in Botswana. <i>Aids</i> , 2018 , 32, 1899-1902	3.5	11

89	Targeted HIV testing at birth supported by low and predictable mother-to-child transmission risk in Botswana. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25111	5.4	11
88	Pre-clinical carotid atherosclerosis and sCD163 among virally suppressed HIV patients in Botswana compared with uninfected controls. <i>PLoS ONE</i> , 2017 , 12, e0179994	3.7	10
87	Acceptability of oral HIV self-testing among female sex workers in Gaborone, Botswana. <i>PLoS ONE</i> , 2020 , 15, e0236052	3.7	10
86	Effect of BMI and fat mass on HIV disease progression in HIV-infected, antiretroviral treatment-naïve adults in Botswana. <i>British Journal of Nutrition</i> , 2016 , 115, 2114-21	3.6	10
85	Prognostic Value of HIV-1 RNA on CD4 Trajectories and Disease Progression Among Antiretroviral-Naïve HIV-Infected Adults in Botswana: A Joint Modeling Analysis. <i>AIDS Research and Human Retroviruses</i> , 2016 , 32, 573-8	1.6	9
84	Therapeutic levels of lopinavir in late pregnancy and abacavir passage into breast milk in the Mma Bana Study, Botswana. <i>Antiviral Therapy</i> , 2013 , 18, 585-90	1.6	9
83	Analysis of Viral Diversity in Relation to the Recency of HIV-1C Infection in Botswana. <i>PLoS ONE</i> , 2016 , 11, e0160649	3.7	9
82	Human papillomavirus genotypes in women with invasive cervical cancer with and without human immunodeficiency virus infection in Botswana. <i>International Journal of Cancer</i> , 2020 , 146, 1667-1673	7.5	9
81	Prevalence of Rilpivirine and Etravirine Resistance Mutations in HIV-1 Subtype C-Infected Patients Failing Nevirapine or Efavirenz-Based Combination Antiretroviral Therapy in Botswana. <i>AIDS Research and Human Retroviruses</i> , 2018 , 34, 667-671	1.6	8
80	Immunological non-response and low hemoglobin levels are predictors of incident tuberculosis among HIV-infected individuals on Truvada-based therapy in Botswana. <i>PLoS ONE</i> , 2018 , 13, e0192030	3.7	8
79	Undisclosed antiretroviral drug use in Botswana: implication for national estimates. <i>Aids</i> , 2018 , 32, 1543-1546	3.5	8
78	The Impact of Human Pegivirus on CD4 Cell Count in HIV-Positive Persons in Botswana. <i>Open Forum Infectious Diseases</i> , 2017 , 4, ofx222	1	8
77	Translating a National Laboratory Strategic Plan into action through SLMTA in a district hospital laboratory in Botswana. <i>African Journal of Laboratory Medicine</i> , 2014 , 3, 209	0.9	8
76	Progressing beyond SLMTA: Are internal audits and corrective action the key drivers of quality improvement?. <i>African Journal of Laboratory Medicine</i> , 2014 , 3, 222	0.9	8
75	Brief Report: High Rates of Adverse Birth Outcomes in HIV and Syphilis Coinfected Women in Botswana. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, e135-e140	3.1	8
74	Genetic diversity of Mycobacterium tuberculosis strains circulating in Botswana. <i>PLoS ONE</i> , 2019 , 14, e0216306	3.7	7
73	Prevalence of oncogenic human papillomavirus genotypes in patients diagnosed with anogenital malignancies in Botswana. <i>BMC Infectious Diseases</i> , 2017 , 17, 731	4	7
72	B and T Cell Phenotypic Profiles of African HIV-Infected and HIV-Exposed Uninfected Infants: Associations with Antibody Responses to the Pentavalent Rotavirus Vaccine. <i>Frontiers in Immunology</i> , 2017 , 8, 2002	8.4	7

71	Lack of Virological Suppression Among Young HIV-Positive Adults in Botswana. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 78, 557-565	3.1	7
70	HIV-1 drug mutations in children from northern Tanzania. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 1928-32	5.1	7
69	Population uptake of HIV testing, treatment, viral suppression, and male circumcision following a community-based intervention in Botswana (Ya Tsie/BCPP): a cluster-randomised trial. <i>Lancet HIV,the</i> , 2020 , 7, e422-e433	7.8	7
68	Deciphering Multiplicity of HIV-1C Infection: Transmission of Closely Related Multiple Viral Lineages. <i>PLoS ONE</i> , 2016 , 11, e0166746	3.7	7
67	Continued Emergence and Evolution of Omicron in South Africa: New BA.4 and BA.5 lineages		7
66	Vitamin D insufficiency in HIV-infected pregnant women receiving antiretroviral therapy is not associated with morbidity, mortality or growth impairment in their uninfected infants in Botswana. <i>Pediatric Infectious Disease Journal</i> , 2014 , 33, 1141-7	3.4	6
65	Infant feeding practices were not associated with breast milk HIV-1 RNA levels in a randomized clinical trial in Botswana. <i>AIDS and Behavior</i> , 2012 , 16, 1260-4	4.3	6
64	Temporal reduction of HIV type 1 viral load in breast milk by single-dose nevirapine during prevention of MTCT. <i>AIDS Research and Human Retroviruses</i> , 2009 , 25, 1261-4	1.6	6
63	Mother-to-Child HIV Transmission With In Utero Dolutegravir vs. Efavirenz in Botswana. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 84, 235-241	3.1	6
62	Safety and Efficacy of Starting Antiretroviral Therapy in the First Week of Life. <i>Clinical Infectious Diseases</i> , 2021 , 72, 388-393	11.6	6
61	HIV Exposure and Formula Feeding Predict Under-2 Mortality in HIV-Uninfected Children, Botswana. <i>Journal of Pediatrics</i> , 2018 , 203, 68-75.e2	3.6	6
60	Molecular Characterization of Near Full-Length Genomes of Hepatitis B Virus Isolated from Predominantly HIV Infected Individuals in Botswana. <i>Genes</i> , 2018 , 9,	4.2	6
59	Prevalence of high-risk human papilloma virus in women with high-grade squamous cell intraepithelial lesions in Botswana using Abbott RealTime HPV assay. <i>PLoS ONE</i> , 2019 , 14, e0211260	3.7	5
58	Immune activation markers in peripartum women in Botswana: association with feeding strategy and maternal morbidity. <i>PLoS ONE</i> , 2014 , 9, e89928	3.7	5
57	Molecular characterization of hepatitis B virus in blood donors in Botswana. <i>Virus Genes</i> , 2019 , 55, 33-42.2.3		5
56	Plasma Cytokine Levels in Chronic Asymptomatic HIV-1 Subtype C Infection as an Indicator of Disease Progression in Botswana: A Retrospective Case Control Study. <i>AIDS Research and Human Retroviruses</i> , 2016 , 32, 364-9	1.6	4
55	Low rates of nucleoside reverse transcriptase inhibitor and nonnucleoside reverse transcriptase inhibitor drug resistance in Botswana. <i>Aids</i> , 2019 , 33, 1073-1082	3.5	4
54	Detection of Second Line Drug Resistance among Drug Resistant Mycobacterium Tuberculosis Isolates in Botswana. <i>Pathogens</i> , 2019 , 8,	4.5	4

53	Short Communication: Low False Recent Rate of Limiting Antigen-Avidity Assay Combined with HIV-1 RNA Data in Botswana. <i>AIDS Research and Human Retroviruses</i> , 2017 , 33, 17-18	1.6	4
52	Abacavir alters the transcription of inflammatory cytokines in virologically suppressed, HIV-infected women. <i>Journal of the International AIDS Society</i> , 2012 , 15, 17393	5.4	4
51	No clinically significant drug-resistance mutations in HIV-1 subtype C-infected women after discontinuation of NRTI-based or PI-based HAART for PMTCT in Botswana. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 63, 572-7	3.1	4
50	Comparison of an in-house 'home-brew' and commercial ViroSeq integrase genotyping assays on HIV-1 subtype C samples. <i>PLoS ONE</i> , 2019 , 14, e0224292	3.7	4
49	Mapping of HIV-1C Transmission Networks Reveals Extensive Spread of Viral Lineages Across Villages in Botswana Treatment-as-Prevention Trial. <i>Journal of Infectious Diseases</i> , 2020 , 222, 1670-1680 ⁷		3
48	In Silico Analysis of Hepatitis B Virus Occult Associated Mutations in Botswana Using a Novel Algorithm. <i>Genes</i> , 2018 , 9,	4.2	3
47	Predictors of early breastfeeding cessation among HIV-infected women in Botswana. <i>Tropical Medicine and International Health</i> , 2016 , 21, 1013-1018	2.3	3
46	Viral Reservoir in Early-Treated Human Immunodeficiency Virus-Infected Children and Markers for Sustained Viral Suppression. <i>Clinical Infectious Diseases</i> , 2021 , 73, e997-e1003	11.6	3
45	Promoter Hypermethylation Analysis of Host Genes in Cervical Cancer Patients With and Without Human Immunodeficiency Virus in Botswana. <i>Frontiers in Oncology</i> , 2021 , 11, 560296	5.3	3
44	In Silico Prediction of Human Leukocytes Antigen (HLA) Class II Binding Hepatitis B Virus (HBV) Peptides in Botswana. <i>Viruses</i> , 2020 , 12,	6.2	2
43	Incidence of hepatitis B virus infection among human immunodeficiency virus-infected treatment naïve adults in Botswana. <i>Medicine (United States)</i> , 2020 , 99, e19341	1.8	2
42	Pairwise diversity and tMRCA as potential markers for HIV infection recency. <i>Medicine (United States)</i> , 2017 , 96, e6041	1.8	2
41	Evolutionary gamut of in vivo Gag substitutions during early HIV-1 subtype C infection. <i>Virology</i> , 2011 , 421, 119-28	3.6	2
40	Similar HIV protection from four weeks of zidovudine versus nevirapine prophylaxis among formula-fed infants in Botswana. <i>Southern African Journal of HIV Medicine</i> , 2018 , 19, 751	1.4	2
39	Validation of A Point-of-Care Lactate Device For Screening At-Risk Adults Receiving Combination Antiretroviral Therapy In Botswana. <i>Journal of Antivirals & Antiretrovirals</i> , 2011 , 3, 45-48	2	2
38	Human Immunodeficiency Virus Exposure but Not Early Cytomegalovirus Infection Is Associated With Increased Hospitalization and Decreased Memory T-Cell Responses to Tetanus Vaccine. <i>Journal of Infectious Diseases</i> , 2020 , 221, 1167-1175	7	2
37	Association of Genetic Variation with Efavirenz and Nevirapine Drug Resistance in HIV-1 Patients from Botswana. <i>Pharmacogenomics and Personalized Medicine</i> , 2021 , 14, 335-347	2.1	2
36	High incidence of tuberculosis in the first year of antiretroviral therapy in the Botswana National antiretroviral therapy programme between 2011 and 2015. <i>Aids</i> , 2019 , 33, 2415-2422	3.5	2

35	High HIV-1 RNA Among Newly Diagnosed People in Botswana. <i>AIDS Research and Human Retroviruses</i> , 2018 , 34, 300-306	1.6	2
34	An early warning system for emerging SARS-CoV-2 variants. <i>Nature Medicine</i> ,	50.5	2
33	Immune Phenotype and Functionality of Specific T-Cells in HIV/TB Co-Infected Patients on Antiretroviral Treatment. <i>Pathogens</i> , 2020 , 9,	4.5	1
32	Secondary education and HIV infection in Botswana. <i>The Lancet Global Health</i> , 2016 , 4, e23	13.6	1
31	Molecular characterization of hepatitis C virus in liver disease patients in Botswana: a retrospective cross-sectional study. <i>BMC Infectious Diseases</i> , 2019 , 19, 875	4	1
30	Short communication: effect of short-course antenatal zidovudine and single-dose nevirapine on the BED capture enzyme immunoassay levels in HIV type 1 subtype C infection. <i>AIDS Research and Human Retroviruses</i> , 2013 , 29, 901-6	1.6	1
29	Hepatitis B virus prevalence and vaccine antibody titers in children HIV exposed but uninfected in Botswana. <i>PLoS ONE</i> , 2020 , 15, e0237252	3.7	1
28	HIV-1C and Variation in the Cerebrospinal Fluid and Plasma of Patients with HIV-Associated Cryptococcal Meningitis in Botswana. <i>Viruses</i> , 2020 , 12,	6.2	1
27	Cytomegalovirus Viremia in HIV-1 Subtype C Positive Women at Delivery in Botswana and Adverse Birth/Infant Health Outcomes. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 118-124	3.1	1
26	Undetectable proviral deoxyribonucleic acid in an adolescent perinatally infected with human immunodeficiency virus-1C and on long-term antiretroviral therapy resulted in viral rebound following antiretroviral therapy termination: A case report with implications for clinical care. <i>Medical Case Reports</i> , 2021 , 6, 10011	1.8	1
25	Detection of Inducible Replication-Competent HIV-1 Subtype C Provirus Despite Long-Term Antiretroviral Treatment in Perinatally Infected Adolescents in Botswana. <i>AIDS Research and Human Retroviruses</i> , 2021 , 37, 16-23	1.6	1
24	Next generation sequencing of near-full length genome of norovirus GII.4 from Botswana. <i>Virus Research</i> , 2021 , 302, 198491	6.4	1
23	Deep-sequence phylogenetics to quantify patterns of HIV transmission in the context of a universal testing and treatment trial - BCPP/ Ya Tsie trial.. <i>ELife</i> , 2022 , 11,	8.9	1
22	HIV diagnostic algorithm requires confirmatory testing for initial indeterminate or positive screens in the first week of life. <i>Aids</i> , 2020 , 34, 1029-1035	3.5	0
21	Genetic diversity in L1 ORF of human papillomavirus in women with cervical cancer with and without human immunodeficiency virus in Botswana and Kenya.. <i>BMC Infectious Diseases</i> , 2022 , 22, 95	4	0
20	Use of a mutation-specific genotyping method to assess for HIV-1 drug resistance in antiretroviral-naïve HIV-1 Subtype C-infected patients in Botswana. <i>AAS Open Research</i> , 2020 , 3, 50	1.8	0
19	Use of a mutation-specific genotyping method to assess for HIV-1 drug resistance in antiretroviral-naïve HIV-1 Subtype C-infected patients in Botswana. <i>AAS Open Research</i> , 2020 , 3, 50	1.8	0
18	Patterns of pretreatment drug resistance mutations of very early diagnosed and treated infants in Botswana. <i>Aids</i> , 2021 , 35, 2413-2421	3.5	0

17	Impact of pre-COVID-19 epidemic preparedness on the trajectory of the pandemic in African countries.. <i>African Journal of Laboratory Medicine</i> , 2022 , 11, 1571	0.9	0
16	Feasibility of oral HIV self-testing in female sex workers in Gaborone, Botswana. <i>PLoS ONE</i> , 2021 , 16, e0259508	3.7	
15	Lack of HIV RNA test result is a barrier to breastfeeding among women living with HIV in Botswana. <i>International Breastfeeding Journal</i> , 2021 , 16, 81	3.8	
14	Lack of RH2 gene expression may have influenced the HIV pandemic in sub-Saharan Africa. <i>Aids</i> , 2021 , 35, 769-776	3.5	
13	Efficient estimation of human immunodeficiency virus incidence rate using a pooled cross-sectional cohort study design. <i>Statistics in Medicine</i> , 2020 , 39, 3255-3271	2.3	
12	Child HIV Exposure and CMV Seroprevalence in Botswana: No Associations With 24-Month Growth and Neurodevelopment. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa373	1	
11	Comparison of an in-house home-brew and commercial ViroSeq integrase genotyping assays on HIV-1 subtype C samples 2019 , 14, e0224292		
10	Comparison of an in-house home-brew and commercial ViroSeq integrase genotyping assays on HIV-1 subtype C samples 2019 , 14, e0224292		
9	Comparison of an in-house home-brew and commercial ViroSeq integrase genotyping assays on HIV-1 subtype C samples 2019 , 14, e0224292		
8	Comparison of an in-house home-brew and commercial ViroSeq integrase genotyping assays on HIV-1 subtype C samples 2019 , 14, e0224292		
7	Hepatitis B virus prevalence and vaccine antibody titers in children HIV exposed but uninfected in Botswana 2020 , 15, e0237252		
6	Hepatitis B virus prevalence and vaccine antibody titers in children HIV exposed but uninfected in Botswana 2020 , 15, e0237252		
5	Hepatitis B virus prevalence and vaccine antibody titers in children HIV exposed but uninfected in Botswana 2020 , 15, e0237252		
4	Hepatitis B virus prevalence and vaccine antibody titers in children HIV exposed but uninfected in Botswana 2020 , 15, e0237252		
3	Hepatitis B virus prevalence and vaccine antibody titers in children HIV exposed but uninfected in Botswana 2020 , 15, e0237252		
2	Hepatitis B virus prevalence and vaccine antibody titers in children HIV exposed but uninfected in Botswana 2020 , 15, e0237252		
1	The role of CYP2B6 516G>T polymorphism on efavirenz/nevirapine toxicity. Implications on treatment outcomes: Lessons from Botswana.. <i>Medicine (United States)</i> , 2022 , 101, e29066	1.8	