## Miriam Perez-Mateos

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9010859/publications.pdf

Version: 2024-02-01

304602 360920 2,165 37 22 35 citations h-index g-index papers 38 38 38 2360 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	The Influence of Cellulose Ethers on the Physico-Chemical Properties, Structure and Lipid Digestibility of Animal Fat Emulsions Stabilized by Soy Protein. Foods, 2022, 11, 738.	1.9	6
2	Hyperbaric Storage of Atlantic Razor Clams: Effect of the Storage Conditions. Food and Bioprocess Technology, 2021, 14, 530-541.	2.6	2
3	Evaluation of the effects of weak oscillating magnetic fields applied during freezing on systems of different complexity. International Journal of Food Engineering, 2020, 16, .	0.7	1
4	Impact of magnetic assisted freezing in the physicochemical and functional properties of egg components. Part 2: Egg yolk. Innovative Food Science and Emerging Technologies, 2018, 49, 176-183.	2.7	19
5	Hyperbaric cold storage versus conventional refrigeration for extending the shelf-life of hake loins. Innovative Food Science and Emerging Technologies, 2017, 41, 19-25.	2.7	35
6	Electromagnetic freezing: Effects of weak oscillating magnetic fields on crab sticks. Journal of Food Engineering, 2017, 200, 87-94.	2.7	57
7	Effects of Magnetic Fields on Freezing: Application to Biological Products. Comprehensive Reviews in Food Science and Food Safety, 2016, 15, 646-667.	5.9	110
8	New Alternatives in Seafood Restructured Products. Critical Reviews in Food Science and Nutrition, 2016, 56, 237-248.	5.4	32
9	Effect of hyperbaric storage at room temperature on the volatile profile of strawberry juice. LWT - Food Science and Technology, 2015, 62, 906-914.	2.5	16
10	Vitamin C content and sensorial properties of dehydrated carrots blanched conventionally or by ultrasound. Food Chemistry, 2013, 136, 782-788.	4.2	56
11	Fibre-enriched seafood., 2013,, 348-368.		2
12	Evaluation of lipid oxidation in horse mackerel patties covered with borage-containing film during frozen storage. Food Chemistry, 2011, 124, 1393-1403.	4.2	57
13	Formulation and stability of biodegradable films made from cod gelatin and sunflower oil blends. Food Hydrocolloids, 2009, 23, 53-61.	5.6	153
14	Structural and functional properties of soy protein isolate and cod gelatin blend films. Food Hydrocolloids, 2009, 23, 2094-2101.	5.6	166
15	Fish gelatin: a renewable material for developing active biodegradable films. Trends in Food Science and Technology, 2009, 20, 3-16.	7.8	394
16	A comparative study of the effects of high pressure on proteolytic degradation of sardine and blue whiting muscle. Fisheries Science, 2008, 74, 899-910.	0.7	9
17	Comparison of Atlantic menhaden gels from surimi processed by acid or alkaline solubilization. Food Chemistry, 2007, 101, 1223-1229.	4.2	43
18	Effects of rosemary and green tea extracts on frozen surimi gels fortified with omega-3 fatty acids. Journal of the Science of Food and Agriculture, 2006, 86, 558-567.	1.7	43

#	Article	IF	CITATIONS
19	Transglutaminase activity in pressure-induced gelation assisted by prior setting. Food Chemistry, 2005, 90, 751-758.	4.2	16
20	Oxidation stability of muscle with quercetin and rosemary during thermal and high-pressure gelation. Food Chemistry, 2005, 93, 17-23.	4.2	51
21	A chitosan–gelatin blend as a coating for fish patties. Food Hydrocolloids, 2005, 19, 303-311.	5.6	191
22	Quercetin properties as a functional ingredient in omega-3 enriched fish gels fed to rats. Journal of the Science of Food and Agriculture, 2005, 85, 1651-1659.	1.7	15
23	Effect of chitosan and microbial transglutaminase on the gel forming ability of horse mackerel (Trachurus spp.) muscle under high pressure. Food Research International, 2005, 38, 103-110.	2.9	41
24	New applications of fibres in foods: Addition to fishery products. Trends in Food Science and Technology, 2005, 16, 458-465.	7.8	160
25	Partial Characterization of Protease Activity in Squid (Todaropsis eblanae) Mantle: Modification by High-pressure Treatment. Journal of Food Science, 2005, 70, C239-C245.	1.5	22
26	Stability of Omega-3 Fatty Acids in Fortified Surimi Seafoods during Chilled Storage. Journal of Agricultural and Food Chemistry, 2004, 52, 7944-7949.	2.4	43
27	Carrageenans and alginate effects on properties of combined pressure and temperature in fish mince gels. Food Hydrocolloids, 2002, 16, 225-233.	5.6	28
28	Effects of cations on the gelling characteristics of fish mince with added nonionic and ionic gums. Food Hydrocolloids, 2002, 16, 363-373.	5.6	12
29	Effects of Na+, K+ and Ca2+ on gels formed from fish mince containing a carrageenan or alginate. Food Hydrocolloids, 2002, 16, 375-385.	5.6	55
30	Effects of hydrocolloids and high-pressure-heating processing on minced fish gels. European Food Research and Technology, 2002, 214, 119-124.	1.6	7
31	Addition of microbial transglutaminase and protease inhibitors to improve gel properties of frozen squid muscle. European Food Research and Technology, 2002, 214, 377-381.	1.6	16
32	The effect of rosemary extract and omega-3 unsaturated fatty acids on the properties of gels made from the flesh of mackerel (Scomber scombrus) by high pressure and heat treatments. Food Chemistry, 2002, 79, 1-8.	4.2	31
33	Mince gels with hydrocolloids and salts: composition/function relationships and discrimination of functionality by multivariate analysis. European Food Research and Technology, 2001, 213, 338-342.	1.6	3
34	Characterization of polyphenoloxidase of prawns (Penaeus japonicus). Alternatives to inhibition. Food Chemistry, 2001, 75, 317-324.	4.2	93
35	Pressure-induced gel properties of fish mince with ionic and non-ionic gums added. Food Hydrocolloids, 2001, 15, 185-194.	5.6	21
36	Microstructural behaviour and gelling characteristics of myosystem protein gels interacting with hydrocolloids. Food Hydrocolloids, 2000, 14, 455-461.	5.6	99

#	Article	lF	CITATIONS
37	Effect of Pressure/Heat Combinations on Blue Whiting (Micromesistius poutassou) Washed Mince:Â Thermal and Mechanical Properties. Journal of Agricultural and Food Chemistry, 1998, 46, 3257-3264.	2.4	60