

# Peter Claus

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9012182/publications.pdf>

Version: 2024-02-01

80  
papers

2,537  
citations

196777

29  
h-index

263392

45  
g-index

84  
all docs

84  
docs citations

84  
times ranked

3526  
citing authors

#	ARTICLE	IF	CITATIONS
1	Protein Network Analysis Reveals a Functional Connectivity of Dysregulated Processes in ALS and SMA. <i>Neuroscience Insights</i> , 2022, 17, 263310552210877.	0.9	4
2	Impairment of the neurotrophic signaling hub B-Raf contributes to motoneuron degeneration in spinal muscular atrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, e2007785118.	3.3	11
3	Fibroblast Growth Factor Signalling in the Diseased Nervous System. <i>Molecular Neurobiology</i> , 2021, 58, 3884-3902.	1.9	50
4	Profilin2 regulates actin rod assembly in neuronal cells. <i>Scientific Reports</i> , 2021, 11, 10287.	1.6	7
5	Microtubule-associated protein 1B dysregulates microtubule dynamics and neuronal mitochondrial transport in spinal muscular atrophy. <i>Human Molecular Genetics</i> , 2021, 29, 3935-3944.	1.4	13
6	IRE1-Mediated Unfolded Protein Response Promotes the Replication of Tick-Borne Flaviviruses in a Virus and Cell-Type Dependent Manner. <i>Viruses</i> , 2021, 13, 2164.	1.5	6
7	FOCAD loss impacts microtubule assembly, G2/M progression and patient survival in astrocytic gliomas. <i>Acta Neuropathologica</i> , 2020, 139, 175-192.	3.9	15
8	Resolution of pathogenic R-loops rescues motor neuron degeneration in spinal muscular atrophy. <i>Brain</i> , 2020, 143, 2-5.	3.7	11
9	The Proteome and Secretome of Cortical Brain Cells Infected With Herpes Simplex Virus. <i>Frontiers in Neurology</i> , 2020, 11, 844.	1.1	7
10	A Single Amino Acid Residue Regulates PTEN-Binding and Stability of the Spinal Muscular Atrophy Protein SMN. <i>Cells</i> , 2020, 9, 2405.	1.8	4
11	Renal pathology in a mouse model of severe Spinal Muscular Atrophy is associated with downregulation of Glial Cell-Line Derived Neurotrophic Factor (GDNF). <i>Human Molecular Genetics</i> , 2020, 29, 2365-2378.	1.4	13
12	Altered bone development with impaired cartilage formation precedes neuromuscular symptoms in spinal muscular atrophy. <i>Human Molecular Genetics</i> , 2020, 29, 2662-2673.	1.4	20
13	Profilin2 phosphorylation as a regulatory mechanism for actin dynamics. <i>FASEB Journal</i> , 2020, 34, 2147-2160.	0.2	14
14	The Need for SMN-Independent Treatments of Spinal Muscular Atrophy (SMA) to Complement SMN-Enhancing Drugs. <i>Frontiers in Neurology</i> , 2020, 11, 45.	1.1	34
15	Muscle overexpression of Klf15 via an AAV8-Spc5-12 construct does not provide benefits in spinal muscular atrophy mice. <i>Gene Therapy</i> , 2020, 27, 505-515.	2.3	5
16	Abnormal fatty acid metabolism is a core component of spinal muscular atrophy. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 1519-1532.	1.7	72
17	Vitamin D improves endothelial barrier integrity and counteracts inflammatory effects on endothelial progenitor cells. <i>FASEB Journal</i> , 2019, 33, 9142-9153.	0.2	27
18	CBMT-12. FOCAD LOSS IMPACTS MICROTUBULE ASSEMBLY, G2/M PROGRESSION AND PATIENT SURVIVAL IN ASTROCYTIC GLIOMAS. <i>Neuro-Oncology</i> , 2019, 21, vi35-vi35.	0.6	0

#	ARTICLE	IF	CITATIONS
19	HSV-1 triggers paracrine fibroblast growth factor response from cortical brain cells via immediate-early protein ICP0. <i>Journal of Neuroinflammation</i> , 2019, 16, 248.	3.1	16
20	Investigations of Microtubule-associated Protein 2 Gene Expression in Spinal Muscular Atrophy. <i>Journal of Pediatric Research</i> , 2019, 6, 148-154.	0.1	3
21	Intact interleukin-10 receptor signaling protects from hippocampal damage elicited by experimental neurotropic virus infection of SJL mice. <i>Scientific Reports</i> , 2018, 8, 6106.	1.6	13
22	The Actin Cytoskeleton in SMA and ALS: How Does It Contribute to Motoneuron Degeneration?. <i>Neuroscientist</i> , 2018, 24, 54-72.	2.6	78
23	Light modulation ameliorates expression of circadian genes and disease progression in spinal muscular atrophy mice. <i>Human Molecular Genetics</i> , 2018, 27, 3582-3597.	1.4	10
24	Nanodiamonds as "artificial proteins" Regulation of a cell signalling system using low nanomolar solutions of inorganic nanocrystals. <i>Biomaterials</i> , 2018, 176, 106-121.	5.7	27
25	Gene expression profiles in neurological tissues during West Nile virus infection: a critical meta-analysis. <i>BMC Genomics</i> , 2018, 19, 530.	1.2	10
26	Interventions Targeting Glucocorticoid-Induced Lipocortin-like Factor 15-Branched-Chain Amino Acid Signaling Improve Disease Phenotypes in Spinal Muscular Atrophy Mice. <i>EBioMedicine</i> , 2018, 31, 226-242.	2.7	37
27	Metalloprotease-mediated cleavage of PlexinD1 and its sequestration to actin rods in the motoneuron disease spinal muscular atrophy (SMA). <i>Human Molecular Genetics</i> , 2017, 26, 3946-3959.	1.4	17
28	ERK and ROCK functionally interact in a signaling network that is compensationally upregulated in Spinal Muscular Atrophy. <i>Neurobiology of Disease</i> , 2017, 108, 352-361.	2.1	19
29	Neuronal Dysfunction in iPSC-Derived Medium Spiny Neurons from Chorea-Acanthocytosis Patients Is Reversed by Src Kinase Inhibition and F-Actin Stabilization. <i>Journal of Neuroscience</i> , 2016, 36, 12027-12043.	1.7	40
30	Fibroblast growth factor 23 signaling in hippocampal cells: impact on neuronal morphology and synaptic density. <i>Journal of Neurochemistry</i> , 2016, 137, 756-769.	2.1	58
31	Increased innervation of forebrain targets by midbrain dopaminergic neurons in the absence of FGF-2. <i>Neuroscience</i> , 2016, 314, 134-144.	1.1	9
32	Coalition of Nuclear Receptors in the Nervous System. <i>Journal of Cellular Physiology</i> , 2015, 230, 2875-2880.	2.0	11
33	Chatting with the neighbors: crosstalk between Rho-kinase (ROCK) and other signaling pathways for treatment of neurological disorders. <i>Frontiers in Neuroscience</i> , 2015, 9, 198.	1.4	52
34	A nuclear odyssey: fibroblast growth factor-2 (FGF-2) as a regulator of nuclear homeostasis in the nervous system. <i>Cellular and Molecular Life Sciences</i> , 2015, 72, 1651-1662.	2.4	17
35	Nuclear basic fibroblast growth factor regulates triple-negative breast cancer chemo-resistance. <i>Breast Cancer Research</i> , 2015, 17, 91.	2.2	26
36	Bilateral crosstalk of rho- and extracellular-signal-regulated-kinase (ERK) pathways is confined to an unidirectional mode in spinal muscular atrophy (SMA). <i>Cellular Signalling</i> , 2014, 26, 540-548.	1.7	41

#	ARTICLE	IF	CITATIONS
37	Immobile survival of motoneuron (SMN) protein stored in Cajal bodies can be mobilized by protein interactions. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 2555-2568.	2.4	9
38	Sorting of the FGF receptor 1 in a human glioma cell line. <i>Histochemistry and Cell Biology</i> , 2013, 139, 135-148.	0.8	16
39	NGF-Induced Cell Differentiation and Gene Activation Is Mediated by Integrative Nuclear FGFR1 Signaling (INFS). <i>PLoS ONE</i> , 2013, 8, e68931.	1.1	22
40	Regulation of Neuronal Differentiation by Proteins Associated with Nuclear Bodies. <i>PLoS ONE</i> , 2013, 8, e82871.	1.1	6
41	Therapeutic Potential of Mesenchymal Stromal Cells and MSC Conditioned Medium in Amyotrophic Lateral Sclerosis (ALS) - In Vitro Evidence from Primary Motor Neuron Cultures, NSC-34 Cells, Astrocytes and Microglia. <i>PLoS ONE</i> , 2013, 8, e72926.	1.1	60
42	Distinct Functional Interactions between Actin Isoforms and Nonsarcomeric Myosins. <i>PLoS ONE</i> , 2013, 8, e70636.	1.1	74
43	Polysialyltransferase overexpression in Schwann cells mediates different effects during peripheral nerve regeneration. <i>Glycobiology</i> , 2012, 22, 107-115.	1.3	17
44	Cooperation of Nuclear Fibroblast Growth Factor Receptor 1 and Nurr1 Offers New Interactive Mechanism in Postmitotic Development of Mesencephalic Dopaminergic Neurons. <i>Journal of Biological Chemistry</i> , 2012, 287, 19827-19840.	1.6	44
45	Analysis of the Fibroblast Growth Factor System Reveals Alterations in a Mouse Model of Spinal Muscular Atrophy. <i>PLoS ONE</i> , 2012, 7, e31202.	1.1	29
46	A novel nuclear FGF Receptor-1 partnership with retinoid and Nur receptors during developmental gene programming of embryonic stem cells. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 2920-2936.	1.2	28
47	PPP4R2 regulates neuronal cell differentiation and survival, functionally cooperating with SMN. <i>European Journal of Cell Biology</i> , 2012, 91, 662-674.	1.6	19
48	Axonopathy Is Associated with Complex Axonal Transport Defects in a Model of Multiple Sclerosis. <i>Brain Pathology</i> , 2012, 22, 454-471.	2.1	35
49	Complement upregulation and activation on motor neurons and neuromuscular junction in the SOD1 G93A mouse model of familial amyotrophic lateral sclerosis. <i>Journal of Neuroimmunology</i> , 2011, 235, 104-109.	1.1	53
50	The spinal muscular atrophy disease protein SMN is linked to the rho-kinase pathway via profilin. <i>Human Molecular Genetics</i> , 2011, 20, 4865-4878.	1.4	120
51	Characterization and differentiation potential of rat ventral mesencephalic neuronal progenitor cells immortalized with SV40 large T antigen. <i>Cell and Tissue Research</i> , 2010, 340, 29-43.	1.5	10
52	Mice lacking basic fibroblast growth factor showed faster sensory recovery. <i>Experimental Neurology</i> , 2010, 223, 166-172.	2.0	16
53	Fibroblast growth factor 2 (FGF-2) is a novel substrate for arginine methylation by PRMT5. <i>Biological Chemistry</i> , 2009, 390, 59-65.	1.2	20
54	Fibroblast growth factor-2 regulates the stability of nuclear bodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12747-12752.	3.3	24

#	ARTICLE	IF	CITATIONS
55	Fibroblast Growth Factor Receptor-1 (FGFR1) Nuclear Dynamics Reveal a Novel Mechanism in Transcription Control. <i>Molecular Biology of the Cell</i> , 2009, 20, 2401-2412.	0.9	65
56	Up-regulation of platelet-derived growth factor by peripheral blood leukocytes during experimental allergic encephalomyelitis. <i>Journal of Neuroscience Research</i> , 2008, 86, 392-402.	1.3	23
57	Expression and regulation of Sef, a novel signaling inhibitor of receptor tyrosine kinases-mediated signaling in the nervous system. <i>Acta Histochemica</i> , 2008, 110, 155-162.	0.9	12
58	Local Production of Secretory IgA in the Eye-Associated Lymphoid Tissue (EALT) of the Normal Human Ocular Surface. , 2008, 49, 2322.		49
59	The spinal muscular atrophy gene product regulates neurite outgrowth: importance of the C terminus. <i>FASEB Journal</i> , 2007, 21, 1492-1502.	0.2	58
60	Chromatin compaction and cell death by high molecular weight FGF-2 depend on its nuclear localization, intracrine ERK activation, and engagement of mitochondria. <i>Journal of Cellular Physiology</i> , 2007, 213, 690-698.	2.0	29
61	In vitro and ex vivo evaluation of second-generation histone deacetylase inhibitors for the treatment of spinal muscular atrophy. <i>Journal of Neurochemistry</i> , 2006, 98, 193-202.	2.1	140
62	Valproic Acid Promotes Neurite Outgrowth in PC12 Cells independent from Regulation of the Survival of Motoneuron Protein. <i>Chemical Biology and Drug Design</i> , 2006, 67, 244-247.	1.5	45
63	FGF-1 and FGF-2 Require the Cytosolic Chaperone Hsp90 for Translocation into the Cytosol and the Cell Nucleus. <i>Journal of Biological Chemistry</i> , 2006, 281, 11405-11412.	1.6	42
64	Rat embryonic motoneurons in long-term co-culture with Schwann cells—a system to investigate motoneuron diseases on a cellular level in vitro. <i>Journal of Neuroscience Methods</i> , 2005, 142, 275-284.	1.3	57
65	Nuclear fibroblast growth factor-2 interacts specifically with splicing factor SF3a66. <i>Biological Chemistry</i> , 2004, 385, 1203-1208.	1.2	18
66	Expression of basic fibroblast growth factor isoforms in postmitotic sympathetic neurons: synthesis, intracellular localization and involvement in karyokinesis. <i>Neuroscience</i> , 2004, 124, 561-572.	1.1	22
67	Fibroblast growth factor-20 promotes the differentiation of Nurr1-overexpressing neural stem cells into tyrosine hydroxylase-positive neurons. <i>Neurobiology of Disease</i> , 2004, 17, 163-170.	2.1	44
68	Expression of the fibroblast growth factor-2 isoforms and the FGF receptor 1 <sup>4</sup> transcripts in the rat model system of Parkinson's disease. <i>Neuroscience Letters</i> , 2004, 360, 117-120.	1.0	33
69	Targeted disruption of the FGF-2 gene affects the response to peripheral nerve injury. <i>Molecular and Cellular Neurosciences</i> , 2004, 25, 444-452.	1.0	41
70	Fibroblast growth factor-223 binds directly to the survival of motoneuron protein and is associated with small nuclear RNAs. <i>Biochemical Journal</i> , 2004, 384, 559-565.	1.7	26
71	Differential Intranuclear Localization of Fibroblast Growth Factor-2 Isoforms and Specific Interaction with the Survival of Motoneuron Protein. <i>Journal of Biological Chemistry</i> , 2003, 278, 479-485.	1.6	97
72	A novel linker histone-like protein is associated with cytoplasmic filaments in <i>Caenorhabditis elegans</i> . <i>Journal of Cell Science</i> , 2002, 115, 2881-2891.	1.2	14

#	ARTICLE	IF	CITATIONS
73	In vitro expression and regulation of ciliary neurotrophic factor and its $\beta$ receptor subunit in neonatal rat olfactory ensheathing cells. <i>Neuroscience Letters</i> , 2001, 306, 165-168.	1.0	65
74	Molecular cloning and developmental expression of rat fibroblast growth factor receptor $\beta$ 3. <i>Histochemistry and Cell Biology</i> , 2001, 115, 147-155.	0.8	24
75	In vivo expression and localization of the fibroblast growth factor system in the intact and lesioned rat peripheral nerve and spinal ganglia. <i>Journal of Comparative Neurology</i> , 2001, 434, 342-357.	0.9	90
76	Distinctive Effects of Rat Fibroblast Growth Factor-2 Isoforms on PC12 and Schwann Cells. <i>Growth Factors</i> , 2001, 19, 175-191.	0.5	27
77	Conformational Changes of DNA Induced by Binding of <i>Chironomus</i> High Mobility Group Protein 1a (cHMG1a). <i>Journal of Biological Chemistry</i> , 1997, 272, 19763-19770.	1.6	61
78	Structural and Functional Consequences of Mutations within the Hydrophobic Cores of the HMG1-Box Domain of the <i>Chironomus</i> High-Mobility-Group Protein 1a. <i>FEBS Journal</i> , 1997, 243, 151-159.	0.2	20
79	High mobility group proteins cHMG 1a, cHMG 1b, and cHMGI are distinctly distributed in chromosomes and differentially expressed during ecdysone dependent cell differentiation. <i>Chromosoma</i> , 1997, 105, 369-379.	1.0	33
80	High mobility group proteins cHMG1a, cHMG1b, and cHMGI are distinctly distributed in chromosomes and differentially expressed during ecdysone dependent cell differentiation. <i>Chromosoma</i> , 1997, 105, 369-379.	1.0	3