


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9014090/publications.pdf Version: 2024-02-01



CVDII FEIDT

#	Article	IF	CITATIONS
1	In Vivo Validation of the Unified BARGE Method to Assess the Bioaccessibility of Arsenic, Antimony, Cadmium, and Lead in Soils. Environmental Science & Technology, 2012, 46, 6252-6260.	4.6	293
2	Detection of Polycyclic Aromatic Hydrocarbon Levels in Milk Collected Near Potential Contamination Sources. Journal of Agricultural and Food Chemistry, 2002, 50, 4640-4642.	2.4	89
3	Multiresidue method to quantify pesticides in fish muscle by QuEChERS-based extraction and LC-MS/MS. Analytical and Bioanalytical Chemistry, 2011, 400, 2185-2193.	1.9	79
4	Multiresidue method for the determination of 13 pesticides in three environmental matrices: water, sediments and fish muscle. Talanta, 2011, 85, 1500-1507.	2.9	71
5	PCDD/F and PCB transfer to milk in goats exposed to a long-term intake of contaminated hay. Chemosphere, 2006, 64, 650-657.	4.2	67
6	Dietary exposure to pesticide residues and associated health risks in infants and young children – Results of the French infant total diet study. Environment International, 2020, 137, 105529.	4.8	65
7	Milk, urine and faeces excretion kinetics in lactating goats after an oral administration of aromatic hydrocarbons. International Dairy Journal, 2002, 12, 1025-1031.	1.5	57
8	Intestinal metabolism of PAH: in vitro demonstration and study of its impact on PAH transfer through the intestinal epithelium. Environmental Research, 2005, 98, 22-32.	3.7	53
9	Accumulation and half-lives of 13 pesticides in muscle tissue of freshwater fishes through food exposure. Chemosphere, 2013, 91, 530-535.	4.2	49
10	Assessment of dietary exposure to bisphenol A in the French population with a special focus on risk characterisation for pregnant French women. Food and Chemical Toxicology, 2014, 72, 90-97.	1.8	49
11	Neurodevelopmental and behavioral toxicity via lactational exposure to the sum of six indicator non-dioxin-like-polychlorinated biphenyls (â~6 NDL-PCBs) in mice. Toxicology, 2012, 299, 44-54.	2.0	48
12	Determination of Phenanthrene and Hydroxyphenanthrenes in Various Biological Matrices at Trace Levels using Gas Chromatography-Mass Spectrometry. Journal of Analytical Toxicology, 2005, 29, 175-181.	1.7	44
13	Organochlorine pesticides and polychlorinated biphenyls in sediments and fish from freshwater cultured fish ponds in different agricultural contexts in north-eastern France. Ecotoxicology and Environmental Safety, 2012, 77, 35-44.	2.9	44
14	Gas Chromatography-Mass Spectrometry Study of Polycyclic Aromatic Hydrocarbons in Grass and Milk from Urban and Rural Farms. European Journal of Mass Spectrometry, 2000, 6, 457-460.	0.5	41
15	Effect of Exposure to Soil-Bound Polycyclic Aromatic Hydrocarbons on Milk Contaminations of Parent Compounds and Their Monohydroxylated Metabolites. Journal of Agricultural and Food Chemistry, 2006, 54, 263-268.	2.4	40
16	French infant total diet study: Dietary exposure to heat-induced compounds (acrylamide, furan and) Tj ETQqO 0 0 130, 308-316.) rgBT /Ov 1.8	erlock 10 Tf 34
17	Relative bioavailability to laying hens of indicator polychlorobiphenyls present in soil. Chemosphere, 2012, 88, 300-306.	4.2	33

¹⁸Portal absorption of 14C after ingestion of spiked milk with 14C-phenanthrene, 14C-benzo[a]pyrene or
14C-TCDD in growing pigs. Chemosphere, 2002, 48, 843-848.4.232

Cyril Feidt

#	Article	IF	CITATIONS
19	Relative bioavailability of soil-bound polycyclic aromatic hydrocarbons in goats. Chemosphere, 2009, 77, 115-122.	4.2	30
20	Pesticide pressure and fish farming in barrage pond in Northeastern France. Part II: residues of 13 pesticides in water, sediments, edible fish and their relationships. Environmental Science and Pollution Research, 2013, 20, 117-125.	2.7	30
21	Exposure of ruminants to persistent organic pollutants and potential of decontamination. Environmental Science and Pollution Research, 2014, 21, 6440-6447.	2.7	29
22	Polychlorinated Biphenyl and Low Polybrominated Diphenyl Ether Transfer to Milk in Lactating Goats Chronically Exposed to Contaminated Soil. Environmental Science & Technology, 2010, 44, 2682-2688.	4.6	28
23	Occurrence of pesticides and their transformation products in headwater streams: Contamination status and effect of ponds on contaminant concentrations. Science of the Total Environment, 2021, 788, 147715.	3.9	28
24	Kinetic study of Î ³ -hexabromocyclododecane orally given to laying hens (Gallus domesticus). Environmental Science and Pollution Research, 2012, 19, 440-447.	2.7	27
25	Toxicokinetics of chlordecone in goats: Implications for risk management in French West Indies. Chemosphere, 2017, 171, 564-570.	4.2	27
26	Effect of oral exposure to polycyclic aromatic hydrocarbons on goat's milk contamination. Agronomy for Sustainable Development, 2006, 26, 195-199.	2.2	27
27	Milkâ^'Blood Transfer of14C-Tagged Polycyclic Aromatic Hydrocarbons (PAHs) in Pigs. Journal of Agricultural and Food Chemistry, 2001, 49, 2493-2496.	2.4	25
28	Modelling Pb bioaccessibility in soils contaminated by mining and smelting activities. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2010, 45, 1264-1274.	0.9	25
29	Pesticide pressure and fish farming in barrage pond in Northeastern France Part I: site characterization and water quality. Environmental Science and Pollution Research, 2012, 19, 2802-2812.	2.7	25
30	Development and validation of an HPLC-MS/MS method with QuEChERS extraction using isotopic dilution to simultaneously analyze chlordecone and chlordecol in animal livers. Food Chemistry, 2018, 252, 147-153.	4.2	25
31	Biochar and activated carbons preparation from invasive algae Sargassum spp. for Chlordecone availability reduction in contaminated soils. Journal of Environmental Chemical Engineering, 2021, 9, 105280.	3.3	25
32	Interfacial Approach to Polyaromatic Hydrocarbon Toxicity: Phosphoglyceride and Cholesterol Monolayer Response to Phenantrene, Anthracene, Pyrene, Chrysene, and Benzo[a]pyrene. Journal of Physical Chemistry B, 2008, 112, 13518-13531.	1.2	24
33	Kinetic study of chlordecone orally given to laying hens (Gallus domesticus). Chemosphere, 2014, 114, 275-281.	4.2	24
34	Human health risks related to the consumption of foodstuffs of plant and animal origin produced on a site polluted by chemical munitions of the First World War. Science of the Total Environment, 2017, 599-600, 314-323.	3.9	23
35	Cattle exposure to chlordecone through soil intake. The case-study of tropical grazing practices in the French West Indies. Science of the Total Environment, 2019, 668, 161-170.	3.9	23
36	Deposition of platinum group elements and polycyclic aromatic hydrocarbons on ryegrass exposed to vehicular traffic. Agronomy for Sustainable Development, 2007, 27, 261-266.	2.2	22

CYRIL FEIDT

#	Article	IF	CITATIONS
37	Transfer kinetics to egg yolk and modeling residue recovered in yolk of readily metabolized molecules: Polycyclic aromatic hydrocarbons orally administered to laying hens. Chemosphere, 2010, 78, 1004-1010.	4.2	22
38	Tissue Uptake, Distribution, and Elimination of Perfluoroalkyl Substances in Juvenile Perch through Perfluorooctane Sulfonamidoethanol Based Phosphate Diester Dietary Exposure. Environmental Science & Technology, 2017, 51, 7658-7666.	4.6	22
39	1-Hydroxypyrene in Milk and Urine as a Bioindicator of Polycyclic Aromatic Hydrocarbon Exposure of Ruminants. Journal of Agricultural and Food Chemistry, 2008, 56, 1780-1786.	2.4	21
40	Bioavailability of Polycyclic Aromatic Hydrocarbons (PAHs) from Soil and Hay Matrices in Lactating Goats. Journal of Agricultural and Food Chemistry, 2009, 57, 5352-5357.	2.4	21
41	Intestinal absorption of 14C from 14C-phenanthrene, 14C-benzo[a]pyrene and 14C-tetrachlorodibenzo-para-dioxin: approaches with the Caco-2 cell line and with portal absorption measurements in growing pigs. Reproduction, Nutrition, Development, 2003, 43, 145-154.	1.9	20
42	Use of Volatile Compound Metabolic Signatures in Poultry Liver to Back-Trace Dietary Exposure to Rapidly Metabolized Xenobiotics. Environmental Science & Technology, 2011, 45, 6584-6591.	4.6	20
43	Relative bioavailability of tropical volcanic soil-bound chlordecone in laying hens (Gallus) Tj ETQq1 1 0.784314 r	gBT_/Over 2.7	lock 10 Tf 50
44	Potential of barrage fish ponds for the mitigation of pesticide pollution in streams. Environmental Science and Pollution Research, 2016, 23, 23-35.	2.7	20
45	Relative Bioavailability of Tropical Volcanic Soil-Bound Chlordecone in Piglets. Journal of Agricultural and Food Chemistry, 2013, 61, 9269-9274.	2.4	19
46	Effects of condensed organic matter on PCBs bioavailability in juvenile swine, an animal model for young children. Chemosphere, 2014, 104, 105-112.	4.2	19
47	Barrage fishponds: Reduction of pesticide concentration peaks and associated risk of adverse ecological effects in headwater streams. Journal of Environmental Management, 2016, 169, 261-271.	3.8	19
48	Reduction of chlordecone environmental availability by soil amendment of biochars and activated carbons from lignocellulosic biomass. Environmental Science and Pollution Research, 2020, 27, 41093-41104.	2.7	19
49	Chlordecone disappearance in tissues of growing goats after a one month decontamination period—effect of body fatness on chlordecone retention. Environmental Science and Pollution Research, 2016, 23, 3176-3183.	2.7	17
50	Impacts of artisanal gold mining on soil, water and plant contamination by trace elements at Komabangou, Western Niger. Journal of Geochemical Exploration, 2019, 205, 106328.	1.5	17
51	Relative bioavailability of soil-bound polychlorinated biphenyls in lactating goats. Journal of Dairy Science, 2013, 96, 3916-3923.	1.4	15
52	Modeling PCB transfer into hen eggs: Influence of physiological characteristics of the animal. Environmental Toxicology and Chemistry, 2015, 34, 173-183.	2.2	15
53	Platinum and Palladium transfer to milk, organs and tissues after a single oral administration to lactating goats. Chemosphere, 2007, 68, 712-715.	4.2	14
54	Distribution of pesticides and some of their transformation products in a small lentic waterbody: Fish, water, and sediment contamination in an agricultural watershed. Environmental Pollution, 2022, 292, 118403.	3.7	14

CYRIL FEIDT

#	Article	IF	CITATIONS
55	Polychlorinated Biphenyl (PCB) Decontamination Kinetics in Lactating Goats (Capra hircus) Following a Contaminated Corn Silage Exposure. Journal of Agricultural and Food Chemistry, 2013, 61, 7156-7164.	2.4	13
56	Dietary exposure to perfluoroalkyl acids, brominated flame retardants and health risk assessment in the French infant total diet study. Food and Chemical Toxicology, 2019, 131, 110561.	1.8	13
57	Inhibitory Action of Benzo[α]pyrene on Hepatic Lipoprotein Receptors In Vitro and on Liver Lipid Homeostasis in Mice. PLoS ONE, 2014, 9, e102991.	1.1	12
58	Impact of soil characteristics on relative bioavailability of NDL-PCBs in piglets. Chemosphere, 2015, 139, 393-401.	4.2	12
59	IN VITRO INTESTINAL TRANSFER AND METABOLISM OF POLYCYCLIC AROMATIC HYDROCARBONS. Polycyclic Aromatic Compounds, 2004, 24, 513-525.	1.4	11
60	Oral Bioavailability. , 2011, , 287-324.		11
61	Effects of Standard Humic Materials on Relative Bioavailability of NDL-PCBs in Juvenile Swine. PLoS ONE, 2014, 9, e115759.	1.1	11
62	Differential Transfer of Organic Micropollutants through Intestinal Barrier Using Caco-2 Cell Line. Journal of Agricultural and Food Chemistry, 2005, 53, 2773-2777.	2.4	10
63	Pesticide pressure and fish farming in barrage pond in northeastern France. Part III: how management can affect pesticide profiles in edible fish?. Environmental Science and Pollution Research, 2013, 20, 126-135.	2.7	10
64	Validation of analytical methods for chlordecone and its metabolites in the urine and feces of ewes. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1093-1094, 66-76.	1.2	10
65	Activated carbon, a useful medium to bind chlordecone in soil and limit its transfer to growing goat kids. PLoS ONE, 2017, 12, e0179548.	1.1	10
66	Tissue distribution and bioconcentration factors of PCDD/Fs in the liver and adipose tissue following chronic ingestion of contaminated milk in rats. Chemosphere, 2005, 60, 929-938.	4.2	8
67	Polycyclic aromatic hydrocarbons and hydroxylated metabolites in the muscle tissue of Eurasian perch (Perca fluviatilis) through dietary exposure during a 56-day period. Chemosphere, 2011, 84, 1489-1494.	4.2	7
68	Evaluation of two contrasted activated carbon-based sequestration strategies to reduce soil-bound chlordecone bioavailability in piglets. Environmental Science and Pollution Research, 2020, 27, 41023-41032.	2.7	7
69	Dynamics of soil ingestion by growing bulls during grazing on a high sward height in the French West Indies. Scientific Reports, 2020, 10, 17231.	1.6	7
70	Characterization and quantification of chlordecone elimination in ewes. Environmental Toxicology and Pharmacology, 2021, 87, 103698.	2.0	7
71	Dairy Livestock Exposure to Persistent Organic Pollutants and Their Transfer to Milk: A Review. , 2008, , 63-83.		7
72	Integrating Selection and Risk Assessment of Chemical Mixtures: A Novel Approach Applied to a Breast Milk Survey. Environmental Health Perspectives, 2022, 130, 35001.	2.8	7

CYRIL FEIDT

#	Article	IF	CITATIONS
73	Le transfert des micropolluants organiques dans la chaîne alimentaire Etat et perspectives de recherche. Oleagineux Corps Gras Lipides, 2000, 7, 431-435.	0.2	6
74	Evaluation of small dairy ruminant exposure to polycylic aromatic hydrocarbons: A biomarker approach. Small Ruminant Research, 2010, 91, 141-152.	0.6	6
75	Bioavailability and bioaccumulation of sedimentâ€bound polychlorinated biphenyls to carp. Environmental Toxicology and Chemistry, 2014, 33, 1324-1330.	2.2	6
76	Evaluation of serum markers of blood redox homeostasis and inflammation in PCB naturally contaminated heifers undergoing decontamination. Science of the Total Environment, 2016, 542, 653-664.	3.9	6
77	Comparison of chlordecone and NDL-PCB decontamination dynamics in growing male kids after cessation of oral exposure: Is there a potential to decrease the body levels of these pollutants by dietary supplementation of activated carbon or paraffin oil?. Chemosphere, 2018, 193, 100-107.	4.2	4
78	A Bayesian network approach for the identification of relationships between drivers of chlordecone bioaccumulation in plants. Environmental Science and Pollution Research, 2020, 27, 41046-41051.	2.7	4
79	Control of poultry contamination in chlordecone-contaminated areas of the French West Indies. Environmental Science and Pollution Research, 2020, 27, 41117-41121.	2.7	4
80	Ruminal disappearance of PAHs in contaminated grass using the nylon bag technique. Agronomy for Sustainable Development, 2010, 30, 769-775.	2.2	3
81	In vitro and in vivo assessment of a CLD sequestration strategy in Nitisol using contrasted carbonaceous materials. Environmental Geochemistry and Health, 2022, 44, 1911-1920.	1.8	3
82	Organochlorine POPs sequestration strategy by carbonaceous amendments of contaminated soils: Toward a better understanding of the transfer reduction to laying hens. Journal of Hazardous Materials, 2022, 434, 128871.	6.5	3
83	Ingestion of Soil by Grazing Sport Horses. Animals, 2021, 11, 2109.	1.0	2
84	Characterization of chlordecone distribution and elimination in ewes during daily exposure and depuration. Chemosphere, 2021, 277, 130340.	4.2	2
85	Les poulaillers familiaux urbainsÂ: opportunités et limites de la convergence des usages dans un contexte interdisciplinaire de transition écologique. VertigO: La Revue Electronique En Sciences De L'environnement, 2018, , .	0.0	2
86	Assessment of an NDL-PCBs Sequestration Strategy in Soil Using Contrasted Carbonaceous Materials through In Vitro and Cucurbita pepo Assays. Applied Sciences (Switzerland), 2022, 12, 3921.	1.3	2
87	Polychlorobiphenyls in freshwater fish: a new strategy to set maximum contamination limits. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2017, 34, 241-247.	1.1	1
88	Linear toxicokinetic of chlordecone in ewe's serum. Environmental Science and Pollution Research, 2020, 27, 40963-40970.	2.7	1
89	Portal absorption of 15N and amino nitrogen in the growing pig after ingestion of labelled milk, yogurt or heat-treated yogurt. Reproduction, Nutrition, Development, 2001, 41, 153-162.	1.9	0
90	Barrage fishponds, a funnel effect for metal contaminants on headwater streams. Environmental Science and Pollution Research, 2020, 27, 6228-6238.	2.7	0