
Tobias Schuerholz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9014781/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Anti-Infective and Anti-Inflammatory Mode of Action of Peptide 19-2.5. International Journal of Molecular Sciences, 2021, 22, 1465.	4.1	8
2	Ribonuclease 1 attenuates septic cardiomyopathy and cardiac apoptosis in a murine model of polymicrobial sepsis. JCI Insight, 2020, 5, .	5.0	34
3	Effects of the Non-Neutralizing Humanized Monoclonal Anti-Adrenomedullin Antibody Adrecizumab on Hemodynamic and Renal Injury in a Porcine Two-Hit Model. Shock, 2020, 54, 810-818.	2.1	6
4	Impact of a new balanced gelatine on electrolytes and pH in the perioperative care. PLoS ONE, 2019, 14, e0213057.	2.5	4
5	The Septic Heart. Chest, 2019, 155, 427-437.	0.8	195
6	Novel Synthetic, Host-defense Peptide Protects Against Organ Injury/Dysfunction in a Rat Model of Severe Hemorrhagic Shock. Annals of Surgery, 2018, 268, 348-356.	4.2	18
7	Heparan Sulfate Induces Necroptosis in Murine Cardiomyocytes: A Medical-In silico Approach Combining In vitro Experiments and Machine Learning. Frontiers in Immunology, 2018, 9, 393.	4.8	8
8	Urine neutrophil gelatinase–associated lipocalin predicts outcome and renal failure in open and endovascular thoracic abdominal aortic aneurysm surgery. Scientific Reports, 2018, 8, 12676.	3.3	10
9	Plasma adrenomedullin in critically ill patients with sepsis after major surgery: A pilot study. Journal of Critical Care, 2017, 38, 68-72.	2.2	25
10	Coupling killing to neutralization: combined therapy with ceftriaxone/Pep19-2.5 counteracts sepsis in rabbits. Experimental and Molecular Medicine, 2017, 49, e345-e345.	7.7	17
11	The Î ² -d-Endoglucuronidase Heparanase Is a Danger Molecule That Drives Systemic Inflammation and Correlates with Clinical Course after Open and Endovascular Thoracoabdominal Aortic Aneurysm Repair: Lessons Learnt from Mice and Men. Frontiers in Immunology, 2017, 8, 681.	4.8	13
12	Persistent low serum zinc is associated with recurrent sepsis in critically ill patients - A pilot study. PLoS ONE, 2017, 12, e0176069.	2.5	51
13	Organ-specific effects on inflammation and apoptosis of recombinant human activated protein C in a murine model of sepsis. European Journal of Inflammation, 2017, 15, 66-77.	0.5	0
14	The Human Host Defense Ribonucleases 1, 3 and 7 Are Elevated in Patients with Sepsis after Major Surgery—A Pilot Study. International Journal of Molecular Sciences, 2016, 17, 294.	4.1	20
15	The Endothelial Glycocalyx: New Diagnostic and Therapeutic Approaches in Sepsis. BioMed Research International, 2016, 2016, 1-8.	1.9	82
16	The Ribonuclease A Superfamily in Humans: Canonical RNases as the Buttress of Innate Immunity. International Journal of Molecular Sciences, 2016, 17, 1278.	4.1	125
17	The synthetic antimicrobial peptide 19-2.5 attenuates septic cardiomyopathy and prevents down-regulation of SERCA2 in polymicrobial sepsis. Scientific Reports, 2016, 6, 37277.	3.3	29
18	Effect of Hydrocortisone on Development of Shock Among Patients With Severe Sepsis. JAMA - Journal of the American Medical Association, 2016, 316, 1775.	7.4	197

TOBIAS SCHUERHOLZ

#	Article	IF	CITATIONS
19	The synthetic antimicrobial peptide 19-2.5 attenuates mitochondrial dysfunction in cardiomyocytes stimulated with human sepsis serum. Innate Immunity, 2016, 22, 612-619.	2.4	10
20	Impact of age on the clinical outcomes of major trauma. European Journal of Trauma and Emergency Surgery, 2016, 42, 317-332.	1.7	44
21	Soluble Heparan Sulfate in Serum of Septic Shock Patients Induces Mitochondrial Dysfunction in Murine Cardiomyocytes. Shock, 2015, 44, 569-577.	2.1	32
22	Antimicrobial Peptides in Human Sepsis. Frontiers in Immunology, 2015, 6, 404.	4.8	85
23	The Synthetic Antimicrobial Peptide 19-2.5 Interacts with Heparanase and Heparan Sulfate in Murine and Human Sepsis. PLoS ONE, 2015, 10, e0143583.	2.5	39
24	Preserved Expression of mRNA Coding von Willebrand Factor-Cleaving Protease ADAMTS13 by Selenite and Activated Protein C. Molecular Medicine, 2015, 21, 355-363.	4.4	5
25	Alterations in zinc binding capacity, free zinc levels and total serum zinc in a porcine model of sepsis. BioMetals, 2015, 28, 693-700.	4.1	28
26	Peptide 19-2.5 Inhibits Heparan Sulfate-Triggered Inflammation in Murine Cardiomyocytes Stimulated with Human Sepsis Serum. PLoS ONE, 2015, 10, e0127584.	2.5	31
27	The anti-inflammatory effect of the synthetic antimicrobial peptide 19-2.5 in a murine sepsis model: a prospective randomized study. Critical Care, 2013, 17, R3.	5.8	41
28	Bacterial Cell Wall Compounds as Promising Targets of Antimicrobial Agents II. Immunological and Clinical Aspects. Current Drug Targets, 2012, 13, 1131-1137.	2.1	10
29	Impairment of renal function using hyperoncotic colloids in a two hit model of shock: a prospective randomized study. Critical Care, 2012, 16, R16.	5.8	21
30	Antimicrobial peptides and their potential application in inflammation and sepsis. Critical Care, 2012, 16, 207.	5.8	71
31	Fluid-induced coagulopathy: does the type of fluid make a difference?. Critical Care, 2010, 14, 118.	5.8	15
32	Hydroxyethylstarch impairs renal function and induces interstitial proliferation, macrophage infiltration and tubular damage in an isolated renal perfusion model. Critical Care, 2009, 13, R23.	5.8	101
33	Effects of pharmacological intervention on coagulopathy and organ function in xenoperfused kidneys. Xenotransplantation, 2008, 15, 46-55.	2.8	23
34	Dextran-70 to modulate inflammatory response after cardiopulmonary bypass: potential for a novel approach?. Critical Care, 2007, 11, 163.	5.8	4
35	Effect of Drotrecogin alfa (activated) on platelet receptor expressionin vitro. Platelets, 2007, 18, 373-378.	2.3	2
36	Hydrocortisone does not affect major platelet receptors in inflammation in vitro. Steroids, 2007, 72, 609-613.	1.8	19

TOBIAS SCHUERHOLZ

#	Article	IF	CITATIONS
37	Ex vivo microvesicle formation after prolonged ischemia in renal transplantation. Thrombosis Research, 2007, 120, 231-236.	1.7	5
38	EARLY- VERSUS LATE-ONSET SHOCK IN EUROPEAN INTENSIVE CARE UNITS. Shock, 2007, 28, 636-643.	2.1	33
39	Title is missing!. Critical Care, 2006, 10, P174.	5.8	0
40	Blood volume measurements using an integrated fiberoptic monitoring system in a porcine septic shock model. Critical Care Medicine, 2006, 34, 1483-1488.	0.9	5
41	Pulse-contour-derived cardiac output is unreliable in septic shock: authors' reply. Acta Anaesthesiologica Scandinavica, 2006, 50, 1169-1170.	1.6	2
42	Hemodynamic changes during acute elevation of intra-abdominal pressure in rabbits. Paediatric Anaesthesia, 2006, 16, 1262-1267.	1.1	20
43	Comparison of cardiac output measurements by arterial trans-cardiopulmonary and pulmonary arterial thermodilution with direct Fick in septic shock. European Journal of Anaesthesiology, 2005, 22, 129-134.	1.7	19
44	Cardiac Output Measurement by Arterial Thermodilution in Piglets. Anesthesia and Analgesia, 2000, 90, 57-58.	2.2	16