

Zhang-Run Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9016635/publications.pdf>

Version: 2024-02-01

74
papers

1,971
citations

218677

26
h-index

289244

40
g-index

75
all docs

75
docs citations

75
times ranked

2454
citing authors

#	ARTICLE	IF	CITATIONS
1	In situ monitoring PUVa therapy by using a cell-array chip-based SERS platform. <i>Analytica Chimica Acta</i> , 2022, 1189, 339224.	5.4	2
2	Plasmonic photothermal biosensor for visual detection of tyrosinase and dopamine based on manganese dioxide nanosheets-mediated etching of gold nanorods. <i>Sensors and Actuators B: Chemical</i> , 2022, 353, 131139.	7.8	12
3	Advances in droplet microfluidics for SERS and Raman analysis. <i>Biosensors and Bioelectronics</i> , 2022, 198, 113822.	10.1	25
4	Near-infrared vinyl-containing aza-BODIPY nanoparticles as photosensitizer for phototherapy. <i>Dyes and Pigments</i> , 2022, 198, 110026.	3.7	11
5	DNA-Engineered iron-based metal-organic framework bio-interface for rapid visual determination of exosomes. <i>Journal of Colloid and Interface Science</i> , 2022, 612, 424-433.	9.4	16
6	Near-infrared absorbing aza-BODIPYs with 1,7-di- <i>tert</i> -butyl groups by low-barrier rotation for photothermal application. <i>Materials Advances</i> , 2022, 3, 1254-1262.	5.4	9
7	<i>In situ</i> SERS monitoring of intracellular H ₂ O ₂ in single living cells based on label-free bifunctional Fe ₃ O ₄ @Ag nanoparticles. <i>Analyst</i> , The, 2022, 147, 1815-1823.	3.5	9
8	Near-infrared upper phenyl-fused BODIPY as a photosensitizer for photothermal-photodynamic therapy. <i>Journal of Materials Chemistry B</i> , 2022, 10, 3048-3054.	5.8	14
9	A nanohybrid of Prussian blue supported by boracic acid-modified g-C ₃ N ₄ for Raman recognition of cell surface sialic acid and photothermal/photodynamic therapy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2022, 215, 112490.	5.0	11
10	A biochip based on shell-isolated Au@MnO ₂ nanoparticle array-enhanced fluorescence effect for simple and sensitive exosome assay. <i>Biosensors and Bioelectronics</i> , 2022, 216, 114373.	10.1	6
11	Enhanced chemodynamic therapy at weak acidic pH based on g-C ₃ N ₄ -supported hemin/Au nanoplatform and cell apoptosis monitoring during treatment. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 197, 111437.	5.0	19
12	A polydopamine-coated mesoporous nanocomposite with robust affinity to horseradish peroxidase based on catecholic adhesion. <i>Colloids and Interface Science Communications</i> , 2021, 40, 100340.	4.1	9
13	Label-free detection of exosomes based on ssDNA-modulated oxidase-mimicking activity of CuCo ₂ O ₄ nanorods. <i>Analytica Chimica Acta</i> , 2021, 1145, 9-16.	5.4	28
14	A review on sensing mechanisms and strategies for telomerase activity detection. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 134, 116115.	11.4	14
15	A digital microfluidic platform based on a near-infrared light-responsive shape-memory micropillar array. <i>Lab on A Chip</i> , 2021, 21, 1131-1138.	6.0	12
16	Alkaline phosphatase-regulated in situ formation of chromogenic probes for multicolor visual sensing of biomarkers. <i>Talanta</i> , 2021, 228, 122222.	5.5	13
17	Two-Dimensional Cytometry Platform for Single-Particle/Cell Analysis with Laser-Induced Fluorescence and ICP-MS. <i>Analytical Chemistry</i> , 2021, 93, 8203-8209.	6.5	18
18	Structural modulation of heterometallic metal-organic framework via a facile metal-ion-assisted surface etching and structural transformation. <i>Journal of Molecular Liquids</i> , 2021, 334, 116073.	4.9	4

#	ARTICLE	IF	CITATIONS
19	ICP-MS and Photothermal Dual-Readout Assay for Ultrasensitive and Point-of-Care Detection of Pancreatic Cancer Exosomes. <i>Analytical Chemistry</i> , 2021, 93, 11540-11546.	6.5	25
20	High sensitivity and non-background SERS detection of endogenous hydrogen sulfide in living cells using core-shell nanoparticles. <i>Analytica Chimica Acta</i> , 2020, 1094, 106-112.	5.4	28
21	Preparation of encoded bar-like core-shell microparticles on a microfluidic chip. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 588, 124373.	4.7	5
22	Controlled formation of porous CuCo ₂ O ₄ nanorods with enhanced oxidase and catalase catalytic activities using bimetal-organic frameworks as templates. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 188, 110764.	5.0	26
23	Accurate quantitative detection of cell surface sialic acids with a background-free SERS probe. <i>Talanta</i> , 2020, 209, 120579.	5.5	16
24	Visual detection of acid phosphatase based on hollow mesoporous manganese dioxide nanospheres. <i>Analytica Chimica Acta</i> , 2020, 1138, 1-8.	5.4	11
25	A Chiral-Label-Free SERS Strategy for the Synchronous Chiral Discrimination and Identification of Small Aromatic Molecules. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19079-19086.	13.8	40
26	A Chiral-Label-Free SERS Strategy for the Synchronous Chiral Discrimination and Identification of Small Aromatic Molecules. <i>Angewandte Chemie</i> , 2020, 132, 19241-19248.	2.0	7
27	Plasmonic Colorimetric Biosensor for Sensitive Exosome Detection via Enzyme-Induced Etching of Gold Nanobipyramid@MnO ₂ Nanosheet Nanostructures. <i>Analytical Chemistry</i> , 2020, 92, 15244-15252.	6.5	69
28	Innentitelbild: A Chiral-Label-Free SERS Strategy for the Synchronous Chiral Discrimination and Identification of Small Aromatic Molecules (<i>Angew. Chem.</i> 43/2020). <i>Angewandte Chemie</i> , 2020, 132, 18982-18982.	2.0	0
29	A pH-responsive colorimetric detection of human telomerase RNA based on a three-dimensional DNA amplifier. <i>Analytica Chimica Acta</i> , 2020, 1111, 67-74.	5.4	14
30	Inertial-Force-Assisted, High-Throughput, Droplet-Free, Single-Cell Sampling Coupled with ICP-MS for Real-Time Cell Analysis. <i>Analytical Chemistry</i> , 2020, 92, 6604-6612.	6.5	36
31	Colloidal photonic crystal array chip based on nanoparticle self-assembly on patterned hydrophobic surface for signal-enhanced fluorescent assay of adenosine. <i>Mikrochimica Acta</i> , 2020, 187, 194.	5.0	12
32	A multicolor-SERS dual-mode pH sensor based on smart nano-in-micro particles. <i>Sensors and Actuators B: Chemical</i> , 2020, 310, 127889.	7.8	20
33	SERS monitoring of the Fenton degradation reaction based on microfluidic droplets and alginate microparticles. <i>Analyst</i> , 2019, 144, 5882-5889.	3.5	17
34	Droplet-based microfluidic synthesis of (Au nanorod@Ag)-polyaniline Janus nanoparticles and their application as a surface-enhanced Raman scattering nanosensor for mercury detection. <i>Analytical Methods</i> , 2019, 11, 3966-3973.	2.7	30
35	A chiral signal-amplified sensor for enantioselective discrimination of amino acids based on charge transfer-induced SERS. <i>Chemical Communications</i> , 2019, 55, 9697-9700.	4.1	29
36	Simultaneous quantitative detection of multiple tumor markers in microfluidic nanoliter-volume droplets. <i>Talanta</i> , 2019, 205, 120096.	5.5	22

#	ARTICLE	IF	CITATIONS
37	A Spiral-Helix (3D) Tubing Array That Ensures Ultrahigh-Throughput Single-Cell Sampling. <i>Analytical Chemistry</i> , 2019, 91, 15826-15832.	6.5	31
38	Microfluidic preparation of polymer-lipid Janus microparticles with staged drug release property. <i>Journal of Colloid and Interface Science</i> , 2019, 553, 631-638.	9.4	36
39	Plasmonic colorimetric biosensor for visual detection of telomerase activity based on horseradish peroxidase-encapsulated liposomes and etching of Au nanobipyramids. <i>Sensors and Actuators B: Chemical</i> , 2019, 296, 126646.	7.8	32
40	Multicolor and photothermal dual-readout biosensor for visual detection of prostate specific antigen. <i>Biosensors and Bioelectronics</i> , 2019, 140, 111345.	10.1	68
41	Effect of TiO ₂ on Altering Direction of Interfacial Charge Transfer in a TiO ₂ -Ag@MPY-FePc System by SERS. <i>Angewandte Chemie</i> , 2019, 131, 8256-8260.	2.0	12
42	Effect of TiO ₂ on Altering Direction of Interfacial Charge Transfer in a TiO ₂ -Ag@MPY-FePc System by SERS. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 8172-8176.	13.8	66
43	Sensitive Multicolor Visual Detection of Exosomes via Dual Signal Amplification Strategy of Enzyme-Catalyzed Metallization of Au Nanorods and Hybridization Chain Reaction. <i>ACS Sensors</i> , 2019, 4, 3210-3218.	7.8	87
44	Highly reproducible and fast detection of 6-thioguanine in human serum using a droplet-based microfluidic SERS system. <i>Sensors and Actuators B: Chemical</i> , 2019, 283, 532-537.	7.8	36
45	Pd nanoparticle-decorated hydroxy boron nitride nanosheets as a novel drug carrier for chemo-photothermal therapy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 176, 300-308.	5.0	32
46	Reduced graphene oxide aerogel with packaged TiO ₂ nanoparticles as a promising adsorbent for the separation of DNA from human whole blood. <i>Separation Science Plus</i> , 2018, 1, 217-224.	0.6	4
47	One-step synthesis of bifunctional PEGDA/TiO ₂ composite film by photopolymerization for the removal of Congo red. <i>Applied Surface Science</i> , 2018, 445, 437-444.	6.1	17
48	A SERS substrate of mesoporous g-C ₃ N ₄ embedded with in situ grown gold nanoparticles for sensitive detection of 6-thioguanine. <i>Sensors and Actuators B: Chemical</i> , 2018, 260, 400-407.	7.8	40
49	High-Throughput/High-Precision Sampling of Single Cells into ICP-MS for Elucidating Cellular Nanoparticles. <i>Analytical Chemistry</i> , 2018, 90, 14543-14550.	6.5	41
50	Sensitive multicolor visual detection of telomerase activity based on catalytic hairpin assembly and etching of Au nanorods. <i>Biosensors and Bioelectronics</i> , 2018, 122, 247-253.	10.1	84
51	Three-dimensional poly(lactic-co-glycolic acid)/silica colloidal crystal microparticles for sustained drug release and visualized monitoring. <i>Journal of Colloid and Interface Science</i> , 2018, 530, 465-472.	9.4	15
52	Microparticles with size/charge selectivity and pH response for SERS monitoring of 6-thioguanine in blood serum. <i>Sensors and Actuators B: Chemical</i> , 2018, 273, 1539-1547.	7.8	23
53	NiO Nanoparticles for Exceptionally Stable DNA Adsorption and Its Extraction from Biological Fluids. <i>Langmuir</i> , 2018, 34, 9314-9321.	3.5	20
54	In situ self-assembled reduced graphene oxide aerogel embedded with nickel oxide nanoparticles for the high-efficiency separation of ovalbumin. <i>Journal of Separation Science</i> , 2017, 40, 1765-1772.	2.5	8

#	ARTICLE	IF	CITATIONS
55	Boron nitride nanosheet/CuS nanocomposites as mimetic peroxidase for sensitive colorimetric detection of cholesterol. <i>Sensors and Actuators B: Chemical</i> , 2017, 246, 118-126.	7.8	96
56	Multitarget sensing of glucose and cholesterol based on Janus hydrogel microparticles. <i>Biosensors and Bioelectronics</i> , 2017, 92, 81-86.	10.1	41
57	SERS-Fluorescence Dual-Mode pH-Sensing Method Based on Janus Microparticles. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 39699-39707.	8.0	58
58	A superposable double-gradient droplet array chip for preparation of PEGDA microspheres containing concentration-gradient drugs. <i>Microfluidics and Nanofluidics</i> , 2017, 21, 1.	2.2	2
59	A three-dimensional nickel-doped reduced graphene oxide composite for selective separation of hemoglobin with a high adsorption capacity. <i>RSC Advances</i> , 2016, 6, 56278-56286.	3.6	13
60	On-chip preparation of calcium alginate particles based on droplet templates formed by using a centrifugal microfluidic technique. <i>Journal of Colloid and Interface Science</i> , 2016, 466, 20-27.	9.4	30
61	Generation of two-dimensional concentration-gradient droplet arrays on a two-layer chip for screening of protein crystallization conditions. <i>Microfluidics and Nanofluidics</i> , 2015, 18, 493-501.	2.2	11
62	Microfluidic fabrication of multifunctional particles and their analytical applications. <i>Talanta</i> , 2014, 121, 163-177.	5.5	45
63	A pneumatic micromixer facilitating fluid mixing at a wide range flow rate for the preparation of quantum dots. <i>Science China Chemistry</i> , 2013, 56, 799-805.	8.2	14
64	A microfluidic concentration-gradient droplet array generator for the production of multi-color nanoparticles. <i>Lab on A Chip</i> , 2013, 13, 2815.	6.0	33
65	A radial microfluidic concentration gradient generator with high-density channels for cell apoptosis assay. <i>Lab on A Chip</i> , 2011, 11, 3305.	6.0	70
66	Fast DNA hybridization on a microfluidic mixing device based on pneumatic driving. <i>Talanta</i> , 2011, 84, 565-571.	5.5	22
67	An extrusion fluidic driving method for continuous-flow polymerase chain reaction on a microfluidic chip. <i>Mikrochimica Acta</i> , 2010, 168, 71-78.	5.0	15
68	A miniaturized spatial temperature gradient capillary electrophoresis system with radiative heating and automated sample introduction for DNA mutation detection. <i>Electrophoresis</i> , 2010, 31, 3137-3143.	2.4	6
69	Manipulation of droplets in microfluidic systems. <i>TrAC - Trends in Analytical Chemistry</i> , 2010, 29, 141-157.	11.4	124
70	Automated sampling system for the analysis of amino acids using microfluidic capillary electrophoresis. <i>Talanta</i> , 2009, 78, 448-452.	5.5	11
71	High-throughput analysis of DNA fragments using a miniaturized CE system combined with a slotted-vial array sample introduction system. <i>Electrophoresis</i> , 2008, 29, 4733-4738.	2.4	12
72	DNA mutation detection with chip-based temperature gradient capillary electrophoresis using a slantwise radiative heating system. <i>Lab on A Chip</i> , 2007, 7, 1162.	6.0	28

#	ARTICLE	IF	CITATIONS
73	DNA purification on a lab-on-valve system incorporating a renewable microcolumn with in situ monitoring by laser-induced fluorescence. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 157-163.	3.7	21
74	A simple microfluidic system for efficient capillary electrophoretic separation and sensitive fluorimetric detection of DNA fragments using light-emitting diode and liquid-core waveguide techniques. <i>Electrophoresis</i> , 2005, 26, 3602-3608.	2.4	26