

Yining Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/901784/publications.pdf>

Version: 2024-02-01

66
papers

1,849
citations

236925

25
h-index

276875

41
g-index

67
all docs

67
docs citations

67
times ranked

1579
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced oil recovery mechanism by surfactant-silica nanoparticles imbibition in ultra-low permeability reservoirs. <i>Journal of Molecular Liquids</i> , 2022, 348, 118010.	4.9	31
2	Study on a Two-dimensional nanomaterial reinforced wormlike micellar system. <i>Journal of Molecular Liquids</i> , 2022, 346, 118236.	4.9	6
3	Probing the mechanism of in situ oil droplet swelling during low salinity water flooding. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 636, 128133.	4.7	5
4	Modulation of bubble flow resistance and surface fluidity :the effect of nanoparticle packing density at gas-liquid interface. <i>Journal of Molecular Liquids</i> , 2022, 350, 118574.	4.9	2
5	Preparation of dual network semi-solidified gelled-foam for sealing gas channeling in fractured-vuggy reservoirs. <i>Journal of Petroleum Science and Engineering</i> , 2022, 216, 110687.	4.2	3
6	The spontaneous imbibition mechanisms for enhanced oil recovery by gel breaking fluid of clean fracturing fluid. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 650, 129568.	4.7	11
7	Development and Performance Evaluation of a Novel Silica Nanoparticle-Reinforced CO ₂ -Sensitive Fracturing Fluid with High Temperature and Shear Resistance Ability. <i>Energy & Fuels</i> , 2022, 36, 7177-7185.	5.1	5
8	Anionic surfactant based on oil-solid interfacial interaction control for efficient residual oil development. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 648, 129396.	4.7	5
9	Variations in the diversity of the soil microbial community and structure under various categories of degraded wetland in Sanjiang Plain, northeastern China. <i>Land Degradation and Development</i> , 2021, 32, 2143-2156.	3.9	30
10	Novel high-hydrophilic carbon dots from petroleum coke for boosting injection pressure reduction and enhancing oil recovery. <i>Carbon</i> , 2021, 184, 186-194.	10.3	25
11	Study on the way of destroying hydrated cation bridges by atomic force microscope and molecular dynamics simulation. <i>Journal of Molecular Liquids</i> , 2021, 342, 117453.	4.9	5
12	Probing of the hydrated cation bridges in the oil/brine/silica system via atomic force microscopy and molecular dynamics simulation. <i>Fuel</i> , 2021, 306, 121666.	6.4	10
13	Investigating breakup behaviors of the non-Newtonian fluid: A case study of oil droplet using 3-D pore throat structured microchannels. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 587, 124330.	4.7	6
14	The flow behaviors of nanoparticle-stabilized bubbles in microchannel: Influence of surface hardening. <i>AIChE Journal</i> , 2020, 66, e16865.	3.6	7
15	The formation of satellite droplets in micro-devices due to the rupture of neck filament. <i>Chemical Engineering Research and Design</i> , 2020, 153, 435-442.	5.6	9
16	Reduction of clean fracturing fluid filtration loss by viscosity enhancement using nanoparticles: Is it feasible?. <i>Chemical Engineering Research and Design</i> , 2020, 156, 414-424.	5.6	7
17	The preparation and spontaneous imbibition of carbon-based nanofluid for enhanced oil recovery in tight reservoirs. <i>Journal of Molecular Liquids</i> , 2020, 313, 113564.	4.9	28
18	Effects of structural properties of alcohol molecules on decomposition of natural gas hydrates: A molecular dynamics study. <i>Fuel</i> , 2020, 268, 117322.	6.4	19

#	ARTICLE	IF	CITATIONS
19	Viscoelastic surfactant fluids filtration in porous media: A pore-scale study. <i>AIChE Journal</i> , 2020, 66, e16229.	3.6	6
20	Study on the Reducing Injection Pressure Regulation of Hydrophobic Carbon Nanoparticles. <i>Langmuir</i> , 2020, 36, 3989-3996.	3.5	20
21	Flow Patterns of Viscoelastic Fracture Fluids in Porous Media: Influence of Pore-Throat Structures. <i>Polymers</i> , 2019, 11, 1291.	4.5	5
22	Self-Sustained Coalescence-Breakup Cycles of Ferrodrops under a Magnetic Field. <i>Langmuir</i> , 2019, 35, 12028-12034.	3.5	3
23	Effect of Silica Nanoparticles on Wormlike Micelles with Different Entanglement Degrees. <i>Journal of Surfactants and Detergents</i> , 2019, 22, 587-595.	2.1	9
24	Adsorption behaviour of surfactant-nanoparticles at the gas-liquid interface: Influence of the alkane chain length. <i>Chemical Engineering Science</i> , 2019, 206, 203-211.	3.8	41
25	Size-, Aggregation-, and Oxidization-Dependent Perturbation of Methane Hydrate by Graphene Nanosheets Revealed by Molecular Dynamics Simulations. <i>Journal of Physical Chemistry C</i> , 2019, 123, 13154-13166.	3.1	15
26	Experimental investigation of spontaneous imbibition process of nanofluid in ultralow permeable reservoir with nuclear magnetic resonance. <i>Chemical Engineering Science</i> , 2019, 201, 212-221.	3.8	52
27	Morphological insights into the catalytic aquathermolysis of crude oil with an easily prepared high-efficiency Fe ₃ O ₄ -containing catalyst. <i>Fuel</i> , 2019, 245, 420-428.	6.4	37
28	Precisely Tailoring Bubble Morphology in Microchannel by Nanoparticles Self-assembly. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 3707-3713.	3.7	32
29	Oil migration in nanometer to micrometer sized pores of tight oil sandstone during dynamic surfactant imbibition with online NMR. <i>Fuel</i> , 2019, 245, 544-553.	6.4	74
30	The construction of anhydride-modified silica nanoparticles (AMS-NPs) strengthened wormlike micelles based on strong electrostatic and hydrogen bonding interactions. <i>Journal of Molecular Liquids</i> , 2019, 277, 372-379.	4.9	13
31	Solid-like film formed by nano-silica self-assembly at oil-water interface. <i>Chemical Engineering Science</i> , 2019, 195, 51-61.	3.8	18
32	Investigation on flow characteristic of viscoelasticity fluids in pore-throat structure. <i>Journal of Petroleum Science and Engineering</i> , 2019, 174, 821-832.	4.2	14
33	Flow behaviors of a viscoelastic polymer solution at 3D micro pore-throat structure. <i>Journal of Dispersion Science and Technology</i> , 2019, 40, 1795-1803.	2.4	2
34	Study on the synergy between silica nanoparticles and surfactants for enhanced oil recovery during spontaneous imbibition. <i>Journal of Molecular Liquids</i> , 2018, 261, 373-378.	4.9	104
35	Purification of Recombinant <i>Asparaginase II</i> Using Solvent-Free Freeze-Out Technology. <i>Chemical Engineering and Technology</i> , 2018, 41, 1080-1085.	1.5	6
36	Enhanced Oil Recovery Study of a New Mobility Control System on the Dynamic Imbibition in a Tight Oil Fracture Network Model. <i>Energy & Fuels</i> , 2018, 32, 2908-2915.	5.1	26

#	ARTICLE	IF	CITATIONS
37	Emulsion behavior control and stability study through decorating silica nano-particle with dimethyldodecylamine oxide at n-heptane/water interface. <i>Chemical Engineering Science</i> , 2018, 179, 73-82.	3.8	24
38	Experimental Assessment and Modeling of the Solubility of Malonic Acid in Different Solvents. <i>Chemical Engineering and Technology</i> , 2018, 41, 1098-1107.	1.5	6
39	Study on adsorption characteristic of novel nonionic fluorocarbon surfactant (4-hydroxyethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 21-30.	2.1	7
40	Investigation of Activeâ€“Inactive Material Interdigitated Aggregates Formed by Wormlike Micelles and Cellulose Nanofiber. <i>Journal of Physical Chemistry B</i> , 2018, 122, 10371-10376.	2.6	4
41	A Study on Preparation and Stabilizing Mechanism of Hydrophobic Silica Nanofluids. <i>Materials</i> , 2018, 11, 1385.	2.9	39
42	Rheological properties and formation dynamic filtration damage evaluation of a novel nanoparticle-enhanced VES fracturing system constructed with wormlike micelles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 553, 244-252.	4.7	35
43	Insights into the synergy between recyclable magnetic Fe ₃ O ₄ and zeolite for catalytic aquathermolysis of heavy crude oil. <i>Applied Surface Science</i> , 2018, 456, 140-146.	6.1	36
44	Stability Mechanism of Nitrogen Foam in Porous Media with Silica Nanoparticles Modified by Cationic Surfactants. <i>Langmuir</i> , 2018, 34, 8015-8023.	3.5	35
45	Novel investigation based on cationic modified starch with residual anionic polymer for enhanced oil recovery. <i>Journal of Dispersion Science and Technology</i> , 2017, 38, 199-205.	2.4	2
46	Reducing surfactant adsorption on rock by silica nanoparticles for enhanced oil recovery. <i>Journal of Petroleum Science and Engineering</i> , 2017, 153, 283-287.	4.2	131
47	Application of Dispersed Particle Gel to Inhibit Surfactant Adsorption on Sand. <i>Journal of Surfactants and Detergents</i> , 2017, 20, 863-871.	2.1	2
48	Synthesis, surface adsorption and micelle formation of a class of morpholinium gemini surfactants. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 54, 226-233.	5.8	27
49	Investigation on bubble snap-off in 3-D pore-throat micro-structures. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 54, 69-74.	5.8	33
50	Investigation of Novel Triple-Responsive Wormlike Micelles. <i>Langmuir</i> , 2017, 33, 4319-4327.	3.5	50
51	Experimental study of bubble breakup process in non-Newtonian fluid in 3-D pore-throat microchannels. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 535, 130-138.	4.7	25
52	A Novel Nanofluid Based on Fluorescent Carbon Nanoparticles for Enhanced Oil Recovery. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 12464-12470.	3.7	46
53	Study on a Novel Cross-Linked Polymer Gel Strengthened with Silica Nanoparticles. <i>Energy & Fuels</i> , 2017, 31, 9152-9161.	5.1	95
54	The Study of a Novel Nanoparticle-Enhanced Wormlike Micellar System. <i>Nanoscale Research Letters</i> , 2017, 12, 431.	5.7	30

#	ARTICLE	IF	CITATIONS
55	Can More Nanoparticles Induce Larger Viscosities of Nanoparticle-Enhanced Wormlike Micellar System (NEWMS)?. <i>Materials</i> , 2017, 10, 1096.	2.9	33
56	Design and Study of a Novel Thermal-Resistant and Shear-Stable Amphoteric Polyacrylamide in High-Salinity Solution. <i>Polymers</i> , 2017, 9, 296.	4.5	30
57	Synergistic effect of pH-responsive wormlike micelles based on a simple amphiphile. <i>Soft Matter</i> , 2016, 12, 4549-4556.	2.7	22
58	Investigation on Polymer Reutilization Mechanism of Salt-Tolerant Modified Starch on Offshore Oilfield. <i>Energy & Fuels</i> , 2016, 30, 5585-5592.	5.1	12
59	Magnetofluidic control of the breakup of ferrofluid droplets in a microfluidic Y-junction. <i>RSC Advances</i> , 2016, 6, 778-785.	3.6	21
60	Shear-induced tail breakup of droplets (bubbles) flowing in a straight microfluidic channel. <i>Chemical Engineering Science</i> , 2015, 135, 61-66.	3.8	14
61	Active control of ferrofluid droplet breakup dynamics in a microfluidic T-junction. <i>Microfluidics and Nanofluidics</i> , 2015, 18, 19-27.	2.2	48
62	Bubble coalescence at a microfluidic T-junction convergence: from colliding to squeezing. <i>Microfluidics and Nanofluidics</i> , 2014, 16, 275-286.	2.2	26
63	Ferrofluid droplet formation and breakup dynamics in a microfluidic flow-focusing device. <i>Soft Matter</i> , 2013, 9, 9792.	2.7	64
64	Asymmetrical breakup of bubbles at a microfluidic T-junction divergence: feedback effect of bubble collision. <i>Microfluidics and Nanofluidics</i> , 2012, 13, 723-733.	2.2	37
65	Droplet formation and breakup dynamics in microfluidic flow-focusing devices: From dripping to jetting. <i>Chemical Engineering Science</i> , 2012, 84, 207-217.	3.8	224
66	Breakup Behaviors of Viscoelastic Polymer Droplets in 3-D Pore Throat Structure Microchannel. <i>Transport in Porous Media</i> , 0, , 1.	2.6	0