

Yih-Kai Chan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9017977/publications.pdf>

Version: 2024-02-01

45
papers

1,626
citations

331259

21
h-index

288905

40
g-index

45
all docs

45
docs citations

45
times ranked

2330
citing authors

#	ARTICLE	IF	CITATIONS
1	Mild pulmonary hypertension and premature mortality among 154 956 men and women undergoing routine echocardiography. <i>European Respiratory Journal</i> , 2022, 59, 2100832.	3.1	12
2	Incident aortic stenosis in 49 449 men and 42 229 women investigated with routine echocardiography. <i>Heart</i> , 2022, 108, 875-881.	1.2	15
3	Incremental Value of Global Longitudinal Strain in the Long-Term Prediction of Heart Failure among Patients with Coronary Artery Disease. <i>Journal of the American Society of Echocardiography</i> , 2022, 35, 187-195.	1.2	12
4	Change in ejection fraction and long-term mortality in adults referred for echocardiography. <i>European Journal of Heart Failure</i> , 2021, 23, 555-563.	2.9	19
5	International Mind, Activities and Urban Places (iMAP) study: methods of a cohort study on environmental and lifestyle influences on brain and cognitive health. <i>BMJ Open</i> , 2020, 10, e036607.	0.8	9
6	Within trial cost-utility analysis of disease management program for patients hospitalized with atrial fibrillation: results from the SAFETY trial. <i>Journal of Medical Economics</i> , 2019, 22, 945-952.	1.0	5
7	Differential patterns of disease and injury in Mozambique: New perspectives from a pragmatic, multicenter, surveillance study of 7809 emergency presentations. <i>PLoS ONE</i> , 2019, 14, e0219273.	1.1	7
8	Malignant and Benign Phenotypes of Multimorbidity in Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2019, 34, 258-266.	0.6	4
9	Prevalence and profile of seasonal frequent flyers with chronic heart disease: Analysis of 1598 patients and 4588 patient-years follow-up. <i>International Journal of Cardiology</i> , 2019, 279, 126-132.	0.8	3
10	Left Ventricular Dysfunction and Exercise Capacity Trajectory. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 798-806.	2.3	5
11	Economic evaluation of a nurse-led home and clinic-based secondary prevention programme to prevent progressive cardiac dysfunction in high-risk individuals: The Nurse-led Intervention for Less Chronic Heart Failure (NIL-CHF) randomized controlled study. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 439-445.	0.4	13
12	Multimorbidity and the Risk of All-Cause 30-Day Readmission in the Setting of Multidisciplinary Management of Chronic Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2018, 33, 437-445.	0.6	18
13	Mild cognitive impairment is associated with subclinical diastolic dysfunction in patients with chronic heart disease. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 285-292.	0.5	19
14	Comparison of the EQ-5D-3L and the SF-6D (SF-12) contemporaneous utility scores in patients with cardiovascular disease. <i>Quality of Life Research</i> , 2017, 26, 3399-3408.	1.5	20
15	Comparison of contemporaneous responses for EQ-5D-3L and Minnesota Living with Heart Failure; a case for disease specific multiattribute utility instrument in cardiovascular conditions. <i>International Journal of Cardiology</i> , 2017, 227, 172-176.	0.8	21
16	Applying Heart Failure Management to Improve Health Outcomes: But WHICH One?. <i>Cardiac Failure Review</i> , 2017, 3, 113.	1.2	4
17	Current and projected burden of heart failure in the Australian adult population: a substantive but still ill-defined major health issue. <i>BMC Health Services Research</i> , 2016, 16, 501.	0.9	52
18	Integrity of the Human Faecal Microbiota following Long-Term Sample Storage. <i>PLoS ONE</i> , 2016, 11, e0163666.	1.1	41

#	ARTICLE	IF	CITATIONS
19	Impact of Nurse-Led, Multidisciplinary Home-Based Intervention on Event-Free Survival Across the Spectrum of Chronic Heart Disease. <i>Circulation</i> , 2016, 133, 1867-1877.	1.6	44
20	Gender-specific secondary prevention? Differential psychosocial risk factors for major cardiovascular events. <i>Open Heart</i> , 2016, 3, e000356.	0.9	3
21	Impact of a nurse-led home and clinic-based secondary prevention programme to prevent progressive cardiac dysfunction in high-risk individuals: the Nurse-led Intervention for Less Chronic Heart Failure (<sc>NILECHF</sc>) randomized controlled study. <i>European Journal of Heart Failure</i> , 2015, 17, 620-630.	2.9	33
22	Investigating acute satiation and meal termination effects of a commercial lipid emulsion: A breakfast meal study. <i>Physiology and Behavior</i> , 2015, 152, 20-25.	1.0	8
23	An Absolute Risk Prediction Model to Determine Unplanned Cardiovascular Readmissions for Adults with Chronic Heart Failure. <i>Heart Lung and Circulation</i> , 2015, 24, 1068-1073.	0.2	32
24	Composite outcome measures in a pragmatic clinical trial of chronic heart failure management: A comparative assessment. <i>International Journal of Cardiology</i> , 2015, 185, 62-68.	0.8	11
25	Cost-effectiveness of home versus clinic-based management of chronic heart failure: Extended follow-up of a pragmatic, multicentre randomized trial cohort â€” The WHICH? study (Which Heart) <i>TJ ETQq1 1 0.784314 rgBT /Overloc</i> <i>International Journal of Cardiology</i> , 2015, 201, 368-375.	0.8	44
26	Standard versus atrial fibrillation-specific management strategy (SAFETY) to reduce recurrent admission and prolong survival: pragmatic, multicentre, randomised controlled trial. <i>Lancet</i> , The, 2015, 385, 775-784.	6.3	117
27	Cost-Effectiveness of a Home Based Intervention for Secondary Prevention of Readmission with Chronic Heart Disease. <i>PLoS ONE</i> , 2015, 10, e0144545.	1.1	6
28	Long-term tolerance and efficacy of adjunctive exenatide therapy on glycaemic control and bodyweight in type 2 diabetes: a retrospective study from a specialist diabetes outpatient clinic. <i>Internal Medicine Journal</i> , 2014, 44, 345-353.	0.5	5
29	Prolonged impact of home versus clinic-based management of chronic heart failure: Extended follow-up of a pragmatic, multicentre randomized trial cohort. <i>International Journal of Cardiology</i> , 2014, 174, 600-610.	0.8	32
30	A Multicenter, Randomized Trial of a Nurse-Led, Home-Based Intervention for Optimal Secondary Cardiac Prevention Suggests Some Benefits for Men but Not for Women. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2013, 6, 379-389.	0.9	17
31	Influence of tail versus cardiac sampling on blood glucose and lipid profiles in mice. <i>Laboratory Animals</i> , 2012, 46, 142-147.	0.5	18
32	Impact of Home Versus Clinic-Based Management of Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1239-1248.	1.2	119
33	Exploring the potential to remain â€œYoung @ Heartâ€: Initial findings of a multi-centre, randomised study of nurse-led, home-based intervention in a hybrid health care system. <i>International Journal of Cardiology</i> , 2012, 154, 52-58.	0.8	13
34	The emulsified lipid Fabules (Olibra) does not decrease food intake but suppresses appetite when consumed with yoghurt but not alone or with solid foods: A food effect study. <i>Physiology and Behavior</i> , 2012, 105, 742-748.	1.0	29
35	Copper(II)-selective chelation improves function and antioxidant defences in cardiovascular tissues of rats as a model of diabetes: comparisons between triethylenetetramine and three less copper-selective transition-metal-targeted treatments. <i>Diabetologia</i> , 2010, 53, 1217-1226.	2.9	40
36	A copper(II)-selective chelator ameliorates diabetes-evoked renal fibrosis and albuminuria, and suppresses pathogenic TGF-Î² activation in the kidneys of rats used as a model of diabetes. <i>Diabetologia</i> , 2008, 51, 1741-1751.	2.9	62

#	ARTICLE	IF	CITATIONS
37	No Evidence of an Effect of Alterations in Dietary Fatty Acids on Fasting Adiponectin Over 3 Weeks. <i>Obesity</i> , 2008, 16, 592-599.	1.5	23
38	Postprandial response of adiponectin, interleukin-6, tumor necrosis factor- $\hat{\pm}$, and C-reactive protein to a high-fat dietary load. <i>Nutrition</i> , 2008, 24, 322-329.	1.1	99
39	Triethylenetetramine and Metabolites: Levels in Relation to Copper and Zinc Excretion in Urine of Healthy Volunteers and Type 2 Diabetic Patients. <i>Drug Metabolism and Disposition</i> , 2007, 35, 221-227.	1.7	32
40	Determination of triethylenetetramine (TETA) and its metabolites in human plasma and urine by liquid chromatography-mass spectrometry (LC-MS). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 859, 62-68.	1.2	24
41	Effect of high-fat meals and fatty acid saturation on postprandial levels of the hormones ghrelin and leptin in healthy men. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 77-84.	1.3	47
42	Molecular Changes Evoked by Triethylenetetramine Treatment in the Extracellular Matrix of the Heart and Aorta in Diabetic Rats. <i>Molecular Pharmacology</i> , 2006, 70, 2045-2051.	1.0	41
43	Demonstration of a Hyperglycemia-Driven Pathogenic Abnormality of Copper Homeostasis in Diabetes and Its Reversibility by Selective Chelation: Quantitative Comparisons Between the Biology of Copper and Eight Other Nutritionally Essential Elements in Normal and Diabetic Individuals. <i>Diabetes</i> , 2005, 54, 1468-1476.	0.3	94
44	Regeneration of the Heart in Diabetes by Selective Copper Chelation. <i>Diabetes</i> , 2004, 53, 2501-2508.	0.3	143
45	Fetal programming of appetite and obesity. <i>Molecular and Cellular Endocrinology</i> , 2001, 185, 73-79.	1.6	211