## Peter Humaidan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/901808/publications.pdf

Version: 2024-02-01

258 papers

12,103 citations

24978 57 h-index 34900

g-index

266 all docs 266 docs citations

266 times ranked 5705 citing authors

| #  | Article   | IF          | Citations |
|----|---|-------------|-----------|
| 1  | Sperm DNA integrity assessment in prediction of assisted reproduction technology outcome. Human Reproduction, 2007, 22, 174-179.  | 0.4         | 639       |
| 2  | GnRH agonist (buserelin) or hCG for ovulation induction in GnRH antagonist IVF/ICSI cycles: a prospective randomized study. Human Reproduction, 2005, 20, 1213-1220.  | 0.4         | 446       |
| 3  | The predictive value of sperm chromatin structure assay (SCSA) parameters for the outcome of intrauterine insemination, IVF and ICSI. Human Reproduction, 2004, 19, 1401-1408.  | 0.4         | 413       |
| 4  | A new more detailed stratification of low responders to ovarian stimulation: from a poor ovarian response to a low prognosis concept. Fertility and Sterility, 2016, 105, 1452-1453.  | 0.5         | 401       |
| 5  | Fresh versus elective frozen embryo transfer in IVF/ICSI cycles: a systematic review and meta-analysis of reproductive outcomes. Human Reproduction Update, 2019, 25, 2-14.   | <b>5.</b> 2 | 307       |
| 6  | GnRH agonist for triggering of final oocyte maturation: time for a change of practice?. Human Reproduction Update, 2011, 17, 510-524.   | 5.2         | 289       |
| 7  | Preventing ovarian hyperstimulation syndrome: guidance for the clinician. Fertility and Sterility, 2010, 94, 389-400.   | 0.5         | 276       |
| 8  | 1,500 IU human chorionic gonadotropin administered at oocyte retrieval rescues the luteal phase when gonadotropin-releasing hormone agonist is used for ovulation induction: a prospective, randomized, controlled study. Fertility and Sterility, 2010, 93, 847-854. | 0.5         | 252       |
| 9  | 86 successful births and 9 ongoing pregnancies worldwide in women transplanted with frozen-thawed ovarian tissue: focus on birth and perinatal outcome in 40 of these children. Journal of Assisted Reproduction and Genetics, 2017, 34, 325-336.                     | 1.2         | 230       |
| 10 | ESHRE guideline: ovarian stimulation for IVF/ICSIâ€. Human Reproduction Open, 2020, 2020, hoaa009.  | 2.3         | 205       |
| 11 | The novel POSEIDON stratification of †Low prognosis patients in Assisted Reproductive Technology†and its proposed marker of successful outcome. F1000Research, 2016, 5, 2911.   | 0.8         | 201       |
| 12 | GnRHa trigger and individualized luteal phase hCG support according to ovarian response to stimulation: two prospective randomized controlled multi-centre studies in IVF patients. Human Reproduction, 2013, 28, 2511-2521.  | 0.4         | 197       |
| 13 | LH-Receptor Gene Expression in Human Granulosa and Cumulus Cells from Antral and Preovulatory Follicles. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E1524-E1531.   | 1.8         | 178       |
| 14 | Rescue of corpus luteum function with peri-ovulatory HCG supplementation in IVF/ICSI GnRH antagonist cycles in which ovulation was triggered with a GnRH agonist: a pilot study. Reproductive BioMedicine Online, 2006, 13, 173-178.                                  | 1.1         | 173       |
| 15 | Severe ovarian hyperstimulation syndrome after gonadotropin-releasing hormone (GnRH) agonist trigger and "freeze-all―approach in GnRH antagonist protocol. Fertility and Sterility, 2014, 101, 1008-1011.   | 0.5         | 159       |
| 16 | Abnormal vaginal microbiota may be associated with poor reproductive outcomes: a prospective study in IVF patients. Human Reproduction, 2016, 31, 795-803.  | 0.4         | 159       |
| 17 | Intracytoplasmic sperm injection forÂmale infertility and consequences forÂoffspring. Nature Reviews<br>Urology, 2018, 15, 535-562.   | 1.9         | 158       |
| 18 | Effects of recombinant LH supplementation in women undergoing assisted reproduction with GnRH agonist down-regulation and stimulation with recombinant FSH: an opening study. Reproductive BioMedicine Online, 2004, 8, 635-643.                                      | 1.1         | 145       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Biological versus chronological ovarian age: implications for assisted reproductive technology. Reproductive Biology and Endocrinology, 2009, 7, 101.   | 1.4 | 122       |
| 20 | Defining Low Prognosis Patients Undergoing Assisted Reproductive Technology: POSEIDON Criteriaâ€"The Why. Frontiers in Endocrinology, 2018, 9, 461.   | 1.5 | 122       |
| 21 | Sperm DNA fragmentation testing: Summary evidence and clinical practice recommendations. Andrologia, 2021, 53, e13874.  | 1.0 | 121       |
| 22 | Improving the patient's experience of IVF/ICSI: a proposal for an ovarian stimulation protocol with GnRH antagonist co-treatment. Human Reproduction, 2008, 24, 764-774.  | 0.4 | 119       |
| 23 | Ovarian hyperstimulation syndrome: review and new classification criteria for reporting in clinical trials. Human Reproduction, 2016, 31, 1997-2004.  | 0.4 | 118       |
| 24 | Elevated progesterone during ovarian stimulation for IVF. Reproductive BioMedicine Online, 2012, 24, 381-388.   | 1,1 | 115       |
| 25 | Luteal phase rescue in high-risk OHSS patients by GnRHa triggering in combination with low-dose HCG: a pilot study. Reproductive BioMedicine Online, 2009, 18, 630-634.   | 1.1 | 112       |
| 26 | Ovarian response and pregnancy outcome related to mid-follicular LH levels in women undergoing assisted reproduction with GnRH agonist down-regulation and recombinant FSH stimulation. Human Reproduction, 2002, 17, 2016-2021.                      | 0.4 | 107       |
| 27 | Recombinant luteinizing hormone supplementation in assisted reproductive technology: a systematic review. Fertility and Sterility, 2018, 109, 644-664.  | 0.5 | 105       |
| 28 | Triggering of final oocyte maturation with gonadotropin-releasing hormone agonist or human chorionic gonadotropin. Live birth after frozen-thawed embryo replacement cycles. Fertility and Sterility, 2007, 88, 616-621.                              | 0.5 | 101       |
| 29 | Sperm chromatin structure assay parameters measured after density gradient centrifugation are not predictive for the outcome of ART. Human Reproduction, 2007, 23, 4-10.  | 0.4 | 94        |
| 30 | Pregnancy loss after frozen-embryo transferâ€"a comparison of three protocols. Fertility and Sterility, 2012, 98, 1165-1169.  | 0.5 | 93        |
| 31 | GnRHa to trigger final oocyte maturation: a time to reconsider. Human Reproduction, 2009, 24, 2389-2394.  | 0.4 | 92        |
| 32 | Consistent high clinical pregnancy rates and low ovarian hyperstimulation syndrome rates in high-risk patients after GnRH agonist triggering and modified luteal support: a retrospective multicentre study. Human Reproduction, 2013, 28, 2529-2536. | 0.4 | 92        |
| 33 | The luteal phase after GnRH-agonist triggering of ovulation: present and future perspectives.<br>Reproductive BioMedicine Online, 2012, 24, 134-141.  | 1.1 | 89        |
| 34 | GnRH agonist triggering: recent developments. Reproductive BioMedicine Online, 2013, 26, 226-230.   | 1.1 | 86        |
| 35 | GnRH agonist trigger for the induction of oocyte maturation in GnRH antagonist IVF cycles: a SWOT analysis. Reproductive BioMedicine Online, 2016, 32, 274-285.   | 1.1 | 86        |
| 36 | Perinatal outcomes after fresh versus vitrified-warmed blastocyst transfer: retrospective analysis. Fertility and Sterility, 2015, 104, 899-907.e3.   | 0.5 | 84        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | Preovulatory progesterone concentration associates significantly to follicle number and LH concentration but not to pregnancy rate. Reproductive BioMedicine Online, 2011, 23, 187-195.   | 1.1 | 83        |
| 38 | Fertility after uterine artery embolization of fibroids: a systematic review. Archives of Gynecology and Obstetrics, 2018, 297, 13-25.  | 0.8 | 83        |
| 39 | Clinical relevance of genetic variants of gonadotrophins and their receptors in controlled ovarian stimulation: a systematic review and meta-analysis. Human Reproduction Update, 2018, 24, 599-614.  | 5.2 | 83        |
| 40 | COVID-19 and assisted reproductive technology services: repercussions for patients and proposal for individualized clinical management. Reproductive Biology and Endocrinology, 2020, 18, 45.   | 1.4 | 81        |
| 41 | GnRH-agonist versus GnRH-antagonist IVF cycles: is the reproductive outcome affected by the incidence of progesterone elevation on the day of HCG triggering? A randomized prospective study. Human Reproduction, 2012, 27, 1822-1828.  | 0.4 | 80        |
| 42 | Freeze-all versus fresh blastocyst transfer strategy during in vitro fertilisation in women with regular menstrual cycles: multicentre randomised controlled trial. BMJ, The, 2020, 370, m2519.   | 3.0 | 80        |
| 43 | The type of GnRH analogue used during controlled ovarian stimulation influences early embryo developmental kinetics: a time-lapse study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 168, 167-172.   | 0.5 | 79        |
| 44 | Progesterone levels on pregnancy test day after hormone replacement therapy-cryopreserved embryo transfer cycles and related reproductive outcomes. Reproductive BioMedicine Online, 2018, 37, 641-647.   | 1.1 | 78        |
| 45 | Follicle Size on Day of Trigger Most Likely to Yield a Mature Oocyte. Frontiers in Endocrinology, 2018, 9, 193.   | 1.5 | 78        |
| 46 | Malformation rate and sex ratio in 412 children conceived with epididymal or testicular sperm. Human Reproduction, 2007, 22, 1080-1085.   | 0.4 | 74        |
| 47 | Empty follicle syndrome after GnRHa triggering versus hCG triggering in COS. Journal of Assisted Reproduction and Genetics, 2012, 29, 249-253.  | 1.2 | 74        |
| 48 | Early luteal phase endocrine profile is affected by the mode of triggering final oocyte maturation and the luteal phase support used in recombinant follicle-stimulating hormone–gonadotropin-releasing hormone antagonist in vitro fertilization cycles. Fertility and Sterility, 2013, 100, 742-747.e1. | 0.5 | 74        |
| 49 | Reproductive outcome of patients undergoing in vitro fertilisation treatment and diagnosed with bacterial vaginosis or abnormal vaginal microbiota: a systematic <scp>PRISMA</scp> review and metaâ€analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 200-207.           | 1.1 | 73        |
| 50 | Pain relief during oocyte retrieval with a new short duration electro-acupuncture technique-an alternative to conventional analgesic methods. Human Reproduction, 2004, 19, 1367-1372.  | 0.4 | 72        |
| 51 | The POSEIDON Criteria and Its Measure of Success Through the Eyes of Clinicians and Embryologists. Frontiers in Endocrinology, 2019, 10, 814.   | 1.5 | 69        |
| 52 | Use of metformin before and during assisted reproductive technology in non-obese young infertile women with polycystic ovary syndrome: a prospective, randomized, double-blind, multi-centre study. Human Reproduction, 2011, 26, 2045-2053.  | 0.4 | 67        |
| 53 | Individualized controlled ovarian stimulation in expected poor-responders: an update. Reproductive<br>Biology and Endocrinology, 2018, 16, 20.  | 1.4 | 66        |
| 54 | Day 3 versus day 5 embryo transfer: a prospective randomized study. Reproductive BioMedicine Online, 2003, 7, 98-104.   | 1.1 | 65        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 55 | New algorithm for OHSS prevention. Reproductive Biology and Endocrinology, 2011, 9, 147.  | 1.4 | 63        |
| 56 | A common polymorphic allele of the LH beta-subunit gene is associated with higher exogenous FSH consumption during controlled ovarian stimulation for assisted reproductive technology. Reproductive Biology and Endocrinology, 2013, 11, 51.       | 1.4 | 63        |
| 57 | Estimation of age-dependent decrease in blastocyst euploidy by next generation sequencing: development of a novel prediction model. Panminerva Medica, 2019, 61, 3-10.  | 0.2 | 62        |
| 58 | The Future of Cryopreservation in Assisted Reproductive Technologies. Frontiers in Endocrinology, 2020, 11, 67.   | 1.5 | 62        |
| 59 | Luteal phase supplementation afterÂgonadotropin-releasing hormone agonist trigger in fresh embryo transfer: the American versus European approaches. Fertility and Sterility, 2015, 103, 879-885.   | 0.5 | 61        |
| 60 | Dose of recombinant FSH and oestradiol concentration on day of HCG affect embryo development kinetics. Reproductive BioMedicine Online, 2012, 25, 382-389.  | 1.1 | 59        |
| 61 | Recombinant human albumin as protein source in culture media used for IVF: a prospective randomized study. Reproductive BioMedicine Online, 2002, 4, 233-236.   | 1.1 | 58        |
| 62 | GnRH Agonist Trigger and LH Activity Luteal Phase Support versus hCG Trigger and Conventional Luteal Phase Support in Fresh Embryo Transfer IVF/ICSI Cycles—A Systematic PRISMA Review and Meta-analysis. Frontiers in Endocrinology, 2017, 8, 116. | 1.5 | 56        |
| 63 | A strategy for treatment of couples with unexplained infertility who failed to conceive after intrauterine insemination. Reproductive BioMedicine Online, 2004, 8, 584-589.   | 1.1 | 55        |
| 64 | GnRH agonist ovulation trigger and hCG-based, progesterone-free luteal support: a proof of concept study. Human Reproduction, 2011, 26, 2874-2877.  | 0.4 | 54        |
| 65 | Hormonal, functional and genetic biomarkers in controlled ovarian stimulation: tools for matching patients and protocols. Reproductive Biology and Endocrinology, 2012, 10, 9.  | 1.4 | 54        |
| 66 | The impact of luteal serum progesterone levels on live birth rates—a prospective study of 602 IVF/ICSI cycles. Human Reproduction, 2018, 33, 1506-1516.   | 0.4 | 54        |
| 67 | The impact of male overweight on semen quality and outcome of assisted reproduction. Asian Journal of Andrology, 2014, 16, 749.   | 0.8 | 53        |
| 68 | Efficacy and safety of follitropin alfa/lutropin alfa in ART: a randomized controlled trial in poor ovarian responders. Human Reproduction, 2017, 32, 544-555.  | 0.4 | 53        |
| 69 | Recombinant LH supplementation to recombinant FSH during the final days of controlled ovarian stimulation for in vitro fertilization. A multicentre, prospective, randomized, controlled trial. Human Reproduction, 2007, 23, 427-434.              | 0.4 | 52        |
| 70 | Gonadotropin-releasing hormoneÂagonist trigger in oocyteÂdonors co-treated with a gonadotropin-releasing hormone antagonist: a dose-finding study. Fertility and Sterility, 2016, 105, 356-363.   | 0.5 | 52        |
| 71 | Suboptimal response to GnRHa long protocol is associated with a common LH polymorphism. Reproductive BioMedicine Online, 2009, 18, 9-14.  | 1.1 | 51        |
| 72 | Psychological aspects of male fertility treatment. Journal of Advanced Nursing, 2013, 69, 1977-1986.  | 1.5 | 51        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 73 | A review of luteinising hormone and human chorionic gonadotropin when used in assisted reproductive technology. Reproductive Biology and Endocrinology, 2014, 12, 95.   | 1.4 | 51        |
| 74 | Gonadotropin-releasing hormone agonist (GnRHa) trigger – State of the art. Reproductive Biology, 2017, 17, 1-8.   | 0.9 | 51        |
| 75 | Identification of the High-Risk Patient for Ovarian Hyperstimulation Syndrome. Seminars in Reproductive Medicine, 2010, 28, 458-462.  | 0.5 | 49        |
| 76 | Hormonal characteristics of follicular fluid from women receiving either GnRH agonist or hCG for ovulation induction. Human Reproduction, 2006, 21, 2126-2130.  | 0.4 | 48        |
| 77 | Prevalence, incidence, and autoimmune comorbidities of celiac disease: a nation-wide, population-based study in Denmark from 1977 to 2016. European Journal of Gastroenterology and Hepatology, 2018, 30, 83-91.  | 0.8 | 48        |
| 78 | Levels of the epidermal growth factor-like peptide amphiregulin in follicular fluid reflect the mode of triggering ovulation: a comparison between gonadotrophin-releasing hormone agonist and urinary human chorionic gonadotrophin. Fertility and Sterility, 2011, 95, 2034-2038. | 0.5 | 47        |
| 79 | Comparison of gene expression profiles in granulosa and cumulus cells after ovulation induction with either human chorionic gonadotropin or a gonadotropin-releasing hormone agonist trigger. Fertility and Sterility, 2013, 100, 994-1001.e2.                                      | 0.5 | 47        |
| 80 | Increasing vaginal progesterone gel supplementation after frozen–thawed embryo transfer significantly increases the delivery rate. Reproductive BioMedicine Online, 2013, 26, 133-137.  | 1.1 | 47        |
| 81 | Preparation of the Endometrium for Frozen Embryo Transfer: A Systematic Review. Frontiers in Endocrinology, 2021, 12, 688237.   | 1.5 | 47        |
| 82 | GnRHa trigger for final oocyte maturation: is HCG trigger history?. Reproductive BioMedicine Online, 2014, 29, 274-280.   | 1.1 | 45        |
| 83 | Management Strategies for POSEIDON Groups 3 and 4. Frontiers in Endocrinology, 2019, 10, 614.   | 1.5 | 43        |
| 84 | Reduced FSH and LH action: implications for medically assisted reproduction. Human Reproduction, 2021, 36, 1469-1480.   | 0.4 | 43        |
| 85 | Reproductive outcome using a GnRH antagonist (cetrorelix) for luteolysis and follicular synchronization in poor responder IVF/ICSI patients treated with a flexible GnRH antagonist protocol. Reproductive BioMedicine Online, 2005, 11, 679-684.                                   | 1.1 | 41        |
| 86 | Corifollitropin alfa followed by rFSH in a GnRH antagonist protocol for poor ovarian responder patients: anÂobservational pilot study. Fertility and Sterility, 2013, 99, 422-426.  | 0.5 | 41        |
| 87 | SARSâ€CoVâ€2 pandemic and repercussions for male infertility patients: A proposal for the individualized provision of andrological services. Andrology, 2021, 9, 10-18.   | 1.9 | 41        |
| 88 | LH (as HCG) and FSH surges for final oocyte maturation: sometimes it takes two to tango?. Reproductive BioMedicine Online, 2010, 21, 590-592.   | 1.1 | 40        |
| 89 | Pharmaceutical Options for Triggering of Final Oocyte Maturation in ART. BioMed Research International, 2014, 2014, 1-7.  | 0.9 | 40        |
| 90 | Daily low-dose hCG stimulation during the luteal phase combined with GnRHa triggered IVF cycles without exogenous progesterone: a proof of concept trial. Human Reproduction, 2015, 30, 2387-2395.  | 0.4 | 40        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Dual stimulation using corifollitropin alfa in 54 Bologna criteria poor ovarian responders – a case series. Reproductive BioMedicine Online, 2019, 38, 677-682.  | 1.1 | 39        |
| 92  | Suboptimal response to GnRHa long protocol is associated with a common LH polymorphism. Reproductive BioMedicine Online, 2011, 22, S67-S72.  | 1.1 | 38        |
| 93  | Impact of GnRH agonist triggering and intensive luteal steroid support on live-birth rates and ovarian hyperstimulation syndrome: a retrospective cohort study. Journal of Ovarian Research, 2013, 6, 93.  | 1.3 | 38        |
| 94  | Ovarian hyperstimulation syndrome in the 21st century. Current Opinion in Obstetrics and Gynecology, 2015, 27, 210-214.  | 0.9 | 38        |
| 95  | Cumulative Live Birth Rates in Low Prognosis Patients According to the POSEIDON Criteria: An Analysis of 26,697 Cycles of in vitro Fertilization/Intracytoplasmic Sperm Injection. Frontiers in Endocrinology, 2019, 10, 642.                              | 1.5 | 38        |
| 96  | Ovarian stimulation and assisted reproductive technology outcomes in women transplanted with cryopreserved ovarian tissue: a systematic review. Fertility and Sterility, 2019, 112, 908-921.   | 0.5 | 38        |
| 97  | Endometrial gene expression in the early luteal phase is impacted by mode of triggering final oocyte maturation in recFSH stimulated and GnRH antagonist co-treated IVF cycles. Human Reproduction, 2012, 27, 3259-3272.                                   | 0.4 | 37        |
| 98  | Vaginal Microbiota and In Vitro Fertilization Outcomes: Development of a Simple Diagnostic Tool to Predict Patients at Risk of a Poor Reproductive Outcome. Journal of Infectious Diseases, 2019, 219, 1809-1817.  | 1.9 | 37        |
| 99  | Fertility preservation and refreezing of transplanted ovarian tissue—a potential new way of managing patients with low risk of malignant cell recurrence. Fertility and Sterility, 2017, 107, 1206-1213.   | 0.5 | 36        |
| 100 | Clinical parameters of ovarian hyperstimulation syndrome following different hormonal triggers of oocyte maturation in <scp>IVF</scp> treatment. Clinical Endocrinology, 2018, 88, 920-927.  | 1.2 | 36        |
| 101 | Characterization of the Vaginal DNA Virome in Health and Dysbiosis. Viruses, 2020, 12, 1143.   | 1.5 | 36        |
| 102 | â€~Luteal coasting' after GnRH agonist trigger – individualized, HCG-based, progesterone-free luteal support in â€~high responders': a case series. Reproductive BioMedicine Online, 2015, 31, 747-751.  | 1.1 | 35        |
| 103 | Aromatase inhibitors in stimulated IVF cycles. Reproductive Biology and Endocrinology, 2011, 9, 85.  | 1.4 | 34        |
| 104 | Corifollitropin alfa followed by highly purified HMG versus recombinant FSH in young poor ovarian responders: a multicentre randomized controlled clinical trial. Human Reproduction, 2017, 32, 2225-2233.   | 0.4 | 34        |
| 105 | Novel Physiology and Definition of Poor Ovarian Response; Clinical Recommendations. International Journal of Molecular Sciences, 2020, 21, 2110.   | 1.8 | 34        |
| 106 | Low LH Level on the Day of GnRH Agonist Trigger Is Associated With Reduced Ongoing Pregnancy and Live Birth Rates and Increased Early Miscarriage Rates Following IVF/ICSI Treatment and Fresh Embryo Transfer. Frontiers in Endocrinology, 2019, 10, 639. | 1.5 | 33        |
| 107 | The early luteal hormonal profile in IVF patients triggered with hCG. Human Reproduction, 2020, 35, 157-166.   | 0.4 | 33        |
| 108 | A prospective study, using sibling oocytes, examining the effect of 30 seconds versus 90 minutes gamete co-incubation in IVF. Human Reproduction, 2006, 21, 518-523.   | 0.4 | 32        |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 109 | Daytime Variation in Serum Progesterone During the Mid-Luteal Phase in Women Undergoing In Vitro Fertilization Treatment. Frontiers in Endocrinology, 2018, 9, 92.  | 1.5  | 32        |
| 110 | Therapeutic endometrial scratching and implantation after inÂvitro fertilization: a multicenter randomized controlled trial. Fertility and Sterility, 2019, 112, 1015-1021.   | 0.5  | 32        |
| 111 | Spermatozoa DNA damage measured by sperm chromatin structure assay (SCSA) and birth characteristics in children conceived by IVF and ICSI. Journal of Developmental and Physical Disabilities, 2012, 35, 485-490.   | 3.6  | 30        |
| 112 | Cumulative delivery rate per aspiration IVF/ICSI cycle in POSEIDON patients: a real-world evidence study of 9073 patients. Human Reproduction, 2021, 36, 2157-2169.   | 0.4  | 30        |
| 113 | Use of Acupuncture in Female Infertility and a Summary of Recent Acupuncture Studies Related to Embryo Transfer. Acupuncture in Medicine, 2006, 24, 157-163.  | 0.4  | 29        |
| 114 | (Meta)analyze this: Systematic reviews might lose credibility. Nature Medicine, 2012, 18, 1321-1321.  | 15,2 | 29        |
| 115 | Frozen embryo transfer can be performed in the cycle immediately following the freeze-all cycle. Journal of Assisted Reproduction and Genetics, 2018, 35, 135-142.  | 1.2  | 27        |
| 116 | Can combining vaginal and rectal progesterone achieve the optimum progesterone range required for implantation in the HRT-FET model?. Reproductive BioMedicine Online, 2020, 40, 805-811.   | 1.1  | 27        |
| 117 | Fresh versus frozen embryo transfer after gonadotropin-releasing hormone agonist trigger in gonadotropin-releasing hormone antagonist cycles among high responder women: A randomized, multi-center study. International Journal of Reproductive BioMedicine, 2018, 16, 9-18.   | 0.5  | 27        |
| 118 | Pain relief during oocyte retrieval â€" exploring the role of different frequencies of electro-acupuncture. Reproductive BioMedicine Online, 2006, 13, 120-125.   | 1.1  | 26        |
| 119 | "Follicular HCG endometrium priming for IVF patients experiencing resisting thin endometrium. A proof of concept study― Journal of Assisted Reproduction and Genetics, 2013, 30, 1341-1345.   | 1.2  | 26        |
| 120 | The Circadian Variation in Anti-Mýllerian Hormone in Patients with Polycystic Ovary Syndrome Differs Significantly from Normally Ovulating Women. PLoS ONE, 2013, 8, e68223.  | 1.1  | 25        |
| 121 | Testosterone for Poor Ovarian Responders: Lessons From Ovarian Physiology. Reproductive Sciences, 2018, 25, 980-982.  | 1.1  | 25        |
| 122 | Does the time interval between antimýllerian hormone serum sampling and initiation of ovarianÂstimulation affect its predictive ability in inÂvitro fertilization–intracytoplasmic spermÂinjection cycles with a gonadotropin-releasing hormone antagonist? A retrospective single-center study. Fertility and Sterility, 2013, 100, 438-444. | 0.5  | 24        |
| 123 | Agonist trigger: what is the best approach? Agonist trigger and low dose hCG. Fertility and Sterility, 2012, 97, 529-530.   | 0.5  | 23        |
| 124 | Growth Hormone and Reproduction: Lessons Learned From Animal Models and Clinical Trials. Frontiers in Endocrinology, 2019, 10, 404.   | 1.5  | 23        |
| 125 | Corifollitropin alfa followed by hpHMG in GnRH agonist protocols. Two prospective feasibility studies in poor ovarian responders. Gynecological Endocrinology, 2015, 31, 885-890.   | 0.7  | 21        |
| 126 | Agonist depot versus OCP programming of frozen embryo transfer: a retrospective analysis of freeze-all cycles. Journal of Assisted Reproduction and Genetics, 2016, 33, 207-214.  | 1.2  | 21        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Response to ovulation trigger is correlated to late follicular phase progesterone levels: A hypothesis explaining reduced reproductive outcomes caused by increased late follicular progesterone rise. Human Reproduction, 2019, 34, 942-948.                                      | 0.4 | 21        |
| 128 | Recombinant human luteinizing hormone co-treatment in ovarian stimulation for assisted reproductive technology in women of advanced reproductive age: a systematic review and meta-analysis of randomized controlled trials. Reproductive Biology and Endocrinology, 2021, 19, 91. | 1.4 | 21        |
| 129 | GnRHa trigger and modified luteal support with one bolus of hCG should be used with caution in extreme responder patients. Human Reproduction, 2013, 28, 2593-2594.  | 0.4 | 20        |
| 130 | Human chorionic gonadotropin vs. gonadotropin-releasing hormone agonist trigger in assisted reproductive technology—"The king is dead, long live the king!― Fertility and Sterility, 2014, 102, 339-341.   | 0.5 | 20        |
| 131 | The updated Cochrane review 2014 on GnRH agonist trigger: repeating the same errors. Reproductive BioMedicine Online, 2015, 30, 563-565.   | 1.1 | 20        |
| 132 | Reproductive life in women with celiac disease; a nationwide, population-based matched cohort study. Human Reproduction, 2018, 33, 1538-1547.  | 0.4 | 20        |
| 133 | Freeze-all strategy in IVF/ICSI cycles: an update on clinical utility. Panminerva Medica, 2019, 61, 52-57.   | 0.2 | 20        |
| 134 | Subcutaneous luteal phase progesterone rescue rectifies ongoing pregnancy rates in hormone replacement therapy vitrified–warmed blastocyst transfer cycles. Reproductive BioMedicine Online, 2021, 43, 45-51.  | 1.1 | 20        |
| 135 | The combined effect of lifestyle intervention and antioxidant therapy on sperm DNA fragmentation and seminal oxidative stress in IVF patients: a pilot study. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2022, 48, 131-156.                  | 0.7 | 20        |
| 136 | Future Perspectives of POSEIDON Stratification for Clinical Practice and Research. Frontiers in Endocrinology, 2019, 10, 439.  | 1.5 | 19        |
| 137 | Reproductive outcomes after inÂvitro fertilization treatment in a cohort of Danish women transplanted with cryopreserved ovarian tissue. Fertility and Sterility, 2020, 114, 379-387.  | 0.5 | 19        |
| 138 | Addition of intramuscular progesterone to vaginal progesterone in hormone replacement therapy in vitrified–warmed blastocyst transfer cycles. Reproductive BioMedicine Online, 2020, 40, 812-818.  | 1.1 | 19        |
| 139 | The Association between Vaginal Dysbiosis and Reproductive Outcomes in Sub-Fertile Women Undergoing IVF-Treatment: A Systematic PRISMA Review and Meta-Analysis. Pathogens, 2021, 10, 295.   | 1.2 | 19        |
| 140 | Impact of Mid-Luteal Phase GnRH Agonist Administration on Reproductive Outcomes in GnRH Agonist-Triggered Cycles: A Randomized Controlled Trial. Frontiers in Endocrinology, 2017, 8, 124.   | 1.5 | 18        |
| 141 | Advances in ovulation trigger strategies. Panminerva Medica, 2019, 61, 42-51.  | 0.2 | 18        |
| 142 | How time to healthy singleton delivery could affect decision-making during infertility treatment: a Delphi consensus. Reproductive BioMedicine Online, 2019, 38, 118-130.  | 1.1 | 18        |
| 143 | Endocrine Requirements for Oocyte Maturation Following hCG, GnRH Agonist, and Kisspeptin During IVF Treatment. Frontiers in Endocrinology, 2020, 11, 537205.   | 1.5 | 18        |
| 144 | Gonadotropin-releasing hormone agonist for ovulation trigger – OHSS prevention and use of modified luteal phase support for fresh embryo transfer. Upsala Journal of Medical Sciences, 2020, 125, 131-137.   | 0.4 | 18        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 145 | Polymorphisms in the protein C inhibitor gene in in vitro fertilization failure. Fertility and Sterility, 2010, 93, 277-279.  | 0.5 | 17        |
| 146 | Segmented ART – The new era in ART?. Reproductive Biology, 2016, 16, 91-103.  | 0.9 | 17        |
| 147 | Individualized FSH dosing improves safety and reduces iatrogenic poor response while maintaining live-birth rates. Human Reproduction, 2018, 33, 982-983.   | 0.4 | 17        |
| 148 | Relationship between a uterine fibroid diagnosis and the risk of adverse obstetrical outcomes: a cohort study. BMJ Open, 2020, 10, e032104.   | 0.8 | 16        |
| 149 | Higher birth rate after recombinant hCG triggering compared with urinary-derived hCG in single-blastocyst IVF antagonist cycles: a randomized controlled trial. Fertility and Sterility, 2010, 94, 2902-2904.   | 0.5 | 15        |
| 150 | Case of successful IVF treatment of an oligospermic male with 46,XX/46,XY chimerism. Journal of Assisted Reproduction and Genetics, 2018, 35, 1325-1328.  | 1.2 | 15        |
| 151 | Fresh versus frozen embryo transfer after gonadotropin-releasing hormone agonist trigger in gonadotropin-releasing hormone antagonist cycles among high responder women: A randomized, multi-center study. International Journal of Reproductive BioMedicine, 2018, 16, 9-18. | 0.5 | 15        |
| 152 | The LH surge and ovulation re-visited: a systematic review and meta-analysis and implications for true natural cycle frozen thawed embryo transfer. Human Reproduction Update, 2022, 28, 717-732.   | 5.2 | 15        |
| 153 | GnRHa trigger and luteal coasting: a new approach for the ovarian hyperstimulation syndrome high-risk patient?. Reproductive BioMedicine Online, 2018, 36, 75-77.   | 1.1 | 14        |
| 154 | Female infertility and assisted reproductive technology. Panminerva Medica, 2019, 61, 1-2.  | 0.2 | 14        |
| 155 | Oocyte quantity, as well as oocyte quality, plays a significant role for the cumulative live birth rate of a POSEIDON criteria patient. Human Reproduction, 2019, 34, 2555-2557.  | 0.4 | 14        |
| 156 | Large-for-gestational age is male-gender dependent in artificial frozen embryo transfers cycles: a cohort study of 1295 singleton live births. Reproductive BioMedicine Online, 2020, 40, 134-141.  | 1.1 | 14        |
| 157 | Improving Reporting of Clinical Studies Using the POSEIDON Criteria: POSORT Guidelines. Frontiers in Endocrinology, 2021, 12, 587051.   | 1.5 | 14        |
| 158 | Motivational interviewing: a part of the weight loss program for overweight and obese women prior to fertility treatment. Gynecological Endocrinology, 2013, 29, 839-842.   | 0.7 | 13        |
| 159 | Persistent Mullerian Duct Syndrome: a rare entity with a rare presentation in need of multidisciplinary management. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2016, 42, 1237-1243.   | 0.7 | 13        |
| 160 | Predicting live birth for poor ovarian responders: the PROsPeR concept. Reproductive BioMedicine Online, 2018, 37, 43-52.   | 1.1 | 13        |
| 161 | Hormonal stimulation of spermatogenesis: a new way to treat the infertile male with non-obstructive azoospermia?. International Urology and Nephrology, 2019, 51, 453-456.  | 0.6 | 13        |
| 162 | The Luteal Phase after GnRHa Trigger-Understanding An Enigma. International Journal of Fertility & Sterility, 2014, 8, 227-34.  | 0.2 | 13        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | To add or not to add LH: comments on a recent commentary. Reproductive BioMedicine Online, 2006, 12, 284-285.  | 1.1 | 12        |
| 164 | The gonadotropinâ€releasing hormone antagonist protocol – the protocol of choice for the polycystic ovary syndrome patient undergoing controlled ovarian stimulation. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 643-647.                  | 1.3 | 12        |
| 165 | Mitochondrial DNA, a new biomarker of embryonic implantation potential: fact or fiction?. Fertility and Sterility, 2018, 109, 61-62.   | 0.5 | 12        |
| 166 | Poor definition of poor-ovarian response results in misleading clinical recommendations. Human Reproduction, 2018, 33, 979-980.  | 0.4 | 12        |
| 167 | Should Cochrane reviews be performed during the development of new concepts?. Human Reproduction, 2012, 27, 6-8.   | 0.4 | 11        |
| 168 | GnRH antagonist and letrozole co-treatment in diminished ovarian reserve patients: a proof-of-concept study. Reproductive Biology, 2017, 17, 105-110.  | 0.9 | 11        |
| 169 | Self-Detection of the LH Surge in Urine After GnRH Agonist Trigger in IVF—How to Minimize Failure to Retrieve Oocytes. Frontiers in Endocrinology, 2020, 11, 221.  | 1.5 | 11        |
| 170 | Serum progesterone levels on day of embryo transfer in frozen embryo transfer cyclesâ€"the truth lies in the detail. Journal of Assisted Reproduction and Genetics, 2020, 37, 2045-2046.   | 1.2 | 11        |
| 171 | Endometrial compaction does not predict the reproductive outcome after vitrified–warmed embryo transfer: a prospective cohort study. Reproductive BioMedicine Online, 2022, 45, 81-87.   | 1.1 | 11        |
| 172 | Comparison of a †freeze-all' strategy including GnRH agonist trigger versus a †fresh transfer' strategy including hCG trigger in assisted reproductive technology (ART): a study protocol for a randomised controlled trial. BMJ Open, 2017, 7, e016106. | 0.8 | 10        |
| 173 | Unrecognised coeliac disease among men and women undergoing fertility treatment: A screening study. United European Gastroenterology Journal, 2018, 6, 1477-1484.  | 1.6 | 10        |
| 174 | Gonadotropin-releasing hormone agonist ovulation trigger—beyond OHSS prevention. Upsala Journal of Medical Sciences, 2020, 125, 138-143.   | 0.4 | 10        |
| 175 | Artificial cryopreserved embryo transfer cycle success depends on blastocyst developmental rate and progesterone timing. Reproductive BioMedicine Online, 2018, 36, 269-276.   | 1.1 | 9         |
| 176 | The â€~Big Freeze': freeze-all should not be used for everyone. Human Reproduction, 2018, 33, 1577-1578.   | 0.4 | 9         |
| 177 | Mitochondria and reproduction: possibilities for testing and treatment. Panminerva Medica, 2019, 61, 82-96.  | 0.2 | 9         |
| 178 | Increased body mass index associated with increased preterm delivery in frozen embryo transfers. Journal of Obstetrics and Gynaecology, 2019, 39, 377-383.   | 0.4 | 9         |
| 179 | Determinants of the hCG Concentration in the Early Luteal Phase After Final Maturation of Follicles<br>With Bolus Trigger of Recombinant hCG. Frontiers in Endocrinology, 2020, 11, 137.   | 1.5 | 9         |
| 180 | Research and business – the yin and yang in modern medicine. Reproductive BioMedicine Online, 2020, 40, 613-616.   | 1.1 | 8         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 181 | Embryotoxicity testing of IVF disposables: how do manufacturers test?. Human Reproduction, 2020, 35, 283-292.  | 0.4 | 8         |
| 182 | Are endogenous LH levels during ovarian stimulation for IVF using GnRH analogues associated with the probability of ongoing pregnancy? A systematic review. Human Reproduction Update, 2006, 12, 325-326.  | 5.2 | 7         |
| 183 | Efficacy and Safety of Pergoveris in Assisted Reproductive Technology—ESPART: rationale and design of a randomised controlled trial in poor ovarian responders undergoing IVF/ICSI treatment. BMJ Open, 2015, 5, e008297.  | 0.8 | 7         |
| 184 | Protein supplementation intake for bodybuilding and resistance training may impact sperm quality of subfertile men undergoing fertility treatment: a pilot study. Asian Journal of Andrology, 2019, 21, 208.   | 0.8 | 7         |
| 185 | Non-transparent and insufficient descriptions of non-validated microbiome methods and related reproductive outcome results should be interpreted with caution. Human Reproduction, 2019, 34, 2083-2084.  | 0.4 | 7         |
| 186 | Diagnostic Accuracy of a Point-of-Care Test for Celiac Disease Antibody Screening among Infertile Patients. Inflammatory Intestinal Diseases, 2019, 4, 123-130.  | 0.8 | 7         |
| 187 | Pregnancy and birth after intracytoplasmic sperm injection with normal testicular spermatozoa in a patient with azoospermia and tail stump epididymal sperm. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2015, 41, 1220-1225. | 0.7 | 6         |
| 188 | Paraurethral Leiomyoma in a Postmenopausal Woman: First European Case. Case Reports in Obstetrics and Gynecology, 2015, 2015, 1-3.   | 0.2 | 6         |
| 189 | Azoospermia and ring chromosome 9â€"a case report. Journal of Assisted Reproduction and Genetics, 2015, 32, 293-296.   | 1.2 | 6         |
| 190 | Treatment of Abnormal Vaginal Microbiota before Frozen Embryo Transfer: Case-Report and Minireview to Discuss the Longitudinal Treatment Efficacy of Oral Clindamycin. Frontiers in Physiology, 2017, 8, 415.  | 1.3 | 6         |
| 191 | Mid-Luteal 17-OH Progesterone Levels in 614 Women Undergoing IVF-Treatment and Fresh Embryo Transferâ€"Daytime Variation and Impact on Live Birth Rates. Frontiers in Endocrinology, 2018, 9, 690.   | 1.5 | 6         |
| 192 | The effect of intra-ovarian androgen priming on ovarian reserve parameters in Bologna poor responders. Reproductive BioMedicine Online, 2020, 40, 223-228.   | 1.1 | 6         |
| 193 | The POSEIDON stratification - moving from poor ovarian response to low prognosis. Jornal Brasileiro De Reproducao Assistida, 2021, 25, 282-292.  | 0.3 | 6         |
| 194 | Suboptimal response to GnRH agonist trigger: causes and practical management. Current Opinion in Obstetrics and Gynecology, 2021, 33, 213-217.   | 0.9 | 6         |
| 195 | POSEIDON groups and their distinct reproductive outcomes: Effectiveness and cost-effectiveness insights from real-world data research. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2022, 85, 159-187.                                       | 1.4 | 6         |
| 196 | Effect of GnRHa ovulation trigger dose on follicular fluid characteristics and granulosa cell gene expression profiles. Journal of Assisted Reproduction and Genetics, 2017, 34, 471-478.  | 1.2 | 5         |
| 197 | Vaginal microbiota and IVF outcomes: poor diagnosis results in flawed conclusions. Reproductive BioMedicine Online, 2019, 39, 178.   | 1.1 | 5         |
| 198 | Bureaucratic overheating is a parasite hampering modern clinical research – a viewpoint from the â€~belly of the beast'. Reproductive BioMedicine Online, 2019, 38, 487-489.   | 1.1 | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | GnRHa for trigger and luteal phase support in natural cycle frozen embryo transfer – A proof of concept study. Reproductive Biology, 2020, 20, 282-287.  | 0.9 | 5         |
| 200 | The exogenous progesterone-free luteal phase: two pilot randomized controlled trials in IVF patients. Reproductive BioMedicine Online, 2021, 42, 1108-1118.  | 1.1 | 5         |
| 201 | Response: Intensive luteal phase support with oestradiol and progesterone after GnRH agonist triggering: does it help?. Reproductive BioMedicine Online, 2012, 24, 682-683.  | 1.1 | 4         |
| 202 | Concurrent oocyte retrieval and hysteroscopy: a novel approach in assisted reproduction freeze-all cycles. Reproductive BioMedicine Online, 2016, 33, 206-213.   | 1.1 | 4         |
| 203 | Spontaneous clinical pregnancy following GNRH agonist trigger for final oocyte maturation and freeze-all approach: a case report. Reproductive BioMedicine Online, 2016, 32, 233-236.  | 1.1 | 4         |
| 204 | Bio-equivalent doses of recombinant HCG and recombinant LH during ovarian stimulation result in similar oestradiol output: a randomized controlled study. Reproductive BioMedicine Online, 2017, 35, 232-238.                  | 1.1 | 4         |
| 205 | Separation and characterization of maternal cardiac and vascular sounds in the third trimester of pregnancy. International Journal of Gynecology and Obstetrics, 2017, 137, 253-259.   | 1.0 | 4         |
| 206 | Testing of sperm DNA damage and clinical recommendations. Translational Andrology and Urology, 2017, 6, S607-S609.   | 0.6 | 4         |
| 207 | 45,X/46,XY Mosaicism and Normozoospermia in a Patient with Male Phenotype. Case Reports in Medicine, 2019, 2019, 1-5.  | 0.3 | 4         |
| 208 | Effect of clindamycin and a live biotherapeutic on the reproductive outcomes of IVF patients with abnormal vaginal microbiota: protocol for a double-blind, placebo-controlled multicentre trial. BMJ Open, 2020, 10, e035866. | 0.8 | 4         |
| 209 | SESSION 46: ENDOMETRIOSIS/ENDOMETRIUM: CLINICAL STRATEGIES, EVIDENCED OUTCOMES. Human Reproduction, 2012, 27, ii66-ii67.   | 0.4 | 4         |
| 210 | Vitrified–warmed blastocyst transfer timing related to LH surge in true natural cycle and its impact on ongoing pregnancy rates. Reproductive BioMedicine Online, 2022, 45, 440-447.   | 1.1 | 4         |
| 211 | Posters * Reproductive Endocrinology (i.e. PCOS, Menarche, Menopause etc.). Human Reproduction, 2010, 25, i285-i321.   | 0.4 | 3         |
| 212 | Endometrial Stromal Nodule: A Rarity and a Pathological Challenge. Case Reports in Obstetrics and Gynecology, 2015, 2015, 1-4.   | 0.2 | 3         |
| 213 | Male infertility and assisted reproductive technology. Panminerva Medica, 2019, 61, 101-103.   | 0.2 | 3         |
| 214 | Effect of whey protein supplementation on sperm quality and fertility in male mice. Food and Chemical Toxicology, 2020, 141, 111366.   | 1.8 | 3         |
| 215 | Live birth after intrauterine insemination: is there an upper cut-off for the number of motile spermatozoa inseminated?. Reproductive BioMedicine Online, 2021, 42, 117-124.   | 1.1 | 3         |
| 216 | Role of the total progressive motile sperm count (TPMSC) in different infertility factors in IUI: a retrospective cohort study. BMJ Open, 2021, 11, e040563.   | 0.8 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | GnRH agonist supplementation in hormone replacement therapy–frozen embryo transfer cycles: a randomized controlled trial. Reproductive BioMedicine Online, 2022, 44, 261-270.  | 1.1 | 3         |
| 218 | Recombinant gonadotropin therapy to improve spermatogenesis in nonobstructive azoospermic patients - A proof of concept study International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2022, 48, . | 0.7 | 3         |
| 219 | Reply: GnRHa to trigger final oocyte maturation: a time to reconsider. Human Reproduction, 2010, 25, 807-808.  | 0.4 | 2         |
| 220 | Reply: GnRH agonist for triggering final oocyte maturation: time for a critical evaluation of data. Human Reproduction Update, 2012, 18, 229-230.  | 5.2 | 2         |
| 221 | Low biomass microbiota in the upper genital tract of reproductive age women: fact or fiction?. Annals of Clinical Microbiology and Antimicrobials, 2020, 19, 41.   | 1.7 | 2         |
| 222 | Reply: Questionable recommendation for LPS for IVF/ICSI in ESHRE guideline 2019: ovarian stimulation for IVF/ICSI. Human Reproduction Open, 2021, 2021, hoab006.   | 2.3 | 2         |
| 223 | Ovulation before or after intrauterine insemination does not affect live birth rates: a retrospective cohort study of 6701 cycles. Reproductive BioMedicine Online, 2021, 42, 1015-1022.                                   | 1.1 | 2         |
| 224 | FEMALE (IN)FERTILITY. Human Reproduction, 2012, 27, ii226-ii247.   | 0.4 | 2         |
| 225 | IVF and the exogenous progesterone-free luteal phase. Current Opinion in Obstetrics and Gynecology, 2021, 33, 188-195.   | 0.9 | 2         |
| 226 | Behçet's Disease (A severe case from Greenland). Journal of Laryngology and Otology, 1986, 100, 367-370.   | 0.4 | 1         |
| 227 | Reply: GnRH agonist (buserelin) or hCG for ovulation induction in gnRH antagonist IVF/ICSI cycles: a prospective randomized study. Human Reproduction, 2005, 20, 3260-3260.  | 0.4 | 1         |
| 228 | Reply: Luteal support post GnRH agonist trigger: do not stop too soon. Human Reproduction, 2005, 20, 3257-3258.  | 0.4 | 1         |
| 229 | Lutropin Alfa. Drugs, 2008, 68, 1541-1542.   | 4.9 | 1         |
| 230 | Session 33: Psychology & Counselling 2. Human Reproduction, 2010, 25, i49-i52.   | 0.4 | 1         |
| 231 | Prenatal diagnostics in TESA/PESA pregnancies in Denmark 1995-2007: a shift from invasive procedures to nuchal translucency examination. Systems Biology in Reproductive Medicine, 2011, 57, 256-260.                      | 1.0 | 1         |
| 232 | POSTER VIEWING SESSION - EARLY PREGNANCY. Human Reproduction, 2011, 26, i151-i160.   | 0.4 | 1         |
| 233 | POSTER VIEWING SESSION - QUALITY AND SAFETY OF ART THERAPIES. Human Reproduction, 2011, 26, i272-i278.   | 0.4 | 1         |
| 234 | Treatment of poor ovarian responders with corifollitropin alpha followed by rFSH in an antagonist protocol. an observational pilot study. Fertility and Sterility, 2012, 98, S176.   | 0.5 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Association between maternal vascular murmur and the smallâ€forâ€gestationalâ€age fetus with abnormal umbilical artery Doppler flow. International Journal of Gynecology and Obstetrics, 2017, 139, 211-216.   | 1.0 | 1         |
| 236 | Hot topics in female infertility: an afterword. Panminerva Medica, 2019, 61, 97-99.  | 0.2 | 1         |
| 237 | Reply to †Pain relief using electro-acupuncture for oocyte retrieval'. Human Reproduction, 2004, 19, 2966-2967.  | 0.4 | 0         |
| 238 | Serum progesterone levels on the day of HCG administration after controlled ovarian stimulation, are directly correlated to serum lh levels, number of follicles > 10 mm and number of oocytes retrieved. Fertility and Sterility, 2009, 92, S223.   | 0.5 | 0         |
| 239 | High late follicular phase serum progesterone levels do not have a negative impact on pregnacy outcome in patients undergoing controlled ovarian hyperstimulation (COH) for IVF: results of a large RCT. Fertility and Sterility, 2009, 92, S84-S85. | 0.5 | O         |
| 240 | Posters * Early Pregnancy. Human Reproduction, 2010, 25, i161-i170.  | 0.4 | 0         |
| 241 | Men in ICSI treatment - Psychological aspects of male infertility. Journal of Men's Health, 2010, 7, 300-300.  | 0.1 | O         |
| 242 | The type of gonadotropins used for controlled ovarian stimulation affects embryo developmental kinetics. Fertility and Sterility, 2011, 96, S255-S256.   | 0.5 | 0         |
| 243 | Follicular HCG endometrium priming for IVF patients experiencing resisting thin endometrium. a proof of concept study. Fertility and Sterility, 2013, 100, S469.   | 0.5 | 0         |
| 244 | The ESPART randomized controlled trial in poor ovarian responders aligned with the Bologna criteria: a post hoc subgroup analysis according to poor ovarian response inclusion criteria. Fertility and Sterility, 2016, 106, e191.                   | 0.5 | 0         |
| 245 | Clinical, obstetrical and perinatal outcomes of freeze-all cycles: systematic review and meta-analysis of randomized controlled trials. Fertility and Sterility, 2018, 110, e79-e80.   | 0.5 | 0         |
| 246 | Reply: Low as well as high serum P4 levels in the early and mid-luteal phase reduce the chance of a live birth following IVF treatment with fresh embryo transfer. Human Reproduction, 2018, 33, 2314-2315.  | 0.4 | 0         |
| 247 | Nonspecific Symptoms in a Rare Case of Urethral Adenocarcinoma in a 58-Year-Old Female. Case Reports in Obstetrics and Gynecology, 2018, 2018, 1-3.  | 0.2 | O         |
| 248 | Hot topics in male infertility: an afterword. Panminerva Medica, 2019, 61, 196-199.  | 0.2 | 0         |
| 249 | Blastocyst ploidy is not related to the number of embryos generated nor to the type of ovarian stimulation. Fertility and Sterility, 2019, 112, e134.  | 0.5 | 0         |
| 250 | Editorial: POSEIDON's Stratification of â€~Low Prognosis' Patients in ART: The WHY, the WHAT, and the HOW. Frontiers in Endocrinology, 2021, 12, 719647.   | 1.5 | 0         |
| 251 | SESSION 05: EARLY PREGNANCY. Human Reproduction, 2012, 27, ii9-ii11.   | 0.4 | 0         |
| 252 | SESSION 37: APPROACHES FOR AVOIDING OHSS. Human Reproduction, 2012, 27, ii55-ii55.   | 0.4 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | REPLY BY THE AUTHORS: Re: Persistent Mullerian Duct Syndrome: a rare entity with a rare presentation in need of multidisciplinary management. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2017, 43, 1005-1006. | 0.7 | 0         |
| 254 | The Microbiome Environment Influences IVF Results. , 2021, , 268-270.   |     | 0         |
| 255 | Immediate versus postponed single blastocyst transfer in modified natural cycle frozen embryo transfer (mNC-FET): a study protocol for a multicentre randomised controlled trial. BMJ Open, 2021, 11, e053234.                                      | 0.8 | 0         |
| 256 | P-406 $\hat{a} \in f$ Ongoing pregnancy rates (OPRs) after warmed blastocyst transfer (WBT) in a true-natural cycle (t-NC) are similar using six different luteinizing hormone (LH) surge criteria. Human Reproduction, 2022, 37, .                 | 0.4 | 0         |
| 257 | P-679â€fComparison of hormone replacement treatment (HRT) and true-natural cycle (t-NC) protocols for endometrial priming: An analysis of 1,815 warmed blastocyst transfer cycles. Human Reproduction, 2022, 37, .                                  | 0.4 | 0         |
| 258 | P-298â€fThe live birth rate of the endometriosis patient is significantly increased by high luteal phase serum progesterone in HRT-FET cycles - A cohort study. Human Reproduction, 2022, 37, .   | 0.4 | 0         |