

Frank de Vries

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9018462/publications.pdf>

Version: 2024-02-01

253
papers

8,170
citations

41323

49
h-index

64755

79
g-index

273
all docs

273
docs citations

273
times ranked

12046
citing authors

#	ARTICLE	IF	CITATIONS
1	Statin Use and Reduced Cancer-Related Mortality. <i>New England Journal of Medicine</i> , 2013, 368, 574-577.	13.9	615
2	Epidemiology of fractures in the United Kingdom 1988â€“2012: Variation with age, sex, geography, ethnicity and socioeconomic status. <i>Bone</i> , 2016, 87, 19-26.	1.4	286
3	Fracture risk with intermittent high-dose oral glucocorticoid therapy. <i>Arthritis and Rheumatism</i> , 2007, 56, 208-214.	6.7	247
4	Use of Statins and Risk of Fractures. <i>JAMA - Journal of the American Medical Association</i> , 2001, 285, 1850.	3.8	232
5	Risk of fracture after bariatric surgery in the United Kingdom: population based, retrospective cohort study. <i>BMJ, The</i> , 2012, 345, e5085-e5085.	3.0	153
6	High risk of drugâ€­induced microscopic colitis with concomitant use of <scp>NSAID</scp>s and proton pump inhibitors. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 43, 1004-1013.	1.9	144
7	Antidepressant prescribing in five European countries: application of common definitions to assess the prevalence, clinical observations, and methodological implications. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 849-857.	0.8	135
8	Risk of Hip/Femur Fracture After Stroke. <i>Stroke</i> , 2009, 40, 3281-3285.	1.0	133
9	Risk of Lactic Acidosis or Elevated Lactate Concentrations in Metformin Users With Renal Impairment: A Population-Based Cohort Study. <i>Diabetes Care</i> , 2014, 37, 2218-2224.	4.3	126
10	The epidemiology of extra-articular manifestations in ankylosing spondylitis: a population-based matched cohort study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1373-1378.	0.5	126
11	Reporting to Improve Reproducibility and Facilitate Validity Assessment for Healthcare Database Studies V1.0. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1018-1032.	0.9	126
12	Severity of obstructive airway disease and risk of osteoporotic fracture. <i>European Respiratory Journal</i> , 2005, 25, 879-884.	3.1	125
13	The Risk of Colorectal Cancer in Patients With Type 2 Diabetes: Associations With Treatment Stage and Obesity. <i>Diabetes Care</i> , 2015, 38, 495-502.	4.3	125
14	The risk of fracture in patients with multiple sclerosis: The UK general practice research. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 2271-2279.	3.1	102
15	Stability of Blood Eosinophils in Patients with Chronic Obstructive Pulmonary Disease and in Control Subjects, and the Impact of Sex, Age, Smoking, and Baseline Counts. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 1402-1404.	2.5	99
16	Mortality in British hip fracture patients, 2000â€“2010: A population-based retrospective cohort study. <i>Bone</i> , 2014, 66, 171-177.	1.4	97
17	Exposure to benzodiazepines (anxiolytics, hypnotics and related drugs) in seven European electronic healthcare databases: a crossâ€­national descriptive study from the PROTECTâ€­EU Project. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 56-65.	0.9	96
18	Use of Insulin and Insulin Analogs and Risk of Cancer â€” Systematic Review and Meta-Analysis of Observational Studies. <i>Current Drug Safety</i> , 2013, 8, 333-348.	0.3	95

#	ARTICLE	IF	CITATIONS
19	The effect of body mass index on the risk of post-operative complications during the 6 months following total hip replacement or total knee replacement surgery. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 918-927.	0.6	92
20	Fracture risk in patients receiving acid-suppressant medication alone and in combination with bisphosphonates. <i>Osteoporosis International</i> , 2009, 20, 1989-1998.	1.3	90
21	Remission of Type 2 Diabetes Mellitus in Patients After Different Types of Bariatric Surgery. <i>JAMA Surgery</i> , 2015, 150, 1126.	2.2	90
22	Use of proton pump inhibitors and risk of hip/femur fracture: a population-based case-control study. <i>Osteoporosis International</i> , 2011, 22, 903-910.	1.3	87
23	Use of antidepressant drugs and risk of osteoporotic and non-osteoporotic fractures. <i>Bone</i> , 2010, 47, 604-609.	1.4	84
24	Antipsychotic use and the risk of hip/femur fracture: a population-based case-control study. <i>Osteoporosis International</i> , 2009, 20, 1499-1506.	1.3	82
25	Use of anti-depressants and the risk of fracture of the hip or femur. <i>Osteoporosis International</i> , 2009, 20, 1705-1713.	1.3	80
26	Causes of death in patients with multiple sclerosis and matched referent subjects: a population-based cohort study. <i>European Journal of Neurology</i> , 2012, 19, 1007-1014.	1.7	78
27	HIV Infection and Its Association With an Excess Risk of Clinical Fractures. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 90-95.	0.9	78
28	Chlamydia trachomatis and the Risk of Pelvic Inflammatory Disease, Ectopic Pregnancy, and Female Infertility: A Retrospective Cohort Study Among Primary Care Patients. <i>Clinical Infectious Diseases</i> , 2019, 69, 1517-1525.	2.9	77
29	Adjustment for continuous confounders: an example of how to prevent residual confounding. <i>Cmaj</i> , 2013, 185, 401-406.	0.9	74
30	Use of β -Blockers and the Risk of Hip/Femur Fracture in the United Kingdom and The Netherlands. <i>Calcified Tissue International</i> , 2007, 80, 69-75.	1.5	73
31	Anti-osteoporosis drug prescribing after hip fracture in the UK: 2000-2010. <i>Osteoporosis International</i> , 2015, 26, 1919-1928.	1.3	71
32	Use of inhaled and oral glucocorticoids, severity of inflammatory disease and risk of hip/femur fracture: a population-based case-control study. <i>Journal of Internal Medicine</i> , 2007, 261, 170-7.	2.7	70
33	Reporting to Improve Reproducibility and Facilitate Validity Assessment for Healthcare Database Studies V1.0. <i>Value in Health</i> , 2017, 20, 1009-1022.	0.1	70
34	Ankylosing spondylitis confers substantially increased risk of clinical spine fractures: a nationwide case-control study. <i>Osteoporosis International</i> , 2015, 26, 85-91.	1.3	69
35	Timing of Acute Myocardial Infarction in Patients Undergoing Total Hip or Knee Replacement. <i>Archives of Internal Medicine</i> , 2012, 172, 1229.	4.3	67
36	Ethnic and geographic variations in the epidemiology of childhood fractures in the United Kingdom. <i>Bone</i> , 2016, 85, 9-14.	1.4	67

#	ARTICLE	IF	CITATIONS
37	Trends in oral anti-osteoporosis drug prescription in the United Kingdom between 1990 and 2012: Variation by age, sex, geographic location and ethnicity. <i>Bone</i> , 2017, 94, 50-55.	1.4	67
38	Ankylosing spondylitis and risk of ischaemic heart disease: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 203-209.	0.5	66
39	Risk of fractures in patients with multiple sclerosis. <i>Neurology</i> , 2012, 78, 1967-1973.	1.5	65
40	Potential Impact of Benzodiazepine Use on the Rate of Hip Fractures in Five Large European Countries and the United States. <i>Calcified Tissue International</i> , 2012, 91, 24-31.	1.5	65
41	Risk of hypoglycaemia in users of sulphonylureas compared with metformin in relation to renal function and sulphonylurea metabolite group: population based cohort study. <i>BMJ</i> , The, 2016, 354, i3625.	3.0	65
42	Use of dipeptidyl peptidase-4 inhibitors for type 2 diabetes mellitus and risk of fracture. <i>Bone</i> , 2014, 68, 124-130.	1.4	61
43	Reanalysis of two studies with contrasting results on the association between statin use and fracture risk: the General Practice Research Database. <i>International Journal of Epidemiology</i> , 2006, 35, 1301-1308.	0.9	59
44	Lithium use and the risk of fractures. <i>Bone</i> , 2007, 40, 1252-1258.	1.4	59
45	Use of beta-2 agonists and risk of hip/femur fracture: a population-based case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2007, 16, 612-619.	0.9	58
46	Cancer risk among insulin users: comparing analogues with human insulin in the CARING five-country cohort study. <i>Diabetologia</i> , 2017, 60, 1691-1703.	2.9	57
47	Use of Glucagon-Like-Peptide 1 Receptor Agonists and Risk of Fracture as Compared to Use of Other Anti-hyperglycemic Drugs. <i>Calcified Tissue International</i> , 2015, 97, 506-515.	1.5	56
48	Bone Fracture Risk is Not Associated with the Use of Glucagon-Like Peptide-1 Receptor Agonists: A Population-Based Cohort Analysis. <i>Calcified Tissue International</i> , 2015, 97, 104-112.	1.5	56
49	The accuracy of date of death recording in the Clinical Practice Research Datalink GOLD database in England compared with the Office for National Statistics death registrations. <i>Pharmacoepidemiology and Drug Safety</i> . 2019, 28, 563-569.	0.9	56
50	CARING (CAnCER Risk and INsulin analogues): The Association of Diabetes Mellitus and Cancer Risk with Focus on Possible Determinants - A Systematic Review and a Meta-Analysis. <i>Current Drug Safety</i> , 2013, 8, 296-332.	0.3	52
51	Secular trends in fracture incidence in the UK between 1990 and 2012. <i>Osteoporosis International</i> , 2016, 27, 3197-3206.	1.3	52
52	Elevated risk of clinical fractures and associated risk factors in patients with systemic lupus erythematosus versus matched controls: a population-based study in the United Kingdom. <i>Osteoporosis International</i> , 2014, 25, 1275-1283.	1.3	51
53	Mortality, causes of death and influence of medication use in patients with systemic lupus erythematosus vs matched controls. <i>Rheumatology</i> , 2021, 60, 207-216.	0.9	51
54	Risk of fracture in patients with Parkinson's disease. <i>Osteoporosis International</i> , 2013, 24, 2283-2290.	1.3	50

#	ARTICLE	IF	CITATIONS
55	Current and Future Incidence and Costs of Osteoporosis-Related Fractures in The Netherlands: Combining Claims Data with BMD Measurements. <i>Calcified Tissue International</i> , 2016, 98, 235-243.	1.5	49
56	Bridging Differences in Outcomes of Pharmacoepidemiological Studies: Design and First Results of the PROTECT Project. <i>Current Clinical Pharmacology</i> , 2014, 9, 130-138.	0.2	48
57	Prevalence of antibiotic use: a comparison across various European health care data sources. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 11-20.	0.9	46
58	Calibration of FRAX Â® 3.1 to the Dutch population with data on the epidemiology of hip fractures. <i>Osteoporosis International</i> , 2012, 23, 861-869.	1.3	44
59	Changes in Mortality Patterns Following Total Hip or Knee Arthroplasty Over the Past Two Decades: A Nationwide Cohort Study. <i>Arthritis and Rheumatology</i> , 2014, 66, 311-318.	2.9	44
60	Impact of cumulative exposure to high-dose oral glucocorticoids on fracture risk in Denmark: a population-based case-control study. <i>Archives of Osteoporosis</i> , 2018, 13, 30.	1.0	43
61	Concomitant use of ibuprofen and paracetamol and the risk of major clinical safety outcomes. <i>British Journal of Clinical Pharmacology</i> , 2010, 70, 429-438.	1.1	42
62	Use of Organic Nitrates and the Risk of Hip Fracture: A Population-Based Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1924-1931.	1.8	41
63	Long-term persistence with anti-osteoporosis drugs after fracture. <i>Osteoporosis International</i> , 2015, 26, 1831-1840.	1.3	41
64	The risk of venous thromboembolism in patients with multiple sclerosis: the Clinical Practice Research Datalink. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 444-451.	1.9	39
65	Oral Bisphosphonate Use and Total Knee/Hip Implant Survival: Validation of Results in an External Population-Based Cohort. <i>Arthritis and Rheumatology</i> , 2014, 66, 3233-3240.	2.9	39
66	Incidence Rates and Trends of Hip/Femur Fractures in Five European Countries: Comparison Using E-Healthcare Records Databases. <i>Calcified Tissue International</i> , 2014, 94, 580-589.	1.5	39
67	The epidemiology of fractures in Denmark in 2011. <i>Osteoporosis International</i> , 2016, 27, 2017-2025.	1.3	39
68	Risk of fracture with thiazolidinediones: an individual patient data meta-analysis. <i>Frontiers in Endocrinology</i> , 2013, 4, 11.	1.5	38
69	Incidence of fractures in patients with multiple sclerosis: the Danish National Health Registers. <i>Multiple Sclerosis Journal</i> , 2012, 18, 622-627.	1.4	36
70	Timing of Stroke in Patients Undergoing Total Hip Replacement and Matched Controls. <i>Stroke</i> , 2012, 43, 3225-3229.	1.0	36
71	Use of Metformin and Survival of Diabetic Women with Breast Cancer. <i>Current Drug Safety</i> , 2013, 8, 357-363.	0.3	35
72	Antiepileptic drug use in seven electronic health record databases in Europe: A methodologic comparison. <i>Epilepsia</i> , 2014, 55, 666-673.	2.6	35

#	ARTICLE	IF	CITATIONS
73	Long-term use of dipeptidyl peptidase-4 inhibitors and risk of fracture: A retrospective population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 421-428.	2.2	35
74	The epidemiology of mortality after fracture in England: variation by age, sex, time, geographic location, and ethnicity. <i>Osteoporosis International</i> , 2017, 28, 161-168.	1.3	34
75	Medication adherence among gout patients initiated allopurinol: a retrospective cohort study in the Clinical Practice Research Datalink (CPRD). <i>Rheumatology</i> , 2018, 57, 1641-1650.	0.9	34
76	The use of incretins and fractures – a meta-analysis on population-based real life data. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 923-926.	1.1	33
77	Use of proton pump inhibitors and risk of iron deficiency: a population-based case-control study. <i>Journal of Internal Medicine</i> , 2019, 285, 205-214.	2.7	33
78	Long-acting β_2 -agonists in adult asthma and the pattern of risk of death and severe asthma outcomes: a study using the GPRD. <i>European Respiratory Journal</i> , 2010, 36, 494-502.	3.1	32
79	Predicting the 10-year risk of hip and major osteoporotic fracture in rheumatoid arthritis and in the general population: an independent validation and update of UK FRAX without bone mineral density. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 2095-2100.	0.5	32
80	Cancer recording in patients with and without type 2 diabetes in the Clinical Practice Research Datalink primary care data and linked hospital admission data: a cohort study. <i>BMJ Open</i> , 2018, 8, e020827.	0.8	32
81	Fracture risk before and after total hip replacement in patients with osteoarthritis: Potential benefits of bisphosphonate use. <i>Arthritis and Rheumatism</i> , 2011, 63, 992-1001.	6.7	31
82	Excess risk of hip fractures attributable to the use of antidepressants in five European countries and the USA. <i>Osteoporosis International</i> , 2014, 25, 847-855.	1.3	30
83	Use of dipeptidyl peptidase 4 inhibitors and fracture risk compared to use of other anti-hyperglycemic drugs. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1017-1025.	0.9	30
84	Individuals With Type 2 Diabetes Mellitus Are at an Increased Risk of Gout But This Is Not Due to Diabetes. <i>Medicine (United States)</i> , 2015, 94, e1358.	0.4	30
85	Dopaminergic drugs and the risk of hip or femur fracture: a population-based case-control study. <i>Osteoporosis International</i> , 2011, 22, 2197-2204.	1.3	29
86	The risk of fracture in incident multiple sclerosis patients: The Danish National Health Registers. <i>Multiple Sclerosis Journal</i> , 2012, 18, 1609-1616.	1.4	29
87	A simple score for estimating the long-term risk of fracture in patients with multiple sclerosis. <i>Neurology</i> , 2012, 79, 922-928.	1.5	29
88	Use of β_2 -agonists and risk of acute myocardial infarction in patients with hypertension. <i>British Journal of Clinical Pharmacology</i> , 2008, 65, 580-586.	1.1	28
89	Use of incretin agents and risk of pancreatic cancer: a population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 258-265.	2.2	27
90	Patterns of Risk of Cancer in Patients with Metal-on-Metal Hip Replacements versus Other Bearing Surface Types: A Record Linkage Study between a Prospective Joint Registry and General Practice Electronic Health Records in England. <i>PLoS ONE</i> , 2013, 8, e65891.	1.1	27

#	ARTICLE	IF	CITATIONS
91	Use of thiazolidinediones and risk of osteoporotic fracture: disease or drugs?. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 507-514.	0.9	26
92	Cardiovascular safety of vildagliptin in patients with type 2 diabetes: A European multi-center database, non-interventional post-authorization safety study. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1473-1478.	2.2	26
93	Severity of Diabetes Mellitus and Total Hip or Knee Replacement. <i>Medicine (United States)</i> , 2016, 95, e3739.	0.4	24
94	No Decreased Risk of Gastrointestinal Cancers in Users of Metformin in The Netherlands; A Time-Varying Analysis of Metformin Exposure. <i>Cancer Prevention Research</i> , 2017, 10, 290-297.	0.7	24
95	Risk of Fracture with Thiazolidinediones: Disease or Drugs?. <i>Calcified Tissue International</i> , 2012, 90, 450-457.	1.5	23
96	The risk of major and any (non-hip) fragility fracture after hip fracture in the United Kingdom: 2000-2010. <i>Osteoporosis International</i> , 2014, 25, 2555-2563.	1.3	23
97	Risk of vertebral and non-vertebral fractures in patients with sarcoidosis: a population-based cohort. <i>Osteoporosis International</i> , 2016, 27, 1603-1610.	1.3	23
98	Development and validation of an analytical method using UPLC-MS/MS to quantify everolimus in dried blood spots in the oncology setting. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 149, 106-113.	1.4	23
99	Secular trends in major osteoporotic fractures among 50+ adults in Denmark between 1995 and 2010. <i>Osteoporosis International</i> , 2019, 30, 2217-2223.	1.3	23
100	Safety and efficacy of new oral anticoagulants and low-molecular-weight heparins compared with aspirin in patients undergoing total knee and hip replacements. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1245-1252.	0.9	22
101	The pattern of risk of myocardial infarction in patients taking asthma medication: a study with the General Practice Research Database. <i>Journal of Hypertension</i> , 2009, 27, 1485-1492.	0.3	21
102	Risk of fracture in patients with muscular dystrophies. <i>Osteoporosis International</i> , 2014, 25, 509-518.	1.3	21
103	Concomitant use of oral glucocorticoids and proton pump inhibitors and risk of osteoporotic fractures among patients with rheumatoid arthritis: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 423-431.	0.5	21
104	Use of Dipeptidyl-Peptidase-4 Inhibitors and the Risk of Pneumonia: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0139367.	1.1	21
105	The IMI PROTECT project: purpose, organizational structure, and procedures. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 5-10.	0.9	20
106	Use of incretin agents and risk of acute and chronic pancreatitis: A population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 401-411.	2.2	20
107	The Epidemiology of Hip and Major Osteoporotic Fractures in a Dutch Population of Community-Dwelling Elderly: Implications for the Dutch FRAX® Algorithm. <i>PLoS ONE</i> , 2015, 10, e0143800.	1.1	20
108	Risk of Gastrointestinal Bleeding in Patients Undergoing Total Hip or Knee Replacement Compared With Matched Controls: A Nationwide Cohort Study. <i>American Journal of Gastroenterology</i> , 2013, 108, 1277-1285.	0.2	19

#	ARTICLE	IF	CITATIONS
109	Increase in prophylaxis of glucocorticoid-induced osteoporosis by pharmacist feedback: a randomised controlled trial. <i>Osteoporosis International</i> , 2014, 25, 385-392.	1.3	19
110	Risk of community-acquired pneumonia in chronic obstructive pulmonary disease stratified by smoking status: a population-based cohort study in the United Kingdom. <i>International Journal of COPD</i> , 2017, Volume 12, 2425-2432.	0.9	19
111	Data management and data analysis techniques in pharmacoepidemiological studies using a pre-planned multi-database approach: a systematic literature review. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 897-905.	0.9	18
112	Use of thiazolidinediones and the risk of elective hip or knee replacement: a population based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2016, 81, 370-378.	1.1	18
113	Use of systemic glucocorticoids and the risk of major osteoporotic fractures in patients with sarcoidosis. <i>Osteoporosis International</i> , 2017, 28, 2859-2866.	1.3	18
114	Risk of infections in patients with gout: a population-based cohort study. <i>Scientific Reports</i> , 2017, 7, 1429.	1.6	18
115	Gastrointestinal cancer incidence in type 2 diabetes mellitus; results from a large population-based cohort study in the UK. <i>Cancer Epidemiology</i> , 2018, 54, 104-111.	0.8	18
116	Knee Arthroplasty and Risk of Hip Fracture: A Population-Based, Case-Control Study. <i>Calcified Tissue International</i> , 2012, 90, 144-150.	1.5	17
117	Risk of major bleeding and stroke associated with the use of vitamin K antagonists, nonvitamin K antagonist oral anticoagulants and aspirin in patients with atrial fibrillation: a cohort study. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1844-1859.	1.1	17
118	The Netherlands Chlamydia cohort study (NECCST) protocol to assess the risk of late complications following <i>Chlamydia trachomatis</i> infection in women. <i>BMC Infectious Diseases</i> , 2017, 17, 264.	1.3	17
119	Blood eosinophilia, use of inhaled corticosteroids, and risk of COPD exacerbations and mortality. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1191-1199.	0.9	17
120	Blood Eosinophil Counts, Withdrawal of Inhaled Corticosteroids and Risk of COPD Exacerbations and Mortality in the Clinical Practice Research Datalink (CPRD). <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2019, 16, 152-159.	0.7	17
121	Psychostimulants/Atomoxetine and Serious Cardiovascular Events in Children with ADHD or Autism Spectrum Disorder. <i>CNS Drugs</i> , 2020, 34, 93-101.	2.7	17
122	Quality of INR Control and Outcomes Following Venous Thromboembolism. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2012, 18, 370-378.	0.7	16
123	Smoke-free legislation and the incidence of paediatric respiratory infections and wheezing/asthma: interrupted time series analyses in the four UK nations. <i>Scientific Reports</i> , 2015, 5, 15246.	1.6	16
124	Risk of bladder cancer in patients with diabetes: a retrospective cohort study. <i>BMJ Open</i> , 2015, 5, e007470-e007470.	0.8	16
125	Influence of metformin intake on the risk of bladder cancer in type 2 diabetes patients. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 1464-1472.	1.1	16
126	Diabetes and fractures: new evidence of atypical femoral fractures?. <i>Osteoporosis International</i> , 2020, 31, 447-455.	1.3	16

#	ARTICLE	IF	CITATIONS
127	Validation of an analytical method using HPLC-MS/MS to quantify osimertinib in human plasma and supplementary stability results. <i>Biomedical Chromatography</i> , 2020, 34, e4771.	0.8	16
128	The Impact of the Choice of Data Source in Record Linkage Studies Estimating Mortality in Venous Thromboembolism. <i>PLoS ONE</i> , 2016, 11, e0148349.	1.1	16
129	Fracture rate in patients with myasthenia gravis: the general practice research database. <i>Osteoporosis International</i> , 2013, 24, 467-476.	1.3	15
130	Psychometric Validation of the Autism Impact Measure (AIM). <i>Journal of Autism and Developmental Disorders</i> , 2019, 49, 2559-2570.	1.7	15
131	Balance measures for propensity score methods: a clinical example on beta-agonist use and the risk of myocardial infarction. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 1130-1137.	0.9	14
132	Insulin glargine use and breast cancer risk: Associations with cumulative exposure. <i>Acta Oncologica</i> , 2016, 55, 851-858.	0.8	14
133	Statins and Risk of Lower Limb Revision Surgery: The Influence of Differences in Study Design Using Electronic Health Records From the United Kingdom and Denmark. <i>American Journal of Epidemiology</i> , 2016, 184, 58-66.	1.6	14
134	The association between insulin use and volumetric bone mineral density, bone micro-architecture and bone strength of the distal radius in patients with type 2 diabetes – The Maastricht study. <i>Bone</i> , 2017, 101, 156-161.	1.4	14
135	Pattern of risks of rheumatoid arthritis among patients using statins: A cohort study with the clinical practice research datalink. <i>PLoS ONE</i> , 2018, 13, e0193297.	1.1	14
136	Proton pump inhibitors, fracture risk and selection bias: three studies, same database, two answers. <i>Osteoporosis International</i> , 2011, 22, 1641-1642.	1.3	13
137	Impact of detection bias on the risk of gastrointestinal cancer and its subsites in type 2 diabetes mellitus. <i>European Journal of Cancer</i> , 2017, 79, 61-71.	1.3	13
138	Pattern of risks of systemic lupus erythematosus among statin users: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1723-1730.	0.5	13
139	Use of high-dose intermittent systemic glucocorticoids and the risk of fracture in patients with chronic obstructive pulmonary disease. <i>Bone</i> , 2018, 110, 238-243.	1.4	13
140	Incidence of subsequent fractures in the UK between 1990 and 2012 among individuals 50 years or older. <i>Osteoporosis International</i> , 2018, 29, 2469-2475.	1.3	13
141	COX-2-Selective NSAIDs and Risk of Hip or Knee Replacements: A Population-Based Case-Control Study. <i>Calcified Tissue International</i> , 2012, 91, 387-394.	1.5	12
142	A compilation of research working groups on drug utilisation across Europe. <i>BMC Research Notes</i> , 2014, 7, 143.	0.6	12
143	Impact of varying outcomes and definitions of suicidality on the associations of antiepileptic drugs and suicidality: comparisons from UK Clinical Practice Research Datalink (CPRD) and Danish national registries (DNR). <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 142-155.	0.9	12
144	Economic impact of Patients' Own Medication use during hospitalisation: a multicentre pre-post implementation study. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 1658-1665.	1.0	12

#	ARTICLE	IF	CITATIONS
145	Low-dose oral glucocorticoid therapy and risk of osteoporotic fractures in patients with rheumatoid arthritis: a cohort study using the Clinical Practice Research Datalink. <i>Rheumatology</i> , 2022, 61, 1448-1458.	0.9	12
146	Use of Thiazolidinediones and Risk of Bladder Cancer: Disease or Drugs?. <i>Current Drug Safety</i> , 2013, 8, 364-370.	0.3	12
147	Risk of cataract and glaucoma in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2012, 18, 628-638.	1.4	11
148	Association between use of antidepressants or benzodiazepines and the risk of subsequent fracture among those aged 65+ in the Netherlands. <i>Osteoporosis International</i> , 2018, 29, 2477-2485.	1.3	11
149	Glucose-Lowering Drugs and Fracture Risk—a Systematic Review. <i>Current Osteoporosis Reports</i> , 2020, 18, 737-758.	1.5	11
150	Increased Risk of Falls, Fall-related Injuries and Fractures in People with Type 1 and Type 2 Diabetes - A Nationwide Cohort Study. <i>Current Drug Safety</i> , 2021, 16, 52-61.	0.3	11
151	Use of Biguanides and the Risk of Colorectal Cancer: A Register-Based Cohort Study. <i>Current Drug Safety</i> , 2013, 8, 349-356.	0.3	11
152	Risk of myocardial infarction in patients with atrial fibrillation using vitamin K antagonists, aspirin or direct acting oral anticoagulants. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1835-1843.	1.1	10
153	Increased risk of all-cause mortality associated with domperidone use in Parkinson's patients: a population-based cohort study in the UK. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2551-2561.	1.1	10
154	Pregnancies and Time to Pregnancy in Women With and Without a Previous Chlamydia trachomatis Infection. <i>Sexually Transmitted Diseases</i> , 2020, 47, 739-747.	0.8	10
155	Thiazolidinediones and Glucagon-Like Peptide-1 Receptor Agonists and the Risk of Nonalcoholic Fatty Liver Disease: A Cohort Study. <i>Hepatology</i> , 2021, 74, 2467-2477.	3.6	10
156	Incidence, hospitalization and mortality and their changes over time in people with a first ever diabetic foot ulcer. <i>Diabetic Medicine</i> , 2022, 39, e14725.	1.2	10
157	On epidemiology of fractures and variation with age and ethnicity. <i>Bone</i> , 2016, 93, 230-231.	1.4	9
158	Association of type 2 diabetes mellitus with self-reported knee pain and clinical knee osteoarthritis: The Maastricht Study. <i>Diabetes and Metabolism</i> , 2018, 44, 296-299.	1.4	9
159	The Association of Oral Bisphosphonate Use With Mortality Risk Following a Major Osteoporotic Fracture in the United Kingdom: Population-Based Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 811-816.	1.2	9
160	The risk of community-acquired pneumonia in children using gastric acid suppressants. <i>European Respiratory Journal</i> , 2021, 58, 2003229.	3.1	9
161	Gastric Acid-Suppressive Agents and Risk of. <i>JAMA - Journal of the American Medical Association</i> , 2006, 295, 2599.	3.8	9
162	Inpatient Drug Utilization in Europe: Nationwide Data Sources and a Review of Publications on a Selected Group of Medicines (<scp>PROTECT</scp> Project). <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 201-211.	1.2	8

#	ARTICLE	IF	CITATIONS
163	Comparability of the age and sex distribution of the UK Clinical Practice Research Datalink and the total Dutch population. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1460-1464.	0.9	8
164	Risk of a first-ever acute myocardial infarction and all-cause mortality with sulphonylurea treatment: A population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1056-1060.	2.2	8
165	Trends in moderate and severe exacerbations among COPD patients in the UK from 2005 to 2013. <i>Respiratory Medicine</i> , 2018, 144, 1-6.	1.3	8
166	Two-year persistence with teriparatide improved significantly after introduction of an educational and motivational support program. <i>Osteoporosis International</i> , 2019, 30, 1837-1844.	1.3	8
167	Metformin use in type 2 diabetic patients is not associated with lower arterial stiffness. <i>Journal of Hypertension</i> , 2019, 37, 365-371.	0.3	8
168	Obstructive sleep apnea and the risk of gout: a population-based case-control study. <i>Arthritis Research and Therapy</i> , 2020, 22, 92.	1.6	8
169	<p><p>Factors Associated with Antihypertensive Medication Non-Adherence: A Cross-Sectional Study Among Lebanese Hypertensive Adults</p><p>. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 663-673.	0.8	8
170	Use of Sodium-Glucose Co-Transporter-2-Inhibitors (SGLT2-Is) and Risk of Lower Limb Amputation. <i>Current Drug Safety</i> , 2021, 16, 62-72.	0.3	8
171	Risk of fracture in patients with Charcot's "Marie" Tooth disease. <i>Muscle and Nerve</i> , 2014, 50, 919-924.	1.0	7
172	Use of inhaled corticosteroids and the risk of non-fatal acute myocardial infarction. <i>Journal of Hypertension</i> , 2008, 26, 124-129.	0.3	6
173	Prescribing Errors With Low-Molecular-Weight Heparins. <i>Journal of Patient Safety</i> , 2017, Publish Ahead of Print, e587-e592.	0.7	6
174	Disease burden of knee osteoarthritis patients with a joint replacement compared to matched controls: a population-based analysis of a Dutch medical claims database. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 202-210.	0.6	6
175	The Association Between β -Blocker Use and Cardiorespiratory Fitness: The Maastricht Study. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2019, 24, 37-45.	1.0	6
176	<p>External Validation Of The Updated ADO Score In COPD Patients From The Birmingham COPD Cohort</p>. <i>International Journal of COPD</i> , 2019, Volume 14, 2395-2407.	0.9	6
177	Five-year fracture risk estimation in patients with Parkinson's disease. <i>Bone</i> , 2013, 56, 266-270.	1.4	5
178	The stability of the ADO score among UK COPD patients from The Health Improvement Network. <i>ERJ Open Research</i> , 2020, 6, 00196-2019.	1.1	5
179	The risk of new fragility fractures in patients with chronic kidney disease and hip fracture—a population-based cohort study in the UK. <i>Osteoporosis International</i> , 2020, 31, 1487-1497.	1.3	5
180	Risk of fractures in patients with multiple sclerosis: A population-based cohort study. <i>Neurology</i> , 2012, 79, 1934-1935.	1.5	4

#	ARTICLE	IF	CITATIONS
181	Pioglitazone and bladder cancer: two studies, same database, two answers. <i>British Journal of Clinical Pharmacology</i> , 2013, 76, 484-485.	1.1	4
182	Risk of fracture in patients with Guillain-Barré syndrome. <i>Osteoporosis International</i> , 2014, 25, 1845-1851.	1.3	4
183	Risk of vascular disease with gout: overadjustment of the statistical analyses?. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, e9-e9.	0.5	4
184	The Impact of Dose and Simultaneous Use of Acid-Reducing Agents on the Effectiveness of Vemurafenib in Metastatic BRAF V600 Mutated Melanoma: a Retrospective Cohort Study. <i>Targeted Oncology</i> , 2018, 13, 363-370.	1.7	4
185	Mortality risk in atrial fibrillation: the role of aspirin, vitamin K and non-vitamin K antagonists. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 1536-1544.	1.0	4
186	Adjusting for unmeasured confounding using validation data: Simplified two-stage calibration for survival and dichotomous outcomes. <i>Statistics in Medicine</i> , 2019, 38, 2719-2734.	0.8	4
187	All-cause mortality with current and past use of antidepressants or benzodiazepines after major osteoporotic and hip fracture. <i>Osteoporosis International</i> , 2019, 30, 573-581.	1.3	4
188	Risperidone versus aripiprazole fracture risk in children and adolescents with autism spectrum disorders. <i>Autism Research</i> , 2021, 14, 1800-1814.	2.1	4
189	His452Tyr 5-HT2A polymorphism and intravaginal ejaculation latency time in Dutch men with lifelong premature ejaculation. <i>International Journal of Impotence Research</i> , 2023, 35, 103-106.	1.0	4
190	Harmful Effects of Proton Pump Inhibitors. <i>JAMA Internal Medicine</i> , 2013, 173, 1559.	2.6	3
191	Prolonged outpatient vitamin K antagonist use and risk of venous thromboembolism in patients undergoing total hip or knee replacement. <i>Journal of Thrombosis and Haemostasis</i> , 2013, 11, 642-650.	1.9	3
192	The difficulty in evaluating all findings in study on use of macrolides in mother and child and risk of infantile hypertrophic pyloric stenosis. <i>BMJ</i> , The, 2014, 349, g5201-g5201.	3.0	3
193	THU0069...The Epidemiology of Extra-Articular Manifestations in Ankylosing Spondylitis: A Population-Based Matched Cohort Study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 200.3-200.	0.5	3
194	Experiences with Lean Six Sigma as improvement strategy to reduce parenteral medication administration errors and associated potential risk of harm. <i>BMJ Quality Improvement Reports</i> , 2017, 6, u215011.w5936.	0.8	3
195	Association between vildagliptin and risk of angioedema, foot ulcers, skin lesions, hepatic toxicity, and serious infections in patients with type 2 diabetes mellitus: A European multidatabase, noninterventional, postauthorization safety study. <i>Endocrinology, Diabetes and Metabolism</i> , 2019, 2, e00084.	1.0	3
196	No decrease in fracture risk despite 15 years of treatment evolution for multiple myeloma patients: A Danish nationwide case-control study. <i>Bone</i> , 2020, 134, 115299.	1.4	3
197	Liquid Chromatography-Tandem Mass Spectrometry to Monitor Unbound and Total Ceftriaxone in Serum of Critically Ill Patients. <i>Current Clinical Pharmacology</i> , 2020, 15, 341-349.	0.2	3
198	Two studies, same data source, two answers. <i>BMJ: British Medical Journal</i> , 2010, 341, c5980-c5980.	2.4	3

#	ARTICLE	IF	CITATIONS
199	Characteristics of patients with lung cancer in clinical practice and their potential eligibility for clinical trials evaluating tyrosine kinase inhibitors or immune checkpoint inhibitors. <i>Cancer Epidemiology</i> , 2022, 78, 102149.	0.8	3
200	Acid suppressants and hip fracture: Duplicate publication bias?. <i>Bone</i> , 2011, 49, 920.	1.4	2
201	Thiazolidinediones and Cancer: Duplicate Publication Bias?. <i>Oncologist</i> , 2013, 18, 1147-1147.	1.9	2
202	Drug-drug interactions with tyrosine-kinase inhibitors. <i>Lancet Oncology</i> , The, 2014, 15, e416.	5.1	2
203	Identification of antithrombotic drugs related to total joint replacement using anonymised free-text notes: a search strategy in the Clinical Practice Research Datalink. <i>BMJ Open</i> , 2015, 5, e009017.	0.8	2
204	Impact of the definition of osteoarthritis and of the timing of its onset on the association between type 2 diabetes mellitus and osteoarthritis: Clinical Practice Research Datalink. <i>Diabetes Research and Clinical Practice</i> , 2019, 148, 240-248.	1.1	2
205	Response to: "Correspondence on Concomitant use of oral glucocorticoids and proton pump inhibitors and risk of osteoporotic fractures among patients with rheumatoid arthritis: a population-based cohort study" by Zheng. <i>Annals of the Rheumatic Diseases</i> , 2023, 82, e94-e94.	0.5	2
206	Inverse Association Between Duration of Use of Acid-Suppressive Medications and Fracture Risk. <i>Archives of Internal Medicine</i> , 2011, 171, 1044.	4.3	1
207	Use of hormonal contraceptives and risk of HIV-1 transmission. <i>Lancet Infectious Diseases</i> , The, 2012, 12, 508-509.	4.6	1
208	Oral Abstracts 3: Adolescent and Young Adult * O13. Hypermobility is a Risk Factor for Musculoskeletal Pain in Adolescence: Findings From a Prospective Cohort Study. <i>Rheumatology</i> , 2013, 52, i33-i43.	0.9	1
209	Bisphosphonate use and improved implant survival: A Nation-Wide Cohort Study. <i>Osteoarthritis and Cartilage</i> , 2013, 21, S155-S156.	0.6	1
210	Severity of obstructive airway disease and risk of fracture. <i>Bone</i> , 2013, 52, 711.	1.4	1
211	Effective writing and dealing with reviewers. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 830.	2.4	1
212	THU0090...Cardiovascular Morbidity in Patients with Ankylosing Spondylitis: A Population-Based Cohort Study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 207.3-208.	0.5	1
213	Effects of colchicine on risk of cardiovascular events and mortality among patients with gout: the effect of index date selection?. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, e26-e26.	0.5	1
214	C-reactive protein as a biomarker of response to inhaled corticosteroids among patients with COPD. <i>Pulmonary Pharmacology and Therapeutics</i> , 2020, 60, 101870.	1.1	1
215	Drug utilization in the Maastricht Study. <i>Medicine (United States)</i> , 2020, 99, e18524.	0.4	1
216	Letter regarding "Cognitive outcomes in meningioma patients undergoing surgery: individual changes over time and predictors of late cognitive functioning". <i>Neuro-Oncology</i> , 2020, 22, 580-581.	0.6	1

#	ARTICLE	IF	CITATIONS
217	The use of oral glucocorticoids and the risk of major osteoporotic fracture in patients with myasthenia gravis. <i>Osteoporosis International</i> , 2021, , 1.	1.3	1
218	External validation of the updated ADO score to predict mortality in COPD patients from the Birmingham COPD cohort. , 2019, , .		1
219	Outcomes following a hip fracture and length of hospitalization. <i>Bone</i> , 2009, 44, S402.	1.4	0
220	P.2.a.021 Insomnia as a predictor of depression in UK primary care. <i>European Neuropsychopharmacology</i> , 2009, 19, S372-S373.	0.3	0
221	P.2.a.032 Resource use in depressed patients with sleep disturbance. <i>European Neuropsychopharmacology</i> , 2009, 19, S378-S379.	0.3	0
222	Response to Letter by Tsuda. <i>Stroke</i> , 2010, 41, .	1.0	0
223	Use of thiazolidinediones and risk of osteoporotic fracture: Disease or drugs?. <i>Bone</i> , 2010, 47, S372-S373.	1.4	0
224	Acid Suppressants, Fracture, and Statistical Adjustments for Body Mass Index, Smoking Status, and Calcium/Vitamin D Intake. <i>American Journal of Gastroenterology</i> , 2011, 106, 2051.	0.2	0
225	Interpretation of the Association between Beta-Blockers and Hip/Femur Fracture. <i>American Journal of Nephrology</i> , 2012, 35, 101-102.	1.4	0
226	Risk of haemorrhagic stroke in patients with total hip/knee replacements and matched controls: A population-based cohort study in Denmark. <i>Bone</i> , 2012, 50, S185.	1.4	0
227	Risk of gastrointestinal bleedings in patients with total hip/knee replacements and matched controls: A population-based cohort study in Denmark. <i>Bone</i> , 2012, 50, S186.	1.4	0
228	Risk of acute myocardial infarction in patients with total hip/knee replacements and matched controls: A population-based cohort study in Denmark. <i>Bone</i> , 2012, 50, S187.	1.4	0
229	THU0334â€¦Severity of Diabetes Mellitus and Risk of Total Hip or Knee Replacement: A Population Based Case-Control Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 316.2-316.	0.5	0
230	AB1108â€¦Identification of Antithrombotic Drugs Related to Total Joint Replacement Using Anonymised Free Text Notes. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1271.2-1271.	0.5	0
231	SAT0333â€¦Use of Glitazones and The Risk of Elective Hip Or Knee Replacement: A Population Based Case-Control Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 779.3-780.	0.5	0
232	Co-Administration of Proton Pump Inhibitors in Chronic Aspirin Users and the Risk of Adverse Cardiovascular Events: a Population-Based Cohort Study. <i>Value in Health</i> , 2015, 18, A378.	0.1	0
233	Mo1146 Gastrointestinal Cancer Incidence in Type 2 Diabetes Mellitus; Results From a Large Retrospective Population-Based Cohort Study. <i>Gastroenterology</i> , 2016, 150, S649.	0.6	0
234	Sa1428 Co-Exposure of Microscopic Colitis Associated Drugs Does Not Affect Paracellular Permeability In Vitro. <i>Gastroenterology</i> , 2016, 150, S312.	0.6	0

#	ARTICLE	IF	CITATIONS
235	OP0017â€¦Medication Taking Behaviour of Allopurinol Treatment among Patients with Gout: A Retrospective Cohort Study in The Clinical Practice Research Datalink (CPRD). <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 59.2-59.	0.5	0
236	Comments on "Use of metformin and risk of kidney cancer" in patients with type 2 diabetes", Chin-Hsiao Tseng, <i>Eur J Cancer</i> , 2016, No. 52, pp. 19â€“25. <i>European Journal of Cancer</i> , 2016, 61, 157-158.	1.3	0
237	THU0603â€¦Disease burden of knee osteoarthritis patients undergoing joint replacement compared to matched controls: a population-based analysis of a dutch medical claims database. , 2017, , .		0
238	OP0039â€¦A population-based study on mortality and the influence of medication use in 4356 patients with systemic lupus erythematosus and 21845 matched controls from the united kingdom. , 2017, , .		0
239	Use of parenteral glucocorticoids and the risk of new onset type 2 diabetes mellitus: A case-control study. <i>Diabetes Research and Clinical Practice</i> , 2018, 139, 100-106.	1.1	0
240	S6A:4â€¦A population-based study on mortality and the influence of medication use in 4356 patients with systemic lupus erythematosus and 21845 matched controls from the united kingdom. , 2018, , .		0
241	Inconsistencies in Reporting Studies of Lactic Acidosis. <i>JAMA Internal Medicine</i> , 2019, 179, 455.	2.6	0
242	1.28 ASSESSMENT OF ADHD MEDICATION USE AND ASSOCIATIONS WITH SERIOUS CARDIOVASCULAR EVENTS IN CHILDREN AND ADOLESCENTS WITH ASD IN THE UNITED STATES. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, S155-S156.	0.3	0
243	Determinants of treatment modification before and after implementation of the updated 2015 NICE guideline on type 2 diabetes: A retrospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021, 176, 108828.	1.1	0
244	Use of thiazolidinediones and risk of osteoporotic fracture: the Danish National Databases. <i>Frontiers in Endocrinology</i> , 0, 2, .	1.5	0
245	Risk of CAP in COPD stratified by smoking status: A population-based cohort study in the UK. , 2016, , .		0
246	Cancer recording in patients with type 2 diabetes in primary care and hospital admission data. <i>International Journal of Population Data Science</i> , 2017, 1, .	0.1	0
247	Association of concomitant use of acid reducing agents in full-dose vemurafenib users with risk of progression in BRAF V600 mutation-positive unresectable or metastatic melanoma patients: A retrospective cohort study.. <i>Journal of Clinical Oncology</i> , 2017, 35, 9540-9540.	0.8	0
248	Determinants of long-term changes in ADO prognostic score in UK COPD primary care patients: results from The Health Improvement Network. , 2019, , .		0
249	Blood eosinophil counts, withdrawal of inhaled corticosteroids and risk of COPD exacerbations and mortality in the Clinical Practice Research Datalink (CPRD). , 2019, , .		0
250	No Decrease in Fracture Risk Despite 15 Years of Treatment Evolution in Multiple Myeloma Patients: A Danish Nationwide Case-Control Study. <i>Blood</i> , 2019, 134, 5503-5503.	0.6	0
251	Is there a need for review-a-thons?. <i>Lancet Rheumatology</i> , The, 2020, 2, e205.	2.2	0
252	Letter to the Editor. Cognitive performance of patients with low-grade glioma. <i>Journal of Neurosurgery</i> , 2020, , 1-2.	0.9	0

#	ARTICLE	IF	CITATIONS
253	External validation of two prognostic scores predicting exacerbations in ECLIPSE COPD patients. , 2020, , .		0