

# Frank de Vries

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9018462/frank-de-vries-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

232  
papers

5,897  
citations

46  
h-index

66  
g-index

273  
ext. papers

6,846  
ext. citations

5  
avg, IF

5.68  
L-index

#	Paper	IF	Citations
232	Characteristics of patients with lung cancer in clinical practice and their potential eligibility for clinical trials evaluating tyrosine kinase inhibitors or immune checkpoint inhibitors.. <i>Cancer Epidemiology</i> , <b>2022</b> , 78, 102149	2.8	
231	Prescribing Errors With Low-Molecular-Weight Heparins. <i>Journal of Patient Safety</i> , <b>2021</b> , 17, e587-e592	1.9	3
230	His452Tyr 5-HT polymorphism and intravaginal ejaculation latency time in Dutch men with lifelong premature ejaculation. <i>International Journal of Impotence Research</i> , <b>2021</b> ,	2.3	1
229	Liquid Chromatography-Tandem Mass Spectrometry to Monitor Unbound and Total Ceftriaxone in Serum of Critically Ill Patients. <i>Current Clinical Pharmacology</i> , <b>2021</b> , 16, 341-349	2.5	2
228	The use of oral glucocorticoids and the risk of major osteoporotic fracture in patients with myasthenia gravis. <i>Osteoporosis International</i> , <b>2021</b> , 1	5.3	0
227	Incidence, hospitalization and mortality and their changes over time in people with a first ever diabetic foot ulcer. <i>Diabetic Medicine</i> , <b>2021</b> , e14725	3.5	2
226	Increased Risk of Falls, Fall-related Injuries and Fractures in People with Type 1 and Type 2 Diabetes - A Nationwide Cohort Study. <i>Current Drug Safety</i> , <b>2021</b> , 16, 52-61	1.4	3
225	Risperidone versus aripiprazole fracture risk in children and adolescents with autism spectrum disorders. <i>Autism Research</i> , <b>2021</b> , 14, 1800-1814	5.1	1
224	Determinants of treatment modification before and after implementation of the updated 2015 NICE guideline on type 2 diabetes: A retrospective cohort study. <i>Diabetes Research and Clinical Practice</i> , <b>2021</b> , 176, 108828	7.4	
223	Mortality, causes of death and influence of medication use in patients with systemic lupus erythematosus vs matched controls. <i>Rheumatology</i> , <b>2021</b> , 60, 207-216	3.9	15
222	Response to: Correspondence on Concomitant use of oral glucocorticoids and proton pump inhibitors and risk of osteoporotic fractures among patients with rheumatoid arthritis: a population-based cohort study by Zheng. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> ,	2.4	1
221	The risk of community-acquired pneumonia in children using gastric acid suppressants. <i>European Respiratory Journal</i> , <b>2021</b> , 58,	13.6	2
220	Use of Sodium-Glucose Co-Transporter-2-Inhibitors (SGLT2-Is) and Risk of Lower Limb Amputation. <i>Current Drug Safety</i> , <b>2021</b> , 16, 62-72	1.4	4
219	Low-dose oral glucocorticoid therapy and risk of osteoporotic fractures in patients with rheumatoid arthritis: a cohort study using the Clinical Practice Research Datalink. <i>Rheumatology</i> , <b>2021</b> ,	3.9	3
218	Thiazolidinediones and Glucagon-Like Peptide-1 Receptor Agonists and the Risk of Nonalcoholic Fatty Liver Disease: A Cohort Study. <i>Hepatology</i> , <b>2021</b> , 74, 2467-2477	11.2	2
217	Glucose-Lowering Drugs and Fracture Risk-a Systematic Review. <i>Current Osteoporosis Reports</i> , <b>2020</b> , 18, 737-758	5.4	4
216	Drug utilization in the Maastricht Study: A comparison with nationwide data. <i>Medicine (United States)</i> , <b>2020</b> , 99, e18524	1.8	1

215	No decrease in fracture risk despite 15 years of treatment evolution for multiple myeloma patients: A Danish nationwide case-control study. <i>Bone</i> , <b>2020</b> , 134, 115299	4.7	2
214	Letter regarding "Cognitive outcomes in meningioma patients undergoing surgery: individual changes over time and predictors of late cognitive functioning". <i>Neuro-Oncology</i> , <b>2020</b> , 22, 580-581	1	1
213	The risk of new fragility fractures in patients with chronic kidney disease and hip fracture-a population-based cohort study in the UK. <i>Osteoporosis International</i> , <b>2020</b> , 31, 1487-1497	5.3	2
212	Obstructive sleep apnea and the risk of gout: a population-based case-control study. <i>Arthritis Research and Therapy</i> , <b>2020</b> , 22, 92	5.7	2
211	Factors Associated with Antihypertensive Medication Non-Adherence: A Cross-Sectional Study Among Lebanese Hypertensive Adults. <i>Patient Preference and Adherence</i> , <b>2020</b> , 14, 663-673	2.4	2
210	Is there a need for review-a-thons?. <i>Lancet Rheumatology, The</i> , <b>2020</b> , 2, e205	14.2	
209	Letter to the Editor. Cognitive performance of patients with low-grade glioma. <i>Journal of Neurosurgery</i> , <b>2020</b> , 1-2	3.2	
208	The Association of Oral Bisphosphonate Use With Mortality Risk Following a Major Osteoporotic Fracture in the United Kingdom: Population-Based Cohort Study. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 811-816	5.9	4
207	Diabetes and fractures: new evidence of atypical femoral fractures?. <i>Osteoporosis International</i> , <b>2020</b> , 31, 447-455	5.3	8
206	Validation of an analytical method using HPLC-MS/MS to quantify osimertinib in human plasma and supplementary stability results. <i>Biomedical Chromatography</i> , <b>2020</b> , 34, e4771	1.7	2
205	C-reactive protein as a biomarker of response to inhaled corticosteroids among patients with COPD. <i>Pulmonary Pharmacology and Therapeutics</i> , <b>2020</b> , 60, 101870	3.5	0
204	Psychostimulants/Atomoxetine and Serious Cardiovascular Events in Children with ADHD or Autism Spectrum Disorder. <i>CNS Drugs</i> , <b>2020</b> , 34, 93-101	6.7	7
203	Pregnancies and Time to Pregnancy in Women With and Without a Previous Chlamydia trachomatis Infection. <i>Sexually Transmitted Diseases</i> , <b>2020</b> , 47, 739-747	2.4	3
202	The stability of the ADO score among UK COPD patients from The Health Improvement Network. <i>ERJ Open Research</i> , <b>2020</b> , 6,	3.5	3
201	Concomitant use of oral glucocorticoids and proton pump inhibitors and risk of osteoporotic fractures among patients with rheumatoid arthritis: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> ,	2.4	11
200	Chlamydia trachomatis and the Risk of Pelvic Inflammatory Disease, Ectopic Pregnancy, and Female Infertility: A Retrospective Cohort Study Among Primary Care Patients. <i>Clinical Infectious Diseases</i> , <b>2019</b> , 69, 1517-1525	11.6	25
199	Impact of the definition of osteoarthritis and of the timing of its onset on the association between type 2 diabetes mellitus and osteoarthritis: Clinical Practice Research Datalink. <i>Diabetes Research and Clinical Practice</i> , <b>2019</b> , 148, 240-248	7.4	2
198	Blood Eosinophil Counts, Withdrawal of Inhaled Corticosteroids and Risk of COPD Exacerbations and Mortality in the Clinical Practice Research Datalink (CPRD). <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , <b>2019</b> , 16, 152-159	2	11

197	Psychometric Validation of the Autism Impact Measure (AIM). <i>Journal of Autism and Developmental Disorders</i> , <b>2019</b> , 49, 2559-2570	4.6	9
196	The accuracy of date of death recording in the Clinical Practice Research Datalink GOLD database in England compared with the Office for National Statistics death registrations. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2019</b> , 28, 563-569	2.6	28
195	Inconsistencies in Reporting Studies of Lactic Acidosis. <i>JAMA Internal Medicine</i> , <b>2019</b> , 179, 455-456	11.5	
194	Adjusting for unmeasured confounding using validation data: Simplified two-stage calibration for survival and dichotomous outcomes. <i>Statistics in Medicine</i> , <b>2019</b> , 38, 2719-2734	2.3	1
193	All-cause mortality with current and past use of antidepressants or benzodiazepines after major osteoporotic and hip fracture. <i>Osteoporosis International</i> , <b>2019</b> , 30, 573-581	5.3	3
192	The Association Between $\beta$ -Blocker Use and Cardiorespiratory Fitness: The Maastricht Study. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , <b>2019</b> , 24, 37-45	2.6	4
191	Use of proton pump inhibitors and risk of iron deficiency: a population-based case-control study. <i>Journal of Internal Medicine</i> , <b>2019</b> , 285, 205-214	10.8	19
190	Secular trends in major osteoporotic fractures among 50+ adults in Denmark between 1995 and 2010. <i>Osteoporosis International</i> , <b>2019</b> , 30, 2217-2223	5.3	15
189	Association between vildagliptin and risk of angioedema, foot ulcers, skin lesions, hepatic toxicity, and serious infections in patients with type 2 diabetes mellitus: A European multidatabase, noninterventional, postauthorization safety study. <i>Endocrinology, Diabetes and Metabolism</i> , <b>2019</b> , 2, e00084	2.7	2
188	Two-year persistence with teriparatide improved significantly after introduction of an educational and motivational support program. <i>Osteoporosis International</i> , <b>2019</b> , 30, 1837-1844	5.3	3
187	Mortality risk in atrial fibrillation: the role of aspirin, vitamin K and non-vitamin K antagonists. <i>International Journal of Clinical Pharmacy</i> , <b>2019</b> , 41, 1536-1544	2.3	1
186	External Validation Of The Updated ADO Score In COPD Patients From The Birmingham COPD Cohort. <i>International Journal of COPD</i> , <b>2019</b> , 14, 2395-2407	3	4
185	Economic impact of Patient's Own Medication use during hospitalisation: a multicentre pre-post implementation study. <i>International Journal of Clinical Pharmacy</i> , <b>2019</b> , 41, 1658-1665	2.3	5
184	No Decrease in Fracture Risk Despite 15 Years of Treatment Evolution in Multiple Myeloma Patients: A Danish Nationwide Case-Control Study. <i>Blood</i> , <b>2019</b> , 134, 5503-5503	2.2	
183	Metformin use in type 2 diabetic patients is not associated with lower arterial stiffness: the Maastricht Study. <i>Journal of Hypertension</i> , <b>2019</b> , 37, 365-371	1.9	5
182	Use of high-dose intermittent systemic glucocorticoids and the risk of fracture in patients with chronic obstructive pulmonary disease. <i>Bone</i> , <b>2018</b> , 110, 238-243	4.7	11
181	The Impact of Dose and Simultaneous Use of Acid-Reducing Agents on the Effectiveness of Vemurafenib in Metastatic BRAF V600 Mutated Melanoma: a Retrospective Cohort Study. <i>Targeted Oncology</i> , <b>2018</b> , 13, 363-370	5	3
180	Risk of a first-ever acute myocardial infarction and all-cause mortality with sulphonylurea treatment: A population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 1056-1060	6.7	6

179	Association of type 2 diabetes mellitus with self-reported knee pain and clinical knee osteoarthritis: The Maastricht Study. <i>Diabetes and Metabolism</i> , <b>2018</b> , 44, 296-299	5.4	7
178	Impact of cumulative exposure to high-dose oral glucocorticoids on fracture risk in Denmark: a population-based case-control study. <i>Archives of Osteoporosis</i> , <b>2018</b> , 13, 30	2.9	19
177	Use of parenteral glucocorticoids and the risk of new onset type 2 diabetes mellitus: A case-control study. <i>Diabetes Research and Clinical Practice</i> , <b>2018</b> , 139, 100-106	7.4	
176	Development and validation of an analytical method using UPLC-MS/MS to quantify everolimus in dried blood spots in the oncology setting. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 149, 106-113	3.5	16
175	Incidence of subsequent fractures in the UK between 1990 and 2012 among individuals 50 years or older. <i>Osteoporosis International</i> , <b>2018</b> , 29, 2469-2475	5.3	4
174	Association between use of antidepressants or benzodiazepines and the risk of subsequent fracture among those aged 65+ in the Netherlands. <i>Osteoporosis International</i> , <b>2018</b> , 29, 2477-2485	5.3	7
173	Medication adherence among gout patients initiated allopurinol: a retrospective cohort study in the Clinical Practice Research Datalink (CPRD). <i>Rheumatology</i> , <b>2018</b> , 57, 1641-1650	3.9	19
172	Cancer recording in patients with and without type 2 diabetes in the Clinical Practice Research Datalink primary care data and linked hospital admission data: a cohort study. <i>BMJ Open</i> , <b>2018</b> , 8, e020827	2.7	23
171	Pattern of risks of rheumatoid arthritis among patients using statins: A cohort study with the clinical practice research datalink. <i>PLoS ONE</i> , <b>2018</b> , 13, e0193297	3.7	9
170	Disease burden of knee osteoarthritis patients with a joint replacement compared to matched controls: a population-based analysis of a Dutch medical claims database. <i>Osteoarthritis and Cartilage</i> , <b>2018</b> , 26, 202-210	6.2	5
169	Blood eosinophilia, use of inhaled corticosteroids, and risk of COPD exacerbations and mortality. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 1191-1199	2.6	10
168	Trends in moderate and severe exacerbations among COPD patients in the UK from 2005 to 2013. <i>Respiratory Medicine</i> , <b>2018</b> , 144, 1-6	4.6	3
167	Secular trends in major osteoporotic fractures among 50+ adults in Denmark between 1995 and 2010. <i>Archives of Osteoporosis</i> , <b>2018</b> , 13, 91	2.9	6
166	Gastrointestinal cancer incidence in type 2 diabetes mellitus; results from a large population-based cohort study in the UK. <i>Cancer Epidemiology</i> , <b>2018</b> , 54, 104-111	2.8	14
165	Increased risk of all-cause mortality associated with domperidone use in Parkinson's patients: a population-based cohort study in the UK. <i>British Journal of Clinical Pharmacology</i> , <b>2018</b> , 84, 2551-2561	3.8	8
164	Risk of major bleeding and stroke associated with the use of vitamin K antagonists, nonvitamin K antagonist oral anticoagulants and aspirin in patients with atrial fibrillation: a cohort study. <i>British Journal of Clinical Pharmacology</i> , <b>2017</b> , 83, 1844-1859	3.8	17
163	Stability of Blood Eosinophils in Patients with Chronic Obstructive Pulmonary Disease and in Control Subjects, and the Impact of Sex, Age, Smoking, and Baseline Counts. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2017</b> , 195, 1402-1404	10.2	77
162	The association between insulin use and volumetric bone mineral density, bone micro-architecture and bone strength of the distal radius in patients with type 2 diabetes - The Maastricht study. <i>Bone</i> , <b>2017</b> , 101, 156-161	4.7	9

161	Impact of detection bias on the risk of gastrointestinal cancer and its subsites in type 2 diabetes mellitus. <i>European Journal of Cancer</i> , <b>2017</b> , 79, 61-71	7.5	13
160	Cancer risk among insulin users: comparing analogues with human insulin in the CARING five-country cohort study. <i>Diabetologia</i> , <b>2017</b> , 60, 1691-1703	10.3	41
159	Risk of myocardial infarction in patients with atrial fibrillation using vitamin K antagonists, aspirin or direct acting oral anticoagulants. <i>British Journal of Clinical Pharmacology</i> , <b>2017</b> , 83, 1835-1843	3.8	9
158	Cardiovascular safety of vildagliptin in patients with type 2 diabetes: A European multi-database, non-interventional post-authorization safety study. <i>Diabetes, Obesity and Metabolism</i> , <b>2017</b> , 19, 1473-1478	6.7	21
157	No Decreased Risk of Gastrointestinal Cancers in Users of Metformin in The Netherlands; A Time-Varying Analysis of Metformin Exposure. <i>Cancer Prevention Research</i> , <b>2017</b> , 10, 290-297	3.2	17
156	Long-term use of dipeptidyl peptidase-4 inhibitors and risk of fracture: A retrospective population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , <b>2017</b> , 19, 421-428	6.7	31
155	Reporting to Improve Reproducibility and Facilitate Validity Assessment for Healthcare Database Studies V1.0. <i>Value in Health</i> , <b>2017</b> , 20, 1009-1022	3.3	47
154	Risk of community-acquired pneumonia in chronic obstructive pulmonary disease stratified by smoking status: a population-based cohort study in the United Kingdom. <i>International Journal of COPD</i> , <b>2017</b> , 12, 2425-2432	3	15
153	Reporting to Improve Reproducibility and Facilitate Validity Assessment for Healthcare Database Studies V1.0. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 1018-1032	2.6	78
152	Experiences with Lean Six Sigma as improvement strategy to reduce parenteral medication administration errors and associated potential risk of harm. <i>BMJ Quality Improvement Reports</i> , <b>2017</b> , 6,		1
151	Use of systemic glucocorticoids and the risk of major osteoporotic fractures in patients with sarcoidosis. <i>Osteoporosis International</i> , <b>2017</b> , 28, 2859-2866	5.3	11
150	Pattern of risks of systemic lupus erythematosus among statin users: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 1723-1730	2.4	9
149	Risk of infections in patients with gout: a population-based cohort study. <i>Scientific Reports</i> , <b>2017</b> , 7, 1429	4.9	14
148	The Netherlands Chlamydia cohort study (NECCST) protocol to assess the risk of late complications following Chlamydia trachomatis infection in women. <i>BMC Infectious Diseases</i> , <b>2017</b> , 17, 264	4	14
147	The use of incretins and fractures - a meta-analysis on population-based real life data. <i>British Journal of Clinical Pharmacology</i> , <b>2017</b> , 83, 923-926	3.8	30
146	Trends in oral anti-osteoporosis drug prescription in the United Kingdom between 1990 and 2012: Variation by age, sex, geographic location and ethnicity. <i>Bone</i> , <b>2017</b> , 94, 50-55	4.7	47
145	The epidemiology of mortality after fracture in England: variation by age, sex, time, geographic location, and ethnicity. <i>Osteoporosis International</i> , <b>2017</b> , 28, 161-168	5.3	25
144	Use of incretin agents and risk of acute and chronic pancreatitis: A population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , <b>2017</b> , 19, 401-411	6.7	15

143	Association of concomitant use of acid reducing agents in full-dose vemurafenib users with risk of progression in BRAF V600 mutation-positive unresectable or metastatic melanoma patients: A retrospective cohort study.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 9540-9540	2.2	
142	Ankylosing spondylitis and risk of ischaemic heart disease: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 203-9	2.4	54
141	Statins and Risk of Lower Limb Revision Surgery: The Influence of Differences in Study Design Using Electronic Health Records From the United Kingdom and Denmark. <i>American Journal of Epidemiology</i> , <b>2016</b> , 184, 58-66	3.8	13
140	On epidemiology of fractures and variation with age and ethnicity. <i>Bone</i> , <b>2016</b> , 93, 230-231	4.7	5
139	OP0017 Medication Taking Behaviour of Allopurinol Treatment among Patients with Gout: A Retrospective Cohort Study in The Clinical Practice Research Datalink (CPRD). <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 59.2-59	2.4	
138	Comments on "Use of metformin and risk of kidney cancer in patients with type 2 diabetes", Chin-Hsiao Tseng, Eur J Cancer, 2016, No. 52, pp. 19-25. <i>European Journal of Cancer</i> , <b>2016</b> , 61, 157-8	7.5	
137	Secular trends in fracture incidence in the UK between 1990 and 2012. <i>Osteoporosis International</i> , <b>2016</b> , 27, 3197-3206	5.3	40
136	Risk of vertebral and non-vertebral fractures in patients with sarcoidosis: a population-based cohort. <i>Osteoporosis International</i> , <b>2016</b> , 27, 1603-1610	5.3	16
135	Use of incretin agents and risk of pancreatic cancer: a population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , <b>2016</b> , 18, 258-65	6.7	21
134	Effects of colchicine on risk of cardiovascular events and mortality among patients with gout: the effect of index date selection?. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, e26	2.4	1
133	The epidemiology of fractures in Denmark in 2011. <i>Osteoporosis International</i> , <b>2016</b> , 27, 2017-25	5.3	28
132	Epidemiology of fractures in the United Kingdom 1988-2012: Variation with age, sex, geography, ethnicity and socioeconomic status. <i>Bone</i> , <b>2016</b> , 87, 19-26	4.7	196
131	Current and Future Incidence and Costs of Osteoporosis-Related Fractures in The Netherlands: Combining Claims Data with BMD Measurements. <i>Calcified Tissue International</i> , <b>2016</b> , 98, 235-43	3.9	33
130	The Impact of the Choice of Data Source in Record Linkage Studies Estimating Mortality in Venous Thromboembolism. <i>PLoS ONE</i> , <b>2016</b> , 11, e0148349	3.7	15
129	Risk of hypoglycaemia in users of sulphonylureas compared with metformin in relation to renal function and sulphonylurea metabolite group: population based cohort study. <i>BMJ, The</i> , <b>2016</b> , 354, i3625	5.9	45
128	Severity of Diabetes Mellitus and Total Hip or Knee Replacement: A Population-Based Case-Control Study. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3739	1.8	19
127	Use of thiazolidinediones and the risk of elective hip or knee replacement: a population based case-control study. <i>British Journal of Clinical Pharmacology</i> , <b>2016</b> , 81, 370-8	3.8	13
126	Predicting the 10-year risk of hip and major osteoporotic fracture in rheumatoid arthritis and in the general population: an independent validation and update of UK FRAX without bone mineral density. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 2095-2100	2.4	23

125	Ethnic and geographic variations in the epidemiology of childhood fractures in the United Kingdom. <i>Bone</i> , <b>2016</b> , 85, 9-14	4.7	53
124	Insulin glargine use and breast cancer risk: Associations with cumulative exposure. <i>Acta Oncologica</i> , <b>2016</b> , 55, 851-8	3.2	10
123	Safety and efficacy of new oral anticoagulants and low-molecular-weight heparins compared with aspirin in patients undergoing total knee and hip replacements. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25, 1245-1252	2.6	20
122	Comparability of the age and sex distribution of the UK Clinical Practice Research Datalink and the total Dutch population. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25, 1460-1464	2.6	6
121	High risk of drug-induced microscopic colitis with concomitant use of NSAIDs and proton pump inhibitors. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2016</b> , 43, 1004-13	6.1	101
120	Exposure to benzodiazepines (anxiolytics, hypnotics and related drugs) in seven European electronic healthcare databases: a cross-national descriptive study from the PROTECT-EU Project. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 56-65	2.6	73
119	Prevalence of antibiotic use: a comparison across various European health care data sources. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 11-20	2.6	40
118	Impact of varying outcomes and definitions of suicidality on the associations of antiepileptic drugs and suicidality: comparisons from UK Clinical Practice Research Datalink (CPRD) and Danish national registries (DNR). <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 142-55	2.6	10
117	The IMI PROTECT project: purpose, organizational structure, and procedures. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 5-10	2.6	17
116	Use of Glucagon-Like-Peptide 1 Receptor Agonists and Risk of Fracture as Compared to Use of Other Anti-hyperglycemic Drugs. <i>Calcified Tissue International</i> , <b>2015</b> , 97, 506-15	3.9	45
115	Ankylosing spondylitis confers substantially increased risk of clinical spine fractures: a nationwide case-control study. <i>Osteoporosis International</i> , <b>2015</b> , 26, 85-91	5.3	47
114	Long-term persistence with anti-osteoporosis drugs after fracture. <i>Osteoporosis International</i> , <b>2015</b> , 26, 1831-40	5.3	25
113	Bone fracture risk is not associated with the use of glucagon-like peptide-1 receptor agonists: a population-based cohort analysis. <i>Calcified Tissue International</i> , <b>2015</b> , 97, 104-12	3.9	46
112	Risk of vascular disease with gout: overadjustment of the statistical analyses?. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, e9	2.4	2
111	Remission of Type 2 Diabetes Mellitus in Patients After Different Types of Bariatric Surgery: A Population-Based Cohort Study in the United Kingdom. <i>JAMA Surgery</i> , <b>2015</b> , 150, 1126-33	5.4	76
110	Inpatient drug utilization in Europe: nationwide data sources and a review of publications on a selected group of medicines (PROTECT project). <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2015</b> , 116, 201-11	3.1	6
109	Influence of metformin intake on the risk of bladder cancer in type 2 diabetes patients. <i>British Journal of Clinical Pharmacology</i> , <b>2015</b> , 80, 1464-72	3.8	15
108	Data management and data analysis techniques in pharmacoepidemiological studies using a pre-planned multi-database approach: a systematic literature review. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2015</b> , 24, 897-905	2.6	15



107	THU0334 Severity of Diabetes Mellitus and Risk of Total Hip or Knee Replacement: A Population Based Case-Control Study. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 316.2-316	2.4	
106	Identification of antithrombotic drugs related to total joint replacement using anonymised free-text notes: a search strategy in the Clinical Practice Research Datalink. <i>BMJ Open</i> , <b>2015</b> , 5, e009017 <sup>3</sup>		1
105	Smoke-free legislation and the incidence of paediatric respiratory infections and wheezing/asthma: interrupted time series analyses in the four UK nations. <i>Scientific Reports</i> , <b>2015</b> , 5, 15246	4.9	8
104	AB1108 Identification of Antithrombotic Drugs Related to Total Joint Replacement Using Anonymised Free Text Notes. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 1271.2-1271	2.4	
103	Use of dipeptidyl peptidase 4 inhibitors and fracture risk compared to use of other anti-hyperglycemic drugs. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2015</b> , 24, 1017-25	2.6	25
102	SAT0333 Use of Glitazones and The Risk of Elective Hip Or Knee Replacement: A Population Based Case-Control Study. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 779.3-780	2.4	
101	Anti-osteoporosis drug prescribing after hip fracture in the UK: 2000-2010. <i>Osteoporosis International</i> , <b>2015</b> , 26, 1919-28	5.3	51
100	The epidemiology of extra-articular manifestations in ankylosing spondylitis: a population-based matched cohort study. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 1373-8	2.4	89
99	Risk of bladder cancer in patients with diabetes: a retrospective cohort study. <i>BMJ Open</i> , <b>2015</b> , 5, e007430	3.0	14
98	Individuals With Type 2 Diabetes Mellitus Are at an Increased Risk of Gout But This Is Not Due to Diabetes: A Population-Based Cohort Study. <i>Medicine (United States)</i> , <b>2015</b> , 94, e1358	1.8	23
97	The risk of colorectal cancer in patients with type 2 diabetes: associations with treatment stage and obesity. <i>Diabetes Care</i> , <b>2015</b> , 38, 495-502	14.6	94
96	Use of Dipeptidyl-Peptidase-4 Inhibitors and the Risk of Pneumonia: A Population-Based Cohort Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139367	3.7	17
95	The Epidemiology of Hip and Major Osteoporotic Fractures in a Dutch Population of Community-Dwelling Elderly: Implications for the Dutch FRAX <sup>®</sup> Algorithm. <i>PLoS ONE</i> , <b>2015</b> , 10, e0143800	3.7	19
94	Excess risk of hip fractures attributable to the use of antidepressants in five European countries and the USA. <i>Osteoporosis International</i> , <b>2014</b> , 25, 847-55	5.3	27
93	Risk of fracture in patients with muscular dystrophies. <i>Osteoporosis International</i> , <b>2014</b> , 25, 509-18	5.3	14
92	Risk of fracture in patients with Guillain-Barré Syndrome. <i>Osteoporosis International</i> , <b>2014</b> , 25, 1845-51	5.3	3
91	Antiepileptic drug use in seven electronic health record databases in Europe: a methodologic comparison. <i>Epilepsia</i> , <b>2014</b> , 55, 666-673	6.4	30
90	The risk of major and any (non-hip) fragility fracture after hip fracture in the United Kingdom: 2000-2010. <i>Osteoporosis International</i> , <b>2014</b> , 25, 2555-63	5.3	17

89	Incidence rates and trends of hip/femur fractures in five European countries: comparison using e-healthcare records databases. <i>Calcified Tissue International</i> , <b>2014</b> , 94, 580-9	3.9	36
88	Antidepressant prescribing in five European countries: application of common definitions to assess the prevalence, clinical observations, and methodological implications. <i>European Journal of Clinical Pharmacology</i> , <b>2014</b> , 70, 849-57	2.8	110
87	A compilation of research working groups on drug utilisation across Europe. <i>BMC Research Notes</i> , <b>2014</b> , 7, 143	2.3	9
86	The difficulty in evaluating all findings in study on use of macrolides in mother and child and risk of infantile hypertrophic pyloric stenosis. <i>BMJ, The</i> , <b>2014</b> , 349, g5201	5.9	2
85	Drug-drug interactions with tyrosine-kinase inhibitors. <i>Lancet Oncology, The</i> , <b>2014</b> , 15, e416	21.7	1
84	Risk of lactic acidosis or elevated lactate concentrations in metformin users with renal impairment: a population-based cohort study. <i>Diabetes Care</i> , <b>2014</b> , 37, 2218-24	14.6	102
83	THU0069 The Epidemiology of Extra-Articular Manifestations in Ankylosing Spondylitis: A Population-Based Matched Cohort Study. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 200.3-200	2.4	3
82	THU0090 Cardiovascular Morbidity in Patients with Ankylosing Spondylitis: A Population-Based Cohort Study. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 207.3-208	2.4	1
81	Risk of fracture in patients with Charcot-Marie-Tooth disease. <i>Muscle and Nerve</i> , <b>2014</b> , 50, 919-24	3.4	5
80	Bridging differences in outcomes of pharmacoepidemiological studies: design and first results of the PROTECT project. <i>Current Clinical Pharmacology</i> , <b>2014</b> , 9, 130-8	2.5	43
79	Use of dipeptidyl peptidase-4 inhibitors for type 2 diabetes mellitus and risk of fracture. <i>Bone</i> , <b>2014</b> , 68, 124-30	4.7	55
78	Mortality in British hip fracture patients, 2000-2010: a population-based retrospective cohort study. <i>Bone</i> , <b>2014</b> , 66, 171-7	4.7	75
77	HIV infection and its association with an excess risk of clinical fractures: a nationwide case-control study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2014</b> , 66, 90-5	3.1	69
76	The risk of venous thromboembolism in patients with multiple sclerosis: the Clinical Practice Research Datalink. <i>Journal of Thrombosis and Haemostasis</i> , <b>2014</b> , 12, 444-51	15.4	22
75	Oral bisphosphonate use and total knee/hip implant survival: validation of results in an external population-based cohort. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 3233-40	9.5	27
74	Changes in mortality patterns following total hip or knee arthroplasty over the past two decades: a nationwide cohort study. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 311-8	9.5	40
73	Effective writing and dealing with reviewers. <i>Journal of Clinical Epidemiology</i> , <b>2014</b> , 67, 830	5.7	1
72	The effect of body mass index on the risk of post-operative complications during the 6 months following total hip replacement or total knee replacement surgery. <i>Osteoarthritis and Cartilage</i> , <b>2014</b> , 22, 918-27	6.2	72

71	Increase in prophylaxis of glucocorticoid-induced osteoporosis by pharmacist feedback: a randomised controlled trial. <i>Osteoporosis International</i> , <b>2014</b> , 25, 385-92	5.3	15
70	Elevated risk of clinical fractures and associated risk factors in patients with systemic lupus erythematosus versus matched controls: a population-based study in the United Kingdom. <i>Osteoporosis International</i> , <b>2014</b> , 25, 1275-83	5.3	46
69	Risk of fracture in patients with Parkinson® disease. <i>Osteoporosis International</i> , <b>2013</b> , 24, 2283-90	5.3	43
68	Five-year fracture risk estimation in patients with Parkinson® disease. <i>Bone</i> , <b>2013</b> , 56, 266-70	4.7	4
67	Risk of gastrointestinal bleeding in patients undergoing total hip or knee replacement compared with matched controls: a nationwide cohort study. <i>American Journal of Gastroenterology</i> , <b>2013</b> , 108, 1277-85	9.7	12
66	Oral Abstracts 3: Adolescent and Young Adult * O13. Hypermobility is a Risk Factor for Musculoskeletal Pain in Adolescence: Findings From a Prospective Cohort Study. <i>Rheumatology</i> , <b>2013</b> , 52, i33-i43	3.9	1
65	Fracture rate in patients with myasthenia gravis: the general practice research database. <i>Osteoporosis International</i> , <b>2013</b> , 24, 467-76	5.3	12
64	Pioglitazone and bladder cancer: two studies, same database, two answers. <i>British Journal of Clinical Pharmacology</i> , <b>2013</b> , 76, 484-5	3.8	4
63	Severity of obstructive airway disease and risk of fracture. <i>Bone</i> , <b>2013</b> , 52, 711	4.7	1
62	Risk of fracture with thiazolidinediones: an individual patient data meta-analysis. <i>Frontiers in Endocrinology</i> , <b>2013</b> , 4, 11	5.7	32
61	Thiazolodinediones and cancer: duplicate publication bias?. <i>Oncologist</i> , <b>2013</b> , 18, 1147	5.7	2
60	Harmful effects of proton pump inhibitors: discrepancies between observational studies and randomized clinical trials. <i>JAMA Internal Medicine</i> , <b>2013</b> , 173, 1559	11.5	3
59	Adjustment for continuous confounders: an example of how to prevent residual confounding. <i>Cmaj</i> , <b>2013</b> , 185, 401-6	3.5	46
58	Statin use and reduced cancer-related mortality. <i>New England Journal of Medicine</i> , <b>2013</b> , 368, 576-7	59.2	58
57	Prolonged outpatient vitamin K antagonist use and risk of venous thromboembolism in patients undergoing total hip or knee replacement. <i>Journal of Thrombosis and Haemostasis</i> , <b>2013</b> , 11, 642-50	15.4	3
56	Use of metformin and survival of diabetic women with breast cancer. <i>Current Drug Safety</i> , <b>2013</b> , 8, 357-63	63.4	31
55	CARING (CAnCer Risk and INsulin analogues): the association of diabetes mellitus and cancer risk with focus on possible determinants - a systematic review and a meta-analysis. <i>Current Drug Safety</i> , <b>2013</b> , 8, 296-332	1.4	40
54	Use of insulin and insulin analogs and risk of cancer - systematic review and meta-analysis of observational studies. <i>Current Drug Safety</i> , <b>2013</b> , 8, 333-48	1.4	77

53	Patterns of risk of cancer in patients with metal-on-metal hip replacements versus other bearing surface types: a record linkage study between a prospective joint registry and general practice electronic health records in England. <i>PLoS ONE</i> , <b>2013</b> , 8, e65891	3.7	23
52	Use of biguanides and the risk of colorectal cancer: a register-based cohort study. <i>Current Drug Safety</i> , <b>2013</b> , 8, 349-56	1.4	8
51	Use of thiazolidinediones and risk of bladder cancer: disease or drugs?. <i>Current Drug Safety</i> , <b>2013</b> , 8, 364-70	1.0	11
50	Causes of death in patients with multiple sclerosis and matched referent subjects: a population-based cohort study. <i>European Journal of Neurology</i> , <b>2012</b> , 19, 1007-14	6	68
49	Calibration of FRAX $\square$ 3.1 to the Dutch population with data on the epidemiology of hip fractures. <i>Osteoporosis International</i> , <b>2012</b> , 23, 861-9	5.3	37
48	Knee arthroplasty and risk of hip fracture: a population-based, case-control study. <i>Calcified Tissue International</i> , <b>2012</b> , 90, 144-50	3.9	14
47	Use of hormonal contraceptives and risk of HIV-1 transmission. <i>Lancet Infectious Diseases</i> , <b>2012</b> , 12, 508-9; author reply 510-1	25.5	1
46	A simple score for estimating the long-term risk of fracture in patients with multiple sclerosis. <i>Neurology</i> , <b>2012</b> , 79, 922-8	6.5	23
45	COX-2-selective NSAIDs and risk of hip or knee replacements: a population-based case-control study. <i>Calcified Tissue International</i> , <b>2012</b> , 91, 387-94	3.9	8
44	Use of thiazolidinediones and risk of osteoporotic fracture: disease or drugs?. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2012</b> , 21, 507-14	2.6	26
43	Risk of fractures in patients with multiple sclerosis: a population-based cohort study. <i>Neurology</i> , <b>2012</b> , 78, 1967-73	6.5	49
42	Risk of fracture with thiazolidinediones: disease or drugs?. <i>Calcified Tissue International</i> , <b>2012</b> , 90, 450-7	3.9	20
41	Potential impact of benzodiazepine use on the rate of hip fractures in five large European countries and the United States. <i>Calcified Tissue International</i> , <b>2012</b> , 91, 24-31	3.9	53
40	Risk of cataract and glaucoma in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , <b>2012</b> , 18, 628-38	5	7
39	Timing of acute myocardial infarction in patients undergoing total hip or knee replacement: a nationwide cohort study. <i>Archives of Internal Medicine</i> , <b>2012</b> , 172, 1229-35		56
38	Quality of INR control and outcomes following venous thromboembolism. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2012</b> , 18, 370-8	3.3	11
37	The risk of fracture in incident multiple sclerosis patients: the Danish National Health Registers. <i>Multiple Sclerosis Journal</i> , <b>2012</b> , 18, 1609-16	5	20
36	Risk of fractures in patients with multiple sclerosis: a population-based cohort study. <i>Neurology</i> , <b>2012</b> , 79, 1934-5	6.5	3

35	Incidence of fractures in patients with multiple sclerosis: the Danish National Health Registers. <i>Multiple Sclerosis Journal</i> , <b>2012</b> , 18, 622-7	5	32
34	Risk of fracture after bariatric surgery in the United Kingdom: population based, retrospective cohort study. <i>BMJ, The</i> , <b>2012</b> , 345, e5085	5.9	132
33	Timing of stroke in patients undergoing total hip replacement and matched controls: a nationwide cohort study. <i>Stroke</i> , <b>2012</b> , 43, 3225-9	6.7	33
32	Interpretation of the association between beta-blockers and hip/femur fracture. <i>American Journal of Nephrology</i> , <b>2012</b> , 35, 101-2	4.6	
31	Acid suppressants and hip fracture: duplicate publication bias?. <i>Bone</i> , <b>2011</b> , 49, 920; author reply 921	4.7	2
30	Proton pump inhibitors, fracture risk and selection bias: three studies, same database, two answers. <i>Osteoporosis International</i> , <b>2011</b> , 22, 1641-2	5.3	10
29	Use of proton pump inhibitors and risk of hip/femur fracture: a population-based case-control study. <i>Osteoporosis International</i> , <b>2011</b> , 22, 903-10	5.3	79
28	Dopaminergic drugs and the risk of hip or femur fracture: a population-based case-control study. <i>Osteoporosis International</i> , <b>2011</b> , 22, 2197-204	5.3	24
27	Balance measures for propensity score methods: a clinical example on beta-agonist use and the risk of myocardial infarction. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2011</b> , 20, 1130-7	2.6	13
26	The risk of fracture in patients with multiple sclerosis: the UK general practice research database. <i>Journal of Bone and Mineral Research</i> , <b>2011</b> , 26, 2271-9	6.3	84
25	Fracture risk before and after total hip replacement in patients with osteoarthritis: potential benefits of bisphosphonate use. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 63, 992-1001		25
24	Inverse association between duration of use of acid-suppressive medications and fracture risk. <i>Archives of Internal Medicine</i> , <b>2011</b> , 171, 1044; author reply 1044		1
23	Acid suppressants, fracture, and statistical adjustments for body mass index, smoking status, and calcium/vitamin D intake. <i>American Journal of Gastroenterology</i> , <b>2011</b> , 106, 2051	0.7	
22	Concomitant use of ibuprofen and paracetamol and the risk of major clinical safety outcomes. <i>British Journal of Clinical Pharmacology</i> , <b>2010</b> , 70, 429-38	3.8	37
21	Long-acting {beta}2-agonists in adult asthma and the pattern of risk of death and severe asthma outcomes: a study using the GPRD. <i>European Respiratory Journal</i> , <b>2010</b> , 36, 494-502	13.6	28
20	Use of organic nitrates and the risk of hip fracture: a population-based case-control study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 1924-31	5.6	34
19	Use of antidepressant drugs and risk of osteoporotic and non-osteoporotic fractures. <i>Bone</i> , <b>2010</b> , 47, 604-9	4.7	76
18	Use of thiazolidinediones and risk of osteoporotic fracture: Disease or drugs?. <i>Bone</i> , <b>2010</b> , 47, S372-S373	4.7	76

17	Risk of hip/femur fracture after stroke: a population-based case-control study. <i>Stroke</i> , <b>2009</b> , 40, 3281-5	6.7	107
16	Antipsychotic use and the risk of hip/femur fracture: a population-based case-control study. <i>Osteoporosis International</i> , <b>2009</b> , 20, 1499-506	5.3	65
15	Use of anti-depressants and the risk of fracture of the hip or femur. <i>Osteoporosis International</i> , <b>2009</b> , 20, 1705-13	5.3	72
14	Fracture risk in patients receiving acid-suppressant medication alone and in combination with bisphosphonates. <i>Osteoporosis International</i> , <b>2009</b> , 20, 1989-98	5.3	78
13	P.2.a.032 Resource use in depressed patients with sleep disturbance. <i>European Neuropsychopharmacology</i> , <b>2009</b> , 19, S378-S379	1.2	
12	The pattern of risk of myocardial infarction in patients taking asthma medication: a study with the General Practice Research Database. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1485-92	1.9	17
11	Use of beta2 agonists and risk of acute myocardial infarction in patients with hypertension. <i>British Journal of Clinical Pharmacology</i> , <b>2008</b> , 65, 580-6	3.8	26
10	Use of inhaled corticosteroids and the risk of non-fatal acute myocardial infarction. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 124-9	1.9	5
9	Fracture risk with intermittent high-dose oral glucocorticoid therapy. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 208-14		209
8	Use of beta-2 agonists and risk of hip/femur fracture: a population-based case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2007</b> , 16, 612-9	2.6	46
7	Use of inhaled and oral glucocorticoids, severity of inflammatory disease and risk of hip/femur fracture: a population-based case-control study. <i>Journal of Internal Medicine</i> , <b>2007</b> , 261, 170-7	10.8	59
6	Use of beta-blockers and the risk of hip/femur fracture in the United Kingdom and The Netherlands. <i>Calcified Tissue International</i> , <b>2007</b> , 80, 69-75	3.9	61
5	Lithium use and the risk of fractures. <i>Bone</i> , <b>2007</b> , 40, 1252-8	4.7	53
4	Reanalysis of two studies with contrasting results on the association between statin use and fracture risk: the General Practice Research Database. <i>International Journal of Epidemiology</i> , <b>2006</b> , 35, 1301-8	7.8	52
3	Gastric acid-suppressive agents and risk of Clostridium difficile-associated disease. <i>JAMA - Journal of the American Medical Association</i> , <b>2006</b> , 295, 2599; author reply 2600-1	27.4	6
2	Severity of obstructive airway disease and risk of osteoporotic fracture. <i>European Respiratory Journal</i> , <b>2005</b> , 25, 879-84	13.6	110
1	Use of statins and risk of fractures. <i>JAMA - Journal of the American Medical Association</i> , <b>2001</b> , 285, 1850-5	7.4	190