
## Boon Huat Lim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9018618/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clusterin mRNA silencing reduces cell proliferation, inhibits cell migration, and increases <i>CCL5</i> expression in SW480, SW620, and Caco2 cells. Biyokimya Dergisi, 2022, 47, 297-307.	0.1	1
2	Loop-mediated isothermal amplification (LAMP) reaction as viable PCR substitute for diagnostic applications: a comparative analysis study of LAMP, conventional PCR, nested PCR (nPCR) and real-time PCR (qPCR) based on Entamoeba histolytica DNA derived from faecal sample. BMC Biotechnology, 2020, 20, 34.	1.7	58
3	Designing and evaluation of an antibody-targeted chimeric recombinant vaccine encoding Shigella flexneri outer membrane antigens. Infection, Genetics and Evolution, 2020, 80, 104176.	1.0	9
4	Reverse vaccinology approach for the identification and characterization of outer membrane proteins of <i>Shigella flexneri</i> as potential cellular- and antibody-dependent vaccine candidates. Clinical and Experimental Vaccine Research, 2020, 9, 15.	1.1	23
5	Multiplex real-time PCR revealed very high prevalence of soil-transmitted helminth infections among aborigines in Peninsular Malaysia. Asian Pacific Journal of Tropical Medicine, 2020, 13, 550.	0.4	3
6	Parasitic infections in Malaysian aborigines with pulmonary tuberculosis: a comparative cross-sectional study. Parasitology Research, 2019, 118, 2635-2642.	0.6	6
7	Current progress of immunoinformatics approach harnessed for cellular- and antibody-dependent vaccine design. Pathogens and Global Health, 2018, 112, 123-131.	1.0	80
8	Analysis of <i>Entamoeba histolytica</i> Membrane Proteome Using Three Extraction Methods. Proteomics, 2018, 18, e1700397.	1.3	4
9	Neutralizing FGF4 protein in conditioned medium of IL-21-silenced HCT116 cells restores the migratory activity of the colorectal cancer cells. Cytotechnology, 2018, 70, 1363-1374.	0.7	6
10	Development of a thermostabilised triplex LAMP assay with dry-reagent four target lateral flow dipstick for detection of Entamoeba histolytica and non-pathogenic Entamoeba spp Analytica Chimica Acta, 2017, 966, 71-80.	2.6	36
11	Parallel ELISAs using crude soluble antigen and excretory-secretory antigen for improved serodiagnosis of amoebic liver abscess. Acta Tropica, 2017, 172, 208-212.	0.9	6
12	AP4 Transcription Factor Binding Site is a Repressor Element in ek2 Promoter of Human Liver Carcinoma Cell Line, HepG2. Sains Malaysiana, 2017, 46, 1887-1893.	0.3	0
13	Helminthic Infection and Nutritional Studies among Orang Asli Children in Sekolah Kebangsaan Pos Legap, Perak. Canadian Journal of Infectious Diseases and Medical Microbiology, 2016, 2016, 1-5.	0.7	8
14	Proteome analysis of excretory-secretory proteins of Entamoeba histolytica HM1:IMSS via LC–ESI–MS/MS and LC–MALDI–TOF/TOF. Clinical Proteomics, 2016, 13, 33.	1.1	19
15	Identification of specific proteins in colorectal cancer patients with Schistosoma mansoni infection as a possible biomarker for the treatment of this infection. Asian Pacific Journal of Tropical Disease, 2014, 4, S720-S724.	0.5	5
16	Rapid diagnosis of amoebic liver abscess using recombinant Entamoeba histolytica pyruvate phosphate dikinase. Asian Pacific Journal of Tropical Disease, 2014, 4, 225.	0.5	0
17	Entamoeba histolytica acetyl–CoA synthetase: biomarker of acute amoebic liver abscess. Asian Pacific Journal of Tropical Biomedicine, 2014, 4, 446-450.	0.5	0
18	Evaluation of Entamoeba histolytica recombinant phosphoglucomutase protein for serodiagnosis of amoebic liver abscess. BMC Infectious Diseases, 2013, 13, 144.	1.3	8

BOON HUAT LIM

#	Article	IF	CITATIONS
19	Discovery of Trichuris landak n. sp. by Endang Purwaningsih. Asian Pacific Journal of Tropical Biomedicine, 2013, 3, 314.	0.5	0
20	Entamoeba histolytica antigenic protein detected in pus aspirates from patients with amoebic liver abscess. Experimental Parasitology, 2013, 134, 504-510.	0.5	7
21	Filarial Worms in Southeast Asia. , 2013, , 33-56.		3
22	Prevalence and risk factors of intestinal helminth infection among rural Malay children. Journal of Global Infectious Diseases, 2012, 4, 10.	0.2	12
23	Detection of Entamoeba histolytica in experimentally induced amoebic liver abscess: comparison of three staining methods. Asian Pacific Journal of Tropical Biomedicine, 2012, 2, 61-65.	0.5	13
24	Development of a thermostabilized, one-step, nested, tetraplex PCR assay for simultaneous identification and differentiation of Entamoeba species, Entamoeba histolytica and Entamoeba dispar from stool samples. Journal of Medical Microbiology, 2012, 61, 1219-1225.	0.7	15
25	Comparison of protein-free defined media, and effect of l-cysteine and ascorbic acid supplementation on viability of axenic Entamoeba histolytica. Parasitology Research, 2011, 108, 425-430.	0.6	5
26	A rapid DNA biosensor for the molecular diagnosis of infectious disease. Biosensors and Bioelectronics, 2011, 26, 3825-3831.	5.3	91
27	Development of a dry reagent-based triplex PCR for the detection of toxigenic and non-toxigenic Vibrio cholerae. Journal of Medical Microbiology, 2011, 60, 481-485.	0.7	40
28	Analysis of Entamoeba histolytica Excretory-Secretory Antigen and Identification of a New Potential Diagnostic Marker. Vaccine Journal, 2011, 18, 1913-1917.	3.2	11
29	Application of Real-Time Polymerase Chain Reaction in Detection of <i>Entamoeba histolytica</i> in Pus Aspirates of Liver Abscess Patients. Foodborne Pathogens and Disease, 2010, 7, 637-641.	0.8	31
30	Direct-injection screening for acidic drugs in plasma and neutral drugs in equine urine by differential-gradient LC–LC coupled MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 848, 292-302.	1.2	24
31	Brugia malayi infection in Meriones unguiculatus: antibody response to recombinant BmR1. Experimental Parasitology, 2004, 108, 1-6.	0.5	7
32	Comparison of IgG4 assays using whole parasite extract and BmR1 recombinant antigen in determining antibody prevalence in brugian filariasis. Parasites and Vectors, 2004, 3, 8.	1.3	7
33	Short communication: Use of a recombinant antigen-based ELISA to determine prevalence of brugian filariasis among Malaysian schoolchildren near Pasir Mas, Kelantan - Thailand border. Tropical Medicine and International Health, 2003, 8, 158-163.	1.0	12
34	A recombinant antigen-based IgG4 ELISA for the specific and sensitive detection of Brugia malayi infection. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2001, 95, 280-284.	0.7	40
35	Specificity and sensitivity of a rapid dipstick test (Brugia Rapid) in the detection of Brugia malayi infection. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2001, 95, 601-604.	0.7	53
36	Comparison of Brugia-Elisa and thick blood smear examination in a prevalence study of brugian filariasis in Setiu, Terengganu, Malaysia. Medical Journal of Malaysia, 2001, 56, 491-6.	0.2	7

#	Article	IF	CITATIONS
37	ABrugia malayiAntigen Specifically Recognized by Infected Individuals. Biochemical and Biophysical Research Communications, 1998, 250, 586-588.	1.0	4