

Manat Chaijan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9019454/manat-chaijan-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

1,355
citations

19
h-index

36
g-index

84
ext. papers

1,700
ext. citations

5.1
avg, IF

5.03
L-index

#	Paper	IF	Citations
77	Molecular Structures and In Vitro Bioactivities of Enzymatically Produced Porcine Placenta Peptides Fractionated by Ultrafiltration. <i>Food and Bioprocess Technology</i> , 2022 , 15, 669	5.1	0
76	Combined effects of prior plasma-activated water soaking and whey protein isolate-ginger extract coating on the cold storage stability of Asian sea bass (<i>Lates calcarifer</i>) steak. <i>Food Control</i> , 2022 , 135, 108787	6.2	0
75	Rice flour-emulgel as a bifunctional ingredient, stabiliser-cryoprotactant, for formulation of healthier frozen fish nugget. <i>LWT - Food Science and Technology</i> , 2022 , 159, 113241	5.4	1
74	Glochidion wallichianum Leaf Extract as a Natural Antioxidant in Sausage Model System. <i>Foods</i> , 2022 , 11, 1547	4.9	0
73	Reduced Washing Cycle for Sustainable Mackerel () Surimi Production: Evaluation of Bio-Physico-Chemical, Rheological, and Gel-Forming Properties. <i>Foods</i> , 2021 , 10,	4.9	2
72	Characterization of Antioxidant Peptides from Thai Traditional Semi-Dried Fermented Catfish. <i>Fermentation</i> , 2021 , 7, 262	4.7	0
71	Biochemical property and gel-forming ability of mackerel () surimi prepared by ultrasonic assisted washing.. <i>RSC Advances</i> , 2021 , 11, 36199-36207	3.7	1
70	Porcine placenta hydrolysate as an alternate functional food ingredient: In vitro antioxidant and antibacterial assessments. <i>PLoS ONE</i> , 2021 , 16, e0258445	3.7	1
69	High hydrogen peroxide concentration-low exposure time of plasma-activated water (PAW): A novel approach for shelf-life extension of Asian sea bass (<i>Lates calcarifer</i>) steak. <i>Innovative Food Science and Emerging Technologies</i> , 2021 , 74, 102861	6.8	0
68	Practical use of β -carotene-loaded nanoemulsion as a functional colorant in sausages made from goat meat surimi-like material. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 4000-4008	3.8	1
67	Rice bran oil emulgel as a pork back fat alternate for semi-dried fish sausage. <i>PLoS ONE</i> , 2021 , 16, e0250512	3.7	1
66	Physicochemical properties and nutritional compositions of nipa palm (<i>Nypa fruticans</i> Wurmb) syrup. <i>NFS Journal</i> , 2021 , 23, 58-65	6.5	2
65	Physico-chemical aspects of Thai fermented fish viscera, Tai-Pla, curry powder processed by hot air drying and hybrid microwave-infrared drying. <i>PLoS ONE</i> , 2021 , 16, e0253834	3.7	1
64	Pre-neutralized crude palm oil as natural colorant and bioactive ingredient in fish sausage prepared from tilapia (<i>Oreochromis niloticus</i>). <i>LWT - Food Science and Technology</i> , 2021 , 135, 110289	5.4	2
63	Impact of lecithin incorporation on gel properties of bigeye snapper (<i>Priacanthus tayenus</i>) surimi. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 2481-2491	3.8	5
62	Role of antioxidants on physicochemical properties and in vitro bioaccessibility of β -carotene loaded nanoemulsion under thermal and cold plasma discharge accelerated tests. <i>Food Chemistry</i> , 2021 , 339, 128157	8.5	7
61	Biochemical property and gel-forming ability of surimi-like material from goat meat. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 988-998	3.8	3

60	Chemical, physical, and functional properties of Thai indigenous brown rice flours. <i>PLoS ONE</i> , 2021 , 16, e0255694	3.7	1
59	Occurrence and Development of Off-Odor Compounds in Farmed Hybrid Catfish (<i>C</i>) Muscle during Refrigerated Storage: Chemical and Volatilomic Analysis. <i>Foods</i> , 2021 , 10,	4.9	1
58	Ultrasound-assisted extraction of protein from Bombay locusts and its impact on functional and antioxidative properties. <i>Scientific Reports</i> , 2021 , 11, 17320	4.9	5
57	A comparison of nutritional values, physicochemical features and in vitro bioactivities of Southern Thai short-grain brown rice with commercial long-grain varieties. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 6515	3.8	2
56	Insights into the effects of dietary supplements on the nutritional composition and growth performance of sago palm weevil (<i>Rhynchophorus ferrugineus</i>) larvae. <i>Food Chemistry</i> , 2021 , 363, 130279	8.5	3
55	Comparative quality and volatilomic characterisation of unwashed mince, surimi, and pH-shift-processed protein isolates from farm-raised hybrid catfish (<i>Clarias macrocephalus</i> <i>Clarias gariepinus</i>). <i>Food Chemistry</i> , 2021 , 364, 130365	8.5	4
54	Farm-raised sago palm weevil (<i>Rhynchophorus ferrugineus</i>) larvae: Potential and challenges for promising source of nutrients. <i>Journal of Food Composition and Analysis</i> , 2020 , 92, 103542	4.1	12
53	Improved radical scavenging activity and stabilised colour of nipa palm syrup after ultrasound-assisted glycation with glycine. <i>International Journal of Food Science and Technology</i> , 2020 , 55, 3424-3431	3.8	1
52	Preservation of chilled Asian sea bass (<i>Lates calcarifer</i>) steak by whey protein isolate coating containing polyphenol extract from ginger, lemongrass, or green tea. <i>Food Control</i> , 2020 , 118, 107400	6.2	31
51	Techno-biofunctionality of mangostin extract-loaded virgin coconut oil nanoemulsion and nanoemulgel. <i>PLoS ONE</i> , 2020 , 15, e0227979	3.7	15
50	Physicochemical and techno-functional properties of acid-aided pH-shifted protein isolate from over-salted duck egg (<i>Anas platyrhucus</i>) albumen. <i>International Journal of Food Science and Technology</i> , 2020 , 55, 2619-2629	3.8	3
49	Southern-style Pad Thai sauce: From traditional culinary treat to convenience food in retortable pouches. <i>PLoS ONE</i> , 2020 , 15, e0233391	3.7	2
48	Instability of β -tosteryl oleate and β -tosterol loaded in oil-in-water emulsion. <i>NFS Journal</i> , 2020 , 21, 22-27	6.5	2
47	Nutritional composition and bioactivity of germinated Thai indigenous rice extracts: A feasibility study. <i>PLoS ONE</i> , 2020 , 15, e0237844	3.7	3
46	Characterization of Nipa Palm (<i>Nypa fruticans</i> Wurmb.) Sap and Syrup as Functional Food Ingredients. <i>Sugar Tech</i> , 2020 , 22, 191-201	1.9	7
45	Effect of Atmospheric Pressure Cold Plasma on Biophysical Properties and Aggregation of Natural Actomyosin from Threadfin Bream (<i>Nemipterus bleekeri</i>). <i>Food and Bioprocess Technology</i> , 2020 , 13, 851-859	5.1	9
44	Ultrasonic-assisted virgin coconut oil based extraction for maximizing polyphenol recovery and bioactivities of mangosteen peels. <i>Journal of Food Science and Technology</i> , 2020 , 57, 4032-4043	3.3	3
43	Southern-style Pad Thai sauce: From traditional culinary treat to convenience food in retortable pouches 2020 , 15, e0233391		

42	Southern-style Pad Thai sauce: From traditional culinary treat to convenience food in retortable pouches 2020 , 15, e0233391		
41	Southern-style Pad Thai sauce: From traditional culinary treat to convenience food in retortable pouches 2020 , 15, e0233391		
40	Southern-style Pad Thai sauce: From traditional culinary treat to convenience food in retortable pouches 2020 , 15, e0233391		
39	Techno-biofunctionality of mangostin extract-loaded virgin coconut oil nanoemulsion and nanoemulgel 2020 , 15, e0227979		
38	Techno-biofunctionality of mangostin extract-loaded virgin coconut oil nanoemulsion and nanoemulgel 2020 , 15, e0227979		
37	Techno-biofunctionality of mangostin extract-loaded virgin coconut oil nanoemulsion and nanoemulgel 2020 , 15, e0227979		
36	Techno-biofunctionality of mangostin extract-loaded virgin coconut oil nanoemulsion and nanoemulgel 2020 , 15, e0227979		
35	Tuning of virgin coconut oil and propylene glycol ratios for maximizing the polyphenol recovery and in vitro bioactivities of mangosteen (<i>Garcinia mangostana</i> L.) pericarp. <i>Process Biochemistry</i> , 2019 , 87, 179-186	4.8	14
34	Basic composition, antioxidant activity and nanoemulsion behavior of oil from mantis shrimp (<i>Oratosquilla nepa</i>). <i>Food Bioscience</i> , 2019 , 31, 100448	4.9	7
33	Oxidative stability of margarine enriched with different structures of β -sitosteryl esters during storage. <i>Food Bioscience</i> , 2018 , 22, 78-84	4.9	9
32	Feasibility of a pH driven method for maximizing protein recovery of over-salted albumen. <i>Food Bioscience</i> , 2018 , 24, 89-94	4.9	7
31	Functional properties of pH-shifted protein isolates from bigeye snapper (<i>Priacanthus tayenus</i>) head by-product. <i>International Journal of Food Properties</i> , 2017 , 20, 596-610	3	24
30	Removal of Lipids, Cholesterol, Nucleic Acids and Haem Pigments During Production of Protein Isolates from Broiler Meat Using pH-shift Processes. <i>International Journal of Food Engineering</i> , 2017 , 13,	1.9	2
29	. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2017 , 17,	1.2	2
28	Aqueous two-phase partitioning of liver proteinase from albacore tuna (<i>Thunnus alalunga</i>): Application to starry triggerfish (<i>Abalistes stellaris</i>) muscle hydrolysis. <i>International Journal of Food Properties</i> , 2017 , 1-13	3	1
27	Carbonated water as a novel washing medium for mackerel (<i>Scomber scombrus</i>) surimi production. <i>Journal of Food Science and Technology</i> , 2017 , 54, 3979-3988	3.3	6
26	Chemical deterioration and discoloration of semi-dried tilapia processed by sun drying and microwave drying. <i>Drying Technology</i> , 2017 , 35, 642-649	2.6	24
25	. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2016 , 16,	1.2	4

24	Proteinases from the Liver of Albacore Tuna (<i>Thunnus Alalunga</i>): Optimum Extractant and Biochemical Characteristics. <i>Journal of Food Biochemistry</i> , 2016 , 40, 10-19	3.3	4
23	Mechanism of Oxidation in Foods of Animal Origin 2016 , 1-37		2
22	Autolysis and Characterization of Sarcoplasmic and Myofibril Associated Proteinases of Oxeye Scad (Selar boops) Muscle. <i>Journal of Aquatic Food Product Technology</i> , 2016 , 25, 1132-1143	1.6	3
21	Potential Production of Healthier Protein Isolate from Broiler Meat using Modified Acid-Aided pH Shift Process. <i>Food and Bioprocess Technology</i> , 2016 , 9, 1259-1267	5.1	6
20	Tuning the pH-shift protein-isolation method for maximum hemoglobin-removal from blood rich fish muscle. <i>Food Chemistry</i> , 2016 , 212, 213-24	8.5	23
19	Interrelationship between myoglobin and lipid oxidations in oxeye scad (<i>Selar boops</i>) muscle during iced storage. <i>Food Chemistry</i> , 2015 , 174, 279-85	8.5	48
18	Development of a new method for determination of total haem protein in fish muscle. <i>Food Chemistry</i> , 2015 , 173, 1133-41	8.5	25
17	Antioxidant activity of Maillard reaction products derived from stingray (<i>Himantura signifier</i>) non-protein nitrogenous fraction and sugar model systems. <i>LWT - Food Science and Technology</i> , 2014 , 57, 718-724	5.4	33
16	Characterisation of muscles from Frigate mackerel (<i>Auxis thazard</i>) and catfish (<i>Clarias macrocephalus</i>). <i>Food Chemistry</i> , 2013 , 139, 414-9	8.5	16
15	Extraction, purification and properties of trypsin inhibitor from Thai mung bean (<i>Vigna radiata</i> (L.) R. Wilczek). <i>Food Chemistry</i> , 2011 , 129, 1348-1354	8.5	42
14	24kDa Trypsin: A predominant protease purified from the viscera of hybrid catfish (<i>Clarias macrocephalus</i> <i>Clarias gariepinus</i>). <i>Food Chemistry</i> , 2011 , 129, 739-46	8.5	29
13	Physicochemical changes of tilapia (<i>Oreochromis niloticus</i>) muscle during salting. <i>Food Chemistry</i> , 2011 , 129, 1201-10	8.5	60
12	Physicochemical and gelling properties of short-bodied mackerel (<i>Rastrelliger brachysoma</i>) protein isolate prepared using alkaline-aided process. <i>Food and Bioprocess Technology</i> , 2010 , 88, 174-180	4.9	30
11	Physicochemical properties and gel-forming ability of surimi from three species of mackerel caught in Southern Thailand. <i>Food Chemistry</i> , 2010 , 121, 85-92	8.5	30
10	Gel properties of croaker-mackerel surimi blend. <i>Food Chemistry</i> , 2010 , 122, 1122-1128	8.5	19
9	Biochemical and gelling properties of tilapia surimi and protein recovered using an acid-alkaline process. <i>Food Chemistry</i> , 2009 , 112, 112-119	8.5	118
8	The effect of freezing and aldehydes on the interaction between fish myoglobin and myofibrillar proteins. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 4562-8	5.7	29
7	Characterisation of myoglobin from sardine (<i>Sardinella gibbosa</i>) dark muscle. <i>Food Chemistry</i> , 2007 , 100, 156-164	8.5	28

6	Interaction between fish myoglobin and myosin in vitro. <i>Food Chemistry</i> , 2007 , 103, 1168-1175	8.5	5
5	Physicochemical properties, gel-forming ability and myoglobin content of sardine (<i>Sardinella gibbosa</i>) and mackerel (<i>Rastrelliger kanagurta</i>) surimi produced by conventional method and alkaline solubilisation process. <i>European Food Research and Technology</i> , 2006 , 222, 58-63	3.4	54
4	Changes of lipids in sardine (<i>Sardinella gibbosa</i>) muscle during iced storage. <i>Food Chemistry</i> , 2006 , 99, 83-91	8.5	161
3	Changes of pigments and color in sardine (<i>Sardinella gibbosa</i>) and mackerel (<i>Rastrelliger kanagurta</i>) muscle during iced storage. <i>Food Chemistry</i> , 2005 , 93, 607-617	8.5	244
2	Characteristics and gel properties of muscles from sardine (<i>Sardinella gibbosa</i>) and mackerel (<i>Rastrelliger kanagurta</i>) caught in Thailand. <i>Food Research International</i> , 2004 , 37, 1021-1030	7	110
1	Chemical characteristics and volatile compounds profiles in different muscle part of the farmed hybrid catfish (<i>Clarias macrocephalus</i> [Clarias gariepinus]). <i>International Journal of Food Science and Technology</i> ,	3.8	1