

Josep Vehi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/902013/publications.pdf>

Version: 2024-02-01

168
papers

4,792
citations

134610

34
h-index

124990

64
g-index

181
all docs

181
docs citations

181
times ranked

4764
citing authors

#	ARTICLE	IF	CITATIONS
1	Aim and Diabetes. , 2022, , 701-709.		0
2	A Machine Learning Approach to Minimize Nocturnal Hypoglycemic Events in Type 1 Diabetic Patients under Multiple Doses of Insulin. Sensors, 2022, 22, 1665.	2.1	12
3	Generation of Individualized Synthetic Data for Augmentation of the Type 1 Diabetes Data Sets Using Deep Learning Models. Sensors, 2022, 22, 4944.	2.1	7
4	A simulator with realistic and challenging scenarios for virtual T1D patients undergoing CSII and MDI therapy. Journal of Biomedical Informatics, 2022, 132, 104141.	2.5	6
5	Artificial Pancreas With Carbohydrate Suggestion Performance for Unannounced and Announced Exercise in Type 1 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 55-63.	1.8	12
6	Machine Learning Techniques for Hypoglycemia Prediction: Trends and Challenges. Sensors, 2021, 21, 546.	2.1	40
7	Aim and Diabetes. , 2021, , 1-9.		0
8	Combining Grammatical Evolution with Modal Interval Analysis: An Application to Solve Problems with Uncertainty. Mathematics, 2021, 9, 631.	1.1	1
9	Generation of Virtual Patient Populations That Represent Real Type 1 Diabetes Cohorts. Mathematics, 2021, 9, 1200.	1.1	9
10	Overview of therapeutic applications of non-invasive vagus nerve stimulation: a motivation for novel treatments for systemic lupus erythematosus. Bioelectronic Medicine, 2021, 7, 8.	1.0	13
11	Probabilistic Model of Transition between Categories of Glucose Profiles in Patients with Type 1 Diabetes Using a Compositional Data Analysis Approach. Sensors, 2021, 21, 3593.	2.1	3
12	Fault Tolerant Strategies for Automated Insulin Delivery Considering the Human Component: Current and Future Perspectives. Journal of Diabetes Science and Technology, 2021, 15, 1224-1231.	1.3	4
13	Marks: A New Interval Tool for Uncertainty, Vagueness and Indiscernibility. Mathematics, 2021, 9, 2116.	1.1	1
14	A Hybrid Automata Approach for Monitoring the Patient in the Loop in Artificial Pancreas Systems. Sensors, 2021, 21, 7117.	2.1	3
15	A New Blood Glucose Control Scheme for Unannounced Exercise in Type 1 Diabetic Subjects. IEEE Transactions on Control Systems Technology, 2020, 28, 593-600.	3.2	32
16	Detection and Control of Unannounced Exercise in the Artificial Pancreas Without Additional Physiological Signals. IEEE Journal of Biomedical and Health Informatics, 2020, 24, 259-267.	3.9	17
17	Prediction and prevention of hypoglycaemic events in type-1 diabetic patients using machine learning. Health Informatics Journal, 2020, 26, 703-718.	1.1	38
18	Prediction of Nocturnal Hypoglycemia in Adults with Type 1 Diabetes under Multiple Daily Injections Using Continuous Glucose Monitoring and Physical Activity Monitor. Sensors, 2020, 20, 1705.	2.1	43

#	ARTICLE	IF	CITATIONS
19	Dynamic Rule-Based Algorithm to Tune Insulin-on-Board Constraints for a Hybrid Artificial Pancreas System. <i>Journal of Healthcare Engineering</i> , 2020, 2020, 1-11.	1.1	9
20	Artificial intelligence-based decision support systems for diabetes. , 2020, , 329-357.		0
21	Long-Term Glucose Forecasting Using a Physiological Model and Deconvolution of the Continuous Glucose Monitoring Signal. <i>Sensors</i> , 2019, 19, 4338.	2.1	22
22	Exercise-induced hypoglycemia in type 1 diabetes: in-silico comparison between announced and unannounced strategies in closed-loop control. <i>IFAC-PapersOnLine</i> , 2019, 52, 1000-1005.	0.5	4
23	Compositional Data Analysis of Glucose Profiles of Type 1 Diabetes Patients. <i>IFAC-PapersOnLine</i> , 2019, 52, 1006-1011.	0.5	1
24	Minimizing postprandial hypoglycemia in Type 1 diabetes patients using multiple insulin injections and capillary blood glucose self-monitoring with machine learning techniques. <i>Computer Methods and Programs in Biomedicine</i> , 2019, 178, 175-180.	2.6	17
25	Strategies to mitigate hypoglycaemia in the artificial pancreas. , 2019, , 195-217.		0
26	Risk-based postprandial hypoglycemia forecasting using supervised learning. <i>International Journal of Medical Informatics</i> , 2019, 126, 1-8.	1.6	30
27	Individual categorisation of glucose profiles using compositional data analysis. <i>Statistical Methods in Medical Research</i> , 2019, 28, 3550-3567.	0.7	7
28	Impact of Use Frequency of a Mobile Diabetes Management App on Blood Glucose Control: Evaluation Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e11933.	1.8	21
29	Assessment of Mitigation Methods to Reduce the Risk of Hypoglycemia for Announced Exercise in a Uni-hormonal Artificial Pancreas. <i>Diabetes Technology and Therapeutics</i> , 2018, 20, 285-295.	2.4	17
30	Individualised perioperative open-lung approach versus standard protective ventilation in abdominal surgery (iPROVE): a randomised controlled trial. <i>Lancet Respiratory Medicine</i> , the, 2018, 6, 193-203.	5.2	155
31	Automated blood glucose control in type 1 diabetes: A review of progress and challenges. <i>Endocrinología, Diabetes Y Nutrición</i> , 2018, 65, 172-181.	0.1	30
32	Postprandial fuzzy adaptive strategy for a hybrid proportional derivative controller for the artificial pancreas. <i>Medical and Biological Engineering and Computing</i> , 2018, 56, 1973-1986.	1.6	6
33	The Effects of an Open-Lung Approach During One-Lung Ventilation on Postoperative Pulmonary Complications and Driving Pressure: A Descriptive, Multicenter National Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018, 32, 2665-2672.	0.6	45
34	Control de la glucemia durante el ejercicio fásico aeróbico y anaeróbico mediante un nuevo sistema de páncreas artificial. <i>Endocrinología, Diabetes Y Nutrición</i> , 2018, 65, 342-347.	0.1	7
35	Open-loop glucose control: Automatic IOB-based super-bolus feature for commercial insulin pumps. <i>Computer Methods and Programs in Biomedicine</i> , 2018, 159, 145-158.	2.6	14
36	Unannounced Meals in the Artificial Pancreas: Detection Using Continuous Glucose Monitoring. <i>Sensors</i> , 2018, 18, 884.	2.1	64

#	ARTICLE	IF	CITATIONS
37	Blood glucose monitoring during aerobic and anaerobic physical exercise using a new artificial pancreas system. <i>Endocrinología y Nutrición (English Ed)</i> , 2018, 65, 342-347.	0.1	4
38	Accuracy of Continuous Glucose Monitoring before, during, and after Aerobic and Anaerobic Exercise in Patients with Type 1 Diabetes Mellitus. <i>Biosensors</i> , 2018, 8, 22.	2.3	38
39	Artificial Intelligence for Diabetes Management and Decision Support: Literature Review. <i>Journal of Medical Internet Research</i> , 2018, 20, e10775.	2.1	305
40	Closed-Loop Control of Postprandial Glycemia Using an Insulin-on-Board Limitation Through Continuous Action on Glucose Target. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 355-362.	2.4	40
41	Closed-loop blood glucose control using insulin and carbohydrates in front meals and exercise. <i>IFAC-PapersOnLine</i> , 2017, 50, 2058-2063.	0.5	8
42	A Review of Safety and Hazards Associated With the Artificial Pancreas. <i>IEEE Reviews in Biomedical Engineering</i> , 2017, 10, 44-62.	13.1	28
43	Extensive Assessment of Blood Glucose Monitoring During Postprandial Period and Its Impact on Closed-Loop Performance. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 1089-1095.	1.3	4
44	A review of personalized blood glucose prediction strategies for T1DM patients. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2017, 33, e2833.	1.0	195
45	Meal Detection in the Artificial Pancreas: Implications During Exercise * *This work was funded by the Spanish Government through grants DPI2013-46982-C2-1-R and DPI2013-46982-C2-2-R, the University of Girona through grant BR2014/51, and the European Union through FEDER Funds.. <i>IFAC-PapersOnLine</i> , 2017, 50, 5462-5467.	0.5	9
46	A Hybrid Clustering Prediction for Type 1 Diabetes Aid: Towards Decision Support Systems Based upon Scenario Profile Analysis. , 2017, , .		7
47	Modeling the Error of the Medtronic Paradigm Veo Enlite Glucose Sensor. <i>Sensors</i> , 2017, 17, 1361.	2.1	16
48	Personalized blood glucose prediction: A hybrid approach using grammatical evolution and physiological models. <i>PLoS ONE</i> , 2017, 12, e0187754.	1.1	56
49	Adaptive Workflows for Diabetes Management: Self-Management Assistant and Remote Treatment for Diabetes. <i>Studies in Health Technology and Informatics</i> , 2017, 237, 151-156.	0.2	1
50	Telemedicine and mHealth System for Complex Management in T1DM and T2DM Patients: Results of 6 Months Study. <i>IFMBE Proceedings</i> , 2016, , 1131-1136.	0.2	3
51	Mid-Term Prediction of Blood Glucose from Continuous Glucose Sensors, Meal Information and Administered Insulin. <i>IFMBE Proceedings</i> , 2016, , 1137-1143.	0.2	8
52	Profiling intra-patient type I diabetes behaviors. <i>Computer Methods and Programs in Biomedicine</i> , 2016, 136, 131-141.	2.6	16
53	PFA toolbox: a MATLAB tool for Metabolic Flux Analysis. <i>BMC Systems Biology</i> , 2016, 10, 46.	3.0	6
54	Physiology-Based Interval Models: A Framework for Glucose Prediction Under Intra-patient Variability. <i>Lecture Notes in Bioengineering</i> , 2016, , 159-181.	0.3	2

#	ARTICLE	IF	CITATIONS
55	Using Normalised Compression Distance to Identify Different Profiling Days in Type 1 Diabetic Patients—Research presented in this paper is partially supported by the Spanish Ministry of Science and Innovation through grant DPI 2013-46982-C2-2-R and the Government of Catalonia through grant SGR14-1052.. IFAC-PapersOnLine, 2015, 48, 383-388.	0.5	0
56	Emotions and Diabetes. Lecture Notes in Computer Science, 2015, , 720-727.	1.0	3
57	Closing the Loop. Diabetes Technology and Therapeutics, 2015, 17, S-27-S-38.	2.4	0
58	Postprandial response improvement via safety layer in closed-loop blood glucose controllers. Biomedical Signal Processing and Control, 2015, 16, 80-87.	3.5	32
59	Validation of an FBA model for Pichia pastoris in chemostat cultures. BMC Systems Biology, 2014, 8, 142.	3.0	7
60	In Utero Undernutrition in Male Mice Programs Liver Lipid Metabolism in the Second-Generation Offspring Involving Altered Lxra DNA Methylation. Cell Metabolism, 2014, 19, 941-951.	7.2	178
61	Postprandial performance of Dexcom® SEVEN® PLUS and Medtronic® Paradigm® Veo®, [†] : Modeling and statistical analysis. Biomedical Signal Processing and Control, 2014, 10, 322-331.	3.5	6
62	Experimental blood glucose interval identification of patients with type 1 diabetes. Journal of Process Control, 2014, 24, 171-181.	1.7	12
63	Identification of intra-patient variability in the postprandial response of patients with type 1 diabetes. Biomedical Signal Processing and Control, 2014, 12, 39-46.	3.5	13
64	Modal Interval Analysis. Lecture Notes in Mathematics, 2014, , .	0.1	19
65	Intervals. Lecture Notes in Mathematics, 2014, , 1-16.	0.1	1
66	Interval Arithmetic. Lecture Notes in Mathematics, 2014, , 121-141.	0.1	1
67	Some Related Problems. Lecture Notes in Mathematics, 2014, , 265-305.	0.1	0
68	Equations and Systems. Lecture Notes in Mathematics, 2014, , 143-158.	0.1	0
69	Combining Symbolic tools with interval analysis. An application to solve robust control problems.. American Journal of Computational Mathematics, 2014, 04, 183-196.	0.2	1
70	Detection of Correct and Incorrect Measurements in Real-Time Continuous Glucose Monitoring Systems by Applying a Postprocessing Support Vector Machine. IEEE Transactions on Biomedical Engineering, 2013, 60, 1891-1899.	2.5	15
71	Adaptive Calibration Algorithm for Plasma Glucose Estimation in Continuous Glucose Monitoring. IEEE Journal of Biomedical and Health Informatics, 2013, 17, 530-538.	3.9	23
72	Safety Auxiliary Feedback Element for the Artificial Pancreas in Type 1 Diabetes. IEEE Transactions on Biomedical Engineering, 2013, 60, 2113-2122.	2.5	58

#	ARTICLE	IF	CITATIONS
73	Postprandial blood glucose control using a hybrid adaptive PD controller with insulin-on-board limitation. <i>Biomedical Signal Processing and Control</i> , 2013, 8, 724-732.	3.5	38
74	Principal component analysis in combination with case-based reasoning for detecting therapeutically correct and incorrect measurements in continuous glucose monitoring systems. <i>Biomedical Signal Processing and Control</i> , 2013, 8, 603-614.	3.5	13
75	Improving the Computational Effort of Set-Inversion-Based Prandial Insulin Delivery for Its Integration in Insulin Pumps. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 1420-1428.	1.3	0
76	Real-Time Continuous Glucose Monitoring in an Intensive Care Unit: Better Accuracy in Patients with Septic Shock. <i>Diabetes Technology and Therapeutics</i> , 2012, 14, 568-575.	2.4	42
77	A Simple Robust Method for Estimating the Glucose Rate of Appearance from Mixed Meals. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 153-162.	1.3	25
78	Commentary on "Performance of a Glucose Meter with a Built-in Automated Bolus Calculator versus Manual Bolus Calculation in Insulin-Using Subjects". <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 345-347.	1.3	4
79	Identification of intra-patient variability in the postprandial response of patients with type 1 diabetes. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2012, 45, 34-39.	0.4	0
80	Evaluation of a Novel Continuous Glucose Monitoring-Based Method for Mealtime Insulin Dosing "the <i>i</i> Bolus" in Subjects with Type 1 Diabetes Using Continuous Subcutaneous Insulin Infusion Therapy: A Randomized Controlled Trial. <i>Diabetes Technology and Therapeutics</i> , 2012, 14, 1043-1052.	2.4	18
81	Prediction of postprandial blood glucose under uncertainty and intra-patient variability in type 1 diabetes: A comparative study of three interval models. <i>Computer Methods and Programs in Biomedicine</i> , 2012, 108, 224-233.	2.6	14
82	Robust Fault Detection System for Insulin Pump Therapy Using Continuous Glucose Monitoring. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 1131-1141.	1.3	48
83	The role of nutrition on epigenetic modifications and their implications on health. <i>Biochimie</i> , 2012, 94, 2242-2263.	1.3	219
84	Insulin dosage optimization based on prediction of postprandial glucose excursions under uncertain parameters and food intake. <i>Computer Methods and Programs in Biomedicine</i> , 2012, 105, 61-69.	2.6	17
85	A new virtual environment for testing and hardware implementation of closed-loop control algorithms in the artificial pancreas. , 2011, 2011, 385-8.		1
86	On the use of hard/soft specifications to deal with intra-patient variability in postprandial glucose control in type 1 diabetes.1. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2011, 44, 8347-8353.	0.4	0
87	Calculation of the Best Basal-Bolus Combination for Postprandial Glucose Control in Insulin Pump Therapy. <i>IEEE Transactions on Biomedical Engineering</i> , 2011, 58, 274-281.	2.5	19
88	Comparison of interval and Monte Carlo simulation for the prediction of postprandial glucose under uncertainty in type 1 diabetes mellitus. <i>Computer Methods and Programs in Biomedicine</i> , 2011, 104, 325-332.	2.6	22
89	Guaranteed set-point computation with application to the control of a sailboat. <i>International Journal of Control, Automation and Systems</i> , 2010, 8, 1-7.	1.6	30
90	Combining Basal-Bolus Insulin Infusion for Tight Postprandial Glucose Control: An <i>in Silico</i> Evaluation in Adults, Children, and Adolescents. <i>Journal of Diabetes Science and Technology</i> , 2010, 4, 1424-1437.	1.3	7

#	ARTICLE	IF	CITATIONS
91	Real-Time Glucose Estimation Algorithm for Continuous Glucose Monitoring Using Autoregressive Models. Journal of Diabetes Science and Technology, 2010, 4, 391-403.	1.3	35
92	Transgenerational Inheritance of Glucose Intolerance in a Mouse Model of Neonatal Overnutrition. Endocrinology, 2010, 151, 5617-5623.	1.4	129
93	Optimal Design for Individual Model Identification based on Ambulatory Continuous Glucose Monitoring in Patients with Type 1 Diabetes. , 2010, , .		6
94	Estimating Plasma Glucose from Interstitial Glucose: The Issue of Calibration Algorithms in Commercial Continuous Glucose Monitoring Devices. Sensors, 2010, 10, 10936-10952.	2.1	93
95	A learning system for error detection in subcutaneous continuous glucose measurement using Support Vector Machines. , 2010, , .		1
96	Enhanced algorithm for glucose estimation using the continuous glucose monitoring system. Medical Science Monitor, 2010, 16, MT51-8.	0.5	2
97	Intergenerational Transmission of Glucose Intolerance and Obesity by In Utero Undernutrition in Mice. Diabetes, 2009, 58, 460-468.	0.3	277
98	Coordinated Basal+ Bolus Infusion for Tighter Postprandial Glucose Control in Insulin Pump Therapy. Journal of Diabetes Science and Technology, 2009, 3, 89-97.	1.3	30
99	Control of constrained nonlinear uncertain discrete-time systems via robust controllable sets: a modal interval analysis approach. ESAIM - Control, Optimisation and Calculus of Variations, 2009, 15, 189-204.	0.7	1
100	Computing the Risk of Postprandial Hypo- and Hyperglycemia in Type 1 Diabetes Mellitus considering Inpatient Variability and other Sources of Uncertainty. Journal of Diabetes Science and Technology, 2009, 3, 895-902.	1.3	6
101	Extended PCA visualisation of system damage features under environmental and operational variations. , 2009, , .		3
102	The calcium-sensing receptor and parathyroid hormone-related protein are expressed in differentiated, favorable neuroblastic tumors. Cancer, 2009, 115, 2792-2803.	2.0	23
103	Clinical spectrum of premature pubarche: Links to metabolic syndrome and ovarian hyperandrogenism. Reviews in Endocrine and Metabolic Disorders, 2009, 10, 63-76.	2.6	85
104	A numerical approach to design control invariant sets for constrained nonlinear discrete-time systems with guaranteed optimality. Journal of Global Optimization, 2009, 44, 395-407.	1.1	9
105	Vibration control of a class of semiactive suspension system using neural network and backstepping techniques. Mechanical Systems and Signal Processing, 2009, 23, 1946-1953.	4.4	104
106	SQualTrack: A Tool for Robust Fault Detection. IEEE Transactions on Systems, Man, and Cybernetics, 2009, 39, 475-488.	5.5	12
107	Glucose Control in Critically Ill Patients Using Sliding Mode Control with Robust Differentiators* *Acknowledgements. The authors acknowledge the support, in part, by the Spanish government under the grants DPI-2007-66728-C02-01 and DPI-2007-66728-C02-02, by the European Union through FEDER funds and by the catalan government under grant SGR-00296.. IFAC Postprint Volumes IPPV / A sliding mode predictive control approach to closed-loop glucose control for type 1 diabetes*	0.4	0
108	*Acknowledgements. The authors acknowledge the support, in part, by the Spanish government under the grants DPI-2007-66728-C02-01 and DPI-2007-66728-C02-02, by the European Union through FEDER funds and by the catalan government under grant SGR-00296.. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 85-90.	0.4	6

#	ARTICLE	IF	CITATIONS
109	Health Monitoring System (HMS) for structural assessment. Smart Structures and Systems, 2009, 5, 223-240.	1.9	4
110	Continuous minimax optimization using modal intervals. Journal of Mathematical Analysis and Applications, 2008, 339, 18-30.	0.5	17
111	Structural assessment under uncertain parameters via interval analysis. Journal of Computational and Applied Mathematics, 2008, 218, 43-52.	1.1	23
112	Multivariate statistics process control for dimensionality reduction in structural assessment. Mechanical Systems and Signal Processing, 2008, 22, 155-171.	4.4	71
113	Impact Damage Detection in Aircraft Composites Using Knowledge-based Reasoning. Structural Health Monitoring, 2008, 7, 215-230.	4.3	46
114	Using Support Vector Machines to Detect Therapeutically Incorrect Measurements by the MiniMed CGMS [®] . Journal of Diabetes Science and Technology, 2008, 2, 622-629.	1.3	24
115	Implications of Meal Library & Meal Detection to Glycemic Control of Type 1 Diabetes Mellitus through MPC Control. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 4228-4233.	0.4	11
116	Robust Sliding Mode Closed-loop Glucose Control with Meal Compensation in Type 1 Diabetes Mellitus. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 4240-4245.	0.4	17
117	Efficient Ray Tracing Using Interval Analysis. , 2008, , 1351-1360.		2
118	Prediction of glucose excursions under uncertain parameters and food intake in intensive insulin therapy for type 1 diabetes mellitus. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 1770-3.	0.5	6
119	Closed loop glucose control in critical care patients: Previous study for clinical essays. , 2007, , .		0
120	Backstepping control of nonlinear building structures with hysteretic and frictional dynamics. , 2007, , .		2
121	Guaranteed Adaptive Antialiasing Using Interval Arithmetic. Lecture Notes in Computer Science, 2007, , 166-169.	1.0	0
122	Closed Loop Glycemic Control in Critically Ill Patients: Feasibility Study and Experimental Design. , 2007, , .		0
123	Introspection on control-grounded capabilities. Relevance in task allocation problems. , 2007, , .		0
124	Semiactive backstepping control for vibration attenuation in structures equipped with magnetorheological actuators. , 2006, , .		3
125	Two Approaches to Structural Damage Identification: Model Updating versus Soft Computing. Journal of Intelligent Material Systems and Structures, 2006, 17, 63-79.	1.4	20
126	PARAMETER IDENTIFICATION WITH QUANTIFIERS. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 707-712.	0.4	1

#	ARTICLE	IF	CITATIONS
127	Improving the Interval Ray Tracing of Implicit Surfaces. Lecture Notes in Computer Science, 2006, , 655-664.	1.0	11
128	Non-destructive Testing for Assessing Structures by Using Soft-Computing. Lecture Notes in Computer Science, 2006, , 982-991.	1.0	3
129	Semiactive backstepping control for vibration attenuation in structures equipped with magnetorheological actuators. , 2006, , .		1
130	Quantified Set Inversion Algorithm with Applications to Control. Reliable Computing, 2005, 11, 369-382.	0.8	31
131	A hybrid approach of knowledge-based reasoning for structural assessment. Smart Materials and Structures, 2005, 14, 1554-1562.	1.8	16
132	Comparison of Two Software Tools for Damage Identification: Gradient-Based vs. Case-Based Approach. Key Engineering Materials, 2005, 293-294, 103-110.	0.4	0
133	Experimental Verification of a Backstepping Controller for Magnetorheological MR Dampers in Structural Control. , 2005, , .		6
134	Nonlinear Model Predictive Control Via Interval Analysis. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2004, 37, 1337-1340.	0.4	1
135	Robust control law for a friction-based semiactive controller of a two-span bridge. , 2003, 5057, 524.		4
136	Robust Active Control of Uncertain Flexible Structures. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2003, 36, 61-65.	0.4	0
137	Fault Detection in a Pilot Plant Using Interval Models and Multiple Sliding Time Windows. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2003, 36, 681-686.	0.4	5
138	Sliding mode control of structures with uncertain coupled subsystems and actuator dynamics. , 2003, , .		1
139	Semiactive control of base isolated structures with actuator dynamics. , 2003, , .		2
140	Decentralized active control of a class of uncertain cable-stayed flexible structures. International Journal of Control, 2002, 75, 285-296.	1.2	17
141	A SURVEY OF APPLICATIONS OF INTERVAL ANALYSIS TO ROBUST CONTROL. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2002, 35, 389-400.	0.4	4
142	Fault detection and isolation of the three-tank system using the modal interval analysis. Journal of Process Control, 2002, 12, 325-338.	1.7	48
143	Digital control via interval analysis. Nonlinear Analysis: Theory, Methods & Applications, 2001, 47, 203-212.	0.6	7
144	Composite semiactive control of a class of seismically excited structures. Journal of the Franklin Institute, 2001, 338, 225-240.	1.9	41

#	ARTICLE	IF	CITATIONS
145	Title is missing!. Reliable Computing, 2001, 7, 171-185.	0.8	23
146	Interval PI Velocity Control of a Non-Holonomic Mobile Robot. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2000, 33, 379-383.	0.4	0
147	A survey on interval model simulators and their properties related to fault detection. Annual Reviews in Control, 2000, 24, 31-39.	4.4	34
148	Output feedback sliding mode control of base isolated structures. Journal of the Franklin Institute, 2000, 337, 555-577.	1.9	47
149	Analysis of the Robustness of Predictive Controllers via Modal Intervals. Reliable Computing, 2000, 6, 281-301.	0.8	8
150	Expression of Calcium-Sensing Receptor Gene by Avian Parathyroid Gland in Vivo: Relationship to Plasma Calcium. General and Comparative Endocrinology, 2000, 117, 173-181.	0.8	27
151	A Survey on Interval Model Simulators and their Properties Related to Fault Detection. Annual Reviews in Control, 2000, 24, 31-39.	4.4	43
152	A Survey on Interval Model Simulators and their Properties Related to Fault Detection. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 1999, 32, 7614-7622.	0.4	3
153	Semiquantitative Simulation Using Modal Interval Analysis. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 1999, 32, 7623-7628.	0.4	4
154	Sodium and Ionic Strength Sensing by the Calcium Receptor. Journal of Biological Chemistry, 1998, 273, 19579-19586.	1.6	122
155	The Calcium-sensing Receptor Is Localized in Caveolin-rich Plasma Membrane Domains of Bovine Parathyroid Cells. Journal of Biological Chemistry, 1998, 273, 21708-21713.	1.6	116
156	Using Interval Methods for Control Systems Design in the Parameter Space. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 1997, 30, 353-357.	0.4	2
157	Inhibition of PTH Secretion by Interleukin-1 β in Bovine Parathyroid Glands in Vitro Associated with an Up-Regulation of the Calcium-Sensing Receptor mRNA. Biochemical and Biophysical Research Communications, 1997, 238, 880-885.	1.0	102
158	Soccer team based on agent-oriented programming. Robotics and Autonomous Systems, 1997, 21, 167-176.	3.0	17
159	The Ca ²⁺ -Sensing Receptor (CaR) Activates Phospholipases C, A2, and D in Bovine Parathyroid and CaR-Transfected, Human Embryonic Kidney (HEK293) Cells. Journal of Bone and Mineral Research, 1997, 12, 715-725.	3.1	188
160	Purification and characterization of the d-mannose receptor from J774 mouse macrophage cells. Carbohydrate Research, 1991, 213, 145-153.	1.1	26
161	Regulatory role for GTP-binding proteins in endocytosis. Science, 1989, 244, 1475-1477.	6.0	143
162	Vesicle fusion following receptor-mediated endocytosis requires a protein active in Golgi transport. Nature, 1989, 339, 398-400.	13.7	254

#	ARTICLE	IF	CITATIONS
163	The use of permeabilized cells to study the ion requirements of receptor–ligand dissociation in endosomes. <i>Biochemical Journal</i> , 1989, 260, 127-134.	1.7	24
164	A comparison of fuzzy and qualitative control techniques. , 0, , .		1
165	Embedding objects into Matlab/Simulink for process supervision. , 0, , .		5
166	Necessary and sufficient conditions for robust stability using modal intervals. , 0, , .		2
167	Quantified set inversion with applications to control. , 0, , .		3
168	Studies about the Atomic Capabilities Concept for Linear Control Systems in Physical Multi-Agent Environments. , 0, , .		1