

Tea Lallukka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9020151/tea-lallukka-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168 papers	5,462 citations	36 h-index	70 g-index
204 ext. papers	7,142 ext. citations	4.1 avg, IF	5.44 L-index

#	Paper	IF	Citations
168	Internet-delivered cognitive behavioral therapy (iCBT) for common mental disorders and subsequent sickness absence: a systematic review and meta-analysis.. <i>Scandinavian Journal of Public Health</i> , 2022 , 14034948221075016	3	0
167	Trajectory analyses in insurance medicine studies: Examples and key methodological aspects and pitfalls.. <i>PLoS ONE</i> , 2022 , 17, e0263810	3.7	0
166	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990-2019: Findings from the Global Burden of Disease Study 2019.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 16, 100341		10
165	Trajectories of Insomnia Symptoms Among Aging Employees and Their Associations With Memory, Learning Ability, and Concentration After Retirement - A Prospective Cohort Study (2000-2017).. <i>Journal of Aging and Health</i> , 2022 , 8982643221078740	2.6	0
164	Multiple socioeconomic circumstances and trajectories of fruit and vegetable consumption: the Helsinki Health Study.. <i>Scandinavian Journal of Public Health</i> , 2022 , 14034948221094430	3	
163	A machine learning approach to predict resilience and sickness absence in the healthcare workforce during the COVID-19 pandemic.. <i>Scientific Reports</i> , 2022 , 12, 8055	4.9	0
162	Associations between low parental education, childhood adversities and sickness absence in midlife public sector employees.. <i>Scandinavian Journal of Public Health</i> , 2022 , 14034948221087996	3	
161	Acceptability of Computerized Cognitive Behavioral Therapy for Adults: Umbrella Review. <i>JMIR Mental Health</i> , 2021 , 8, e23091	6	0
160	Intervention targeted at physiciansTtreatment of musculoskeletal disorders and sickness certification: an interrupted time series analysis. <i>BMJ Open</i> , 2021 , 11, e047018	3	1
159	Working conditions and mental health functioning among young public sector employees. <i>Scandinavian Journal of Public Health</i> , 2021 , 14034948211045458	3	
158	Physical working conditions and subsequent sickness absence: a record linkage follow-up study among 19-39-year-old municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 1	3.2	
157	The contribution of physical working conditions to sickness absence of varying length among employees with and without common mental disorders. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 141-148	3	2
156	Working Conditions and Long-term Sickness Absence Due to Mental Disorders: A Prospective Record Linkage Cohort Study Among 19- to 39-year-old Female Municipal Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2021 ,	2	1
155	Ageing shift workersTsleep and working-hour characteristics after implementing ergonomic shift-scheduling rules. <i>Journal of Sleep Research</i> , 2021 , 30, e13227	5.8	2
154	Intergenerational social mobility and body mass index trajectories - A follow-up study from Finland. <i>SSM - Population Health</i> , 2021 , 13, 100723	3.8	1
153	Indicators and determinants of the years of working life lost: a narrative review. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 666-674	3	2
152	Sickness absence and disability pension after carpal tunnel syndrome diagnosis: A register-based study of patients and matched references in Sweden. <i>Scandinavian Journal of Public Health</i> , 2021 , 14034948211002729	3	2

151	Do psychosocial job stressors differentially affect the sleep quality of men and women? A study using the HILDA Survey. <i>European Journal of Public Health</i> , 2021 , 31, 736-738	2.1	0
150	Frequent short sickness absence, occupational health service utilisation and long-term sickness absence due to mental disorders among young employees. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 1549-1558	3.2	0
149	Contributions of childhood adversities to chronic pain among mid-life employees. <i>Scandinavian Journal of Public Health</i> , 2021 , 1403494820981509	3	1
148	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ, The</i> , 2021 , 374, n1804	5.9	5
147	Seeing an occupational health psychologist reduces sickness absence due to mental disorders: A quasi-experimental study. <i>Preventive Medicine</i> , 2021 , 149, 106611	4.3	
146	Recurring pain, mental health problems and sick leave in Australia. <i>SSM Mental Health</i> , 2021 , 1, 100025		0
145	Working conditions and antidepressant medication use: A prospective study among 18 to 39-year-old municipal employees. <i>Psychiatry Research</i> , 2021 , 305, 114213	9.9	0
144	Life-course socioeconomic circumstances in acute, chronic and disabling pain among young employees: a double suffering.. <i>Scandinavian Journal of Public Health</i> , 2021 , 14034948211062314	3	
143	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
142	Who maintains good health functioning? The contribution of social, work-related and behavioural factors to mental and physical health functioning trajectories in ageing employees. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 478-487	2.1	3
141	Body Mass Index Trajectory-Specific Changes in Economic Circumstances: A Person-Oriented Approach Among Midlife and Ageing Finns. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
140	Changes in fruit, vegetable and fish consumption after statutory retirement: a prospective cohort study. <i>British Journal of Nutrition</i> , 2020 , 123, 1390-1395	3.6	8
139	Factors associated with health survey response among young employees: a register-based study using online, mailed and telephone interview data collection methods. <i>BMC Public Health</i> , 2020 , 20, 184	4.1	18
138	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020 , 180, 760-768	11.5	59
137	Socioeconomic Differences in Occupational Health Service Utilization and Sickness Absence Due to Mental Disorders: A Register-Based Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8
136	Neurodevelopmental disorders among young adults and the risk of sickness absence and disability pension: a nationwide register linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 410-416	4.3	6
135	Favourable changes in physical working conditions and the risk of all-cause sickness absence: a pseudo-experiment. <i>European Journal of Public Health</i> , 2020 , 30, 253-259	2.1	2
134	Trajectories of multisite musculoskeletal pain in midlife: Associations with common mental disorders. <i>European Journal of Pain</i> , 2020 , 24, 364-373	3.7	4

133	Physical working conditions and subsequent disability retirement due to any cause, mental disorders and musculoskeletal diseases: does the risk vary by common mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1021-1029	4.5	7
132	Psychological distress and sickness absence: Within- versus between-individual analysis. <i>Journal of Affective Disorders</i> , 2020 , 264, 333-339	6.6	3
131	Recurrent pain and work disability: a record linkage study. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 421-432	3.2	6
130	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020 , 44, 1368-1375	5.5	7
129	Weight change among normal weight, overweight and obese employees and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 155-163	3	4
128	Body mass index and the risk of disability retirement: a systematic review and meta-analysis. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 48-55	2.1	9
127	Unemployment Trajectories and the Early Risk of Disability Pension among Young People with and without Autism Spectrum Disorder: A Nationwide Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
126	Associations between Childhood Disadvantage and Adult Body Mass Index Trajectories: A Follow-Up Study among Midlife Finnish Municipal Employees. <i>Obesity Facts</i> , 2019 , 12, 564-574	5.1	6
125	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. <i>European Journal of Public Health</i> , 2019 , 29, 1079-1084	2.1	1
124	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up-introducing Helsinki Health Study job exposure matrix. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 337-345	3.2	24
123	Determinants of long-term unemployment in early adulthood: A Finnish birth cohort study. <i>SSM - Population Health</i> , 2019 , 8, 100410	3.8	2
122	Within-individual analysis of pain and sickness absence among employees from low and high occupational classes: a record linkage study. <i>BMJ Open</i> , 2019 , 9, e026994	3	4
121	Health effects of dietary risks in 195 countries, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2019 , 393, 1958-1972	4.0	1479
120	Risk Factors for Low Back Pain: A Population-Based Longitudinal Study. <i>Arthritis Care and Research</i> , 2019 , 71, 290-299	4.7	49
119	Trajectories in hypnotic use and approaching death: a register linked case-control study. <i>Sleep Medicine</i> , 2019 , 57, 153-161	4.6	1
118	Co-occurrence of depressive, anxiety, and somatic symptoms: trajectories from adolescence to midlife using group-based joint trajectory analysis. <i>BMC Psychiatry</i> , 2019 , 19, 236	4.2	10
117	Work-Related Exposures and Sickness Absence Trajectories: A Nationally Representative Follow-up Study among Finnish Working-Aged People. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
116	Magnesium supplementation for the treatment of restless legs syndrome and periodic limb movement disorder: A systematic review. <i>Sleep Medicine Reviews</i> , 2019 , 48, 101218	10.2	2

115	Work participation trajectories among 1,098,748 Finns: reasons for premature labour market exit and the incidence of sickness absence due to mental disorders and musculoskeletal diseases. <i>BMC Public Health</i> , 2019 , 19, 1418	4.1	4
114	Changes in common mental disorders and diagnosis-specific sickness absence: a register-linkage follow-up study among Finnish municipal employees. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 230-235	2.1	5
113	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e032119	3	1
112	Exposure to heavy physical work from early to later adulthood and primary healthcare visits due to musculoskeletal diseases in midlife: a register linked study. <i>BMJ Open</i> , 2019 , 9, e031564	3	3
111	Occupational social class trajectories in physical functioning among employed women from midlife to retirement. <i>BMC Public Health</i> , 2019 , 19, 1525	4.1	6
110	Risk and Prognostic Factors of Low Back Pain: Repeated Population-based Cohort Study in Sweden. <i>Spine</i> , 2019 , 44, 1248-1255	3.3	9
109	Socioeconomic and health-related childhood and adolescence predictors of entry into paid employment. <i>European Journal of Public Health</i> , 2019 , 29, 555-561	2.1	3
108	Common mental disorders and trajectories of work disability among midlife public sector employees - A 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2019 , 247, 66-72	6.6	8
107	Insomnia symptoms and short sleep duration predict trajectory of mental health symptoms. <i>Sleep Medicine</i> , 2019 , 54, 53-61	4.6	17
106	Pathways from parental mental disorders to offspring's work disability due to depressive or anxiety disorders in early adulthood-The 1987 Finnish Birth Cohort. <i>Depression and Anxiety</i> , 2019 , 36, 305-312	8.4	4
105	The joint contribution of physical activity, insomnia symptoms, and smoking to the cost of short-term sickness absence. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 440-449	4.6	0
104	Association of sleep duration and sleep quality with the physical, social, and emotional functioning among Australian adults. <i>Sleep Health</i> , 2018 , 4, 194-200	4	41
103	Common Mental Disorders and Sickness Absence: A Register-Linkage Follow-Up Study Among Finnish Municipal Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, 569-575	2	11
102	Changes in physical and mental health functioning during retirement transition: a register-linkage follow-up study. <i>European Journal of Public Health</i> , 2018 , 28, 805-809	2.1	11
101	Rethinking the sleep-health link. <i>Sleep Health</i> , 2018 , 4, 339-348	4	52
100	Alcohol use and sickness absence due to all causes and mental- or musculoskeletal disorders: a nationally representative study. <i>BMC Public Health</i> , 2018 , 18, 152	4.1	9
99	Trends in Diagnosis-Specific Work Disability Before and After Stroke: A Longitudinal Population-Based Study in Sweden. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	14
98	Recurrent back pain during working life and exit from paid employment: a 28-year follow-up of the Whitehall II Study. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 786-791	2.1	5

97	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e490-e497	22.4	138
96	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017 , 230, 222-227	3.2	18
95	Change in organizational justice as a predictor of insomnia symptoms: longitudinal study analysing observational data as a non-randomized pseudo-trial. <i>International Journal of Epidemiology</i> , 2017 , 46, 1277-1284	7.8	8
94	Early work-related physical exposures and low back pain in midlife: the Cardiovascular Risk in Young Finns Study. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 163-168	2.1	19
93	Predictors of Depression and Musculoskeletal Disorder Related Work Disability Among Young, Middle-Aged, and Aging Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2017 , 59, 114-119	1.1	18
92	Obesity, change of body mass index and subsequent physical and mental health functioning: a 12-year follow-up study among ageing employees. <i>BMC Public Health</i> , 2017 , 17, 744	4.1	4
91	Obesity and socioeconomic disadvantage in midlife female public sector employees: a cohort study. <i>BMC Public Health</i> , 2017 , 17, 842	4.1	6
90	The joint associations of smoking and obesity with subsequent short and long sickness absence: a five year follow-up study with register-linkage. <i>BMC Public Health</i> , 2017 , 17, 978	4.1	5
89	Past, present, and future: trends in sleep duration and implications for public health. <i>Sleep Health</i> , 2017 , 3, 317-323	4	65
88	Changes in psychosocial and physical working conditions and psychotropic medication in ageing public sector employees: a record-linkage follow-up study. <i>BMJ Open</i> , 2017 , 7, e015573	3	10
87	Sleep improvement by internet-based cognitive behavioural therapy might help prevent mental health disorders. <i>Lancet Psychiatry, the</i> , 2017 , 4, 734-735	23.3	3
86	Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. <i>Scientific Reports</i> , 2017 , 7, 1142	4.9	12
85	Childhood adversity, adult socioeconomic status and risk of work disability: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 659-666	2.1	20
84	Physical and mental health functioning after all-cause and diagnosis-specific sickness absence: a register-linkage follow-up study among ageing employees. <i>BMC Public Health</i> , 2017 , 17, 114	4.1	8
83	The social gradient of sleep in adolescence: results from the youth@hordaland survey. <i>European Journal of Public Health</i> , 2017 , 27, 65-71	2.1	3
82	Mental symptoms and cause-specific mortality among midlife employees. <i>BMC Public Health</i> , 2016 , 16, 1142	4.1	3
81	The joint contribution of diabetes and work disability to premature death during working age: a population-based study in Sweden. <i>Scandinavian Journal of Public Health</i> , 2016 , 44, 580-6	3	6
80	Changes Over Time in Absolute and Relative Socioeconomic Differences in Smoking: A Comparison of Cohort Studies From Britain, Finland, and Japan. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1697-704	4.9	19

79	Changes in psychosocial and physical working conditions and common mental disorders. <i>European Journal of Public Health</i> , 2016 , 26, 458-463	2.1	12
78	Pre-retirement physical working conditions and changes in physical health functioning during retirement transition process. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 405-12	4.3	7
77	Obesity and psychotropic medication: a prospective register linkage study among midlife women and men. <i>BMC Psychiatry</i> , 2016 , 16, 185	4.2	2
76	Leisure time physical activity and subsequent physical and mental health functioning among midlife Finnish, British and Japanese employees: a follow-up study in three occupational cohorts. <i>BMJ Open</i> , 2016 , 6, e009788	3	11
75	Country specific associations between social contact and mental health: evidence from civil servant studies across Great Britain, Japan and Finland. <i>Public Health</i> , 2016 , 137, 139-46	4	6
74	The contribution of smoking to mortality during working age at different levels of leisure-time physical activity. <i>European Journal of Public Health</i> , 2016 , 26, 826-830	2.1	5
73	Insomnia symptoms and mortality: a register-linked study among women and men from Finland, Norway and Lithuania. <i>Journal of Sleep Research</i> , 2016 , 25, 96-103	5.8	29
72	Economic difficulties and subsequent disability retirement. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 169-75	3	5
71	Trends of diagnosis-specific work disability after newly diagnosed diabetes: a 4-year nationwide prospective cohort study. <i>Diabetes Care</i> , 2015 , 38, 1883-90	14.6	12
70	Work disability before and after diabetes diagnosis: a nationwide population-based register study in Sweden. <i>American Journal of Public Health</i> , 2015 , 105, e22-9	5.1	26
69	Joint association of physical activity and overweight with subsequent psychotropic medication: a register-linked follow-up study among employees. <i>BMC Public Health</i> , 2015 , 15, 1006	4.1	2
68	Weight change and sickness absence--a prospective study among middle-aged employees. <i>European Journal of Public Health</i> , 2015 , 25, 263-7	2.1	18
67	Joint associations of smoking and physical activity with disability retirement: a register-linked cohort study. <i>BMJ Open</i> , 2015 , 5, e006988	3	22
66	Social class inequalities in health among occupational cohorts from Finland, Britain and Japan: a follow up study. <i>Health and Place</i> , 2015 , 31, 173-9	4.6	10
65	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015 , 350, g7772	5.9	102
64	Common mental disorders and cause-specific disability retirement. <i>Occupational and Environmental Medicine</i> , 2015 , 72, 181-7	2.1	28
63	Changes in working conditions and physical health functioning among midlife and ageing employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 511-8	4.3	17
62	Childhood and adult socio-economic position and social mobility as determinants of low back pain outcomes. <i>European Journal of Pain</i> , 2014 , 18, 128-38	3.7	21

61	Insomnia as a risk factor for ill health: results from the large population-based prospective HUNT Study in Norway. <i>Journal of Sleep Research</i> , 2014 , 23, 124-32	5.8	150
60	Obesity as a risk factor for sciatica: a meta-analysis. <i>American Journal of Epidemiology</i> , 2014 , 179, 929-37	3.8	69
59	Sleep and sickness absence: a nationally representative register-based follow-up study. <i>Sleep</i> , 2014 , 37, 1413-25	1.1	49
58	Insomnia symptoms and subsequent psychotropic medication: a register-linked study with 5-year follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1993-2002	4.5	7
57	The joint contribution of pain and insomnia to sickness absence and disability retirement: a register-linkage study among Norwegian and Finnish employees. <i>European Journal of Pain</i> , 2014 , 18, 883-92	3.7	16
56	Insomnia symptoms and subsequent cardiovascular medication: a register-linked follow-up study among middle-aged employees. <i>Journal of Sleep Research</i> , 2014 , 23, 281-9	5.8	19
55	Conflicts between work and family life and subsequent sleep problems among employees from Finland, Britain, and Japan. <i>International Journal of Behavioral Medicine</i> , 2014 , 21, 310-8	2.6	17
54	Changes in working conditions and subsequent sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 82-8	4.3	23
53	Multiple socioeconomic determinants of weight gain: the Helsinki Health Study. <i>BMC Public Health</i> , 2013 , 13, 259	4.1	17
52	Work-family conflicts and subsequent sleep medication among women and men: a longitudinal registry linkage study. <i>Social Science and Medicine</i> , 2013 , 79, 66-75	5.1	31
51	Working conditions and major weight gain-a prospective cohort study. <i>Archives of Environmental and Occupational Health</i> , 2013 , 68, 166-72	2	25
50	Bidirectional associations between insomnia symptoms and unhealthy behaviours. <i>Journal of Sleep Research</i> , 2013 , 22, 89-95	5.8	81
49	Changes in economic difficulties and subsequent sickness absence: a prospective register-linkage study. <i>BMJ Open</i> , 2013 , 3,	3	8
48	Joint associations of sleep duration and insomnia symptoms with subsequent sickness absence: the Helsinki Health Study. <i>Scandinavian Journal of Public Health</i> , 2013 , 41, 516-23	3	25
47	Cohort profile: the Helsinki Health Study. <i>International Journal of Epidemiology</i> , 2013 , 42, 722-30	7.8	110
46	Different measures of body weight as predictors of sickness absence. <i>Scandinavian Journal of Public Health</i> , 2013 , 41, 25-31	3	25
45	Relative weight and disability retirement: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 259-67	4.3	31
44	Psychosocial factors at work, long work hours, and obesity: a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 241-58	4.3	76

43	Change in economic difficulties and physical and mental functioning: Evidence from British and Finnish employee cohorts. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 521-30	4.3	7
42	Pain and disability retirement: a prospective cohort study. <i>Pain</i> , 2012 , 153, 526-531	8	44
41	Associations of relative weight with subsequent changes over time in insomnia symptoms: a follow-up study among middle-aged women and men. <i>Sleep Medicine</i> , 2012 , 13, 1271-9	4.6	21
40	Economic difficulties and subsequent sleep problems: evidence from British and Finnish occupational cohorts. <i>Sleep Medicine</i> , 2012 , 13, 680-5	4.6	24
39	Working conditions as risk factors for disability retirement: a longitudinal register linkage study. <i>BMC Public Health</i> , 2012 , 12, 309	4.1	88
38	Sociodemographic and socioeconomic differences in sleep duration and insomnia-related symptoms in Finnish adults. <i>BMC Public Health</i> , 2012 , 12, 565	4.1	76
37	Working conditions and psychotropic medication: a prospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 663-70	4.5	21
36	Workplace bullying and subsequent psychotropic medication: a cohort study with register linkages. <i>BMJ Open</i> , 2012 , 2,	3	16
35	Changes in healthy food habits after transition to old age retirement. <i>European Journal of Public Health</i> , 2012 , 22, 582-6	2.1	27
34	Sleep problems and sickness absence among middle-aged employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 47-55	4.3	30
33	The joint association of sleep duration and insomnia symptoms with disability retirement--a longitudinal, register-linked study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 427-35	4.3	25
32	Angina pectoris: relation of epidemiological survey to registry data. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011 , 18, 621-6		2
31	The economic burden of insomnia at the workplace. An opportunity and time for intervention?. <i>Sleep</i> , 2011 , 34, 1151-2	1.1	16
30	Comparison of a sleep item from the General Health Questionnaire-12 with the Jenkins Sleep Questionnaire as measures of sleep disturbance. <i>Journal of Epidemiology</i> , 2011 , 21, 474-80	3.4	32
29	Association of sleep duration with weight and weight gain: a prospective follow-up study. <i>Journal of Sleep Research</i> , 2011 , 20, 298-302	5.8	51
28	Sleep problems and major weight gain: a follow-up study. <i>International Journal of Obesity</i> , 2011 , 35, 109-14	4.4	43
27	Sex inequalities in physical and mental functioning of British, Finnish, and Japanese civil servants: role of job demand, control and work hours. <i>Social Science and Medicine</i> , 2011 , 73, 595-603	5.1	19
26	Economic difficulties and physical functioning in Finnish and British employees: contribution of social and behavioural factors. <i>European Journal of Public Health</i> , 2011 , 21, 456-62	2.1	24

25	Sleep problems and disability retirement: a register-based follow-up study. <i>American Journal of Epidemiology</i> , 2011 , 173, 871-81	3.8	40
24	Socio-economic circumstances and food habits in Eastern, Central and Western European populations. <i>Public Health Nutrition</i> , 2011 , 14, 678-87	3.3	51
23	Changes in socio-economic differences in food habits over time. <i>Public Health Nutrition</i> , 2011 , 14, 1919-26	3.3	15
22	Workplace bullying and subsequent sleep problems--the Helsinki Health Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 204-12	4.3	63
21	Sleep complaints in middle-aged women and men: the contribution of working conditions and work-family conflicts. <i>Journal of Sleep Research</i> , 2010 , 19, 466-77	5.8	81
20	The association of income with fresh fruit and vegetable consumption at different levels of education. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 324-7	5.2	41
19	Healthy Eating 2010 , 99-110		1
18	Complaints of insomnia among midlife employed people: the contribution of childhood and present socioeconomic circumstances. <i>Sleep Medicine</i> , 2010 , 11, 828-36	4.6	22
17	Work-family conflicts and health behaviors among British, Finnish, and Japanese employees. <i>International Journal of Behavioral Medicine</i> , 2010 , 17, 134-42	2.6	33
16	Social class differences in health behaviours among employees from Britain, Finland and Japan: the influence of psychosocial factors. <i>Health and Place</i> , 2010 , 16, 61-70	4.6	30
15	Physical and psychosocial working conditions as explanations for occupational class inequalities in self-rated health. <i>European Journal of Public Health</i> , 2009 , 19, 458-63	2.1	55
14	Job strain and symptoms of angina pectoris among British and Finnish middle-aged employees. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 980-5	5.1	4
13	Economic difficulties and common mental disorders among Finnish and British white-collar employees: the contribution of social and behavioural factors. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 439-46	5.1	32
12	Associations of job strain and working overtime with adverse health behaviors and obesity: evidence from the Whitehall II Study, Helsinki Health Study, and the Japanese Civil Servants Study. <i>Social Science and Medicine</i> , 2008 , 66, 1681-98	5.1	125
11	Register-based study among employees showed small nonparticipation bias in health surveys and check-ups. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 900-6	5.7	121
10	Working conditions and weight gain: a 28-year follow-up study of industrial employees. <i>European Journal of Epidemiology</i> , 2008 , 23, 303-10	12.1	39
9	Socioeconomic circumstances and common mental disorders among Finnish and British public sector employees: evidence from the Helsinki Health Study and the Whitehall II Study. <i>International Journal of Epidemiology</i> , 2007 , 36, 776-86	7.8	86
8	Multiple socio-economic circumstances and healthy food habits. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 701-10	5.2	137

7	Does survey non-response bias the association between occupational social class and health?. <i>Scandinavian Journal of Public Health</i> , 2007 , 35, 212-5	3	111
6	Associations of work-family conflicts with food habits and physical activity. <i>Public Health Nutrition</i> , 2007 , 10, 222-9	3.3	60
5	Associations between working conditions and angina pectoris symptoms among employed women. <i>Psychosomatic Medicine</i> , 2006 , 68, 348-54	3.7	10
4	Psychosocial working conditions and weight gain among employees. <i>International Journal of Obesity</i> , 2005 , 29, 909-15	5.5	44
3	Working conditions and health behaviours among employed women and men: the Helsinki Health Study. <i>Preventive Medicine</i> , 2004 , 38, 48-56	4.3	97
2	Having lunch at a staff canteen is associated with recommended food habits. <i>Public Health Nutrition</i> , 2004 , 7, 53-61	3.3	73
1	Occupational Class Differences in Emotional Exhaustion Among Municipal Employees – The Role of Employment Sector and Psychosocial Working Conditions. <i>Psychological Reports</i> , 003329412211063	1.6	