Sibele Nascimento de Aquino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9021139/publications.pdf Version: 2024-02-01



SIBELE NASCIMENTO DE

#	Article	IF	CITATIONS
1	Non sindromic cleft lip and palate: relationship between sex and clinical extension. Brazilian Journal of Otorhinolaryngology, 2012, 78, 116-120.	1.0	45
2	Maternal polymorphisms in folic acid metabolic genes are associated with nonsyndromic cleft lip and/or palate in the Brazilian population. Birth Defects Research Part A: Clinical and Molecular Teratology, 2010, 88, 980-986.	1.6	44
3	Genetic risk factors for nonsyndromic cleft lip with or without cleft palate in a Brazilian population with high African ancestry. American Journal of Medical Genetics, Part A, 2015, 167, 2344-2349.	1.2	40
4	Amelogenesis Imperfecta and Nephrocalcinosis Syndrome: A Case Report and Review of the Literature. Nephron Physiology, 2011, 118, p62-p65.	1.2	36
5	Polymorphisms at Regions 1p22.1 (rs560426) and 8q24 (rs1530300) Are Risk Markers for Nonsyndromic Cleft Lip and/or Palate in the Brazilian Population. American Journal of Medical Genetics, Part A, 2013, 161, 1177-1180.	1.2	32
6	Polymorphisms in FGF12, VCL, CX43 and VAX1in Brazilian patients with nonsyndromic cleft lip with or without cleft palate. BMC Medical Genetics, 2013, 14, 53.	2.1	25
7	Analysis of susceptibility polymorphisms for nonsyndromic cleft lip with or without cleft palate in the Brazilian population. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 36-42.	1.6	25
8	Orofacial Features of Hypohidrotic Ectodermal Dysplasia. Head and Neck Pathology, 2012, 6, 460-466.	2.6	21
9	rs1801133C>T polymorphism in <i>MTHFR</i> is a risk factor for nonsyndromic cleft lip with or without cleft palate in the Brazilian population. Birth Defects Research Part A: Clinical and Molecular Teratology, 2015, 103, 292-298.	1.6	18
10	Prevalence of depressive symptoms in patients with cleft lip and palate. Brazilian Journal of Otorhinolaryngology, 2015, 81, 177-183.	1.0	18
11	Interactions between <i>RAD51</i> rs1801321 and maternal cigarette smoking as risk factor for nonsyndromic cleft lip with or without cleft palate. American Journal of Medical Genetics, Part A, 2016, 170, 536-539.	1.2	18
12	Isolation and characterization of myofibroblast cell lines from oral squamous cell carcinoma. Oncology Reports, 2011, 25, 1013-20.	2.6	17
13	<i>MTHFR</i> rs2274976 polymorphism is a risk marker for nonsyndromic cleft lip with or without cleft palate in the Brazilian population. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 30-35.	1.6	16
14	Clinical relevance of breast and gastric cancer-associated polymorphisms as potential susceptibility markers for oral clefts in the Brazilian population. BMC Medical Genetics, 2017, 18, 39.	2.1	16
15	Periapical and Endodontic Status Scale for Endodontically Treated Teeth and Their Association with Maxillary Sinus Abnormalities: A Cone-beam Computed Tomographic Study. Journal of Endodontics, 2019, 45, 1479-1488.	3.1	15
16	Adenoid ameloblastoma with dentinoid is molecularly different from ameloblastomas and adenomatoid odontogenic tumors. Journal of Oral Pathology and Medicine, 2021, 50, 1067-1071.	2.7	15
17	Association between Genes Involved in Craniofacial Development and Nonsyndromic Cleft Lip and/or Palate in the Brazilian Population. Cleft Palate-Craniofacial Journal, 2016, 53, 550-556.	0.9	14
18	Oral and neurocutaneous phenotypes of familial tuberous sclerosis. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2011, 111, 87-94.	1.4	13

SIBELE NASCIMENTO DE

#	Article	IF	CITATIONS
19	Estudo de pacientes com fissuras lábio-palatinas com pais consanguÃneos. Brazilian Journal of Otorhinolaryngology, 2011, 77, 19-23.	1.0	13
20	Frequency of Cancer in First-Degree Relatives of Patients with Cleft Lip and/or Palate in the Brazilian Population. Brazilian Dental Journal, 2013, 24, 200-203.	1.1	11
21	Stromal myofibroblasts in potentially malignant and malignant lesions of the oral cavity. Oncology Letters, 2015, 9, 667-670.	1.8	11
22	Typical Features of Amelogenesis Imperfecta in Two Patients with Bartter's Syndrome. Nephron Extra, 2012, 2, 319-325.	1.1	9
23	Dental students' ability to detect maxillary sinus abnormalities: A comparison between panoramic radiography and cone-beam computed tomography. Imaging Science in Dentistry, 2019, 49, 191.	1.8	8
24	Immunohistochemical and Molecular Diagnosis of Mucocutaneous and Mucosal Leishmaniasis. International Journal of Surgical Pathology, 2020, 28, 138-145.	0.8	7
25	Polymorphisms in <i>GABRB3</i> and Oral Clefting in the Brazilian Population. DNA and Cell Biology, 2013, 32, 125-129.	1.9	6
26	Epidemiological features of patients with nonsyndromic cleft lip and/or palate in Western Parana. Brazilian Journal of Oral Sciences, 2016, 15, 39.	0.1	5
27	Uncommon Oral Cleft in Wolf-Hirschhorn Syndrome. Brazilian Dental Journal, 2015, 26, 203-206.	1.1	3
28	Ultrastructural evaluation of gingival connective tissue in hereditary gingival fibromatosis. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2016, 122, 81-88.e2.	0.4	3
29	A review of seasonality of cleft births – The Brazil experience. Journal of Oral Biology and Craniofacial Research, 2017, 7, 2-6.	1.9	3
30	Evaluating fluctuating asymmetry in a Brazilian population with non-syndromic cleft lip and/or palate. Journal of Plastic Surgery and Hand Surgery, 2015, 49, 289-294.	0.8	1
31	Kaposiform Hemangioendothelioma of the Oral Cavity: A Rare Tumor with an Unusual Location. Head and Neck Pathology, 2021, 15, 1421-1425.	2.6	1
32	O uso da metodologia ativa Summaê em um curso de graduação de Odontologia: relato de experiência. HU Revista, 0, 46, .	0.3	1
33	Pessoas vivendo com o vÃrus da imunodeficiência humana: percepção sobre atendimento odontológico. Revista Brasileira Em Promoção Da Saúde, 0, 34, 1-9.	0.1	0
34	Factors associated with advanced-stage oral and oropharyngeal squamous cell carcinoma in a Brazilian population. Brazilian Journal of Oral Sciences, 0, 20, e219638.	0.1	0
35	Múltiplas manifestações orais em lúpus eritematoso cutâneo. HU Revista, 0, 47, .	0.3	Ο