
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9022316/publications.pdf Version: 2024-02-01



HUAN SONG

#	Article	IF	CITATIONS
1	Association of Stress-Related Disorders With Subsequent Autoimmune Disease. JAMA - Journal of the American Medical Association, 2018, 319, 2388.	3.8	243
2	Incidence of gastric cancer among patients with gastric precancerous lesions: observational cohort study in a low risk Western population. BMJ, The, 2015, 351, h3867.	3.0	198
3	Psychological distress among health professional students during the COVID-19 outbreak. Psychological Medicine, 2021, 51, 1952-1954.	2.7	178
4	Stress related disorders and risk of cardiovascular disease: population based, sibling controlled cohort study. BMJ: British Medical Journal, 2019, 365, 11255.	2.4	126
5	Pre-pandemic psychiatric disorders and risk of COVID-19: a UK Biobank cohort analysis. The Lancet Healthy Longevity, 2020, 1, e69-e79.	2.0	86
6	Alcohol consumption and gastric cancer risk—A pooled analysis within the StoP project consortium. International Journal of Cancer, 2017, 141, 1950-1962.	2.3	85
7	Long-term proton pump inhibitor (PPI) use and the development of gastric pre-malignant lesions. The Cochrane Library, 2014, 2014, CD010623.	1.5	76
8	Association of Stress-Related Disorders With Subsequent Neurodegenerative Diseases. JAMA Neurology, 2020, 77, 700.	4.5	62
9	Stress related disorders and subsequent risk of life threatening infections: population based sibling controlled cohort study. BMJ: British Medical Journal, 2019, 367, I5784.	2.4	60
10	Increase in the Prevalence of Atrophic Gastritis Among Adults Age 35 to 44 Years Old in Northern Sweden Between 1990 andÂ2009. Clinical Gastroenterology and Hepatology, 2015, 13, 1592-1600.e1.	2.4	56
11	A CagAâ€independent cluster of antigens related to the risk of noncardia gastric cancer: Associations between <i>Helicobacter pylori</i> antibodies and gastric adenocarcinoma explored by multiplex serology. International Journal of Cancer, 2014, 134, 2942-2950.	2.3	49
12	Aromatase inhibitors for uterine fibroids. The Cochrane Library, 2013, , CD009505.	1.5	44
13	Molecular-targeted first-line therapy for advanced gastric cancer. The Cochrane Library, 2016, 2016, CD011461.	1.5	39
14	Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. Scientific Reports, 2017, 7, 12964.	1.6	34
15	Treatment of esophageal anastomotic leakage with self-expanding metal stents: analysis of risk factors for treatment failure. Endoscopy International Open, 2016, 04, E420-E426.	0.9	32
16	Disease trajectories and mortality among individuals diagnosed with depression: a community-based cohort study in UK Biobank. Molecular Psychiatry, 2021, 26, 6736-6746.	4.1	29
17	Waiting time for cancer treatment and mental health among patients with newly diagnosed esophageal or gastric cancer: a nationwide cohort study. BMC Cancer, 2017, 17, 2.	1.1	27
18	Tonsillectomy and Incidence of Oropharyngeal Cancers. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 944-950.	1.1	25

#	Article	IF	CITATIONS
19	Risk of Gastrointestinal Cancers among Patients with Appendectomy: A Large-Scale Swedish Register-Based Cohort Study during 1970-2009. PLoS ONE, 2016, 11, e0151262.	1.1	24
20	COVID-19 outbreak–related psychological distress among healthcare trainees: a cross-sectional study in China. BMJ Open, 2020, 10, e041671.	0.8	23
21	Mortality of lung cancer as a second primary malignancy: A populationâ€based cohort study. Cancer Medicine, 2019, 8, 3269-3277.	1.3	22
22	Family history of gastric mucosal abnormality and the risk of gastric cancer: a population-based observational study. International Journal of Epidemiology, 2018, 47, 440-449.	0.9	19
23	A Radiomics Signature to Quantitatively Analyze COVID-19-Infected Pulmonary Lesions. Interdisciplinary Sciences, Computational Life Sciences, 2021, 13, 61-72.	2.2	18
24	Public awareness, emotional reactions and human mobility in response to the COVID-19 outbreak in China – a population-based ecological study. Psychological Medicine, 2020, , 1-8.	2.7	17
25	Alcohol intake and gastric cancer: Meta-analyses of published data versus individual participant data pooled analyses (StoP Project). Cancer Epidemiology, 2018, 54, 125-132.	0.8	16
26	Adverse childhood experiences and resilience among adult women: A population-based study. ELife, 2022, 11, .	2.8	16
27	Familial factors, diet, and risk of cardiovascular disease: a cohort analysis of the UK Biobank. American Journal of Clinical Nutrition, 2021, 114, 1837-1846.	2.2	15
28	Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. British Journal of Cancer, 2017, 117, 1715-1722.	2.9	14
29	Risk of specific cardiovascular diseases in obsessive-compulsive disorder. Journal of Psychiatric Research, 2021, 135, 189-196.	1.5	14
30	COVID-19 related outcomes among individuals with neurodegenerative diseases: a cohort analysis in the UK biobank. BMC Neurology, 2022, 22, 15.	0.8	14
31	Assessment of Posttraumatic Stress Disorder and Educational Achievement in Sweden. JAMA Network Open, 2020, 3, e2028477.	2.8	13
32	Stress Related Disorders and the Risk of Kidney Disease. Kidney International Reports, 2021, 6, 706-715.	0.4	12
33	Incidence of IP and risk of malignant transformation in the Swedish population 1960–2010. European Archives of Oto-Rhino-Laryngology, 2017, 274, 1445-1448.	0.8	10
34	Prediction of the trajectories of depressive symptoms among children in the adolescent brain cognitive development (ABCD) study using machine learning approach. Journal of Affective Disorders, 2022, 310, 162-171.	2.0	9
35	Association between fish oil supplementation and cancer risk according to fatty fish consumption: A large prospective populationâ€based cohort study using <scp>UK</scp> Biobank. International Journal of Cancer, 2022, 150, 562-571.	2.3	8
36	Immunotherapy (excluding checkpoint inhibitors) for stage I to III non-small cell lung cancer treated with surgery or radiotherapy with curative intent. The Cochrane Library, 2021, 2021, CD011300.	1.5	8

#	Article	IF	CITATIONS
37	Medical conditions associated with coffee consumption: Disease-trajectory and comorbidity network analyses of a prospective cohort study in UK Biobank. American Journal of Clinical Nutrition, 2022, 116, 730-740.	2.2	8
38	Risk of lymphoid neoplasms in a Swedish population-based cohort of 337,437 patients undergoing appendectomy. Scandinavian Journal of Gastroenterology, 2016, 51, 583-589.	0.6	7
39	Psychiatric morbidity and its impact on surgical outcomes for esophageal and gastric cancer patients: A nationwide cohort study. Oncotarget, 2017, 8, 81305-81314.	0.8	7
40	Associations of parental and perinatal factors with subsequent risk of stress-related disorders: a nationwide cohort study with sibling comparison. Molecular Psychiatry, 2022, 27, 1712-1719.	4.1	7
41	Investigation of mental health and its influence on Chinese cancer patients using a multidisciplinary screening flow: an epidemiological survey in the west of China. Chinese Medical Journal, 2013, 126, 61-7.	0.9	7
42	The Association of Hyperuricemia and Gout With the Risk of Cardiovascular Diseases: A Cohort and Mendelian Randomization Study in UK Biobank. Frontiers in Medicine, 2021, 8, 817150.	1.2	7
43	Development and validation of polygenic risk scores for prediction of breast cancer and breast cancer and breast cancer subtypes in Chinese women. BMC Cancer, 2022, 22, 374.	1.1	7
44	Psychiatric Disorders Are Associated with Increased Risk of Sepsis Following a Cancer Diagnosis. Cancer Research, 2020, 80, 3436-3442.	0.4	6
45	Diabetes in Patients With Heart Failure With Reduced Ejection Fraction During Hospitalization: A Retrospective Observational Study. Frontiers in Endocrinology, 2021, 12, 727188.	1.5	6
46	Risk of psychiatric disorders among the surviving twins after a co-twin loss. ELife, 2020, 9, .	2.8	6
47	Comorbid Depressive and Anxiety Symptoms and Their Correlates Among 93,078 Multiethnic Adults in Southwest China. Frontiers in Public Health, 2021, 9, 783687.	1.3	6
48	COVID-19 and risk of subsequent life-threatening secondary infections: a matched cohort study in UK Biobank. BMC Medicine, 2021, 19, 301.	2.3	5
49	The DRD2 Taq1A polymorphism moderates the effect of PTSD symptom severity on the left hippocampal CA3 volume: a pilot study. Psychopharmacology, 2022, 239, 3431-3438.	1.5	4
50	Impact of gastroesophageal reflux control through tailored proton pump inhibition therapy or fundoplication in patients with Barrett's esophagus. World Journal of Gastroenterology, 2017, 23, 3174.	1.4	4
51	Physical activity patterns, genetic susceptibility, and risk of hip/knee osteoarthritis: a prospective cohort study based on the UK Biobank. Osteoarthritis and Cartilage, 2022, 30, 1079-1090.	0.6	4
52	Endoscopic sphincterotomy and risk of cholangiocarcinoma: a population-based cohort study in Finland and Sweden. Endoscopy International Open, 2016, 04, E1096-E1100.	0.9	3
53	Cardiovascular-related deaths at the beginning of the COVID-19 outbreak: a prospective analysis based on the UK Biobank. BMJ Open, 2021, 11, e046931.	0.8	3
54	Checkpoint inhibitors for stage I to III non-small cell lung cancer treated with surgery or radiotherapy with curative intent: a generic protocol. The Cochrane Library, 2019, , .	1.5	2

#	Article	IF	CITATIONS
55	The influence of childhood asthma on adult height:Âevidence from the UK Biobank. BMC Medicine, 2022, 20, 94.	2.3	2
56	Health consequences of early-onset compared with late-onset type 2 diabetes mellitus. Precision Clinical Medicine, 2022, 5, .	1.3	2
57	Stress-Related Disorders and Autoimmune Disease—Reply. JAMA - Journal of the American Medical Association, 2018, 320, 1817.	3.8	1
58	Loss of a co-twin at birth and subsequent risk of psychiatric disorders. ELife, 2021, 10, .	2.8	1
59	Editorial: Telomeres and Epigenetics in Endocrinology. Frontiers in Endocrinology, 2019, 10, 257.	1.5	0
60	P0698STRESS RELATED DISORDERS AND THE RISK OF KIDNEY DISEASE: A MATCHED COHORT STUDY BASED ON THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
61	Does antipsychotic use mediate the effect of psychiatric disorders on COVID-19? – Authors' reply. The Lancet Healthy Longevity, 2021, 2, e65.	2.0	0
62	1066Increased Risk of Suicide among Cancer Survivors Who Developed a Second Primary Malignancy. International Journal of Epidemiology, 2021, 50, .	0.9	0
63	Gastric mucosal abnormality and risk of pancreatic cancer: a population-based gastric biopsy cohort study in Sweden. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, cebp.0580.2021.	1.1	0
64	Rates of Clinically Confirmed Stress-related Psychiatric Disorders Among Swedish Tsunami Survivors: 9-year Follow-up. Epidemiology, 2022, 33, e5-e6.	1.2	0
65	Increased Risk of Suicide among Cancer Survivors Who Developed a Second Malignant Neoplasm. Computational Intelligence and Neuroscience, 2022, 2022, 1-11.	1.1	0
66	Medication use in populations exposed to the 2010 Eyjafjallajökull eruption: an interrupted time series analysis. BMJ Open, 2022, 12, e059375.	0.8	0