## Kuang-Sheng Yeh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9023223/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Presence of the Extended-Spectrum-β-Lactamase and Plasmid-Mediated AmpC-Encoding Genes in Escherichia coli from Companion Animals—A Study from a University-Based Veterinary Hospital in Taipei, Taiwan. Antibiotics, 2021, 10, 1536.	3.7	6
2	Characteristics of Extended-Spectrum β-Lactamase–Producing Escherichia coli From Dogs and Cats Admitted to a Veterinary Teaching Hospital in Taipei, Taiwan From 2014 to 2017. Frontiers in Veterinary Science, 2020, 7, 395.	2.2	10
3	Can p63 serve as a biomarker for diagnosing giant cell tumor of bone? A systematic review and meta-analysis. Sao Paulo Medical Journal, 2020, 138, 393-399.	0.9	3
4	Arginine within a specific motif near the Nâ€ŧerminal of FimY is critical for the maximal production of type 1 fimbriae in <i>Salmonella enterica</i> serovar Typhimurium. MicrobiologyOpen, 2019, 8, e00846.	3.0	5
5	Reproductive failure associated with coinfection of porcine circovirus type 2 and porcine reproductive and respiratory syndrome virus. Canadian Veterinary Journal, 2018, 59, 525-530.	0.0	3
6	Molecular characteristics of clinical methicillin-resistant Staphylococcus pseudintermedius harboring arginine catabolic mobile element (ACME) from dogs and cats. Veterinary Journal, 2017, 224, 46-49.	1.7	3
7	The Non-Fimbriate Phenotype Is Predominant among Salmonella enterica Serovar Choleraesuis from Swine and Those Non-Fimbriate Strains Possess Distinct Amino Acid Variations in FimH. PLoS ONE, 2016, 11, e0151126.	2.5	6
8	Characteristics of extended-spectrum β-lactamase–producing Escherichia coli isolated from fecal samples of piglets with diarrhea in central and southern Taiwan in 2015. BMC Veterinary Research, 2016, 13, 66.	1.9	17
9	FimY of Salmonella enterica serovar Typhimurium functions as a DNA-binding protein and binds the fimZ promoter. Microbiological Research, 2014, 169, 496-503.	5.3	7
10	A low-pH medium in vitro or the environment within a macrophage decreases the transcriptional levels of fimA, fimZ and lrp in Salmonella enterica serovar Typhimurium. Journal of Biosciences, 2013, 38, 499-507.	1.1	7
11	Pathogenic Microbiological Baseline Survey of Pork Carcasses in Taiwan. Journal of Food Protection, 2013, 76, 1046-1050.	1.7	12
12	A previously uncharacterized gene stm0551 plays a repressive role in the regulation of type 1 fimbriae in Salmonella enterica serotype Typhimurium. BMC Microbiology, 2012, 12, 111.	3.3	21
13	Synthesis and Antibacterial Activities of Novel 4-Hydroxy-7-hydroxy- and 3-Carboxycoumarin Derivatives. Molecules, 2012, 17, 10846-10863.	3.8	29
14	A Constitutively Mannose-Sensitive Agglutinating <i>Salmonella enterica</i> subsp. <i>enterica</i> Serovar Typhimurium Strain, Carrying a Transposon in the Fimbrial Usher Gene <i>stbC</i> , Exhibits Multidrug Resistance and Flagellated Phenotypes. Scientific World Journal, The, 2012, 2012, 1-10.	2.1	11
15	Transmission of Salmonella between Swine Farms by the Housefly (Musca domestica). Journal of Food Protection, 2011, 74, 1012-1016.	1.7	44
16	Molecular characterization of enrofloxacin resistant Actinobacillus pleuropneumoniae isolates. Veterinary Microbiology, 2010, 142, 309-312.	1.9	37
17	Mutations in the <i>Salmonella enterica</i> serovar Choleraesuis cAMP-receptor protein gene lead to functional defects in the SPI-1 Type III secretion system. Veterinary Research, 2010, 41, 05.	3.0	24
18	Actinobacillus pleuropneumoniae serotype 10 derived ApxI induces apoptosis in porcine alveolar macrophages. Veterinary Microbiology, 2009, 135, 327-333.	1.9	23

KUANG-SHENG YEH

#	Article	IF	CITATIONS
19	Efficacy of a novel Pasteurella multocida vaccine against progressive atrophic rhinitis of swine. Vaccine, 2009, 27, 2923-2929.	3.8	20
20	Identification of the genetic determinants of Salmonella enterica serotype Typhimurium that may regulate the expression of the type 1 fimbriae in response to solid agar and static broth culture conditions. BMC Microbiology, 2008, 8, 126.	3.3	16
21	Fluoroquinolone-resistantSalmonellasp. in Carcasses. Emerging Infectious Diseases, 2006, 12, 351-351.	4.3	5
22	Serotype Occurrence and Antimicrobial Susceptibility of Salmonella Isolates Recovered from Pork Carcasses in Taiwan (2000 through 2003). Journal of Food Protection, 2006, 69, 674-678.	1.7	11
23	Effects of Sugar Cane Extract on Pseudorabies Virus Challenge of Pigs. Journal of Veterinary Medical Science, 2006, 68, 219-225.	0.9	11
24	A Strain of Pseudomonas sp. Isolated from Piggery Wastewater Treatment Systems with Heterotrophic Nitrification Capability in Taiwan. Current Microbiology, 2006, 53, 77-81.	2.2	89
25	One-Year (2003) Nationwide Pork Carcass Microbiological Baseline Data Survey in Taiwan. Journal of Food Protection, 2005, 68, 458-461.	1.7	23
26	Epidemiologic Relationship between Fluoroquinolone-Resistant Salmonella enterica Serovar Choleraesuis Strains Isolated from Humans and Pigs in Taiwan (1997 to 2002). Journal of Clinical Microbiology, 2005, 43, 2798-2804.	3.9	27
27	Oral immunization using formalin-inactivated Actinobacillus pleuropneumoniae antigens entrapped in microspheres with aqueous dispersion polymers prepared using a co-spray drying process. Preventive Veterinary Medicine, 2003, 61, 1-15.	1.9	18
28	FimZ Binds the <i>Salmonella typhimurium fimA</i> Promoter Region and May Regulate Its Own Expression with FimY. Microbiology and Immunology, 2002, 46, 1-10.	1.4	32
29	A STUDY OF WARMING DEVICES AND PERIOPERATIVE FACTORS POTENTIALLY CONTRIBUTING TO SURGICAL FIELD CONTAMINATION IN SMALL ANIMAL PATIENTS. TáiwÄn ShòuyÄ«xué Zázhì, 0, , 1-5.	0.2	Ο