

Ole Kristian Lerche Helgestad

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9023308/ole-kristian-lerche-helgestad-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19
papers

131
citations

5
h-index

11
g-index

21
ext. papers

241
ext. citations

6.4
avg, IF

2.67
L-index

#	Paper	IF	Citations
19	Timing and Causes of Death in Acute Myocardial Infarction Complicated by Cardiogenic Shock (from the RETROSHOCK Cohort).. <i>American Journal of Cardiology</i> , 2022 , 25797	3	0
18	Incidence, Predictors, and Outcome of In-Hospital Bleeding in Patients With Cardiogenic Shock Complicating Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2021 , 144, 13-19	3	0
17	Impella RP Versus Pharmacologic Vasoactive Treatment in Profound Cardiogenic Shock due to Right Ventricular Failure. <i>Journal of Cardiovascular Translational Research</i> , 2021 , 14, 1021-1029	3.3	1
16	Data-driven point-of-care risk model in patients with acute myocardial infarction and cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 668-675	4.3	0
15	Phenotyping Cardiogenic Shock. <i>Journal of the American Heart Association</i> , 2021 , 10, e020085	6	13
14	Association of Body Mass Index with Mortality in Patients with Cardiogenic Shock following Acute Myocardial Infarction: A Contemporary Danish Cohort Analysis. <i>Cardiology</i> , 2021 , 146, 575-582	1.6	0
13	Neutrophil Gelatinase-Associated Lipocalin (NGAL) Measured at Admission is Associated With Development of Late Cardiogenic Shock and Mortality in Patients With ST-Segment Elevation Myocardial Infarction. <i>Shock</i> , 2021 , 56, 255-259	3.4	2
12	Admission biomarkers among patients with acute myocardial-infarction related cardiogenic shock with or without out-of-hospital cardiac arrest an exploratory study. <i>Biomarkers</i> , 2021 , 26, 632-638	2.6	2
11	Sex-specific mortality prediction by pro-C-type natriuretic peptide measurement in a prospective cohort of patients with ST-elevation myocardial infarction. <i>BMJ Open</i> , 2021 , 11, e048312	3	0
10	Impact of concomitant vasoactive treatment and mechanical left ventricular unloading in a porcine model of profound cardiogenic shock. <i>Critical Care</i> , 2020 , 24, 95	10.8	9
9	Biomarkers predictive of late cardiogenic shock development in patients with suspected ST-elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 557-566	4.3	4
8	Contemporary trends in use of mechanical circulatory support in patients with acute MI and cardiogenic shock. <i>Open Heart</i> , 2020 , 7, e001214	3	31
7	Unloading using Impella CP during profound cardiogenic shock caused by left ventricular failure in a large animal model: impact on the right ventricle. <i>Intensive Care Medicine Experimental</i> , 2020 , 8, 41	3.7	5
6	Hemodynamic and metabolic recovery in acute myocardial infarction-related cardiogenic shock is more rapid among patients presenting with out-of-hospital cardiac arrest. <i>PLoS ONE</i> , 2020 , 15, e0244294	2.7	7
5	Mechanical respiratory support in cardiogenic shock: reply. <i>European Journal of Heart Failure</i> , 2020 , 22, 168-169	12.3	
4	Letter by Helgestad et al Regarding Article, "The Evolving Landscape of Impella Use in the United States Among Patients Undergoing Percutaneous Coronary Intervention With Mechanical Circulatory Support". <i>Circulation</i> , 2020 , 142, e72-e73	16.7	
3	Intravascular Microaxial Left Ventricular Assist Device vs Intra-aortic Balloon Pump for Cardiogenic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 302-303	27.4	0

- 2 Mortality in cardiogenic shock is stronger associated to clinical factors than contemporary biomarkers reflecting neurohormonal stress and inflammatory activation. *Biomarkers*, **2020**, 25, 506-512^{2.6} ○
- 1 Temporal trends in incidence and patient characteristics in cardiogenic shock following acute myocardial infarction from 2010 to 2017: a Danish cohort study. *European Journal of Heart Failure*, **2019**, 21, 1370-1378 12.3 56