Désirée Gavhed

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9024287/publications.pdf

Version: 2024-02-01

687220 839398 19 682 13 18 citations h-index g-index papers 19 19 19 1022 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Incidence of Langerhans cell histiocytosis in children: A populationâ€based study. Pediatric Blood and Cancer, 2008, 51, 76-81.	0.8	179
2	Tissue-infiltrating neutrophils represent the main source of IL-23 in the colon of patients with IBD. Gut, 2016, 65, 1632-1641.	6.1	87
3	The need for worldwide policy and action plans for rare diseases. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 805-807.	0.7	69
4	Incidence and pattern of radiological central nervous system Langerhans cell histiocytosis in children: A population based study. Pediatric Blood and Cancer, 2011, 56, 250-257.	0.8	58
5	Face temperature and cardiorespiratory responses to wind in thermoneutral and cool subjects exposed to â^'10 °C. European Journal of Applied Physiology, 2000, 83, 449-456.	1.2	54
6	Thermal responses to cold wind of thermoneutral and cooled subjects. European Journal of Applied Physiology, 2000, 81, 397-402.	1.2	31
7	A call for global action for rare diseases in Africa. Nature Genetics, 2020, 52, 21-26.	9.4	31
8	Effects of metabolic rate on thermal responses at different air velocities in â^10°C. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2001, 128, 759-768.	0.8	25
9	Detection of IL-17A-producing peripheral blood monocytes in Langerhans cell histiocytosis patients. Clinical Immunology, 2014, 153, 112-122.	1.4	24
10	Biomarkers in the cerebrospinal fluid and neurodegeneration in Langerhans cell histiocytosis. Pediatric Blood and Cancer, 2009, 53, 1264-1270.	0.8	22
11	Fifteen years of treatment with intravenous immunoglobulin in central nervous system Langerhans cell histiocytosis. Acta Paediatrica, International Journal of Paediatrics, 2011, 100, e36-9.	0.7	19
12	Neuropsychological sequelae in patients with neurodegenerative Langerhans cell histiocytosis. Pediatric Blood and Cancer, 2008, 51, 669-674.	0.8	16
13	Face cooling by cold wind in walking subjects. International Journal of Biometeorology, 2003, 47, 148-155.	1.3	15
14	Langerhans cell histiocytosis in children born 1982–2005 after <i>in vitro</i> fertilization. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 1151-1155.	0.7	15
15	Adsorptive depletion of blood monocytes reduces the levels of circulating interleukin-17A in Langerhans cell histiocytosis. Blood, 2016, 128, 1302-1305.	0.6	11
16	High levels of plasma interleukin-17A are associated with severe neurological sequelae in Langerhans cell histiocytosis. Cytokine, 2020, 126, 154877.	1.4	10
17	Response to mitogenâ€ectivated protein kinase inhibition of neurodegeneration in Langerhans cell histiocytosis monitored by cerebrospinal fluid neurofilament light as a biomarker: a pilot study. British Journal of Haematology, 2022, 196, 248-254.	1.2	9
18	Screening for neurodegeneration in Langerhans cell histiocytosis with neurofilament light in plasma. British Journal of Haematology, 2022, , .	1.2	7

#	Article	IF	CITATIONS
19	Comparison of three different ELISAs for the detection of recombinant, native and plasma IL-17A. MethodsX, 2020, 7, 100997.	0.7	O