

Francisco Artacho-Cordon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9024618/publications.pdf>

Version: 2024-02-01

50
papers

1,232
citations

304368

22
h-index

395343

33
g-index

51
all docs

51
docs citations

51
times ranked

1880
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of female breast cancer and serum concentrations of organochlorine pesticides and polychlorinated biphenyls: A case-control study in Tunisia. <i>Science of the Total Environment</i> , 2015, 520, 106-113.	3.9	84
2	Urinary levels of bisphenol A, benzophenones and parabens in Tunisian women: A pilot study. <i>Science of the Total Environment</i> , 2016, 562, 81-88.	3.9	63
3	Matrix metalloproteinases: Potential therapy to prevent the development of second malignancies after breast radiotherapy. <i>Surgical Oncology</i> , 2012, 21, e143-e151.	0.8	62
4	Environmental phenols and parabens in adipose tissue from hospitalized adults in Southern Spain. <i>Environment International</i> , 2018, 119, 203-211.	4.8	55
5	Assumed non-persistent environmental chemicals in human adipose tissue; matrix stability and correlation with levels measured in urine and serum. <i>Environmental Research</i> , 2017, 156, 120-127.	3.7	53
6	Serum and adipose tissue as matrices for assessment of exposure to persistent organic pollutants in breast cancer patients. <i>Environmental Research</i> , 2015, 142, 633-643.	3.7	51
7	Concentrations of bisphenol A and parabens in socks for infants and young children in Spain and their hormone-like activities. <i>Environment International</i> , 2019, 127, 592-600.	4.8	51
8	Distribution of Non-Persistent Endocrine Disruptors in Two Different Regions of the Human Brain. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1059.	1.2	49
9	Tumor microenvironment and breast cancer progression. <i>Cancer Biology and Therapy</i> , 2012, 13, 14-24.	1.5	44
10	Total Effective Xenoestrogen Burden in Serum Samples and Risk for Breast Cancer in a Population-Based Multicase-control Study in Spain. <i>Environmental Health Perspectives</i> , 2016, 124, 1575-1582.	2.8	41
11	Associations of persistent organic pollutants in serum and adipose tissue with breast cancer prognostic markers. <i>Science of the Total Environment</i> , 2016, 566-567, 41-49.	3.9	40
12	Involvement of free radicals in breast cancer. <i>SpringerPlus</i> , 2013, 2, 404.	1.2	37
13	Contribution of Persistent Organic Pollutant Exposure to the Adipose Tissue Oxidative Microenvironment in an Adult Cohort: A Multipollutant Approach. <i>Environmental Science & Technology</i> , 2016, 50, 13529-13538.	4.6	37
14	Could Radiotherapy Effectiveness Be Enhanced by Electromagnetic Field Treatment?. <i>International Journal of Molecular Sciences</i> , 2013, 14, 14974-14995.	1.8	34
15	Presence of Bisphenol A and Parabens in a Neonatal Intensive Care Unit: An Exploratory Study of Potential Sources of Exposure. <i>Environmental Health Perspectives</i> , 2019, 127, 117004.	2.8	32
16	Concentrations of perfluoroalkyl substances in donor breast milk in Southern Spain and their potential determinants. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 236, 113796.	2.1	30
17	Concentrations of bisphenols, parabens, and benzophenones in human breast milk: A systematic review and meta-analysis. <i>Science of the Total Environment</i> , 2022, 806, 150437.	3.9	29
18	Cosmetic and personal care product use, urinary levels of parabens and benzophenones, and risk of endometriosis: results from the EndEA study. <i>Environmental Research</i> , 2021, 196, 110342.	3.7	28

#	ARTICLE	IF	CITATIONS
19	Abrogation of the p38 MAPK $\hat{\pm}$ signaling pathway does not promote radioresistance but its activity is required for 5-Fluorouracil-associated radiosensitivity. <i>Cancer Letters</i> , 2013, 335, 66-74.	3.2	26
20	Levels and predictors of persistent organic pollutants in an adult population from four Spanish regions. <i>Science of the Total Environment</i> , 2015, 538, 152-161.	3.9	26
21	Association of Urinary Levels of Bisphenols A, F, and S with Endometriosis Risk: Preliminary Results of the EndEA Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1194.	1.2	26
22	Relationship between serum concentrations of persistent organic pollutants and markers of insulin resistance in a cohort of women with a history of gestational diabetes mellitus. <i>Environmental Research</i> , 2015, 136, 435-440.	3.7	25
23	Chronic Fatigue, Physical Impairments and Quality of Life in Women with Endometriosis: A Case-Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3610.	1.2	22
24	Biomonitoring bisphenols, parabens, and benzophenones in breast milk from a human milk bank in Southern Spain. <i>Science of the Total Environment</i> , 2022, 830, 154737.	3.9	22
25	Serum concentrations of organochlorine compounds and predictors of $\hat{\text{A}}$ exposure in children living in agricultural communities from South-Eastern Spain. <i>Environmental Pollution</i> , 2018, 237, 685-694.	3.7	21
26	Influence of polychlorinated biphenyls and organochlorine pesticides on the inflammatory milieu. A systematic review of in vitro, in vivo and epidemiological studies. <i>Environmental Research</i> , 2020, 186, 109561.	3.7	21
27	Adipose tissue concentrations of non-persistent environmental phenols and local redox balance in adults from Southern Spain. <i>Environment International</i> , 2019, 133, 105118.	4.8	19
28	Menstrual blood concentrations of parabens and benzophenones and related factors in a sample of Spanish women: An exploratory study. <i>Environmental Research</i> , 2020, 183, 109228.	3.7	18
29	Matrix metalloproteases and TIMPs as prognostic biomarkers in breast cancer patients treated with radiotherapy: A pilot study. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 139-148.	1.6	17
30	Characterization of Indoor Extremely Low Frequency and Low Frequency Electromagnetic Fields in the INMA-Granada Cohort. <i>PLoS ONE</i> , 2014, 9, e106666.	1.1	16
31	Serum levels of persistent organic pollutants and predictors of exposure in Tunisian women. <i>Science of the Total Environment</i> , 2015, 511, 530-534.	3.9	15
32	Trends in children's exposure to second-hand smoke in the INMA-Granada cohort: An evaluation of the Spanish anti-smoking law. <i>Environmental Research</i> , 2015, 138, 461-468.	3.7	15
33	Contribution of Chronic Fatigue to Psychosocial Status and Quality of Life in Spanish Women Diagnosed with Endometriosis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3831.	1.2	14
34	Radiation and Stemness Phenotype May Influence Individual Breast Cancer Outcomes: The Crucial Role of MMPs and Microenvironment. <i>Cancers</i> , 2019, 11, 1781.	1.7	12
35	Valproic acid modulates radiation-enhanced matrix metalloproteinase activity and invasion of breast cancer cells. <i>International Journal of Radiation Biology</i> , 2015, 91, 946-956.	1.0	11
36	Exploring the radiosensitizing potential of magnetotherapy: a pilot study in breast cancer cells. <i>International Journal of Radiation Biology</i> , 2019, 95, 1337-1345.	1.0	11

#	ARTICLE	IF	CITATIONS
37	Adipose Tissue Redox Microenvironment as a Potential Link between Persistent Organic Pollutants and the 16-Year Incidence of Non-hormone-Dependent Cancer. <i>Environmental Science & Technology</i> , 2021, 55, 9926-9937.	4.6	9
38	Attenuating Treatment-Related Cardiotoxicity in Women Recently Diagnosed With Breast Cancer via a Tailored Therapeutic Exercise Program: Protocol of the ATOPE Trial. <i>Physical Therapy</i> , 2021, 101, .	1.1	8
39	Concentrations and determinants of lead, mercury, cadmium, and arsenic in pooled donor breast milk in Spain. <i>International Journal of Hygiene and Environmental Health</i> , 2022, 240, 113914.	2.1	8
40	Exposure to non-persistent pesticides, BDNF, and behavioral function in adolescent males: Exploring a novel effect biomarker approach. <i>Environmental Research</i> , 2022, 211, 113115.	3.7	8
41	Associations of persistent organic pollutants in human adipose tissue with retinoid levels and their relevance to the redox microenvironment. <i>Environmental Research</i> , 2021, 195, 110764.	3.7	7
42	Widespread Pain Hypersensitivity and Lumbopelvic Impairments in Women Diagnosed with Endometriosis. <i>Pain Medicine</i> , 2021, 22, 1970-1981.	0.9	6
43	Impact of symptom burden on work performance status in Spanish women diagnosed with endometriosis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 261, 92-97.	0.5	6
44	“Physio-EndEA”™ Study: A Randomized, Parallel-Group Controlled Trial to Evaluate the Effect of a Supervised and Adapted Therapeutic Exercise Program to Improve Quality of Life in Symptomatic Women Diagnosed with Endometriosis. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1738.	1.2	6
45	Quantity and quality of muscle in patients recently diagnosed with colorectal cancer: a comparison with cancer-free controls. <i>Supportive Care in Cancer</i> , 2020, 28, 4745-4752.	1.0	5
46	Contribution of sociodemographic, occupational, lifestyle and dietary characteristics to the oxidative stress microenvironment in adipose tissue. <i>Environmental Research</i> , 2019, 175, 52-62.	3.7	4
47	Limitations in Activities of Daily Living Among Spanish Women Diagnosed With Endometriosis. <i>American Journal of Occupational Therapy</i> , 2021, 75, .	0.1	4
48	Neurotoxicity prevention with a multimodal program (ATENTO) prior to cancer treatment versus throughout cancer treatment in women newly diagnosed for breast cancer: Protocol for a randomized clinical trial. <i>Research in Nursing and Health</i> , 2021, 44, 598-607.	0.8	2
49	Endocrine Disrupting Chemicals in Cosmetics and Personal Care Products and Risk of Endometriosis. , 0, , .		1
50	Presence of Bisphenol A and Parabens in a Neonatal Intensive Care Unit: An Exploratory Study of Potential Sources of Exposure. <i>Environmental Health Perspectives</i> , 2019, 127, 117004.	2.8	1