

# Phyo K Myint

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9025605/publications.pdf>

Version: 2024-02-01

301  
papers

9,739  
citations

46984

47  
h-index

54882

84  
g-index

305  
all docs

305  
docs citations

305  
times ranked

15592  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | The effect of frailty on survival in patients with COVID-19 (COPE): a multicentre, European, observational cohort study. <i>Lancet Public Health</i> , The, 2020, 5, e444-e451.   | 4.7  | 468       |
| 2  | Long-term Glycemic Variability and Risk of Adverse Outcomes: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> , 2015, 38, 2354-2369.   | 4.3  | 387       |
| 3  | Anticholinergic drugs and risk of dementia: case-control study. <i>BMJ: British Medical Journal</i> , 2018, 361, k1315.   | 2.4  | 314       |
| 4  | Pre-operative indicators for mortality following hip fracture surgery: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2014, 43, 464-471.  | 0.7  | 304       |
| 5  | Effect of medications with anti-cholinergic properties on cognitive function, delirium, physical function and mortality: a systematic review. <i>Age and Ageing</i> , 2014, 43, 604-615.  | 0.7  | 269       |
| 6  | Atrial fibrillation and incidence of dementia. <i>Neurology</i> , 2011, 76, 914-922.  | 1.5  | 237       |
| 7  | Bariatric surgery and its impact on cardiovascular disease and mortality: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2014, 173, 20-28.   | 0.8  | 220       |
| 8  | Do patients have worse outcomes in heart failure than in cancer? A primary care-based cohort study with 10-year follow-up in Scotland. <i>European Journal of Heart Failure</i> , 2017, 19, 1095-1104.  | 2.9  | 213       |
| 9  | Prevalence of depressive symptoms and anxiety in osteoarthritis: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2016, 45, 228-235.  | 0.7  | 183       |
| 10 | An overview of prevalence, determinants and health outcomes of polypharmacy. <i>Therapeutic Advances in Drug Safety</i> , 2020, 11, 204209862093374.  | 1.0  | 182       |
| 11 | Vegetarian diet, Seventh Day Adventists and risk of cardiovascular mortality: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2014, 176, 680-686.   | 0.8  | 157       |
| 12 | Nosocomial COVID-19 infection: examining the risk of mortality. The COPE-Nosocomial Study (COVID in) Tj ETQq0.0.0 rgBT /Overlock 1  | 1.4  | 156       |
| 13 | Post-stroke seizure and post-stroke epilepsy. <i>Postgraduate Medical Journal</i> , 2006, 82, 568-572.  | 0.9  | 155       |
| 14 | Association between osteoarthritis and cardiovascular disease: Systematic review and meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 938-946.   | 0.8  | 142       |
| 15 | Trial of Dexamethasone for Chronic Subdural Hematoma. <i>New England Journal of Medicine</i> , 2020, 383, 2616-2627.  | 13.9 | 139       |
| 16 | Combined effect of health behaviours and risk of first ever stroke in 20 040 men and women over 11 years' follow-up in Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): prospective population study. <i>BMJ: British Medical Journal</i> , 2009, 338, b349-b349. | 2.4  | 130       |
| 17 | The association between older age and receipt of care and outcomes in patients with acute coronary syndromes: a cohort study of the Myocardial Ischaemia National Audit Project (MINAP). <i>European Heart Journal</i> , 2014, 35, 1551-1558.   | 1.0  | 130       |
| 18 | Effect of Dysphasia and Dysphagia on Inpatient Mortality and Hospital Length of Stay: A Database Study. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 2101-2106.  | 1.3  | 126       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Marital status and risk of cardiovascular diseases: a systematic review and meta-analysis. <i>Heart</i> , 2018, 104, 1937-1948.  | 1.2 | 122       |
| 20 | Frailty predicts mortality in all emergency surgical admissions regardless of age. An observational study. <i>Age and Ageing</i> , 2019, 48, 388-394.  | 0.7 | 116       |
| 21 | The role of C-reactive protein as a prognostic marker in COVID-19. <i>International Journal of Epidemiology</i> , 2021, 50, 420-429.   | 0.9 | 116       |
| 22 | Iron status in the elderly. <i>Mechanisms of Ageing and Development</i> , 2014, 136-137, 22-28.  | 2.2 | 111       |
| 23 | Impact of Hemoglobin Levels and Anemia on Mortality in Acute Stroke: Analysis of UK Regional Registry Data, Systematic Review, and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2016, 5, .  | 1.6 | 106       |
| 24 | Body fat percentage, body mass index and waist-to-hip ratio as predictors of mortality and cardiovascular disease. <i>Heart</i> , 2014, 100, 1613-1619.  | 1.2 | 105       |
| 25 | Plasma vitamin C concentrations predict risk of incident stroke over 10 y in 20 649 participants of the European Prospective Investigation into Cancerâ€”Norfolk prospective population study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 64-69.    | 2.2 | 104       |
| 26 | Major bleeding after percutaneous coronary intervention and risk of subsequent mortality: a systematic review and meta-analysis. <i>Open Heart</i> , 2014, 1, e000021.   | 0.9 | 99        |
| 27 | Prolonged PR interval, first-degree heart block and adverse cardiovascular outcomes: a systematic review and meta-analysis. <i>Heart</i> , 2016, 102, 672-680.   | 1.2 | 93        |
| 28 | Impact of stroke-associated pneumonia on mortality, length of hospitalization, and functional outcome. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 293-300.  | 1.0 | 93        |
| 29 | Total anticholinergic burden and risk of mortality and cardiovascular disease over 10 years in 21,636 middle-aged and older men and women of EPIC-Norfolk prospective population study. <i>Age and Ageing</i> , 2015, 44, 219-225.                                 | 0.7 | 79        |
| 30 | A systematic review of tranexamic acid in hip fracture surgery. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 1458-1470.   | 1.1 | 78        |
| 31 | Circulating Monocyte Chemoattractant Protein-1 and Risk of Stroke. <i>Circulation Research</i> , 2019, 125, 773-782.   | 2.0 | 78        |
| 32 | Fruit and vegetable consumption and self-reported functional health in men and women in the European Prospective Investigation into Cancerâ€”Norfolk (EPICâ€”Norfolk): a population-based cross-sectional study. <i>Public Health Nutrition</i> , 2007, 10, 34-41. | 1.1 | 75        |
| 33 | Stroke following percutaneous coronary intervention: type-specific incidence, outcomes and determinants seen by the British Cardiovascular Intervention Society 2007â€”12. <i>European Heart Journal</i> , 2015, 36, 1618-1628.                                    | 1.0 | 69        |
| 34 | Habitual chocolate consumption and risk of cardiovascular disease among healthy men and women. <i>Heart</i> , 2015, 101, 1279-1287.  | 1.2 | 67        |
| 35 | Pre-Stroke Modified Rankin Scale: Evaluation of Validity, Prognostic Accuracy, and Association with Treatment. <i>Frontiers in Neurology</i> , 2017, 8, 275.   | 1.1 | 67        |
| 36 | Anticholinergic burden is associated with recurrent and injurious falls in older individuals. <i>Maturitas</i> , 2016, 84, 32-37.  | 1.0 | 66        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Relation Between Self-Reported Physical Functional Health and Chronic Disease Mortality in Men And Women in the European Prospective Investigation Into Cancer (EPIC)â€“Norfolk): A Prospective Population Study. <i>Annals of Epidemiology</i> , 2006, 16, 492-500.   | 0.9 | 65        |
| 38 | Efficacy of Antiplatelet Therapy in Secondary Prevention Following Lacunar Stroke. <i>Stroke</i> , 2015, 46, 1014-1023.  | 1.0 | 65        |
| 39 | Prevalence of multimorbidity and its association with outcomes in older emergency general surgical patients: an observational study. <i>BMJ Open</i> , 2016, 6, e010126.   | 0.8 | 63        |
| 40 | Physical activity and incidence of atrial fibrillation: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2014, 177, 467-476.  | 0.8 | 62        |
| 41 | Glycated Hemoglobin and Risk of Stroke in People Without Known Diabetes in the European Prospective Investigation Into Cancer (EPIC)â€“Norfolk Prospective Population Study. <i>Stroke</i> , 2007, 38, 271-275.  | 1.0 | 61        |
| 42 | Influenza, influenza-like symptoms and their association with cardiovascular risks: a systematic review and meta-analysis of observational studies. <i>International Journal of Clinical Practice</i> , 2015, 69, 928-937.   | 0.8 | 58        |
| 43 | Meta-Analysis of the Prognostic Impact of Anemia in Patients Undergoing Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016, 118, 610-620.  | 0.7 | 58        |
| 44 | Winter Excess in Hospital Admissions, In-Patient Mortality and Length of Acute Hospital Stay in Stroke: A Hospital Database Study over Six Seasonal Years in Norfolk, UK. <i>Neuroepidemiology</i> , 2007, 28, 79-85.  | 1.1 | 56        |
| 45 | UK National COPD Resources and Outcomes Project 2008: Patients with Chronic Obstructive Pulmonary Disease Exacerbations Who Present with Radiological Pneumonia Have Worse Outcome Compared to Those with Non-Pneumonic Chronic Obstructive Pulmonary Disease Exacerbations. <i>Respiration</i> , 2011, 82, 320-327. | 1.2 | 55        |
| 46 | The relationship between dietary magnesium intake, stroke and its major risk factors, blood pressure and cholesterol, in the EPIC-Norfolk cohort. <i>International Journal of Cardiology</i> , 2015, 196, 108-114.   | 0.8 | 55        |
| 47 | Determinants of healthy ageing: a systematic review of contemporary literature. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 1215-1223.   | 1.4 | 55        |
| 48 | Habitual fish consumption and risk of incident stroke: the European Prospective Investigation into Cancer (EPIC)â€“Norfolk prospective population study. <i>Public Health Nutrition</i> , 2006, 9, 882-888.  | 1.1 | 52        |
| 49 | Hip fractures after stroke and their prevention. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2007, 100, 539-545.   | 0.2 | 50        |
| 50 | Are Shock Index and Adjusted Shock Index useful in predicting mortality and length of stay in community-acquired pneumonia?. <i>European Journal of Internal Medicine</i> , 2011, 22, 282-285.   | 1.0 | 49        |
| 51 | Pre-eclampsia is associated with a twofold increase in diabetes: a systematic review and meta-analysis. <i>Diabetologia</i> , 2016, 59, 2518-2526.   | 2.9 | 47        |
| 52 | Fatigue is associated with excess mortality in the general population: results from the EPIC-Norfolk study. <i>BMC Medicine</i> , 2016, 14, 122.   | 2.3 | 46        |
| 53 | Development of a core outcome set for effectiveness trials aimed at optimising prescribing in older adults in care homes. <i>Trials</i> , 2017, 18, 175.   | 0.7 | 45        |
| 54 | Quality of Care in Hip Fracture Patients. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 751-757.  | 1.4 | 45        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Prior Routine Use of Non-Steroidal Anti-Inflammatory Drugs (NSAIDs) and Important Outcomes in Hospitalised Patients with COVID-19. <i>Journal of Clinical Medicine</i> , 2020, 9, 2586.                                   | 1.0 | 43        |
| 56 | The SOAR (Stroke Subtype, Oxford Community Stroke Project Classification, Age, Prestroke Modified) Tj ETQq0 0 0 rgBT /Overlock 10 T<br>2014, 9, 278-283.  | 2.9 | 42        |
| 57 | A Review of Frailty Syndrome and Its Physical, Cognitive and Emotional Domains in the Elderly. <i>Geriatrics (Switzerland)</i> , 2017, 2, 36.   | 0.6 | 42        |
| 58 | Impact of diabetes on <scp>COVID</scp>â€19 mortality and hospital outcomes from a global perspective: An umbrella systematic review and metaâ€analysis. <i>Endocrinology, Diabetes and Metabolism</i> , 2022, 5, e338.  | 1.0 | 42        |
| 59 | Early weight loss in parkinsonism predicts poor outcomes. <i>Neurology</i> , 2017, 89, 2254-2261.   | 1.5 | 40        |
| 60 | Baseline risk, timing of invasive strategy and guideline compliance in NSTEMI: Nationwide analysis from MINAP. <i>International Journal of Cardiology</i> , 2020, 301, 7-13.  | 0.8 | 40        |
| 61 | Country-level determinants of the severity of the first global wave of the COVID-19 pandemic: an ecological study. <i>BMJ Open</i> , 2021, 11, e042034.   | 0.8 | 40        |
| 62 | Combined Work and Leisure Physical Activity and Risk of Stroke in Men and Women in the European Prospective Investigation into Cancer-Norfolk Prospective Population Study. <i>Neuroepidemiology</i> , 2006, 27, 122-129. | 1.1 | 39        |
| 63 | Association Between Prestroke Disability and Inpatient Mortality and Length of Acute Hospital Stay After Acute Stroke. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 726-732.                             | 1.3 | 39        |
| 64 | Anticholinergic and benzodiazepine medication use and risk of incident dementia: a UK cohort study. <i>BMC Geriatrics</i> , 2019, 19, 276.  | 1.1 | 39        |
| 65 | Clinical frailty scale as a point of care prognostic indicator of mortality in COVID-19: a systematic review and meta-analysis. <i>EClinicalMedicine</i> , 2021, 36, 100896.  | 3.2 | 39        |
| 66 | Accuracy of death certification and hospital record linkage for identification of incident stroke. <i>BMC Medical Research Methodology</i> , 2008, 8, 74.   | 1.4 | 38        |
| 67 | Assessing Risks of Polypharmacy Involving Medications With Anticholinergic Properties. <i>Annals of Family Medicine</i> , 2020, 18, 148-155.  | 0.9 | 38        |
| 68 | Increasing prevalence of anticholinergic medication use in older people in England over 20â€years: cognitive function and ageing study I and II. <i>BMC Geriatrics</i> , 2020, 20, 267.                                  | 1.1 | 37        |
| 69 | Hyponatremia: Special Considerations in Older Patients. <i>Journal of Clinical Medicine</i> , 2014, 3, 944-958.   | 1.0 | 36        |
| 70 | Respiratory function and self-reported functional health: EPIC-Norfolk population study. <i>European Respiratory Journal</i> , 2005, 26, 494-502.   | 3.1 | 35        |
| 71 | Lifestyle behaviours and quality-adjusted life years in middle and older age. <i>Age and Ageing</i> , 2011, 40, 589-595.  | 0.7 | 35        |
| 72 | Association of Circulating Monocyte Chemoattractant Proteinâ€1 Levels With Cardiovascular Mortality. <i>JAMA Cardiology</i> , 2021, 6, 587.  | 3.0 | 35        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Mediterranean Diet Reduces Risk of Incident Stroke in a Population With Varying Cardiovascular Disease Risk Profiles. <i>Stroke</i> , 2018, 49, 2415-2420.  | 1.0 | 34        |
| 74 | The SOAR Stroke Score Predicts Inpatient and 7-Day Mortality in Acute Stroke. <i>Stroke</i> , 2013, 44, 2010-2012.  | 1.0 | 33        |
| 75 | Bone Mineral Density and Incidence of Stroke. <i>Stroke</i> , 2014, 45, 373-382.  | 1.0 | 33        |
| 76 | Comprehensive 5P framework for active aging using the ecological approach: an iterative systematic review. <i>BMC Public Health</i> , 2020, 20, 33.   | 1.2 | 33        |
| 77 | Risk factors for first-ever stroke in the EPIC-Norfolk prospective population-based study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 663-669.   | 3.1 | 32        |
| 78 | Frailty and cognitive impairment: Unique challenges in the older emergency surgical patient. <i>Annals of the Royal College of Surgeons of England</i> , 2016, 98, 165-169.   | 0.3 | 32        |
| 79 | Interventions to Reduce Anticholinergic Burden in Adults Aged 65 and Older: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 172-180.e5.   | 1.2 | 32        |
| 80 | Anticholinergic burden (prognostic factor) for prediction of dementia or cognitive decline in older adults with no known cognitive syndrome. <i>The Cochrane Library</i> , 2021, 2021, CD013540.  | 1.5 | 32        |
| 81 | Physical health-related quality of life predicts stroke in the EPIC-Norfolk. <i>Neurology</i> , 2007, 69, 2243-2248.  | 1.5 | 30        |
| 82 | Association Between Plasma Vitamin C Concentrations and Blood Pressure in the European Prospective Investigation Into Cancer-Norfolk Population-Based Study. <i>Hypertension</i> , 2011, 58, 372-379.   | 1.3 | 30        |
| 83 | Impact of age on access site-related outcomes in 469,983 percutaneous coronary intervention procedures: Insights from the British Cardiovascular Intervention Society. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 86, 965-972. | 0.7 | 30        |
| 84 | Hypertensive Disorders of Pregnancy and Subsequent Cardiovascular Disease: Current National and International Guidelines and the Need for Future Research. <i>Frontiers in Cardiovascular Medicine</i> , 2019, 6, 55.                               | 1.1 | 30        |
| 85 | Plasma Vitamin C Levels: Risk Factors for Deficiency and Association with Self-Reported Functional Health in the European Prospective Investigation into Cancer-Norfolk. <i>Nutrients</i> , 2019, 11, 1552.   | 1.7 | 29        |
| 86 | Determinants and Outcomes of Stroke Following Percutaneous Coronary Intervention by Indication. <i>Stroke</i> , 2016, 47, 1500-1507.  | 1.0 | 28        |
| 87 | History of Benzodiazepine Prescriptions and Risk of Dementia: Possible Bias Due to Prevalent Users and Covariate Measurement Timing in a Nested Case-Control Study. <i>American Journal of Epidemiology</i> , 2019, 188, 1228-1236.                 | 1.6 | 28        |
| 88 | Increasing delirium skills at the front door: results from a repeated survey on delirium knowledge and attitudes. <i>Age and Ageing</i> , 2016, 45, 517-522.  | 0.7 | 27        |
| 89 | Experiences and views of specialist registrars in geriatric medicine on 'do not attempt resuscitation' decisions: a sea of uncertainty?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2006, 99, 691-700.                         | 0.2 | 26        |
| 90 | Healthier ageing. <i>BMJ: British Medical Journal</i> , 2012, 344, e1214-e1214.   | 2.4 | 26        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Increased diastolic blood pressure is associated with MRI biomarkers of dementia-related brain pathology in normative ageing. <i>Age and Ageing</i> , 2018, 47, 95-100.  | 0.7 | 26        |
| 92  | Modifiable lifestyle behaviors and functional health in the European Prospective Investigation into Cancer (EPIC)-Norfolk population study. <i>Preventive Medicine</i> , 2007, 44, 109-116.  | 1.6 | 25        |
| 93  | Hyponatremia predicts mortality after stroke. <i>International Journal of Stroke</i> , 2015, 10, 50-55.  | 2.9 | 25        |
| 94  | Genome-wide association study on progression of carotid artery intima media thickness over 10 years in a Chinese cohort. <i>Atherosclerosis</i> , 2015, 243, 30-37.  | 0.4 | 25        |
| 95  | Derivation and Validation of a Novel Prognostic Scale (Modified "Stroke Subtype, Oxfordshire) Tj ETQq1 1 0.784314 rgBT /Overlock Mortality in Acute Stroke. <i>Stroke</i> , 2016, 47, 74-79.   | 1.0 | 25        |
| 96  | The influence of ACE inhibitors and ARBs on hospital length of stay and survival in people with COVID-19. <i>IJC Heart and Vasculature</i> , 2020, 31, 100660.   | 0.6 | 25        |
| 97  | Confusion, Urea, Respiratory Rate and Shock Index or Adjusted Shock Index (CURSI or CURASI) criteria predict mortality in community-acquired pneumonia. <i>European Journal of Internal Medicine</i> , 2010, 21, 429-433.  | 1.0 | 24        |
| 98  | The relationship between total anticholinergic burden (ACB) and early in-patient hospital mortality and length of stay in the oldest old aged 90 years and over admitted with an acute illness. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 155-161. | 1.4 | 24        |
| 99  | Important factors in predicting mortality outcome from stroke: findings from the Anglia Stroke Clinical Network Evaluation Study. <i>Age and Ageing</i> , 2017, 46, 83-90.   | 0.7 | 24        |
| 100 | Shock Index Predicts Patient-Related Clinical Outcomes in Stroke. <i>Journal of the American Heart Association</i> , 2018, 7, e007581.   | 1.6 | 24        |
| 101 | Are Early Warning Scores Useful Predictors for Mortality and Morbidity in Hospitalised Acutely Unwell Older Patients? A Systematic Review. <i>Journal of Clinical Medicine</i> , 2018, 7, 309.   | 1.0 | 24        |
| 102 | The Prognostic Value of Anticholinergic Burden Measures in Relation to Mortality in Older Individuals: A Systematic Review and Meta-Analysis. <i>Frontiers in Pharmacology</i> , 2020, 11, 570.  | 1.6 | 24        |
| 103 | The association of antihypertensives with postural blood pressure and falls among seniors residing in the community: a case-control study. <i>European Journal of Clinical Investigation</i> , 2015, 45, 1069-1076.  | 1.7 | 23        |
| 104 | The influence of early research experience in medical school on the decision to intercalate and future career in clinical academia: a questionnaire study. <i>BMC Medical Education</i> , 2017, 17, 245.   | 1.0 | 23        |
| 105 | The pale evidence for treatment of iron-deficiency anaemia in older people. <i>Therapeutic Advances in Drug Safety</i> , 2018, 9, 259-261.   | 1.0 | 23        |
| 106 | The Care Home Independent Prescribing Pharmacist Study (CHIPPS) "a non-randomised feasibility study of independent pharmacist prescribing in care homes. <i>Pilot and Feasibility Studies</i> , 2019, 5, 89.   | 0.5 | 23        |
| 107 | Temporal Trends in Pregnancy-Associated Stroke and Its Outcomes Among Women With Hypertensive Disorders of Pregnancy. <i>Journal of the American Heart Association</i> , 2020, 9, e016182.   | 1.6 | 23        |
| 108 | Self-Reported Mental Health-Related Quality of Life and Mortality in Men and Women in the European Prospective Investigation into Cancer (EPIC-Norfolk): A Prospective Population Study. <i>Psychosomatic Medicine</i> , 2007, 69, 410-414.                        | 1.3 | 22        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Prevalence and determinants of frailty and associated comorbidities among older Gurkha welfare pensioners in Nepal. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2493-2499.  | 0.7 | 22        |
| 110 | Increased care at discharge from COVID-19: The association between pre-admission frailty and increased care needs after hospital discharge; a multicentre European observational cohort study. <i>BMC Medicine</i> , 2020, 18, 408. | 2.3 | 22        |
| 111 | Predictors of mortality and disability in stroke-associated pneumonia. <i>Acta Neurologica Belgica</i> , 2021, 121, 379-385.  | 0.5 | 22        |
| 112 | Calcium intake, calcium supplementation and cardiovascular disease and mortality in the British population: EPIC-norfolk prospective cohort study and meta-analysis. <i>European Journal of Epidemiology</i> , 2021, 36, 669-683.   | 2.5 | 22        |
| 113 | Performance of CURB-65 and CURB-age in community-acquired pneumonia. <i>International Journal of Clinical Practice</i> , 2009, 63, 1345-1350.   | 0.8 | 21        |
| 114 | Multi-frequency bioelectrical impedance analysis for assessing fat mass and fat-free mass in stroke or transient ischaemic attack patients. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 677-682.                      | 1.3 | 21        |
| 115 | Prognostic Tools for Early Mortality in Hemorrhagic Stroke: Systematic Review and Meta-Analysis.  |     |           |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | The Scottish Intercollegiate Guidelines Network (SIGN) 157: Guidelines on Risk Reduction and Management of Delirium. <i>Medicina (Lithuania)</i> , 2019, 55, 491.   | 0.8 | 18        |
| 128 | Study protocol for the COPE study: COVID-19 in Older PEople: the influence of frailty and multimorbidity on survival. A multicentre, European observational study. <i>BMJ Open</i> , 2020, 10, e040569.   | 0.8 | 18        |
| 129 | Prevalence, Characteristics and Outcomes of People Aged 65 Years and Over with an Incidental Rise in Cardiac Troponin I. <i>Cardiology</i> , 2008, 110, 62-67.  | 0.6 | 17        |
| 130 | Prognostic value of troponins in acute coronary syndrome depends upon patient age. <i>Heart</i> , 2014, 100, 1583-1590.   | 1.2 | 17        |
| 131 | Long-term mortality of hospitalized pneumonia in the EPIC-Norfolk cohort. <i>Epidemiology and Infection</i> , 2016, 144, 803-809.   | 1.0 | 17        |
| 132 | Evaluation of stroke services in Anglia stroke clinical network to examine the variation in acute services and stroke outcomes. <i>BMC Health Services Research</i> , 2011, 11, 50.   | 0.9 | 16        |
| 133 | Predictors of early mortality among hospitalized nursing home residents. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2013, 106, 51-57.  | 0.2 | 16        |
| 134 | Is anemia associated with cognitive impairment and delirium among older acute surgical patients?. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1025-1030.  | 0.7 | 16        |
| 135 | Long-Term Factors Associated With Falls and Fractures Poststroke. <i>Frontiers in Neurology</i> , 2018, 9, 210.   | 1.1 | 16        |
| 136 | Plasma vitamin C concentrations and risk of incident respiratory diseases and mortality in the European Prospective Investigation into Cancer-Norfolk population-based cohort study. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1492-1500. | 1.3 | 16        |
| 137 | The Clinical Frailty Scale: Estimating the Prevalence of Frailty in Older Patients Hospitalised with COVID-19. The COPE Study. <i>Geriatrics (Switzerland)</i> , 2020, 5, 58.   | 0.6 | 16        |
| 138 | Cognitive profile and determinants of poor cognition in people without dementia in Parkinson's disease. <i>Medical Journal of the Islamic Republic of Iran</i> , 2019, 33, 1.   | 0.9 | 16        |
| 139 | Effect of Age on the Relationship of Occupational Social Class with Prevalence of Modifiable Cardiovascular Risk Factors and Cardiovascular Diseases. <i>Gerontology</i> , 2006, 52, 51-58.   | 1.4 | 15        |
| 140 | Physical activity and fibrinogen concentrations in 23,201 men and women in the EPIC-Norfolk population-based study. <i>Atherosclerosis</i> , 2008, 198, 419-425.  | 0.4 | 15        |
| 141 | Cognition, Continence and Transfer Status at the Time of Discharge from an Acute Hospital Setting and Their Associations with an Unfavourable Discharge Outcome after Stroke. <i>Gerontology</i> , 2008, 54, 202-209.                                     | 1.4 | 15        |
| 142 | Physical functional health predicts the incidence of coronary heart disease in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. <i>International Journal of Epidemiology</i> , 2010, 39, 996-1003.          | 0.9 | 15        |
| 143 | In-hospital cardiopulmonary resuscitation: Trainees' worst and most memorable experiences. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2010, 103, 865-873.  | 0.2 | 15        |
| 144 | Association Between Hospital Cardiac Catheter Laboratory Status, Use of an Invasive Strategy, and Outcomes After NSTEMI. <i>Canadian Journal of Cardiology</i> , 2020, 36, 868-877.   | 0.8 | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Does quality of care in hip fracture vary by day of admission?. Archives of Osteoporosis, 2020, 15, 52.  | 1.0 | 15        |
| 146 | Anticholinergic burden measures and older people's falls risk: a systematic prognostic review. Therapeutic Advances in Drug Safety, 2021, 12, 204209862110166.   | 1.0 | 15        |
| 147 | Obesity Indices and Self-Reported Functional Health in Men and Women in the EPIC-Norfolk. Obesity, 2006, 14, 884-893.  | 1.5 | 14        |
| 148 | The role of research training during higher medical education in the promotion of academic medicine in the UK. Postgraduate Medical Journal, 2006, 82, 767-770.  | 0.9 | 14        |
| 149 | A simple 5-point scoring system, NaURSE (Na+, Urea, Respiratory Rate and Shock Index in the Elderly), predicts in-hospital mortality in oldest old. Age and Ageing, 2014, 43, 352-357.   | 0.7 | 14        |
| 150 | Six-month adherence to Statin use and subsequent risk of major adverse cardiovascular events (MACE) in patients discharged with acute coronary syndromes. Lipids in Health and Disease, 2017, 16, 155.                                 | 1.2 | 14        |
| 151 | The International Community-Acquired Pneumonia (CAP) Collaboration Cohort (ICCC) study: rationale, design and description of study cohorts and patients. BMJ Open, 2012, 2, e001030.   | 0.8 | 13        |
| 152 | The SOAR stroke score predicts hospital length of stay in acute stroke: an external validation study. International Journal of Clinical Practice, 2015, 69, 659-665.   | 0.8 | 13        |
| 153 | Habitual chocolate consumption and the risk of incident heart failure among healthy men and women. Nutrition, Metabolism and Cardiovascular Diseases, 2016, 26, 722-734.   | 1.1 | 13        |
| 154 | Impact of HIV on inpatient mortality and complications in stroke in Thailand: a National Database Study. Epidemiology and Infection, 2017, 145, 1285-1291.   | 1.0 | 13        |
| 155 | A high anticholinergic burden is associated with a history of falls in the previous year in middle-aged women: findings from the Aberdeen Prospective Osteoporosis Screening Study. Annals of Epidemiology, 2018, 28, 557-562.e2.      | 0.9 | 13        |
| 156 | Individual and Combined Impact of Heart Failure and Atrial Fibrillation on Ischemic Stroke Outcomes. Stroke, 2019, 50, 1838-1845.  | 1.0 | 13        |
| 157 | Cognitive impairment is associated with mortality in older adults in the emergency surgical setting: Findings from the Older Persons Surgical Outcomes Collaboration (OPSOC): A prospective cohort study. Surgery, 2019, 165, 978-984. | 1.0 | 13        |
| 158 | Systematic review of immunosuppressant guidelines in the COVID-19 pandemic. Therapeutic Advances in Drug Safety, 2021, 12, 204209862098568.  | 1.0 | 13        |
| 159 | Prognosis of Acute Ischaemic Stroke Patients with Cancer: A National Inpatient Sample Study. Cancers, 2021, 13, 2193.  | 1.7 | 13        |
| 160 | Barriers and facilitators to reducing anticholinergic burden: a qualitative systematic review. International Journal of Clinical Pharmacy, 2021, 43, 1451-1460.  | 1.0 | 13        |
| 161 | Impact of Diabetes on Complications, Long Term Mortality and Recurrence in 608,890 Hospitalised Patients with Stroke. Global Heart, 2020, 15, 2.   | 0.9 | 13        |
| 162 | Prior Antithrombotic Use Is Associated With Favorable Mortality and Functional Outcomes in Acute Ischemic Stroke. Stroke, 2016, 47, 2066-2074.   | 1.0 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Changes in antiplatelet use prior to incident ischaemic stroke over 7 years in a UK centre and the association with stroke subtype. <i>Age and Ageing</i> , 2013, 42, 594-598.   | 0.7 | 11        |
| 164 | Qualitative evaluation of adherence therapy in Parkinson's disease: a multidirectional model. <i>Patient Preference and Adherence</i> , 2015, 9, 989.  | 0.8 | 11        |
| 165 | Use of Medications with Anticholinergic Properties and the Long-Term Risk of Hospitalization for Falls and Fractures in the EPIC-Norfolk Longitudinal Cohort Study. <i>Drugs and Aging</i> , 2020, 37, 105-114.                      | 1.3 | 11        |
| 166 | Prognostic indices for early mortality in ischaemic stroke - meta-analysis. <i>Acta Neurologica Scandinavica</i> , 2016, 133, 41-48.   | 1.0 | 10        |
| 167 | Effect of age on the prognostic value of left ventricular function in patients with acute coronary syndrome: A prospective registry study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 191-198.              | 0.4 | 10        |
| 168 | Relation Between Age and Unplanned Readmissions After Percutaneous Coronary Intervention (Findings from the Nationwide Readmission Database). <i>American Journal of Cardiology</i> , 2018, 122, 220-228.                            | 0.7 | 10        |
| 169 | Does practice analysis agree with the ambulatory care sensitive conditions™ list of avoidable unplanned admissions?: a cross-sectional study in the East of England. <i>BMJ Open</i> , 2018, 8, e020756.                             | 0.8 | 10        |
| 170 | Myocardial infarction after acute ischaemic stroke: Incidence, mortality and risk factors. <i>Acta Neurologica Scandinavica</i> , 2019, 140, 219-228.  | 1.0 | 10        |
| 171 | Protocol for a cluster randomised controlled trial to determine the effectiveness and cost-effectiveness of independent pharmacist prescribing in care homes: the CHIPPS study. <i>Trials</i> , 2020, 21, 103.                       | 0.7 | 10        |
| 172 | Association between different methods of assessing blood pressure variability and incident cardiovascular disease, cardiovascular mortality and all-cause mortality: a systematic review. <i>Age and Ageing</i> , 2020, 49, 184-192. | 0.7 | 10        |
| 173 | Acute Myocardial Infarction in Autoimmune Rheumatologic Disease: A Nationwide Analysis of Clinical Outcomes and Predictors of Management Strategy. <i>Mayo Clinic Proceedings</i> , 2021, 96, 388-399.                               | 1.4 | 10        |
| 174 | Comparison of the clinical frailty score (CFS) to the National Emergency Laparotomy Audit (NELA) risk calculator in all patients undergoing emergency laparotomy. <i>Colorectal Disease</i> , 2022, 24, 782-789.                     | 0.7 | 10        |
| 175 | Role of grand rounds in the education of hospital doctors. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2005, 66, 297-299.  | 0.2 | 9         |
| 176 | The prevalence of hyperglycaemia and its relationship with mortality, readmissions and length of stay in an older acute surgical population: a multicentre study. <i>Postgraduate Medical Journal</i> , 2016, 92, 514-519.           | 0.9 | 9         |
| 177 | Baseline overall health-related quality of life predicts the 10-year incidence of cardiovascular events in a Chinese population. <i>Quality of Life Research</i> , 2016, 25, 363-371.  | 1.5 | 9         |
| 178 | Impact of anaemia on acute stroke outcomes depends on the type of anaemia: Evidence from a UK stroke register. <i>Journal of the Neurological Sciences</i> , 2017, 383, 26-30.   | 0.3 | 9         |
| 179 | Nonpharmacologic Management of Orthostatic Hypotension in Older People: A Systematic Review. The SENATOR ONTOP Series. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1065-1073.e3.                        | 1.2 | 9         |
| 180 | Sex Differences in Ischemic Stroke Outcomes in Patients With Pulmonary Hypertension. <i>Journal of the American Heart Association</i> , 2021, 10, e019341.   | 1.6 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Long Term Prognostic Impact of Sex-specific Longitudinal Changes in Blood Pressure. The EPIC-Norfolk Prospective Population Cohort Study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 180-191.                                       | 0.8 | 9         |
| 182 | Vital signs as determinants of immediate and longer term mortality outcome of patients admitted from Nursing Homes. <i>Aging Clinical and Experimental Research</i> , 2011, 23, 309-315.  | 1.4 | 8         |
| 183 | Clinical efficacy and prognostic indicators for lower limb pedalling exercise early after stroke: Study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2011, 12, 68.   | 0.7 | 8         |
| 184 | Age, co-morbidity and poor mobility: no evidence of predicting in-patient death and acute hospital length of stay in the oldest old. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2011, 104, 671-679.                              | 0.2 | 8         |
| 185 | Similarity of patient characteristics and outcomes in consecutive data collection on stroke admissions over one month compared to longer periods. <i>BMC Research Notes</i> , 2014, 7, 342.   | 0.6 | 8         |
| 186 | Association of increasing age with receipt of specialist care and long-term mortality in patients with non-ST elevation myocardial infarction. <i>Age and Ageing</i> , 2016, 45, 96-103.  | 0.7 | 8         |
| 187 | Does self-monitoring and self-management of blood pressure after stroke or transient ischemic attack improve control? TEST-BP, a randomized controlled trial. <i>American Heart Journal</i> , 2018, 203, 105-108.                                     | 1.2 | 8         |
| 188 | Effect of Antiplatelet Therapy (Aspirin + Dipyridamole Versus Clopidogrel) on Mortality Outcome in Ischemic Stroke. <i>American Journal of Cardiology</i> , 2018, 122, 1085-1090.   | 0.7 | 8         |
| 189 | Impact of heart failure on stroke mortality and recurrence. <i>Heart Asia</i> , 2019, 11, e011139.  | 1.1 | 8         |
| 190 | Development and validation of elder-friendly urban spaces questionnaire (EFUSQ). <i>BMC Geriatrics</i> , 2019, 19, 336.   | 1.1 | 8         |
| 191 | Effect of nonmeat, high-protein supplementation on quality of life and clinical outcomes in older residents of care homes: a systematic review and meta-analysis. <i>Nutrition Reviews</i> , 2019, 77, 116-127.                                       | 2.6 | 8         |
| 192 | Orientation and verbal fluency in the English Longitudinal Study of Ageing: modifiable risk factors for falls?. <i>International Psychogeriatrics</i> , 2019, 31, 1491-1498.  | 0.6 | 8         |
| 193 | Protocol for the process evaluation of a cluster randomised controlled trial to determine the effectiveness and cost-effectiveness of independent pharmacist prescribing in care home: the CHIPPS study. <i>Trials</i> , 2020, 21, 439.               | 0.7 | 8         |
| 194 | Long-term effects of gestational diabetes on bone mineral density and fracture risk: Analysis of the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk) population-based study. <i>Maturitas</i> , 2021, 144, 68-73. | 1.0 | 8         |
| 195 | Prognostic value of estimated glomerular filtration rate in hospitalised older patients (over 65) with COVID-19: a multicentre, European, observational cohort study. <i>BMC Geriatrics</i> , 2022, 22, 119.  | 1.1 | 8         |
| 196 | Eyelid apraxia associated with bilateral paramedian thalamic infarct. <i>Age and Ageing</i> , 2008, 37, 343-344.  | 0.7 | 7         |
| 197 | Hyperglycaemia and the SOAR stroke score in predicting mortality. <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 114-121.  | 0.9 | 7         |
| 198 | Pneumonia and Risk of Serious Adverse Outcomes in Hospitalized Strokes in Thailand. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 1448-1454.  | 0.7 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Does rhythm matter in acute heart failure? An insight from the British Society for Heart Failure National Audit. <i>Clinical Research in Cardiology</i> , 2019, 108, 1276-1286.   | 1.5 | 7         |
| 200 | Seasonality of stroke: Winter admissions and mortality excess. <i>Clinical Neurology and Neurosurgery</i> , 2020, 199, 106261.  | 0.6 | 7         |
| 201 | Routine use of immunosuppressants is associated with mortality in hospitalised patients with COVID-19. <i>Therapeutic Advances in Drug Safety</i> , 2021, 12, 204209862098569.  | 1.0 | 7         |
| 202 | Predicting 10-year stroke mortality: development and validation of a nomogram. <i>Acta Neurologica Belgica</i> , 2022, 122, 685-693.  | 0.5 | 7         |
| 203 | Impact of the admitting ward on care quality and outcomes in non-ST-segment elevation myocardial infarction: insights from a national registry. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 8, 681-691.               | 1.8 | 7         |
| 204 | Higher anticholinergic burden from medications is associated with significant increase in markers of inflammation in the EPIC-Norfolk prospective population-based cohort study. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 3297-3306. | 1.1 | 7         |
| 205 | The Short-Form Six-Dimension utility index predicted mortality in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 192-198.                           | 2.4 | 6         |
| 206 | Does anticholinergics drug burden relate to global neuro-disability outcome measures and length of hospital stay?. <i>Brain Injury</i> , 2015, 29, 1426-1430.   | 0.6 | 6         |
| 207 | A 6-Point TACS Score Predicts In-Hospital Mortality Following Total Anterior Circulation Stroke.  |     |           |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Estimated glomerular filtration rate and risk of poor outcomes after stroke. <i>European Journal of Neurology</i> , 2019, 26, 1455-1463.  | 1.7 | 5         |
| 218 | Frailty and mortality in patients with COVID-19 – Authors' reply. <i>Lancet Public Health</i> , The, 2020, 5, e582.   | 4.7 | 5         |
| 219 | Parkinson's disease and patient related outcomes in stroke: A matched cohort study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104826.   | 0.7 | 5         |
| 220 | Post-stroke seizure risk prediction models: a systematic review and meta-analysis. <i>Epileptic Disorders</i> , 2022, 24, 302-314.  | 0.7 | 5         |
| 221 | Antithrombotic therapy to prevent cognitive decline in people with small vessel disease on neuroimaging but without dementia. <i>The Cochrane Library</i> , 2022, 2022, .   | 1.5 | 5         |
| 222 | Effect of Age and Sex on the Relationship Between Different Socioeconomic Indices and Self-Reported Functional Health in the EPIC-Norfolk Population-Based Study. <i>Annals of Epidemiology</i> , 2009, 19, 289-297.  | 0.9 | 4         |
| 223 | Time to Computerized Tomography Scan, Age, and Mortality in Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 3005-3012.  | 0.7 | 4         |
| 224 | Addition of sodium criterion to SOAR stroke score. <i>Acta Neurologica Scandinavica</i> , 2017, 135, 553-559.   | 1.0 | 4         |
| 225 | Determinants of Length of Stay Following Total Anterior Circulatory Stroke. <i>Geriatrics (Switzerland)</i> , 2017, 2, 26.  | 0.6 | 4         |
| 226 | Role of protein in healthy ageing. <i>European Journal of Integrative Medicine</i> , 2018, 23, 32-36.   | 0.8 | 4         |
| 227 | Low estimated glomerular filtration rate and pneumonia in stroke patients: findings from a prospective stroke registry in the East of England. <i>Clinical Epidemiology</i> , 2018, Volume 10, 887-896.   | 1.5 | 4         |
| 228 | The Prevalence of Delirium in An Older Acute Surgical Population and Its Effect on Outcome. <i>Geriatrics (Switzerland)</i> , 2019, 4, 57.  | 0.6 | 4         |
| 229 | Doctors Are Inconsistent in Estimating Survival after CPR and Are Not Using Such Predictions Consistently in Determining DNACPR Decisions. <i>Geriatrics (Switzerland)</i> , 2019, 4, 33.   | 0.6 | 4         |
| 230 | Optimising Nutrition and Hydration in Care Homes – Getting It Right in Person Rather than in Policy. <i>Geriatrics (Switzerland)</i> , 2019, 4, 1.  | 0.6 | 4         |
| 231 | Infective endocarditis is associated with worse outcomes in stroke: A Thailand National Database Study. <i>International Journal of Clinical Practice</i> , 2020, 74, e13614.   | 0.8 | 4         |
| 232 | Resumption of elective colorectal surgery during COVID-19 and risk of death. <i>Colorectal Disease</i> , 2020, 22, 1026-1027.   | 0.7 | 4         |
| 233 | Aspirin moderates the association between cardiovascular risk, brain white matter hyperintensity total lesion volume and processing speed in normal ageing. <i>Maturitas</i> , 2020, 133, 49-53.  | 1.0 | 4         |
| 234 | Baseline anticholinergic burden from medications predicts poorer baseline and long-term health-related quality of life in 16%675 men and women of <sc>EPIC-Norfolk</sc> prospective population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 135-143. | 0.9 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Anticholinergic burden in older adult inpatients: patterns from admission to discharge and associations with hospital outcomes. <i>Therapeutic Advances in Drug Safety</i> , 2021, 12, 204209862110125.  | 1.0 | 4         |
| 236 | Bioelectrical Impedance Versus Biochemical Analysis of Hydration Status: Predictive Value for Prolonged Hospitalisation and Poor Discharge Destination for Older Patients. <i>Healthcare (Switzerland)</i> , 2021, 9, 154.   | 1.0 | 4         |
| 237 | Utilisation of diagnostic computerised tomography imaging and immediate clinical outcomes in older people with stroke before and after introduction of the National Service Framework for older people. A comparative study of hospital-based stroke registry data (1997â€“2003): Norfolk experience. <i>Age and Ageing</i> , 2006, 35, 399-403. | 0.7 | 3         |
| 238 | Body composition changes in acute stroke by type of feeding regimen. <i>International Journal of Clinical Practice</i> , 2016, 70, 175-177.  | 0.8 | 3         |
| 239 | The Ageing Gutâ€“Brain study: Exploring the role of the gut microbiota in dementia. <i>Nutrition Bulletin</i> , 2019, 44, 145-153.   | 0.8 | 3         |
| 240 | Does prior antithrombotic therapy influence recurrence and bleeding risk in stroke patients with atrial fibrillation or atrial flutter?. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 729-737.   | 0.8 | 3         |
| 241 | How Do Older Women Perceive their Safety in Iranian Urban Outdoor Environments?. <i>Ageing International</i> , 2020, 45, 411-433.  | 0.6 | 3         |
| 242 | Association of chronic kidney disease with outcomes in acute stroke. <i>Acta Neurologica Belgica</i> , 2021, 121, 1241-1246.   | 0.5 | 3         |
| 243 | Anticholinergic burden in middle-aged women and recurrent falls in later life: findings from the Aberdeen prospective osteoporosis screening study (APOSS). <i>Therapeutic Advances in Drug Safety</i> , 2020, 11, 204209862092985.  | 1.0 | 3         |
| 244 | Impact of Surgery on Older Patients Hospitalized With an Acute Abdomen: Findings From the Older Persons Surgical Outcome Collaborative. <i>Frontiers in Surgery</i> , 2020, 7, 583653.   | 0.6 | 3         |
| 245 | Self-Reported Fatigue Predicts Incident Stroke in a General Population. <i>Stroke</i> , 2020, 51, 1077-1084.   | 1.0 | 3         |
| 246 | Self-Monitoring and Management of Blood Pressure in Patients with Stroke or TIA: An Economic Evaluation of TEST-BP, A Randomised Controlled Trial. <i>Pharmacoeconomics - Open</i> , 2020, 4, 511-517.   | 0.9 | 3         |
| 247 | Trends, management and outcomes of acute myocardial infarction in chronic liver disease. <i>International Journal of Clinical Practice</i> , 2021, 75, e13841.   | 0.8 | 3         |
| 248 | Revascularisation therapies improve the outcomes of ischemic stroke patients with atrial fibrillation and heart failure. <i>International Journal of Cardiology</i> , 2021, 324, 205-213.  | 0.8 | 3         |
| 249 | An ecological approach to the development of an active aging measurement in urban areas (AAMU). <i>BMC Public Health</i> , 2021, 21, 4.  | 1.2 | 3         |
| 250 | Modified early warning score and risk of mortality after acute stroke. <i>Clinical Neurology and Neurosurgery</i> , 2021, 202, 106547.   | 0.6 | 3         |
| 251 | Multiple House Occupancy is Associated with Mortality in Hospitalised Patients with Covid-19. <i>European Journal of Public Health</i> , 2021, , .   | 0.1 | 3         |
| 252 | Non-steroidal anti-inflammatory agents and anastomotic leak rates across colorectal cancer operations and anastomotic sites: A systematic review and meta-analysis of anastomosis specific leak rate and confounding factors. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2841-2848.  | 0.5 | 3         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Thrombolysis in acute ischaemic stroke patients with chronic kidney disease. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 669-679.   | 1.0 | 3         |
| 254 | Understanding Stakeholder Views Regarding the Design of an Intervention Trial to Reduce Anticholinergic Burden: A Qualitative Study. <i>Frontiers in Pharmacology</i> , 2021, 12, 608208.   | 1.6 | 3         |
| 255 | Self-reported physical functional health predicts future bone mineral density in EPIC-Norfolk cohort. <i>Archives of Osteoporosis</i> , 2022, 17, 25.   | 1.0 | 3         |
| 256 | Prevalence and documented causes of hyponatraemia among geriatric patients attending a primary care clinic. <i>Medical Journal of Malaysia</i> , 2019, 74, 121-127.   | 0.2 | 3         |
| 257 | Body shape, fear of falling, physical performance, and falls among individuals aged 55 years and above. <i>European Geriatric Medicine</i> , 2019, 10, 801-808.   | 1.2 | 2         |
| 258 | Now is the time to address the Culture of Residential Aged Care Facilities to support Pharmacists in reducing psychotropic prescribing. <i>International Journal of Pharmacy Practice</i> , 2019, 27, 404-405.                            | 0.3 | 2         |
| 259 | Hospital-Level Variations in Rates of Inpatient Urinary Tract Infections in Stroke. <i>Frontiers in Neurology</i> , 2019, 10, 827.  | 1.1 | 2         |
| 260 | Blood pressure differences between home monitoring and daytime ambulatory values and their reproducibility in treated hypertensive stroke and TIA patients. <i>American Heart Journal</i> , 2019, 207, 58-65.                             | 1.2 | 2         |
| 261 | Variations in Rates of Discharges to Nursing Homes after Acute Hospitalization for Stroke and the Influence of Service Heterogeneity: An Anglia Stroke Clinical Network Evaluation Study. <i>Healthcare (Switzerland)</i> , 2020, 8, 390. | 1.0 | 2         |
| 262 | Hypertensive Disorders of Pregnancy (HDP) and the Risk of Common Cancers in Women: Evidence from the European Prospective Investigation into Cancer (EPIC)-Norfolk Prospective Population-Based Study. <i>Cancers</i> , 2020, 12, 3100.   | 1.7 | 2         |
| 263 | Can cardiovascular risk management be improved by shared care with general practice to prevent cognitive decline following stroke/TIA? A feasibility randomised controlled trial (SERVED memory). <i>BMC Geriatrics</i> , 2020, 20, 353.  | 1.1 | 2         |
| 264 | Anticholinergic burden (prognostic factor) for prediction of dementia or cognitive decline in older adults with no known cognitive syndrome. <i>The Cochrane Library</i> , 2020, , .  | 1.5 | 2         |
| 265 | FMALE score: Combining practical risk scales to improve preoperative predictive accuracy in emergency general surgery: A multi-centre prospective cohort study. <i>American Journal of Surgery</i> , 2021, 222, 911-912.                  | 0.9 | 2         |
| 266 | Association between serum secretory phospholipase A2 and risk of ischaemic stroke. <i>European Journal of Neurology</i> , 2021, 28, 3650-3655.  | 1.7 | 2         |
| 267 | Reproductive Pattern of Parous Women and the Risk of Cancer in Later Life. <i>Cancers</i> , 2021, 13, 3731.   | 1.7 | 2         |
| 268 | A five-year prospective evaluation of anticholinergic cognitive burden and falls in the Malaysian elders longitudinal research (MELoR) study. <i>Archives of Gerontology and Geriatrics</i> , 2022, 98, 104535.                           | 1.4 | 2         |
| 269 | Frailty is associated with increased waiting time for relevant process-of-care measures; findings from the Emergency Laparoscopic and Laparotomy Scottish audit (ELLSA). <i>British Journal of Surgery</i> , 2022, 109, 172-175.          | 0.1 | 2         |
| 270 | Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 999-1009.   | 1.2 | 2         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Variation in acute and community service provision of care of the elderly services across Scotland: findings from the Scottish Care of Older People (SCoOP) initial scoping survey. <i>Journal of the Royal College of Physicians of Edinburgh</i> , 2019, 49, 105-111. | 0.2 | 2         |
| 272 | Protocol for a feasibility randomised controlled trial of Screening and Enhanced Risk management for Vascular Event-related Decline in Memory (SERVED Memory). <i>BMJ Open</i> , 2017, 7, e017416.  | 0.8 | 2         |
| 273 | How to develop clinical reasoning in medical students and interns based on illness script theory: An experimental study. <i>Medical Journal of the Islamic Republic of Iran</i> , 2020, 34, 9.  | 0.9 | 2         |
| 274 | Determinants of Undernutrition and Associated Factors of Low Muscle Mass and High Fat Mass among Older Men and Women in the Colombo District of Sri Lanka. <i>Geriatrics (Switzerland)</i> , 2022, 7, 26.   | 0.6 | 2         |
| 275 | Relation of Extracardiac Vascular Disease and Outcomes in Patients With Diabetes (1.1 Million) Hospitalized for Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2022, 175, 8-18.   | 0.7 | 2         |
| 276 | Morbid RANKIN score strongly predicts in-patient mortality within 90 days in older people in both acute and community care settings independently of FANGG (fracture, acquired neurological deficit) Tj ETQqO 0 0 rgBT /Overlock 10 TF 5<br>2012, 54, 439-442.          | 0.4 | 1         |
| 277 | Dietary magnesium intake and blood pressure in an adult British population. <i>Proceedings of the Nutrition Society</i> , 2013, 72, .   | 0.4 | 1         |
| 278 | Interventions for improving medication adherence in patients with idiopathic Parkinson's disease. <i>The Cochrane Library</i> , 0, , .  | 1.5 | 1         |
| 279 | Explaining inequalities in receipt of care in the older patient with acute coronary syndrome. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2016, 2, 59-61.   | 1.8 | 1         |
| 280 | Non-pharmacological interventions for the improvement of post-stroke quality of life amongst older stroke survivors: a systematic review of systematic reviews (The SENATOR ONTOP series). <i>European Geriatric Medicine</i> , 2019, 10, 359-386.                      | 1.2 | 1         |
| 281 | Older patients are more likely to breach the 4-hour target in Scotland. <i>Emergency Medicine Journal</i> , 2020, 37, emermed-2019-209099.  | 0.4 | 1         |
| 282 | Anaemia and incidence of post stroke dementia. <i>Clinical Neurology and Neurosurgery</i> , 2020, 191, 105688.  | 0.6 | 1         |
| 283 | Should bone mineral content be part of the equation for assessing fracture risk in patients with cerebral palsy?. <i>Developmental Medicine and Child Neurology</i> , 2022, 64, 406-406.  | 1.1 | 1         |
| 284 | To fuse or not to fuse: The elderly patient with lumbar stenosis and low-grade spondylolisthesis. Systematic review and meta-analysis of randomised controlled trials. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2023, 21, e23-e31.                | 0.8 | 1         |
| 285 | Prevalence of orthostatic hypertension and its association with cerebrovascular diagnoses in patients with suspected TIA and minor stroke. <i>BMC Cardiovascular Disorders</i> , 2022, 22, 161.   | 0.7 | 1         |
| 286 | Body Mass Index and Mortality, Recurrence and Readmission after Myocardial Infarction: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2022, 11, 2581.   | 1.0 | 1         |
| 287 | Fatty acid-binding proteins as diagnostic and prognostic markers in pneumonia. <i>Annals of Translational Medicine</i> , 2016, 4, 495-495.  | 0.7 | 0         |
| 288 | Is life longer with a box of chocolates?. <i>Heart</i> , 2016, 102, 990-991.  | 1.2 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | 115Low Vitality Predicts Mortality In The Epic-Norfolk Population-Based Study. Age and Ageing, 2017, 46, i31-i31. | 0.7 | 0         |

|     |  |  |  |
|-----|--|--|--|
| 290 | A History of Falls is Associated with a Significant Increase in Acute Mortality in Women after Stroke. |  |  |
|-----|--|--|--|

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|