

Phyo K Myint

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9025605/phyo-k-myint-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

273
papers

6,342
citations

43
h-index

69
g-index

305
ext. papers

8,177
ext. citations

4.3
avg, IF

5.99
L-index

#	Paper	IF	Citations
273	Self-reported physical functional health predicts future bone mineral density in EPIC-Norfolk cohort.. <i>Archives of Osteoporosis</i> , 2022 , 17, 25	2.9	0
272	Determinants of healthy ageing: a systematic review of contemporary literature.. <i>Aging Clinical and Experimental Research</i> , 2022 , 1	4.8	4
271	Prognostic value of estimated glomerular filtration rate in hospitalised older patients (over 65) with COVID-19: a multicentre, European, observational cohort study.. <i>BMC Geriatrics</i> , 2022 , 22, 119	4.1	2
270	A five-year prospective evaluation of anticholinergic cognitive burden and falls in the Malaysian elders longitudinal research (MELoR) study. <i>Archives of Gerontology and Geriatrics</i> , 2022 , 98, 104535	4	0
269	Prevalence of orthostatic hypertension and its association with cerebrovascular diagnoses in patients with suspected TIA and minor stroke.. <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 161	2.3	
268	Impact of diabetes on COVID-19 mortality and hospital outcomes from a global perspective: An umbrella systematic review and meta-analysis.. <i>Endocrinology, Diabetes and Metabolism</i> , 2022 , e338	2.7	2
267	Understanding Stakeholder Views Regarding the Design of an Intervention Trial to Reduce Anticholinergic Burden: A Qualitative Study. <i>Frontiers in Pharmacology</i> , 2021 , 12, 608208	5.6	1
266	Author reply: The relationship between alcohol intake and falls. <i>Geriatrics and Gerontology International</i> , 2021 ,	2.9	
265	Shock index predicts up to 90-day mortality risk after intracerebral haemorrhage. <i>Clinical Neurology and Neurosurgery</i> , 2021 , 210, 106994	2	
264	Calcium intake, calcium supplementation and cardiovascular disease and mortality in the British population: EPIC-norfolk prospective cohort study and meta-analysis. <i>European Journal of Epidemiology</i> , 2021 , 36, 669-683	12.1	0
263	Association of chronic kidney disease with outcomes in acute stroke. <i>Acta Neurologica Belgica</i> , 2021 , 121, 1241-1246	1.5	2
262	The role of C-reactive protein as a prognostic marker in COVID-19. <i>International Journal of Epidemiology</i> , 2021 , 50, 420-429	7.8	30
261	Sex Differences in Ischemic Stroke Outcomes in Patients With Pulmonary Hypertension. <i>Journal of the American Heart Association</i> , 2021 , 10, e019341	6	2
260	Modified early warning score and risk of mortality after acute stroke. <i>Clinical Neurology and Neurosurgery</i> , 2021 , 202, 106547	2	0
259	Anticholinergic burden (prognostic factor) for prediction of dementia or cognitive decline in older adults with no known cognitive syndrome. <i>The Cochrane Library</i> , 2021 , 5, CD013540	5.2	7
258	Clinical frailty scale as a point of care prognostic indicator of mortality in COVID-19: a systematic review and meta-analysis. <i>EClinicalMedicine</i> , 2021 , 36, 100896	11.3	12
257	Distribution, management and outcomes of AMI according to principal diagnosis priority during inpatient admission. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14554	2.9	

256	The relationship between alcohol intake and falls hospitalization: Results from the EPIC-Norfolk. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 657-663	2.9	3
255	Barriers and facilitators to reducing anticholinergic burden: a qualitative systematic review. <i>International Journal of Clinical Pharmacy</i> , 2021 , 43, 1451-1460	2.3	1
254	Non-steroidal anti-inflammatory agents and anastomotic leak rates across colorectal cancer operations and anastomotic sites: A systematic review and meta-analysis of anastomosis specific leak rate and confounding factors. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2841-2848	3.6	0
253	Association between serum secretory phospholipase A2 and risk of ischaemic stroke. <i>European Journal of Neurology</i> , 2021 , 28, 3650-3655	6	1
252	Thrombolysis in acute ischaemic stroke patients with chronic kidney disease. <i>Acta Neurologica Scandinavica</i> , 2021 , 144, 669-679	3.8	0
251	Long Term Prognostic Impact of Sex-specific Longitudinal Changes in Blood Pressure. The EPIC-Norfolk Prospective Population Cohort Study. <i>European Journal of Preventive Cardiology</i> , 2021 , ,	3.9	2
250	Predictors of mortality and disability in stroke-associated pneumonia. <i>Acta Neurologica Belgica</i> , 2021 , 121, 379-385	1.5	9
249	Association of Circulating Monocyte Chemoattractant Protein-1 Levels With Cardiovascular Mortality: A Meta-analysis of Population-Based Studies. <i>JAMA Cardiology</i> , 2021 , 6, 587-592	16.2	8
248	Baseline anticholinergic burden from medications predicts poorer baseline and long-term health-related quality of life in 16 675 men and women of EPIC-Norfolk prospective population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 135-143	2.6	1
247	Anticholinergic Burden Measures Predict Older People's Physical Function and Quality of Life: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 56-64	5.9	8
246	Trends, management and outcomes of acute myocardial infarction in chronic liver disease. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13841	2.9	1
245	Acute Myocardial Infarction in Autoimmune Rheumatologic Disease: A Nationwide Analysis of Clinical Outcomes and Predictors of Management Strategy. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 388-399	6.4	4
244	Long-term effects of gestational diabetes on bone mineral density and fracture risk: Analysis of the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk) population-based study. <i>Maturitas</i> , 2021 , 144, 68-73	5	2
243	Revascularisation therapies improve the outcomes of ischemic stroke patients with atrial fibrillation and heart failure. <i>International Journal of Cardiology</i> , 2021 , 324, 205-213	3.2	2
242	Systematic review of immunosuppressant guidelines in the COVID-19 pandemic. <i>Therapeutic Advances in Drug Safety</i> , 2021 , 12, 2042098620985687	3.5	9
241	Anticholinergic burden measures and older people's falls risk: a systematic prognostic review. <i>Therapeutic Advances in Drug Safety</i> , 2021 , 12, 20420986211016645	3.5	0
240	Anticholinergic burden in older adult inpatients: patterns from admission to discharge and associations with hospital outcomes. <i>Therapeutic Advances in Drug Safety</i> , 2021 , 12, 20420986211012592	3.5	1
239	Routine use of immunosuppressants is associated with mortality in hospitalised patients with COVID-19. <i>Therapeutic Advances in Drug Safety</i> , 2021 , 12, 2042098620985690	3.5	1

238	An ecological approach to the development of an active aging measurement in urban areas (AAMU). <i>BMC Public Health</i> , 2021 , 21, 4	4.1	2
237	Country-level determinants of the severity of the first global wave of the COVID-19 pandemic: an ecological study. <i>BMJ Open</i> , 2021 , 11, e042034	3	21
236	Bioelectrical Impedance Versus Biochemical Analysis of Hydration Status: Predictive Value for Prolonged Hospitalisation and Poor Discharge Destination for Older Patients. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	2
235	Predicting 10-year stroke mortality: development and validation of a nomogram. <i>Acta Neurologica Belgica</i> , 2021 , 1	1.5	0
234	Impact of the admitting ward on care quality and outcomes in non-ST-segment elevation myocardial infarction (NSTEMI): insights from a national registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 ,	4.6	1
233	An Ecological Study Assessing the Relationship between Public Health Policies and Severity of the COVID-19 Pandemic. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	2
232	Trial of Dexamethasone for Chronic Subdural Hematoma. <i>New England Journal of Medicine</i> , 2020 , 383, 2616-2627	59.2	51
231	Impact of Surgery on Older Patients Hospitalized With an Acute Abdomen: Findings From the Older Persons Surgical Outcome Collaborative. <i>Frontiers in Surgery</i> , 2020 , 7, 583653	2.3	0
230	Parkinson's disease and patient related outcomes in stroke: A matched cohort study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020 , 29, 104826	2.8	1
229	Protocol for the process evaluation of a cluster randomised controlled trial to determine the effectiveness and cost-effectiveness of independent pharmacist prescribing in care home: the CHIPPS study. <i>Trials</i> , 2020 , 21, 439	2.8	2
228	Older patients are more likely to breach the 4-hour target in Scotland. <i>Emergency Medicine Journal</i> , 2020 , 37, 807-810	1.5	0
227	Assessing Risks of Polypharmacy Involving Medications With Anticholinergic Properties. <i>Annals of Family Medicine</i> , 2020 , 18, 148-155	2.9	15
226	Self-Reported Fatigue Predicts Incident Stroke in a General Population: EPIC-Norfolk Prospective Population-Based Study. <i>Stroke</i> , 2020 , 51, 1077-1084	6.7	2
225	Does quality of care in hip fracture vary by day of admission?. <i>Archives of Osteoporosis</i> , 2020 , 15, 52	2.9	8
224	An overview of prevalence, determinants and health outcomes of polypharmacy. <i>Therapeutic Advances in Drug Safety</i> , 2020 , 11, 2042098620933741	3.5	61
223	The effect of frailty on survival in patients with COVID-19 (COPE): a multicentre, European, observational cohort study. <i>Lancet Public Health</i> , 2020 , 5, e444-e451	22.4	287
222	Anticholinergic burden (prognostic factor) for prediction of dementia or cognitive decline in older adults with no known cognitive syndrome. <i>The Cochrane Library</i> , 2020 ,	5.2	1
221	Self-Monitoring and Management of Blood Pressure in Patients with Stroke or TIA: An Economic Evaluation of TEST-BP, A Randomised Controlled Trial. <i>Pharmacoeconomics - Open</i> , 2020 , 4, 511-517	2.1	1

220	Protocol for a cluster randomised controlled trial to determine the effectiveness and cost-effectiveness of independent pharmacist prescribing in care homes: the CHIPPS study. <i>Trials</i> , 2020 , 21, 103	2.8	4
219	Association between different methods of assessing blood pressure variability and incident cardiovascular disease, cardiovascular mortality and all-cause mortality: a systematic review. <i>Age and Ageing</i> , 2020 , 49, 184-192	3	2
218	Comprehensive 5P framework for active aging using the ecological approach: an iterative systematic review. <i>BMC Public Health</i> , 2020 , 20, 33	4.1	8
217	Aspirin moderates the association between cardiovascular risk, brain white matter hyperintensity total lesion volume and processing speed in normal ageing. <i>Maturitas</i> , 2020 , 133, 49-53	5	4
216	Anaemia and incidence of post stroke dementia. <i>Clinical Neurology and Neurosurgery</i> , 2020 , 191, 1056882		0
215	The Prognostic Value of Anticholinergic Burden Measures in Relation to Mortality in Older Individuals: A Systematic Review and Meta-Analysis. <i>Frontiers in Pharmacology</i> , 2020 , 11, 570	5.6	10
214	How to develop clinical reasoning in medical students and interns based on illness script theory: An experimental study. <i>Medical Journal of the Islamic Republic of Iran</i> , 2020 , 34, 9	1.1	1
213	Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. <i>Journal of Alzheimer's Disease</i> , 2020 , 74, 999-1009	4.3	2
212	Impact of Diabetes on Complications, Long Term Mortality and Recurrence in 608,890 Hospitalised Patients with Stroke. <i>Global Heart</i> , 2020 , 15, 2	2.9	5
211	Does prior antithrombotic therapy influence recurrence and bleeding risk in stroke patients with atrial fibrillation or atrial flutter?. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 729-737	3.9	1
210	Association Between Hospital Cardiac Catheter Laboratory Status, Use of an Invasive Strategy, and Outcomes After NSTEMI. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 868-877	3.8	7
209	Use of Medications with Anticholinergic Properties and the Long-Term Risk of Hospitalization for Falls and Fractures in the EPIC-Norfolk Longitudinal Cohort Study. <i>Drugs and Aging</i> , 2020 , 37, 105-114	4.7	7
208	Baseline risk, timing of invasive strategy and guideline compliance in NSTEMI: Nationwide analysis from MINAP. <i>International Journal of Cardiology</i> , 2020 , 301, 7-13	3.2	17
207	The Clinical Frailty Scale: Estimating the Prevalence of Frailty in Older Patients Hospitalised with COVID-19. The COPE Study. <i>Geriatrics (Switzerland)</i> , 2020 , 5,	2.2	8
206	Study protocol for the COPE study: COVID-19 in Older PEople: the influence of frailty and multimorbidity on survival. A multicentre, European observational study. <i>BMJ Open</i> , 2020 , 10, e040569	3	11
205	How Do Older Women Perceive their Safety in Iranian Urban Outdoor Environments?. <i>Ageing International</i> , 2020 , 45, 411-433	0.8	1
204	Infective endocarditis is associated with worse outcomes in stroke: A Thailand National Database Study. <i>International Journal of Clinical Practice</i> , 2020 , 74, e13614	2.9	2
203	Increasing prevalence of anticholinergic medication use in older people in England over 20 years: cognitive function and ageing study I and II. <i>BMC Geriatrics</i> , 2020 , 20, 267	4.1	14

202	Nosocomial COVID-19 infection: examining the risk of mortality. The COPE-Nosocomial Study (COVID in Older PEople). <i>Journal of Hospital Infection</i> , 2020 , 106, 376-384	6.9	97
201	Anticholinergic medication exposure predicts poor physical capability: Findings from a large prospective cohort study in England. <i>Maturitas</i> , 2020 , 142, 55-63	5	2
200	Resumption of elective colorectal surgery during COVID-19 and risk of death. <i>Colorectal Disease</i> , 2020 , 22, 1026-1027	2.1	1
199	Temporal Trends in Pregnancy-Associated Stroke and Its Outcomes Among Women With Hypertensive Disorders of Pregnancy. <i>Journal of the American Heart Association</i> , 2020 , 9, e016182	6	12
198	Anticholinergic burden in middle-aged women and recurrent falls in later life: findings from the Aberdeen prospective osteoporosis screening study (APOSS). <i>Therapeutic Advances in Drug Safety</i> , 2020 , 11, 2042098620929852	3.5	1
197	Prior Routine Use of Non-Steroidal Anti-Inflammatory Drugs (NSAIDs) and Important Outcomes in Hospitalised Patients with COVID-19. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	27
196	Seasonality of stroke: Winter admissions and mortality excess: A Thailand National Stroke population database study. <i>Clinical Neurology and Neurosurgery</i> , 2020 , 199, 106261	2	1
195	Variations in Rates of Discharges to Nursing Homes after Acute Hospitalization for Stroke and the Influence of Service Heterogeneity: An Anglia Stroke Clinical Network Evaluation Study. <i>Healthcare (Switzerland)</i> , 2020 , 8,	3.4	1
194	The influence of ACE inhibitors and ARBs on hospital length of stay and survival in people with COVID-19. <i>IJC Heart and Vasculature</i> , 2020 , 31, 100660	2.4	14
193	Frailty and mortality in patients with COVID-19 - AuthorsReply. <i>Lancet Public Health, The</i> , 2020 , 5, e582	22.4	3
192	Can cardiovascular risk management be improved by shared care with general practice to prevent cognitive decline following stroke/TIA? A feasibility randomised controlled trial (SERVED memory). <i>BMC Geriatrics</i> , 2020 , 20, 353	4.1	2
191	Increased care at discharge from COVID-19: The association between pre-admission frailty and increased care needs after hospital discharge; a multicentre European observational cohort study. <i>BMC Medicine</i> , 2020 , 18, 408	11.4	15
190	Interventions to Reduce Anticholinergic Burden in Adults Aged 65 and Older: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 172-180.e5	5.9	16
189	The Scottish Intercollegiate Guidelines Network (SIGN) 157: Guidelines on Risk Reduction and Management of Delirium. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	6
188	Barriers and facilitators to reducing anticholinergic burden from the perspectives of patients, their carers, and healthcare professionals: A protocol for qualitative evidence synthesis. <i>Journal of Evidence-Based Medicine</i> , 2019 , 12, 227-231	6.1	3
187	Circulating Monocyte Chemoattractant Protein-1 and Risk of Stroke: Meta-Analysis of Population-Based Studies Involving 17 180 Individuals. <i>Circulation Research</i> , 2019 , 125, 773-782	15.7	47
186	Anti-cholinergic burden and patient related clinical outcomes in an emergency general surgical setting. <i>Asian Journal of Surgery</i> , 2019 , 42, 527-534	1.6	3
185	Plasma vitamin C concentrations and risk of incident respiratory diseases and mortality in the European Prospective Investigation into Cancer-Norfolk population-based cohort study. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 1492-1500	5.2	11

184	Estimated glomerular filtration rate and risk of poor outcomes after stroke. <i>European Journal of Neurology</i> , 2019 , 26, 1455-1463	6	3
183	Non-pharmacological interventions for the improvement of post-stroke quality of life amongst older stroke survivors: a systematic review of systematic reviews (The SENATOR ONTOP series). <i>European Geriatric Medicine</i> , 2019 , 10, 359-386	3	0
182	Combinations of bleeding and ischemic risk and their association with clinical outcomes in acute coronary syndrome. <i>International Journal of Cardiology</i> , 2019 , 290, 7-14	3.2	13
181	Myocardial infarction after acute ischaemic stroke: Incidence, mortality and risk factors. <i>Acta Neurologica Scandinavica</i> , 2019 , 140, 219-228	3.8	6
180	Individual and Combined Impact of Heart Failure and Atrial Fibrillation on Ischemic Stroke Outcomes. <i>Stroke</i> , 2019 , 50, 1838-1845	6.7	8
179	Hypertensive Disorders of Pregnancy and Subsequent Cardiovascular Disease: Current National and International Guidelines and the Need for Future Research. <i>Frontiers in Cardiovascular Medicine</i> , 2019 , 6, 55	5.4	16
178	Nonpharmacologic Management of Orthostatic Hypotension in Older People: A Systematic Review. The SENATOR ONTOP Series. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1065-1073.	5.9	7
177	Prevention and Treatment of Acute Stroke in the Nonagenarians and Beyond: Medical and Ethical Issues. <i>Current Treatment Options in Neurology</i> , 2019 , 21, 27	4.4	
176	Impact of heart failure on stroke mortality and recurrence. <i>Heart Asia</i> , 2019 , 11, e011139	1.9	5
175	The Ageing GutBrain study: Exploring the role of the gut microbiota in dementia. <i>Nutrition Bulletin</i> , 2019 , 44, 145-153	3.5	1
174	Pneumonia and Risk of Serious Adverse Outcomes in Hospitalized Strokes in Thailand. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019 , 28, 1448-1454	2.8	4
173	Does rhythm matter in acute heart failure? An insight from the British Society for Heart Failure National Audit. <i>Clinical Research in Cardiology</i> , 2019 , 108, 1276-1286	6.1	6
172	Does service heterogeneity have an impact on acute hospital length of stay in stroke? A UK-based multicentre prospective cohort study. <i>BMJ Open</i> , 2019 , 9, e024506	3	1
171	History of Benzodiazepine Prescriptions and Risk of Dementia: Possible Bias Due to Prevalent Users and Covariate Measurement Timing in a Nested Case-Control Study. <i>American Journal of Epidemiology</i> , 2019 , 188, 1228-1236	3.8	21
170	Body shape, fear of falling, physical performance, and falls among individuals aged 55 years and above. <i>European Geriatric Medicine</i> , 2019 , 10, 801-808	3	0
169	Shock Index Predicts Outcome in Patients with Suspected Sepsis or Community-Acquired Pneumonia: A Systematic Review. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	10
168	The Care Home Independent Prescribing Pharmacist Study (CHIPPS)-a non-randomised feasibility study of independent pharmacist prescribing in care homes. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 89	1.9	11
167	Plasma Vitamin C Levels: Risk Factors for Deficiency and Association with Self-Reported Functional Health in the European Prospective Investigation into Cancer-Norfolk. <i>Nutrients</i> , 2019 , 11,	6.7	15

166	Variability in the clinical management of iron deficiency anaemia in older adults: results from a survey of UK specialists in the care of older people. <i>Therapeutic Advances in Drug Safety</i> , 2019 , 10, 2042098619854870	3.5	14
165	The Prevalence of Delirium in An Older Acute Surgical Population and Its Effect on Outcome. <i>Geriatrics (Switzerland)</i> , 2019 , 4,	2.2	2
164	Anticholinergic and benzodiazepine medication use and risk of incident dementia: a UK cohort study. <i>BMC Geriatrics</i> , 2019 , 19, 276	4.1	22
163	Cognitive profile and determinants of poor cognition in people without dementia in Parkinson's disease. <i>Medical Journal of the Islamic Republic of Iran</i> , 2019 , 33, 1	1.1	5
162	Variation in acute and community service provision of care of the elderly services across Scotland: findings from the Scottish Care of Older People (SCoOP) initial scoping survey. <i>Journal of the Royal College of Physicians of Edinburgh, The</i> , 2019 , 49, 105-111	0.9	0
161	Frailty predicts mortality in all emergency surgical admissions regardless of age. An observational study. <i>Age and Ageing</i> , 2019 , 48, 388-394	3	68
160	Hospital-Level Variations in Rates of Inpatient Urinary Tract Infections in Stroke. <i>Frontiers in Neurology</i> , 2019 , 10, 827	4.1	1
159	Development and validation of elder-friendly urban spaces questionnaire (EFUSQ). <i>BMC Geriatrics</i> , 2019 , 19, 336	4.1	4
158	Cognitive impairment is associated with mortality in older adults in the emergency surgical setting: Findings from the Older Persons Surgical Outcomes Collaboration (OPSOC): A prospective cohort study. <i>Surgery</i> , 2019 , 165, 978-984	3.6	6
157	Effect of nonmeat, high-protein supplementation on quality of life and clinical outcomes in older residents of care homes: a systematic review and meta-analysis. <i>Nutrition Reviews</i> , 2019 , 77, 116-127	6.4	3
156	Orientation and verbal fluency in the English Longitudinal Study of Ageing: modifiable risk factors for falls?. <i>International Psychogeriatrics</i> , 2019 , 31, 1491-1498	3.4	3
155	The association between polypharmacy and late life deficits in cognitive, physical and emotional capability: a cohort study. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 251-257	2.3	7
154	Blood pressure differences between home monitoring and daytime ambulatory values and their reproducibility in treated hypertensive stroke and TIA patients. <i>American Heart Journal</i> , 2019 , 207, 58-65	4.9	2
153	Prevalence and documented causes of hyponatraemia among geriatric patients attending a primary care clinic. <i>Medical Journal of Malaysia</i> , 2019 , 74, 121-127	0.4	3
152	Baseline anticholinergic burden from medications predicts incident fatal and non-fatal stroke in the EPIC-Norfolk general population. <i>International Journal of Epidemiology</i> , 2018 , 47, 625-633	7.8	15
151	Is anemia associated with cognitive impairment and delirium among older acute surgical patients?. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 1025-1030	2.9	10
150	Anticholinergic drugs and risk of dementia: case-control study. <i>BMJ, The</i> , 2018 , 361, k1315	5.9	215
149	Relation Between Age and Unplanned Readmissions After Percutaneous Coronary Intervention (Findings from the Nationwide Readmission Database). <i>American Journal of Cardiology</i> , 2018 , 122, 220-228	2.8	10

148	Increased diastolic blood pressure is associated with MRI biomarkers of dementia-related brain pathology in normative ageing. <i>Age and Ageing</i> , 2018 , 47, 95-100	3	17
147	Does self-monitoring and self-management of blood pressure after stroke or transient ischemic attack improve control? TEST-BP, a randomized controlled trial. <i>American Heart Journal</i> , 2018 , 203, 105-108	4.8	7
146	Effect of Antiplatelet Therapy (Aspirin + Dipyridamole Versus Clopidogrel) on Mortality Outcome in Ischemic Stroke. <i>American Journal of Cardiology</i> , 2018 , 122, 1085-1090	3	5
145	Long-Term Factors Associated With Falls and Fractures Poststroke. <i>Frontiers in Neurology</i> , 2018 , 9, 210	4.1	8
144	Impact of stroke-associated pneumonia on mortality, length of hospitalization, and functional outcome. <i>Acta Neurologica Scandinavica</i> , 2018 , 138, 293-300	3.8	44
143	Quality of Care in Hip Fracture Patients: The Relationship Between Adherence to National Standards and Improved Outcomes. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018 , 100, 751-757	5.6	26
142	Low estimated glomerular filtration rate and pneumonia in stroke patients: findings from a prospective stroke registry in the East of England. <i>Clinical Epidemiology</i> , 2018 , 10, 887-896	5.9	1
141	A high anticholinergic burden is associated with a history of falls in the previous year in middle-aged women: findings from the Aberdeen Prospective Osteoporosis Screening Study. <i>Annals of Epidemiology</i> , 2018 , 28, 557-562.e2	6.4	9
140	Marital status and risk of cardiovascular diseases: a systematic review and meta-analysis. <i>Heart</i> , 2018 , 104, 1937-1948	5.1	61
139	Hyperglycaemia and the SOAR stroke score in predicting mortality. <i>Diabetes and Vascular Disease Research</i> , 2018 , 15, 114-121	3.3	6
138	Dimension of pain-related quality of life and self-reported mental health in men and women of the European Prospective Investigation into Cancer-Norfolk cohort: a population-based cross-sectional study. <i>British Journal of Pain</i> , 2018 , 12, 35-46	2.1	
137	Shock Index Predicts Patient-Related Clinical Outcomes in Stroke. <i>Journal of the American Heart Association</i> , 2018 , 7, e007581	6	16
136	A practical risk scale for predicting morbidity and mortality in the emergency general surgical setting: A prospective multi-center study. <i>International Journal of Surgery</i> , 2018 , 60, 236-244	7.5	3
135	Does practice analysis agree with the ambulatory care sensitive conditions list of avoidable unplanned admissions?: a cross-sectional study in the East of England. <i>BMJ Open</i> , 2018 , 8, e020756	3	5
134	Mediterranean Diet Reduces Risk of Incident Stroke in a Population With Varying Cardiovascular Disease Risk Profiles. <i>Stroke</i> , 2018 , 2415-2420	6.7	20
133	Role of protein in healthy ageing. <i>European Journal of Integrative Medicine</i> , 2018 , 23, 32-36	1.7	1
132	Non-pharmacological interventions for the improvement of post-stroke activities of daily living and disability amongst older stroke survivors: A systematic review. <i>PLoS ONE</i> , 2018 , 13, e0204774	3.7	6
131	79CONTRIBUTION OF CO-MORBIDITY BURDEN ON DEMENTIA INCIDENCE AFTER STROKE. <i>Age and Ageing</i> , 2018 , 47, iii28-iii30	3	

130	Are Early Warning Scores Useful Predictors for Mortality and Morbidity in Hospitalised Acutely Unwell Older Patients? A Systematic Review. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	13
129	Effect of age on the prognostic value of left ventricular function in patients with acute coronary syndrome: A prospective registry study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 191-198	4.3	5
128	Impact of HIV on inpatient mortality and complications in stroke in Thailand: a National Database Study. <i>Epidemiology and Infection</i> , 2017 , 145, 1285-1291	4.3	7
127	Do patients have worse outcomes in heart failure than in cancer? A primary care-based cohort study with 10-year follow-up in Scotland. <i>European Journal of Heart Failure</i> , 2017 , 19, 1095-1104	12.3	119
126	Early weight loss in parkinsonism predicts poor outcomes: Evidence from an incident cohort study. <i>Neurology</i> , 2017 , 89, 2254-2261	6.5	26
125	Impact of anaemia on acute stroke outcomes depends on the type of anaemia: Evidence from a UK stroke register. <i>Journal of the Neurological Sciences</i> , 2017 , 383, 26-30	3.2	4
124	The influence of early research experience in medical school on the decision to intercalate and future career in clinical academia: a questionnaire study. <i>BMC Medical Education</i> , 2017 , 17, 245	3.3	15
123	A History of Falls is Associated with a Significant Increase in Acute Mortality in Women after Stroke. <i>Journal of Clinical Neurology (Korea)</i> , 2017 , 13, 411-421	1.7	
122	Prevalence and determinants of frailty and associated comorbidities among older Gurkha welfare pensioners in Nepal. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 2493-2499	2.9	16
121	Development of a core outcome set for effectiveness trials aimed at optimising prescribing in older adults in care homes. <i>Trials</i> , 2017 , 18, 175	2.8	26
120	Addition of sodium criterion to SOAR stroke score. <i>Acta Neurologica Scandinavica</i> , 2017 , 135, 553-559	3.8	3
119	Towards Upright Pedalling to drive recovery in people who cannot walk in the first weeks after stroke: movement patterns and measurement. <i>Physiotherapy</i> , 2017 , 103, 400-406	3	4
118	Six-month adherence to Statin use and subsequent risk of major adverse cardiovascular events (MACE) in patients discharged with acute coronary syndromes. <i>Lipids in Health and Disease</i> , 2017 , 16, 155	4.4	9
117	115Low Vitality Predicts Mortality In The Epic-Norfolk Population-Based Study. <i>Age and Ageing</i> , 2017 , 46, i31-i31	3	
116	A Review of Frailty Syndrome and Its Physical, Cognitive and Emotional Domains in the Elderly. <i>Geriatrics (Switzerland)</i> , 2017 , 2,	2.2	22
115	Determinants of Length of Stay Following Total Anterior Circulatory Stroke. <i>Geriatrics (Switzerland)</i> , 2017 , 2,	2.2	4
114	Pre-Stroke Modified Rankin Scale: Evaluation of Validity, Prognostic Accuracy, and Association with Treatment. <i>Frontiers in Neurology</i> , 2017 , 8, 275	4.1	38
113	Protocol for a feasibility randomised controlled trial of Screening and Enhanced Risk management for Vascular Event-related Decline in Memory (SERVED Memory). <i>BMJ Open</i> , 2017 , 7, e017416	3	2

112	Important factors in predicting mortality outcome from stroke: findings from the Anglia Stroke Clinical Network Evaluation Study. <i>Age and Ageing</i> , 2017 , 46, 83-90	3	15
111	Association between osteoarthritis and cardiovascular disease: Systematic review and meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 938-46	3.9	93
110	Impact of Hemoglobin Levels and Anemia on Mortality in Acute Stroke: Analysis of UK Regional Registry Data, Systematic Review, and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	65
109	Time to Computerized Tomography Scan, Age, and Mortality in Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 3005-3012	2.8	1
108	Long-term mortality of hospitalized pneumonia in the EPIC-Norfolk cohort. <i>Epidemiology and Infection</i> , 2016 , 144, 803-9	4.3	6
107	Rheumatic Mitral Valve Disease Is Associated With Worse Outcomes in Stroke: A Thailand National Database Study. <i>Stroke</i> , 2016 , 47, 2695-2701	6.7	16
106	Prevalence of multimorbidity and its association with outcomes in older emergency general surgical patients: an observational study. <i>BMJ Open</i> , 2016 , 6, e010126	3	43
105	Fatigue is associated with excess mortality in the general population: results from the EPIC-Norfolk study. <i>BMC Medicine</i> , 2016 , 14, 122	11.4	28
104	Meta-Analysis of the Prognostic Impact of Anemia in Patients Undergoing Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016 , 118, 610-20	3	45
103	Explaining inequalities in receipt of care in the older patient with acute coronary syndrome. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016 , 2, 59-61	4.6	1
102	Prevalence of depressive symptoms and anxiety in osteoarthritis: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2016 , 45, 228-35	3	115
101	Association of increasing age with receipt of specialist care and long-term mortality in patients with non-ST elevation myocardial infarction. <i>Age and Ageing</i> , 2016 , 45, 96-103	3	6
100	Prognostic indices for early mortality in ischaemic stroke - meta-analysis. <i>Acta Neurologica Scandinavica</i> , 2016 , 133, 41-8	3.8	8
99	Prolonged PR interval, first-degree heart block and adverse cardiovascular outcomes: a systematic review and meta-analysis. <i>Heart</i> , 2016 , 102, 672-80	5.1	63
98	Habitual chocolate consumption and the risk of incident heart failure among healthy men and women. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 722-34	4.5	10
97	Anticholinergic burden is associated with recurrent and injurious falls in older individuals. <i>Maturitas</i> , 2016 , 84, 32-7	5	56
96	Derivation and Validation of a Novel Prognostic Scale (Modified-Stroke Subtype, Oxfordshire Community Stroke Project Classification, Age, and Prestroke Modified Rankin) to Predict Early Mortality in Acute Stroke. <i>Stroke</i> , 2016 , 47, 74-9	6.7	19
95	Baseline overall health-related quality of life predicts the 10-year incidence of cardiovascular events in a Chinese population. <i>Quality of Life Research</i> , 2016 , 25, 363-371	3.7	7

94	Frailty and cognitive impairment: Unique challenges in the older emergency surgical patient. <i>Annals of the Royal College of Surgeons of England</i> , 2016 , 98, 165-9	1.4	24
93	A 6-Point TACS Score Predicts In-Hospital Mortality Following Total Anterior Circulation Stroke. <i>Journal of Clinical Neurology (Korea)</i> , 2016 , 12, 407-413	1.7	4
92	Body composition changes in acute stroke by type of feeding regimen. <i>International Journal of Clinical Practice</i> , 2016 , 70, 175-7	2.9	3
91	The prevalence of hyperglycaemia and its relationship with mortality, readmissions and length of stay in an older acute surgical population: a multicentre study. <i>Postgraduate Medical Journal</i> , 2016 , 92, 514-519	2	7
90	Increasing delirium skills at the front door: results from a repeated survey on delirium knowledge and attitudes. <i>Age and Ageing</i> , 2016 , 45, 517-22	3	16
89	Determinants and Outcomes of Stroke Following Percutaneous Coronary Intervention by Indication. <i>Stroke</i> , 2016 , 47, 1500-7	6.7	22
88	Pre-eclampsia is associated with a twofold increase in diabetes: a systematic review and meta-analysis. <i>Diabetologia</i> , 2016 , 59, 2518-2526	10.3	35
87	Prior Antithrombotic Use Is Associated With Favorable Mortality and Functional Outcomes in Acute Ischemic Stroke. <i>Stroke</i> , 2016 , 47, 2066-74	6.7	9
86	A systematic review of tranexamic acid in hip fracture surgery. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 1458-1470	3.8	52
85	The shock index predicts acute mortality outcomes in stroke. <i>International Journal of Cardiology</i> , 2015 , 182, 523-7	3.2	15
84	Efficacy of antiplatelet therapy in secondary prevention following lacunar stroke: pooled analysis of randomized trials. <i>Stroke</i> , 2015 , 46, 1014-23	6.7	42
83	Impact of age on access site-related outcomes in 469,983 percutaneous coronary intervention procedures: Insights from the British Cardiovascular Intervention Society. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86, 965-72	2.7	22
82	Habitual chocolate consumption and risk of cardiovascular disease among healthy men and women. <i>Heart</i> , 2015 , 101, 1279-87	5.1	53
81	Stroke following percutaneous coronary intervention: type-specific incidence, outcomes and determinants seen by the British Cardiovascular Intervention Society 2007-12. <i>European Heart Journal</i> , 2015 , 36, 1618-28	9.5	50
80	Total anticholinergic burden and risk of mortality and cardiovascular disease over 10 years in 21,636 middle-aged and older men and women of EPIC-Norfolk prospective population study. <i>Age and Ageing</i> , 2015 , 44, 219-25	3	58
79	The association of antihypertensives with postural blood pressure and falls among seniors residing in the community: a case-control study. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 1069-76	4.6	18
78	Genome-wide association study on progression of carotid artery intima media thickness over 10 years in a Chinese cohort. <i>Atherosclerosis</i> , 2015 , 243, 30-7	3.1	21
77	Long-term Glycemic Variability and Risk of Adverse Outcomes: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> , 2015 , 38, 2354-69	14.6	275

76	Does anticholinergics drug burden relate to global neuro-disability outcome measures and length of hospital stay?. <i>Brain Injury</i> , 2015 , 29, 1426-30	2.1	5
75	The SOAR stroke score predicts hospital length of stay in acute stroke: an external validation study. <i>International Journal of Clinical Practice</i> , 2015 , 69, 659-65	2.9	10
74	Hyponatremia predicts mortality after stroke. <i>International Journal of Stroke</i> , 2015 , 10 Suppl A100, 50-5	6.3	19
73	Influenza, influenza-like symptoms and their association with cardiovascular risks: a systematic review and meta-analysis of observational studies. <i>International Journal of Clinical Practice</i> , 2015 , 69, 928-37	2.9	29
72	Qualitative evaluation of adherence therapy in Parkinson's disease: a multidirectional model. <i>Patient Preference and Adherence</i> , 2015 , 9, 989-98	2.4	8
71	Prognostic Tools for Early Mortality in Hemorrhagic Stroke: Systematic Review and Meta-Analysis. <i>Journal of Clinical Neurology (Korea)</i> , 2015 , 11, 339-48	1.7	15
70	The relationship between dietary magnesium intake, stroke and its major risk factors, blood pressure and cholesterol, in the EPIC-Norfolk cohort. <i>International Journal of Cardiology</i> , 2015 , 196, 108-14	3.2	29
69	Prognostic value of troponins in acute coronary syndrome depends upon patient age. <i>Heart</i> , 2014 , 100, 1583-90	5.1	17
68	Physical activity and incidence of atrial fibrillation: a systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2014 , 177, 467-76	3.2	56
67	Body fat percentage, body mass index and waist-to-hip ratio as predictors of mortality and cardiovascular disease. <i>Heart</i> , 2014 , 100, 1613-9	5.1	79
66	Effect of medications with anti-cholinergic properties on cognitive function, delirium, physical function and mortality: a systematic review. <i>Age and Ageing</i> , 2014 , 43, 604-15	3	208
65	Vegetarian diet, Seventh Day Adventists and risk of cardiovascular mortality: a systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2014 , 176, 680-6	3.2	115
64	Similarity of patient characteristics and outcomes in consecutive data collection on stroke admissions over one month compared to longer periods. <i>BMC Research Notes</i> , 2014 , 7, 342	2.3	7
63	Major bleeding after percutaneous coronary intervention and risk of subsequent mortality: a systematic review and meta-analysis. <i>Open Heart</i> , 2014 , 1, e000021	3	75
62	Bone mineral density and incidence of stroke: European prospective investigation into cancer-norfolk population-based study, systematic review, and meta-analysis. <i>Stroke</i> , 2014 , 45, 373-82	6.7	26
61	Pre-operative indicators for mortality following hip fracture surgery: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2014 , 43, 464-71	3	240
60	Bariatric surgery and its impact on cardiovascular disease and mortality: a systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2014 , 173, 20-8	3.2	186
59	Interventions for improving medication adherence in patients with idiopathic Parkinson's disease. <i>The Cochrane Library</i> , 2014 ,	5.2	1

58	Hyponatremia: Special Considerations in Older Patients. <i>Journal of Clinical Medicine</i> , 2014 , 3, 944-58	5.1	24
57	Multi-frequency bioelectrical impedance analysis for assessing fat mass and fat-free mass in stroke or transient ischaemic attack patients. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 677-82	5.2	15
56	A simple 5-point scoring system, NaURSE (Na+, urea, respiratory rate and shock index in the elderly), predicts in-hospital mortality in oldest old. <i>Age and Ageing</i> , 2014 , 43, 352-7	3	12
55	The association between older age and receipt of care and outcomes in patients with acute coronary syndromes: a cohort study of the Myocardial Ischaemia National Audit Project (MINAP). <i>European Heart Journal</i> , 2014 , 35, 1551-8	9.5	99
54	Iron status in the elderly. <i>Mechanisms of Ageing and Development</i> , 2014 , 136-137, 22-8	5.6	72
53	The SOAR (Stroke subtype, Oxford Community Stroke Project classification, Age, prestroke modified Rankin) score strongly predicts early outcomes in acute stroke. <i>International Journal of Stroke</i> , 2014 , 9, 278-83	6.3	30
52	The relationship between total anticholinergic burden (ACB) and early in-patient hospital mortality and length of stay in the oldest old aged 90 years and over admitted with an acute illness. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 59, 155-61	4	18
51	The SOAR stroke score predicts inpatient and 7-day mortality in acute stroke. <i>Stroke</i> , 2013 , 44, 2010-2	6.7	28
50	Predictors of early mortality among hospitalized nursing home residents. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2013 , 106, 51-7	2.7	14
49	Changes in antiplatelet use prior to incident ischaemic stroke over 7 years in a UK centre and the association with stroke subtype. <i>Age and Ageing</i> , 2013 , 42, 594-8	3	10
48	Association between prestroke disability and inpatient mortality and length of acute hospital stay after acute stroke. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 726-32	5.6	31
47	Morbid RANKIN score strongly predicts in-patient mortality within 90 days in older people in both acute and community care settings independently of FANGG (fracture, acquired neurological deficit or any geriatric giants) and acute illness markers (AIMs). <i>Archives of Gerontology and Geriatrics</i> , 2012 , 54, 100-10	4	1
46	Healthier ageing. <i>BMJ, The</i> , 2012 , 344, e1214	5.9	20
45	Prior antiplatelet or anticoagulant therapy and mortality in stroke. <i>Heart</i> , 2012 , 98, 712-7	5.1	16
44	The International Community-Acquired Pneumonia (CAP) Collaboration Cohort (ICCC) study: rationale, design and description of study cohorts and patients. <i>BMJ Open</i> , 2012 , 2,	3	10
43	Vital signs as determinants of immediate and longer term mortality outcome of patients admitted from nursing homes. <i>Aging Clinical and Experimental Research</i> , 2011 , 23, 309-15	4.8	6
42	Are shock index and adjusted shock index useful in predicting mortality and length of stay in community-acquired pneumonia?. <i>European Journal of Internal Medicine</i> , 2011 , 22, 282-5	3.9	40
41	Evaluation of stroke services in Anglia Stroke Clinical Network to examine the variation in acute services and stroke outcomes. <i>BMC Health Services Research</i> , 2011 , 11, 50	2.9	14

40	Clinical efficacy and prognostic indicators for lower limb pedalling exercise early after stroke: study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2011 , 12, 68	2.8	7
39	Association between plasma vitamin C concentrations and blood pressure in the European prospective investigation into cancer-Norfolk population-based study. <i>Hypertension</i> , 2011 , 58, 372-9	8.5	25
38	Transient ischaemic attack, vascular risk factors and cognitive impairment: a case-controlled study. <i>Age and Ageing</i> , 2011 , 40, 641-4	3	16
37	U.K. National COPD Resources and Outcomes Project 2008: patients with chronic obstructive pulmonary disease exacerbations who present with radiological pneumonia have worse outcome compared to those with non-pneumonic chronic obstructive pulmonary disease exacerbations. <i>Respiration</i> , 2011 , 82, 320-7	3.7	49
36	Age, co-morbidity and poor mobility: no evidence of predicting in-patient death and acute hospital length of stay in the oldest old. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2011 , 104, 671-9	2.7	7
35	Lifestyle behaviours and quality-adjusted life years in middle and older age. <i>Age and Ageing</i> , 2011 , 40, 589-95	3	29
34	Atrial fibrillation and incidence of dementia: a systematic review and meta-analysis. <i>Neurology</i> , 2011 , 76, 914-22	6.5	185
33	Physical functional health predicts the incidence of coronary heart disease in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. <i>International Journal of Epidemiology</i> , 2010 , 39, 996-1003	7.8	12
32	In-hospital cardiopulmonary resuscitation: Trainees' worst and most memorable experiences. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2010 , 103, 865-73	2.7	13
31	The Short-Form Six-Dimension utility index predicted mortality in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 192-8	5.7	5
30	Confusion, Urea, Respiratory Rate and Shock Index or Adjusted Shock Index (CURSI or CURASI) criteria predict mortality in community-acquired pneumonia. <i>European Journal of Internal Medicine</i> , 2010 , 21, 429-33	3.9	21
29	Performance of CURB-65 and CURB-age in community-acquired pneumonia. <i>International Journal of Clinical Practice</i> , 2009 , 63, 1345-50	2.9	19
28	Effect of dysphasia and dysphagia on inpatient mortality and hospital length of stay: a database study. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2101-6	5.6	102
27	Effect of age and sex on the relationship between different socioeconomic indices and self-reported functional health in the EPIC-Norfolk population-based study. <i>Annals of Epidemiology</i> , 2009 , 19, 289-97	6.4	4
26	Combined effect of health behaviours and risk of first ever stroke in 20,040 men and women over 11 years' follow-up in Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): prospective population study. <i>BMJ, The</i> , 2009 , 338, b349	5.9	102
25	Accuracy of death certification and hospital record linkage for identification of incident stroke. <i>BMC Medical Research Methodology</i> , 2008 , 8, 74	4.7	36
24	Physical activity and fibrinogen concentrations in 23,201 men and women in the EPIC-Norfolk population-based study. <i>Atherosclerosis</i> , 2008 , 198, 419-25	3.1	13
23	Risk factors for first-ever stroke in the EPIC-Norfolk prospective population-based study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 663-9		27

22	Prevalence, characteristics and outcomes of people aged 65 years and over with an incidental rise in cardiac troponin I. An observational prospective cohort study. <i>Cardiology</i> , 2008 , 110, 62-7	1.6	11
21	Cognition, continence and transfer status at the time of discharge from an acute hospital setting and their associations with an unfavourable discharge outcome after stroke. <i>Gerontology</i> , 2008 , 54, 202-5	5.5	13
20	Eyelid apraxia associated with bilateral paramedian thalamic infarct. <i>Age and Ageing</i> , 2008 , 37, 343-4	3	5
19	Plasma vitamin C concentrations predict risk of incident stroke over 10 y in 20 649 participants of the European Prospective Investigation into Cancer Norfolk prospective population study. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 64-9	7	85
18	Physical health-related quality of life predicts stroke in the EPIC-Norfolk. <i>Neurology</i> , 2007 , 69, 2243-8	6.5	27
17	Hip fractures after stroke and their prevention. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2007 , 100, 539-45	2.7	44
16	Glycated hemoglobin and risk of stroke in people without known diabetes in the European Prospective Investigation into Cancer (EPIC)-Norfolk prospective population study: a threshold relationship?. <i>Stroke</i> , 2007 , 38, 271-5	6.7	52
15	Winter excess in hospital admissions, in-patient mortality and length of acute hospital stay in stroke: a hospital database study over six seasonal years in Norfolk, UK. <i>Neuroepidemiology</i> , 2007 , 28, 79-85	5.4	47
14	Self-reported mental health-related quality of life and mortality in men and women in the European Prospective Investigation into Cancer (EPIC-Norfolk): a prospective population study. <i>Psychosomatic Medicine</i> , 2007 , 69, 410-4	3.7	20
13	Fruit and vegetable consumption and self-reported functional health in men and women in the European Prospective Investigation into Cancer-Norfolk (EPIC-Norfolk): a population-based cross-sectional study. <i>Public Health Nutrition</i> , 2007 , 10, 34-41	3.3	66
12	Modifiable lifestyle behaviors and functional health in the European Prospective Investigation into Cancer (EPIC)-Norfolk population study. <i>Preventive Medicine</i> , 2007 , 44, 109-16	4.3	23
11	Effect of age on the relationship of occupational social class with prevalence of modifiable cardiovascular risk factors and cardiovascular diseases. A population-based cross-sectional study from European Prospective Investigation into Cancer - Norfolk (EPIC-Norfolk). <i>Gerontology</i> , 2006 , 52, 51-6	5.5	12
10	Combined work and leisure physical activity and risk of stroke in men and women in the European prospective investigation into Cancer-Norfolk Prospective Population Study. <i>Neuroepidemiology</i> , 2006 , 27, 122-9	5.4	30
9	Experiences and views of specialist registrars in geriatric medicine on Do not attempt resuscitation decisions: a sea of uncertainty?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2006 , 99, 691-700	2.7	24
8	Utilisation of diagnostic computerised tomography imaging and immediate clinical outcomes in older people with stroke before and after introduction of the National Service Framework for older people. A comparative study of hospital-based stroke registry data (1997-2003): Norfolk experience. <i>Age and Ageing</i> , 2006 , 35, 399-403	3	3
7	The role of research training during higher medical education in the promotion of academic medicine in the UK. <i>Postgraduate Medical Journal</i> , 2006 , 82, 767-70	2	12
6	Post-stroke seizure and post-stroke epilepsy. <i>Postgraduate Medical Journal</i> , 2006 , 82, 568-72	2	107
5	Relation between self-reported physical functional health and chronic disease mortality in men and women in the European Prospective Investigation into Cancer (EPIC-Norfolk): a prospective population study. <i>Annals of Epidemiology</i> , 2006 , 16, 492-500	6.4	55

4	Habitual fish consumption and risk of incident stroke: the European Prospective Investigation into Cancer (EPIC)-Norfolk prospective population study. <i>Public Health Nutrition</i> , 2006 , 9, 882-8	3.3	50
3	Obesity indices and self-reported functional health in men and women in the EPIC-Norfolk. <i>Obesity</i> , 2006 , 14, 884-93	8	13
2	Role of grand rounds in the education of hospital doctors. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2005 , 66, 297-9	0.8	8
1	Respiratory function and self-reported functional health: EPIC-Norfolk population study. <i>European Respiratory Journal</i> , 2005 , 26, 494-502	13.6	30