

Youn Jae Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9026413/publications.pdf>

Version: 2024-02-01

22
papers

470
citations

1039406

9
h-index

713013

21
g-index

22
all docs

22
docs citations

22
times ranked

821
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness and safety of elbasvir/grazoprevir in Korean patients with hepatitis C virus infection: a nationwide real-world study. <i>Korean Journal of Internal Medicine</i> , 2021, 36, S1-S8.	0.7	4
2	Efficacy and Safety of Glecaprevir/Pibrentasvir in Korean Patients with Chronic Hepatitis C: A Pooled Analysis of Five Phase II/III Trials. <i>Gut and Liver</i> , 2021, 15, 895-903.	1.4	3
3	Epidemiology and treatment status of hepatitis C virus infection among people who have ever injected drugs in South Korea: a prospective multicenter cohort study from 2007 to 2019 in comparison with non-PWID. <i>Epidemiology and Health</i> , 2021, , e2021077.	0.8	2
4	Epidemiological and Clinical Characteristics of Hepatitis C Virus Infection in South Korea from 2007 to 2017: A Prospective Multicenter Cohort Study. <i>Gut and Liver</i> , 2020, 14, 207-217.	1.4	18
5	Real-Life Effectiveness and Safety of Sofosbuvir-Based Therapy in Genotype 2 Chronic Hepatitis C Patients in South Korea, with Emphasis on the Ribavirin Dose. <i>Gut and Liver</i> , 2020, 14, 775-782.	1.4	6
6	Real-life effectiveness and safety of the daclatasvir/asunaprevir combination therapy for genotype 1b chronic hepatitis C patients: An emphasis on the pretreatment NS5A resistance-associated substitution test. <i>Journal of Medical Virology</i> , 2019, 91, 2158-2165.	2.5	1
7	An integrated analysis of elbasvir/grazoprevir in Korean patients with hepatitis C virus genotype 1b infection. <i>Clinical and Molecular Hepatology</i> , 2019, 25, 400-407.	4.5	7
8	Orantinib versus placebo combined with transcatheter arterial chemoembolisation in patients with unresectable hepatocellular carcinoma (ORIENTAL): a randomised, double-blind, placebo-controlled, multicentre, phase 3 study. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 37-46.	3.7	127
9	Factors Associated with Health-Related Quality of Life in Korean Patients with Chronic Hepatitis C Infection Using the SF-36 and EQ-5D. <i>Gut and Liver</i> , 2018, 12, 440-448.	1.4	23
10	Concomitant food intake does not affect the efficacy of entecavir in chronic hepatitis B patients with virological response: a randomized, multicenter, noninferiority trial. <i>Drug Design, Development and Therapy</i> , 2018, Volume 12, 3767-3774.	2.0	0
11	Chronic Hepatitis B Infection Is Significantly Associated with Chronic Kidney Disease: a Population-based, Matched Case-control Study. <i>Journal of Korean Medical Science</i> , 2018, 33, e264.	1.1	13
12	Baraclo^t®</sup> vs Baraclude^t®</sup> for 48 weeks in patients with treatment-na¨ve chronic hepatitis B: a comparison of efficacy and safety. <i>Drug Design, Development and Therapy</i> , 2017, Volume 11, 3145-3152.	2.0	5
13	Final Report of Unmet Needs of Interferon-Based Therapy for Chronic Hepatitis C in Korea: Basis for Moving into the Direct-Acting Antiviral Era. <i>Gut and Liver</i> , 2017, 11, 543-550.	1.4	7
14	Pre-stimulation of CD81 expression by resting B cells increases proliferation following EBV infection, but the overexpression of CD81 induces the apoptosis of EBV-transformed B cells. <i>International Journal of Molecular Medicine</i> , 2015, 36, 1464-1478.	1.8	2
15	Prospective cohort study on the outcomes of hepatitis <sc>C</sc> virus&eacirc;related cirrhosis in <sc>S</sc>outh <sc>K</sc>orea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1281-1287.	1.4	17
16	Accuracy of transient elastography in assessing liver fibrosis in chronic viral hepatitis: A multicentre, retrospective study. <i>Liver International</i> , 2015, 35, 2246-2255.	1.9	66
17	Highly effective peginterferon Î±-2a plus ribavirin combination therapy for chronic hepatitis C in hemophilia in Korea. <i>Clinical and Molecular Hepatology</i> , 2015, 21, 125.	4.5	4
18	Geographic differences in the epidemiological features of HCV infection in Korea. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 361.	4.5	11

#	ARTICLE	IF	CITATIONS
19	Role of Interleukin-28B Genetic Polymorphisms in Korean Patients with Hepatitis C Virus Infection. <i>Gut and Liver</i> , 2014, 8, 70-78.	1.4	6
20	The virological response in Koreans infected with HCV genotype 1 did not differ between groups treated with a full dose or reduced dose (80% full dose) of peginterferon alfa-2a: a prospective randomized multicenter trial. <i>Hepatology International</i> , 2013, 7, 1000-1009.	1.9	2
21	Clinical and epidemiological features of hepatitis C virus infection in South Korea: A prospective, multicenter cohort study. <i>Journal of Medical Virology</i> , 2013, 85, 1724-1733.	2.5	65
22	A nationwide seroepidemiology of hepatitis C virus infection in South Korea. <i>Liver International</i> , 2013, 33, 586-594.	1.9	81