## Esperanza Merino de Lucas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9026478/publications.pdf

Version: 2024-02-01

78 papers 2,046 citations

331259 21 h-index 288905 40 g-index

88 all docs 88 docs citations

88 times ranked 3426 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Post-acute COVID-19 syndrome. Incidence and risk factors: A Mediterranean cohort study. Journal of Infection, 2021, 82, 378-383.  | 1.7 | 456       |
| 2  | Less Lipoatrophy and Better Lipid Profile With Abacavir as Compared to Stavudine. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 44, 139-147.  | 0.9 | 127       |
| 3  | Intravenous zanamivir or oral oseltamivir for hospitalised patients with influenza: an international, randomised, double-blind, double-dummy, phase 3 trial. Lancet Respiratory Medicine, the, 2017, 5, 135-146.  | 5.2 | 85        |
| 4  | Increasing Incidence of Hepatocellular Carcinoma in HIV-Infected Patients in Spain. Clinical Infectious Diseases, 2013, 56, 143-150.  | 2.9 | 62        |
| 5  | Low-Level HIV Viremia Is Associated With Microbial Translocation and Inflammation. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, 129-134.   | 0.9 | 58        |
| 6  | Hypokalemia as a sensitive biomarker of disease severity and the requirement for invasive mechanical ventilation requirement in COVID-19 pneumonia: A case series of 306 Mediterranean patients. International Journal of Infectious Diseases, 2020, 100, 449-454.                                    | 1.5 | 55        |
| 7  | Case series of acute arthritis during COVID-19 admission. Annals of the Rheumatic Diseases, 2021, 80, e58-e58.  | 0.5 | 53        |
| 8  | Nasopharyngeal Microbial Communities of Patients Infected With SARS-CoV-2 That Developed COVID-19. Frontiers in Microbiology, 2021, 12, 637430.   | 1.5 | 53        |
| 9  | Functional status determined by Barthel Index predicts community acquired pneumonia mortality in general population. Journal of Infection, 2010, 61, 458-464.   | 1.7 | 52        |
| 10 | Experience with tocilizumab in severe COVID-19 pneumonia after 80 days of follow-up: A retrospective cohort study. Journal of Autoimmunity, 2020, 114, 102523.  | 3.0 | 51        |
| 11 | Osteonecrosis in Patients Infected With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 42, 286-292.   | 0.9 | 49        |
| 12 | Outpatient Parenteral Antibiotic Treatment for Infective Endocarditis: A Prospective Cohort Study From the GAMES Cohort. Clinical Infectious Diseases, 2019, 69, 1690-1700.   | 2.9 | 44        |
| 13 | Role of age and comorbidities in mortality of patients with infective endocarditis. European Journal of Internal Medicine, 2019, 64, 63-71.   | 1.0 | 43        |
| 14 | Risk factors for sexual and erectile dysfunction in HIV-infected men: the role of protease inhibitors. Aids, 2010, 24, 255-264.   | 1.0 | 42        |
| 15 | Prediction of recurrent clostridium difficile infection at the bedside: the GEIH-CDI score. International Journal of Antimicrobial Agents, 2018, 51, 393-398.   | 1.1 | 38        |
| 16 | Immediate Versus Deferred Switching From a Boosted Protease Inhibitor–based Regimen to a Dolutegravir-based Regimen in Virologically Suppressed Patients With High Cardiovascular Risk or Age ≥50 Years: Final 96-Week Results of the NEATO22 Study. Clinical Infectious Diseases, 2019, 68, 597-606. | 2.9 | 34        |
| 17 | Diagnosis and management of asymptomatic bacteriuria in kidney transplant recipients: a survey of current practice in Europe. Nephrology Dialysis Transplantation, 2018, 33, 1661-1668.   | 0.4 | 32        |
| 18 | Avascular necrosis of the bone in HIV-infected patients: incidence and associated factors. Aids, 2002, 16, 481-483.   | 1.0 | 31        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 19 | HIV/hepatitis C virus-coinfected patients who achieved sustained virological response are still at risk of developing hepatocellular carcinoma. Aids, 2014, 28, 41-47.   | 1.0 | 30        |
| 20 | Renal transplantation from seropositive hepatitis C virus donors to seronegative recipients in Spain: a prospective study. Transplant International, 2019, 32, 710-716.  | 0.8 | 30        |
| 21 | Effectiveness of Fosfomycin for the Treatment of Multidrug-Resistant <i>Escherichia coli</i> Bacteremic Urinary Tract Infections. JAMA Network Open, 2022, 5, e2137277.  | 2.8 | 28        |
| 22 | Evaluation of the Sepsis Flow Chip assay for the diagnosis of blood infections. PLoS ONE, 2017, 12, e0177627.  | 1.1 | 26        |
| 23 | Male pituitary–gonadal axis dysfunction in postâ€acute COVIDâ€19 syndrome—Prevalence and associated factors: A Mediterranean case series. Clinical Endocrinology, 2022, 96, 353-362.   | 1.2 | 24        |
| 24 | Nifedipine–lopinavir/ritonavir severe interaction: a case report. Aids, 2007, 21, 119-120.   | 1.0 | 23        |
| 25 | Clinical Frailty Score vs Hospital Frailty Risk Score for predicting mortality and other adverse outcome in hospitalised patients with COVIDâ€19: Spanish case series. International Journal of Clinical Practice, 2021, 75, e14599. | 0.8 | 21        |
| 26 | Real-World Experience with Bezlotoxumab for Prevention of Recurrence of Clostridioides difficile Infection. Journal of Clinical Medicine, 2021, 10, 2.   | 1.0 | 21        |
| 27 | Pharmacokinetics of methadone in human-immunodeficiency-virus-infected patients receiving nevirapine once daily. European Journal of Clinical Pharmacology, 2007, 63, 669-675.   | 0.8 | 19        |
| 28 | Invasive Fusariosis in Nonneutropenic Patients, Spain, 2000–2015. Emerging Infectious Diseases, 2021, 27, 24-36.   | 2.0 | 19        |
| 29 | High Irisin levels in nondiabetic <scp>HIV</scp> â€infected males are associated with insulin resistance, nonalcoholic fatty liver disease, and subclinical atherosclerosis. Clinical Endocrinology, 2018, 89, 414-423.              | 1.2 | 18        |
| 30 | Neurocognitive Impairment in Well-Controlled HIV-Infected Patients: A Cross-Sectional Study. AIDS Research and Human Retroviruses, 2019, 35, 634-641.  | 0.5 | 18        |
| 31 | Plasma ACE2 species are differentially altered in COVIDâ€19 patients. FASEB Journal, 2021, 35, e21745.   | 0.2 | 18        |
| 32 | Hepatocellular carcinoma after sustained virological response with interferon-free regimens in HIV/hepatitis C virus-coinfected patients. Aids, 2018, 32, 1423-1430.   | 1.0 | 17        |
| 33 | Vitamin D insufficiency and subclinical atherosclerosis in nonâ€diabetic males living with HIV. Journal of the International AIDS Society, 2014, 17, 18945.  | 1.2 | 15        |
| 34 | Subclinical atherosclerosis in low Framingham risk HIV patients. European Journal of Clinical Investigation, 2017, 47, 591-599.  | 1.7 | 15        |
| 35 | Oral fosfomycin for the treatment of lower urinary tract infections among kidney transplant recipientsâ€"Results of a Spanish multicenter cohort. American Journal of Transplantation, 2020, 20, 451-462.                            | 2.6 | 15        |
| 36 | An integrated emergency department/hospital at home model in mild COVID-19 pneumonia: feasibility and outcomes after discharge from the emergency department. Internal and Emergency Medicine, 2021, 16, 1673-1682.                  | 1.0 | 15        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Hospitalized patients with breakthrough COVID-19: Clinical features and poor outcome predictors. International Journal of Infectious Diseases, 2022, 118, 89-94.  | 1.5 | 15        |
| 38 | Polyostotic Osteitis in Secondary Syphilis in an HIV-Infected Patient. Sexually Transmitted Diseases, 2013, 40, 645-646.  | 0.8 | 14        |
| 39 | Real-life experience with sorafenib for the treatment of hepatocellular carcinoma in HIV-infected patients. Aids, 2017, 31, 89-95.  | 1.0 | 14        |
| 40 | The COVID-GRAM Tool for Patients Hospitalized With COVID-19 in Europe. JAMA Internal Medicine, 2021, 181, 1000-1001.  | 2.6 | 14        |
| 41 | Immunovirologic consequences and safety of short, non-structured interruptions of successful antiretroviral treatment. Journal of Infection, 2007, 54, 159-166.   | 1.7 | 13        |
| 42 | Is Visceral Leishmaniasis Different in Immunocompromised Patients Without Human Immunodeficiency Virus? A Comparative, Multicenter Retrospective Cohort Analysis. American Journal of Tropical Medicine and Hygiene, 2017, 97, 1127-1133.   | 0.6 | 13        |
| 43 | Fatality and risk features for prognosis in COVID-19 according to the care approach – a retrospective cohort study. PLoS ONE, 2021, 16, e0248869.   | 1.1 | 12        |
| 44 | Low performance of ultrasound surveillance for the diagnosis of hepatocellular carcinoma in HIV-infected patients. Aids, 2019, 33, 269-278.   | 1.0 | 11        |
| 45 | SÃndrome post-COVID. El desafÃo continúa. Medicina ClÃnica, 2022, 158, 178-180.   | 0.3 | 11        |
| 46 | Efficacy of βâ€lactam/βâ€lactamase inhibitors to treat extendedâ€spectrum betaâ€lactamaseâ€producing <i>Enterobacterales</i> bacteremia secondary to urinary tract infection in kidney transplant recipients (INCREMENTâ€SOT Project). Transplant Infectious Disease, 2021, 23, e13520. | 0.7 | 10        |
| 47 | Enhanced recovery after low- and medium-risk liver transplantation. A single-center prospective observational cohort study. International Journal of Surgery, 2021, 85, 46-54.  | 1.1 | 10        |
| 48 | Nasopharyngeal Microbiota as an early severity biomarker in COVID-19 hospitalised patients. Journal of Infection, 2022, 84, 329-336.  | 1.7 | 10        |
| 49 | Revisiting the epidemiology of bloodstream infections and healthcare-associated episodes: results from a multicentre prospective cohort in Spain (PRO-BAC Study). International Journal of Antimicrobial Agents, 2021, 58, 106352.  | 1.1 | 9         |
| 50 | Application of validated severity scores for pneumonia caused by SARS-CoV-2. Medicina ClÃnica (English Edition), 2021, 157, 99-105.   | 0.1 | 9         |
| 51 | Nosocomial Outbreak of Scabies Clinically Resistant to Lindane. Infection Control and Hospital Epidemiology, 1997, 18, 677-677.   | 1.0 | 9         |
| 52 | The quick Sepsis-related Organ Failure Assessment (qSOFA) is a good predictor of in-hospital mortality in very elderly patients with bloodstream infections: A retrospective observational study. Scientific Reports, 2019, 9, 15075.   | 1.6 | 8         |
| 53 | Effectiveness of a SARS-CoV-2 infection prevention model in elective surgery patients $\hat{a} \in \hat{a}$ a prospective study: does universal screening make sense?. Journal of Hospital Infection, 2021, 115, 27-31.   | 1.4 | 8         |
| 54 | Antimicrobial management of Tropheryma whipplei endocarditis: the Spanish Collaboration on Endocarditis (GAMES) experience. Journal of Antimicrobial Chemotherapy, 2019, 74, 1713-1717.   | 1.3 | 7         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Fidaxomicin monotherapy versus standard therapy combined with bezlotoxumab for treating patients with <i>Clostridioides difficile <math>\langle   i \rangle</math> infection at high risk of recurrence: a matched cohort study. Journal of Antimicrobial Chemotherapy, 2022, 77, 1996-2002.</i> | 1.3 | 7         |
| 56 | Palliative Sedation in COVID-19 End-of-Life Care. Retrospective Cohort Study. Medicina (Lithuania), 2021, 57, 873.   | 0.8 | 6         |
| 57 | Aplicación de escalas pronósticas de gravedad en la neumonÃa por SARS-CoV-2. Medicina ClÃnica, 2021,<br>157, 99-105.   | 0.3 | 6         |
| 58 | Etiology of bloodstream infections at a population level during 2013-2017 in the Autonomous Community of Valencia, Spain. Revista Espanola De Quimioterapia, 2020, 33, 200-206.  | 0.5 | 6         |
| 59 | Post-COVID syndrome. The never ending challenge. Medicina ClÃnica (English Edition), 2022, 158, 178-178.   | 0.1 | 6         |
| 60 | Quadruple-2 protease inhibitors (PI)-therapy does not accelerate viral decay and suppression in PI-naive HIV-1 infected patients with severe immunosuppression and high viral load as compared with standard triple therapy. International Journal of STD and AIDS, 2005, 16, 807-810.           | 0.5 | 5         |
| 61 | Measles in adults during an outbreak in Spain: hospitalization associated with gastrointestinal and liver involvement. Infection, 2014, 42, 763-765.   | 2.3 | 5         |
| 62 | Impact of HIV on the survival of hepatocellular carcinoma in hepatitis C virus-infected patients. Aids, 2020, 34, 1497-1507.   | 1.0 | 5         |
| 63 | Dual therapy with darunavir/r plus etravirine is safe and effective as switching therapy in antiretroviral experienced HIV-patients. The BITER Study. Journal of the International AIDS Society, 2014, 17, 19803.  | 1.2 | 4         |
| 64 | High delayed mortality after the first episode of Clostridium difficile infection. Anaerobe, 2019, 57, 93-98.  | 1.0 | 4         |
| 65 | Efficacy and Safety of Oral Fosfomycin for Asymptomatic Bacteriuria in Kidney Transplant Recipients:<br>Results from a Spanish Multicenter Cohort. Antimicrobial Agents and Chemotherapy, 2021, 65, .  | 1.4 | 4         |
| 66 | Pathological Findings Associated With SARS-CoV-2 on Postmortem Core Biopsies: Correlation With Clinical Presentation and Disease Course. Frontiers in Medicine, 0, 9, .  | 1.2 | 4         |
| 67 | Evolución del microbioma intestinal en un proceso de transferencia de microbiota fecal (TMF) en un<br>paciente con infección por Clostridioides difficile: análisis por NGS con diferentes programas<br>bioinformáticos. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica, 2021, 39, 184-187.    | 0.3 | 3         |
| 68 | Highly active antiretroviral therapy for patients with tuberculosis: the solution or the problem?. Aids, 2002, 16, 1436-1437.  | 1.0 | 3         |
| 69 | An unusual case of pancytopenia in a nonagenarian: visceral leishmaniasis. Aging Clinical and Experimental Research, 2014, 26, 671-672.  | 1.4 | 2         |
| 70 | Response to: â€~Comparative analysis of synovial inflammation after SARS-CoV-2 infection' by Alivernini <i>et al</i> . Annals of the Rheumatic Diseases, 2021, 80, e92-e92.  | 0.5 | 2         |
| 71 | Impact of Sepsis Flow Chip, a novelty fast microbiology method, in the treatment of bacteremia caused by Gram-negative bacilli. Revista Espanola De Quimioterapia, 2021, 34, 193-199.  | 0.5 | 2         |
| 72 | Isolation of Candida auris in large hospitals in the Autonomous Community of Valencia; population-based study (2013–2017). Revista Iberoamericana De Micologia, 2021, 38, 141-144.   | 0.4 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Latin American Origin Is Not Associated with Worse Outcomes among Hospitalized Patients with COVID-19 in a Public Healthcare System. Microorganisms, 2021, 9, 1772.                                     | 1.6 | 2         |
| 74 | Inflammation and microbial translocation in treatment-controlled HIV patients. Antiviral Therapy, 2013, 18, 837-840.  | 0.6 | 1         |
| 75 | Mediumâ€term serostatus in Spanish case series recovered from SARSâ€CoVâ€2 infection. Journal of Medical Virology, 2021, 93, 6030-6039.   | 2.5 | 1         |
| 76 | Pseudomonas aeruginosa Community-Onset Bloodstream Infections: Characterization, Diagnostic Predictors, and Predictive Score Developmentâ€"Results from the PRO-BAC Cohort. Antibiotics, 2022, 11, 707. | 1.5 | 1         |
| 77 | Fosfomycin for the Treatment of Asymptomatic Bacteriuria and Cystitis in Kidney Transplantation. Transplantation, 2018, 102, S61.   | 0.5 | О         |
| 78 | Trasplantar receptores hepatitis C negativos con riñones de donantes seropositivos. ¿Por qué no?. Nefrologia, 2018, 38, 672-673.  | 0.2 | 0         |