

Robert Saf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9028451/publications.pdf>

Version: 2024-02-01

174
papers

4,231
citations

94381

37
h-index

133188

59
g-index

184
all docs

184
docs citations

184
times ranked

5459
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation of new 1,3-dibenzyl tetrahydropyridinylidene ammonium salts and their antimicrobial and anticellular activities. <i>European Journal of Medicinal Chemistry</i> , 2021, 210, 112969.	2.6	6
2	New Acyl Derivatives of 3-Aminofurazanes and Their Antiplasmodial Activities. <i>Pharmaceuticals</i> , 2021, 14, 412.	1.7	2
3	A new method for the preparation of piperidin-4-ones. <i>Tetrahedron</i> , 2021, 90, 132189.	1.0	2
4	8-Amino-6-Methoxyquinoline-Tetrazole Hybrids: Impact of Linkers on Antiplasmodial Activity. <i>Molecules</i> , 2021, 26, 5530.	1.7	3
5	Unexpected ring-opening of 2,3-dihydropyridines. <i>Monatshefte für Chemie</i> , 2021, 152, 1377-1387.	0.9	0
6	Modifications and hybrids of 1,2,3,4-tetrahydropyridinium salts and their antiprotozoal potencies. <i>Monatshefte für Chemie</i> , 2021, 152, 1347-1359.	0.9	1
7	Synthesis and Structure-Activity Relationships of New 2-Phenoxybenzamides with Antiplasmodial Activity. <i>Pharmaceuticals</i> , 2021, 14, 1109.	1.7	1
8	Palladium-catalysed synthesis of aryl naphthoquinones as antiprotozoal and antimycobacterial agents. <i>European Journal of Medicinal Chemistry</i> , 2020, 207, 112837.	2.6	6
9	Synthesis and characterization of zinc di(2,2-dimethylpentan-3-yl dithiocarbonates) bearing pyridine or tetramethylethylenediamine coligands and investigation of their thermal conversion mechanisms towards nanocrystalline zinc sulfide. <i>Dalton Transactions</i> , 2020, 49, 14564-14575.	1.6	6
10	New 2-aminopyrimidine derivatives and their antitrypanosomal and antiplasmodial activities. <i>Monatshefte für Chemie</i> , 2020, 151, 1375-1385.	0.9	1
11	New derivatives of 3-azabicyclo[3.2.2]nonanes and their antiprotozoal activities. <i>Monatshefte für Chemie</i> , 2019, 150, 1959-1972.	0.9	1
12	Synthesis of new 1-benzyl tetrahydropyridin-4-ylidene piperidinium salts and their antiplasmodial and antitrypanosomal activities. <i>Medicinal Chemistry Research</i> , 2019, 28, 742-753.	1.1	8
13	Synthesis and structure-activity relationships for new 6-fluoroquinoline derivatives with antiplasmodial activity. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 2052-2065.	1.4	11
14	Antiprotozoal Activities of Tetrazole-quinolines with Aminopiperidine Linker. <i>Medicinal Chemistry</i> , 2019, 15, 409-416.	0.7	12
15	The antiplasmodial and antitrypanosomal activities of novel piperazine derivatives of 3-azabicyclo[3.2.2]nonanes. <i>Monatshefte für Chemie</i> , 2018, 149, 99-109.	0.9	6
16	Modifications on tetrahydropyridin-4-ylidene ammonium salts and their antiprotozoal activities. <i>Monatshefte für Chemie</i> , 2018, 149, 801-812.	0.9	3
17	Synthesis of new 1-benzyl tetrahydropyridinylidene ammonium salts and their antimicrobial and anticellular activities. <i>European Journal of Medicinal Chemistry</i> , 2018, 143, 97-106.	2.6	13
18	Synthesis of Jacaranone-Derived Nitrogenous Cyclohexadienones and Their Antiproliferative and Antiprotozoal Activities. <i>Molecules</i> , 2018, 23, 2902.	1.7	5

#	ARTICLE	IF	CITATIONS
19	New derivatives of quinoline-4-carboxylic acid with antiparasitic activity. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 2251-2259.	1.4	6
20	Synthesis of new pyrido-benzodiazepine salts and their antimicrobial activities. <i>Monatshefte für Chemie</i> , 2017, 148, 263-274.	0.9	2
21	New derivatives of 7-chloroquinolin-4-amine with antiprotozoal activity. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 941-948.	1.4	6
22	New derivatives of bicyclic diamines with antiprotozoal activity. <i>Monatshefte für Chemie</i> , 2016, 147, 369-381.	0.9	1
23	The antiprotozoal potencies of newly prepared 3-azabicyclo[3.2.2]nonanes. <i>Archives of Pharmacal Research</i> , 2016, 39, 1391-1403.	2.7	4
24	New diaryl-substituted azabicyclo[3.2.2]nonanes and their antiprotozoal potencies. <i>Monatshefte für Chemie</i> , 2016, 147, 1721-1735.	0.9	1
25	From secondary alcohols to tertiary fluoro substituents: A simple route to hydroxymethyl branched sugars with a fluorine substituent at the branching point. <i>Carbohydrate Research</i> , 2016, 436, 11-19.	1.1	2
26	A trifunctional linker suitable for conducting three orthogonal click chemistries in one pot. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 10576-10580.	1.5	30
27	Antiprotozoal activity of bicycles featuring a dimethylamino group at their bridgehead. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 3781-3789.	1.4	1
28	5-Fluoro derivatives of 4-epi-isofagomine as d-galactosidase inhibitors and potential pharmacological chaperones for GM1-gangliosidosis as well as Fabry's disease. <i>Carbohydrate Research</i> , 2016, 420, 6-12.	1.1	13
29	Photoinduced Rearrangement of Aryl-Substituted Acylcyclohexasilanes. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 997-1004.	1.0	9
30	Synthesis of 3-azabicyclo[3.2.2]nonanes and their antiprotozoal activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 1390-1393.	1.0	14
31	Covalent adduct formation between the plasmalogen-derived modification product 2-chlorohexadecanal and phloretin. <i>Biochemical Pharmacology</i> , 2015, 93, 470-481.	2.0	7
32	Synthesis and antiprotozoal activities of new 3-azabicyclo[3.2.2]nonanes. <i>Archives of Pharmacal Research</i> , 2015, 38, 1455-1467.	2.7	3
33	Synthesis of new tetrahydropyridinylidene ammonium salts and their antiprotozoal potency. <i>Monatshefte für Chemie</i> , 2015, 146, 1299-1308.	0.9	12
34	Synthesis of new 4-phenylpyrimidine-2(1H)-thiones and their potency to inhibit COX-1 and COX-2. <i>European Journal of Medicinal Chemistry</i> , 2015, 101, 552-559.	2.6	9
35	Collapse of the native structure caused by a single amino acid exchange in human NAD(P)H:quinone oxidoreductase-1. <i>FEBS Journal</i> , 2014, 281, 4691-4704.	2.2	60
36	3 ¹ -Hydroxy-28-norolea-12,17-dien-11-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o842-o842.	0.2	0

#	ARTICLE	IF	CITATIONS
37	4-Aminobicyclo[2.2.2]octan-2-yl 4-aminobutanoates with antiprotozoal activity. Monatshefte für Chemie, 2014, 145, 311-317.	0.9	1
38	Flexible polymer/copper indium sulfide hybrid solar cells and modules based on the metal xanthate route and low temperature annealing. Solar Energy Materials and Solar Cells, 2014, 124, 117-125.	3.0	35
39	A Modular Approach Towards Fluorescent pH and Ascorbic Acid Probes Based on Ring-Opening Metathesis Polymerization. Macromolecular Chemistry and Physics, 2014, 215, 76-81.	1.1	15
40	Stable Silenolates and Brook-Type Silenes with Exocyclic Structures. Organometallics, 2014, 33, 5956-5959.	1.1	21
41	Enhancing Photoinduced Electron Transfer Efficiency of Fluorescent pH-Probes with Halogenated Phenols. Analytical Chemistry, 2014, 86, 9293-9300.	3.2	39
42	Exceptional Oxygen Sensing Properties of New Blue Light-Excitable Highly Luminescent Europium(III) and Gadolinium(III) Complexes. Advanced Functional Materials, 2014, 24, 6548-6560.	7.8	52
43	Synthesis of antiprotozoal diamines by regioselective insertion of nitrogen into a bicyclic ring system. Monatshefte für Chemie, 2014, 145, 1319-1327.	0.9	5
44	Three-dimensional microfabrication of protein hydrogels via two-photon-excited thiol-vinyl ester photopolymerization. Journal of Polymer Science Part A, 2013, 51, 4799-4810.	2.5	74
45	Fluorescent materials for pH sensing and imaging based on novel 1,4-diketopyrrolo-[3,4-c]pyrrole dyes. Journal of Materials Chemistry C, 2013, 1, 5685.	2.7	74
46	Acylgermanes: Photoinitiators and Sources for Ge-Centered Radicals. Insights into their Reactivity. Journal of the American Chemical Society, 2013, 135, 17314-17321.	6.6	95
47	Inverse electron demand Diels-Alder (IEDDA) functionalisation of macroporous poly(dicyclopentadiene) foams. Chemical Communications, 2013, 49, 7325.	2.2	41
48	Bismuth sulphide-polymer nanocomposites from a highly soluble bismuth xanthate precursor. Journal of Materials Chemistry C, 2013, 1, 7825.	2.7	52
49	Antiprotozoal activity of bicyclic diamines with a N-methylpiperazinyl group at the bridgehead atom. Bioorganic and Medicinal Chemistry, 2013, 21, 4988-4996.	1.4	6
50	Solution-processed copper zinc tin sulfide thin films from metal xanthate precursors. Monatshefte für Chemie, 2013, 144, 273-283.	0.9	27
51	Synthesis and Properties of New Phosphorescent Red Light-Excitable Platinum(II) and Palladium(II) Complexes with Schiff Bases for Oxygen Sensing and Triplet-Triplet Annihilation-Based Upconversion. Inorganic Chemistry, 2013, 52, 1206-1216.	1.9	84
52	Induction of Caspase-8 and Death Receptors by a New Dammarane Skeleton from the Dried Fruits of Forsythia koreana. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2013, 68, 29-38.	0.6	9
53	Induction of Caspase-8 and Death Receptors by a New Dammarane Skeleton from the Dried Fruits of Forsythia koreana. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2013, 68, 0029.	0.6	5
54	Polynorbornenes With Pendant Europium (III) Coordination Compounds. Macromolecular Chemistry and Physics, 2012, 213, 2618-2627.	1.1	15

#	ARTICLE	IF	CITATIONS
55	Nonradiative deactivation of europium(ⁱⁱⁱ) luminescence as a detection scheme for moisture. <i>Analyst, The</i> , 2012, 137, 563-566.	1.7	9
56	New fluorescent pH sensors based on covalently linkable PET rhodamines. <i>Talanta</i> , 2012, 99, 194-201.	2.9	59
57	Highly Photostable Near-Infrared Fluorescent pH Indicators and Sensors Based on BF ₂ -Chelated Tetraarylazadipyromethene Dyes. <i>Analytical Chemistry</i> , 2012, 84, 6723-6730.	3.2	168
58	Investigation of CuInS ₂ Thin Film Formation by a Low-Temperature Chemical Deposition Method. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 382-390.	4.0	18
59	New N-methylpiperazinyl derivatives of bicyclic antiprotozoal compounds. <i>European Journal of Medicinal Chemistry</i> , 2012, 47, 510-519.	2.6	26
60	Synthesis and characterization of copper zinc tin chalcogenide nanoparticles: Influence of reactants on the chemical composition. <i>Solar Energy Materials and Solar Cells</i> , 2012, 101, 87-94.	3.0	61
61	Diarylcyclohexanones: synthons for new bicyclic compounds. <i>Monatshefte für Chemie</i> , 2012, 143, 145-152.	0.9	2
62	Self-assembled red luminescent micelles and lamellar films. <i>Journal of Materials Chemistry</i> , 2011, 21, 15183.	6.7	7
63	1-Deoxy-d-galactonojirimycins with dansyl capped N-substituents as β -galactosidase inhibitors and potential probes for GM1 gangliosidosis affected cell lines. <i>Carbohydrate Research</i> , 2011, 346, 1592-1598.	1.1	12
64	A Direct Route Towards Polymer/Copper Indium Sulfide Nanocomposite Solar Cells. <i>Advanced Energy Materials</i> , 2011, 1, 1046-1050.	10.2	102
65	Strongly Phosphorescent Iridium(III) "Porphyrins" New Oxygen Indicators with Tuneable Photophysical Properties and Functionalities. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1531-1534.	1.0	86
66	Ring-opening metathesis polymerisable charged platinum(II) complexes: Towards enhanced phosphorescent quantum yields by aggregation in polymers. <i>Polymer</i> , 2011, 52, 1874-1881.	1.8	8
67	CuInS ₂ "Poly(3-(ethyl-4-butanoate)thiophene) nanocomposite solar cells: Preparation by an in situ formation route, performance and stability issues. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 1354-1361.	3.0	45
68	Derivatives of schisandrin with increased inhibitory potential on prostaglandin E2 and leukotriene B4 formation in vitro. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 2809-2815.	1.4	12
69	Synthesis and optical properties of organic semiconductor: zirconia nanocomposites. <i>Journal of Nanoparticle Research</i> , 2010, 12, 2541-2551.	0.8	7
70	Fluorous Iminoalditols: A New Family of Glycosidase Inhibitors and Pharmacological Chaperones. <i>ChemBioChem</i> , 2010, 11, 2026-2033.	1.3	43
71	Synthesis of poly(ϵ -caprolactone) diols and EO"CL block copolymers and their characterization by liquid chromatography and MALDI-TOF-MS. <i>European Polymer Journal</i> , 2010, 46, 494-505.	2.6	22
72	Characterization of polyoxyalkylene block copolymers by combination of different chromatographic techniques and MALDI-TOF-MS. <i>Analytica Chimica Acta</i> , 2010, 658, 217-224.	2.6	34

#	ARTICLE	IF	CITATIONS
73	Dialkylaminoalkyl derivatives of bicyclic compounds with antiplasmodial activity. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 6796-6804.	1.4	5
74	Alkyl and dialkylaminoethyl derivatives of 5-amino-2-azabicyclo[3.2.2]nonanes and their antiplasmodial and antitrypanosomal activities. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 179-185.	2.6	5
75	Halide exchanged Hoveyda-type complexes in olefin metathesis. <i>Beilstein Journal of Organic Chemistry</i> , 2010, 6, 1091-1098.	1.3	52
76	1,3-Diphenyl-3,4-dihydrobenzo[b][1,6]naphthyridine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1114-o1114.	0.2	3
77	Tunable Phosphorescent NIR Oxygen Indicators Based on Mixed Benzo- and Naphthoporphyrin Complexes. <i>Inorganic Chemistry</i> , 2010, 49, 9333-9342.	1.9	63
78	Investigation of Cu ₂ ZnSnS ₄ Formation from Metal Salts and Thioacetamide. <i>Chemistry of Materials</i> , 2010, 22, 3399-3406.	3.2	109
79	Synthesis of Novel Diazabicycles and their Antiprotozoal Activities. <i>Australian Journal of Chemistry</i> , 2009, 62, 1166.	0.5	7
80	Cycloartane Triterpenes from Dikamali, the Gum Resin of <i>Gardenia gummifera</i> and <i>Gardenia lucida</i> . <i>Chemistry and Biodiversity</i> , 2009, 6, 1185-1192.	1.0	23
81	SARs of the antiprotozoal action of 6,7-diaryl-bicyclo[2.2.2]octan-2-ols. <i>Monatshefte für Chemie</i> , 2009, 140, 495-502.	0.9	1
82	Bicyclic amido compounds with antiprotozoal activity. <i>Monatshefte für Chemie</i> , 2009, 140, 1261-1268.	0.9	1
83	Acrylates as termination reagent for the preparation of semi-telechelic polymers made by ring opening metathesis polymerization. <i>Journal of Polymer Science Part A</i> , 2009, 47, 299-305.	2.5	36
84	Gelatin-based photopolymers for bone replacement materials. <i>Journal of Polymer Science Part A</i> , 2009, 47, 7078-7089.	2.5	44
85	New NIR-emitting complexes of platinum(II) and palladium(II) with fluorinated benzoporphyrins. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009, 201, 128-135.	2.0	115
86	Photophysical properties of the new phosphorescent platinum(II) and palladium(II) complexes of benzoporphyrins and chlorins. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009, 206, 87-92.	2.0	39
87	Characterization of ethylene oxide-propylene oxide block copolymers by combination of different chromatographic techniques and matrix-assisted laser desorption ionization time-of-flight mass spectroscopy. <i>Journal of Chromatography A</i> , 2009, 1216, 6627-6635.	1.8	34
88	Antiplasmodial and antitrypanosomal activities of aminobicyclo[2.2.2]octyl β -aminoalkanoates. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 736-744.	2.6	13
89	Characterization of poly(ethylene glycol)-b-poly(μ -caprolactone) by liquid chromatography under critical conditions: Influence of catalysts and reaction conditions on product composition. <i>European Polymer Journal</i> , 2009, 45, 2338-2347.	2.6	19
90	Antiplasmodial and antitrypanosomal activity of bicyclic amides and esters of dialkylamino acids. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 3595-3603.	1.4	8

#	ARTICLE	IF	CITATIONS
91	Synthesis of bicyclic amines and their activities against <i>Trypanosoma brucei rhodesiense</i> and <i>Plasmodium falciparum</i> K 1. <i>Archives of Pharmacal Research</i> , 2008, 31, 688-697.	2.7	12
92	Acyl derivatives of 5-amino-2-azabicyclo[3.2.2]nonanes. <i>Monatshefte für Chemie</i> , 2008, 139, 717-724.	0.9	5
93	The Effect of Protonation on the Optical Properties of Conjugated Fluorene- <i>Pyridine</i> Copolymers. <i>Macromolecular Chemistry and Physics</i> , 2008, 209, 2122-2134.	1.1	20
94	Epimers of bicyclo[2.2.2]octan-2-ol derivatives with antiprotozoal activity. <i>European Journal of Medicinal Chemistry</i> , 2008, 43, 800-807.	2.6	9
95	Novel Azabicyclo[3.2.2]nonane derivatives and their activities against <i>Plasmodium falciparum</i> K1 and <i>Trypanosoma brucei rhodesiense</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 6371-6378.	1.4	7
96	Investigation of Primary Crystallite Sizes in Nanocrystalline ZnS Powders: Comparison of Microwave Assisted with Conventional Synthesis Routes. <i>Inorganic Chemistry</i> , 2008, 47, 3014-3022.	1.9	25
97	Import and fate of fluorescent analogs of oxidized phospholipids in vascular smooth muscle cells. <i>Journal of Lipid Research</i> , 2007, 48, 565-582.	2.0	47
98	8-Quinolinolates as Ligands for Luminescent Cyclometalated Iridium Complexes. <i>Chemistry of Materials</i> , 2007, 19, 1209-1211.	3.2	58
99	Main-Chain Liquid Crystalline Polymers Based on Bis-Etherified 9,9-Dihexyl-2,7-bis(4-hydroxy-1,1-biphen-4-yl)fluorenes. <i>Macromolecular Chemistry and Physics</i> , 2007, 208, 1458-1468.	1.1	12
100	Bicyclo[2.2.2]octyl esters of dialkylamino acids as antiprotozoals. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 5543-5550.	1.4	13
101	Xanthene dye functionalized norbornenes for the use in ring opening metathesis polymerization. <i>Journal of Polymer Science Part A</i> , 2007, 45, 1336-1348.	2.5	29
102	Photoreactive Polynorbornene Bearing 4-(Diphenylamino)benzoate Groups: Synthesis and Application in Electroluminescent Devices. <i>Monatshefte für Chemie</i> , 2007, 138, 269-276.	0.9	10
103	New 4-Amino-2-azabicyclo[3.2.2]nonane Derivatives and their Antiprotozoal Potencies. <i>Monatshefte für Chemie</i> , 2007, 138, 619-625.	0.9	5
104	Antiprotozoal Activities of Epimeric Aminobicycles. <i>Monatshefte für Chemie</i> , 2007, 138, 709-714.	0.9	4
105	Isomerization of 4-amino-6,7-diphenylbicyclo[2.2.2]octan-2-ones. <i>Canadian Journal of Chemistry</i> , 2006, 84, 1074-1078.	0.6	4
106	WPLEDs prepared from main-chain fluorene- <i>iridium</i> (iii) polymers. <i>Journal of Materials Chemistry</i> , 2006, 16, 4389-4392.	6.7	39
107	Organoboron Quinolinolates with Extended Conjugated Chromophores: Synthesis, Structure, and Electronic and Electroluminescent Properties. <i>Chemistry of Materials</i> , 2006, 18, 3539-3547.	3.2	72
108	Fluorescence-labeled olefin metathesis polymerization initiators. <i>Journal of Polymer Science Part A</i> , 2006, 44, 6136-6145.	2.5	42

#	ARTICLE	IF	CITATIONS
109	Preparation of poly(fluorene)s using trans-bis(dicyclohexylamine)palladium diacetate as a catalyst: Scope and limitations. <i>Journal of Polymer Science Part A</i> , 2006, 44, 2130-2138.	2.5	29
110	Synthesis of new esters and oximes with 4-aminobicyclo[2.2.2]octane structure and evaluation of their antitrypanosomal and antiplasmodial activities. <i>European Journal of Medicinal Chemistry</i> , 2006, 41, 970-977.	2.6	13
111	Antiprotozoal activities of new bis-chlorophenyl derivatives of bicyclic octanes and aza-nonanes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 5457-5461.	1.0	12
112	Impact of Transition Metal Substituents on Polysilane Properties: Iron versus Ruthenium. <i>Monatshefte für Chemie</i> , 2006, 137, 595-603.	0.9	3
113	Structural Requirements for the Antiprotozoal Activity of 4-Aminobicyclo[2.2.2]octan-2-ols. <i>Monatshefte für Chemie</i> , 2006, 137, 471-482.	0.9	8
114	Hydrazones and new Oximes of 4-Aminobicyclo[2.2.2]octanones and their Antiprotozoal Activities. <i>Monatshefte für Chemie</i> , 2006, 137, 1365-1374.	0.9	2
115	Synthesis and Evaluation of the Antitrypanosomal and Antiplasmodial Activities of New 4-Aminobicyclo[2.2.2]octane Derivatives. <i>ChemInform</i> , 2006, 37, no.	0.1	0
116	Peroxide-initiated grafting of maleimides onto hydrocarbon substrates. <i>European Polymer Journal</i> , 2005, 41, 2240-2254.	2.6	7
117	Synthesis and evaluation of the antitrypanosomal and antiplasmodial activities of new 4-aminobicyclo[2.2.2]octane derivatives. <i>European Journal of Medicinal Chemistry</i> , 2005, 40, 888-896.	2.6	17
118	Antiprotozoal activities of new bicyclo[2.2.2]octan-2-imines and esters of bicyclo[2.2.2]octan-2-ols. <i>European Journal of Pharmaceutical Sciences</i> , 2005, 24, 281-289.	1.9	22
119	Chiral Auxiliaries as Docking/Protecting Groups in Biohydroxylation:(S)-Specific Hydroxylation of Enantiopure tert-Butyl-Substituted Spirooxazolidines Derived From Cyclopentanone. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 793-796.	1.2	7
120	Novel Fluorescent Phosphonic Acid Esters for Discrimination of Lipases and Esterases. <i>ChemBioChem</i> , 2005, 6, 1776-1781.	1.3	47
121	4-Aminobicyclo[2.2.2]octan-2-ones and -ols via Enamine Intermediates. <i>ChemInform</i> , 2005, 36, no.	0.1	0
122	4-Aminobicyclo[2.2.2]octan-2-ones and -ols via Enamine Intermediates. <i>Monatshefte für Chemie</i> , 2005, 136, 625-634.	0.9	5
123	Investigations on the Formation of 4-Aminobicyclo[2.2.2]-octanones. <i>Molecules</i> , 2005, 10, 521-533.	1.7	2
124	Synthesis of 2-azabicyclo[3.2.2]nonanes from bicyclo[2.2.2]octan-2-ones and their activities against <i>Trypanosoma brucei rhodesiense</i> and <i>Plasmodium falciparum</i> K1. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2005, 8, 578-85.	0.9	14
125	Thin organic films by atmospheric-pressure ion deposition. <i>Nature Materials</i> , 2004, 3, 323-329.	13.3	62
126	New Derivatives of 4-Aminobicyclo [2.2.2]octanones and -ols as Potential Antiprotozoals. <i>Monatshefte für Chemie</i> , 2004, 135, 313-322.	0.9	9

#	ARTICLE	IF	CITATIONS
127	Hydrogen-bonded supramolecular poly(ether ketone)s. Journal of Polymer Science Part A, 2004, 42, 661-674.	2.5	64
128	Blue-Green Light Emitting Poly(phenylenevinylene) Derivatives as Candidates for Polymer LEDs: Synthesis and Characterization. Macromolecular Chemistry and Physics, 2004, 205, 1840-1850.	1.1	12
129	Synthesis of Poly(ethylene oxide)s with 1,2,4-Triazol-4-yl End Groupsâ€“ Macroligands for Bistable Metal-Polymer Complexes. Macromolecular Rapid Communications, 2004, 25, 911-915.	2.0	3
130	4-Aminobicyclo[2.2.2]octanone Derivatives with Antiplasmodial and Antitrypanosomal Activities.. ChemInform, 2004, 35, no.	0.1	0
131	New 1,3-Thiazoles and 1,3-Thiazines from 1-Thiocarbamoylpyrazoles.. ChemInform, 2004, 35, no.	0.1	0
132	New Derivatives of 4-Aminobicyclo[2.2.2]octanones and -ols as Potential Antiprotozoals.. ChemInform, 2004, 35, no.	0.1	0
133	Excited-state localization effects in alternating meta- and para-linked poly(phenylene-vinylene)s. Chemical Physics, 2004, 297, 143-151.	0.9	17
134	Synthesis and Analysis of Telechelic Polyisobutylenes for Hydrogen-Bonded Supramolecular Pseudo-Block Copolymers. Macromolecules, 2004, 37, 1749-1759.	2.2	112
135	4-Aminobicyclo[2.2.2]octanone Derivatives with Antiplasmodial and Antitrypanosomal Activities. Monatshefte FÃ¼r Chemie, 2003, -1, 1-1.	0.9	1
136	New 1,3-Thiazoles and 1,3-Thiazines from 1-Thiocarbamoylpyrazoles. Monatshefte FÃ¼r Chemie, 2003, 134, 1623-1628.	0.9	18
137	Highly Defined ABC Triblock Cooligomers and Copolymers Prepared by ROMP Using an N-Heterocyclic-Carbene-Substituted Ruthenium Benzylidene Initiator. Macromolecular Rapid Communications, 2003, 24, 435-439.	2.0	43
138	Structural Characterization of Biocidal Oligoguanidines. Macromolecular Rapid Communications, 2003, 24, 567-570.	2.0	37
139	Complete assignments of ¹ H and ¹³ C NMR resonances of oleanolic acid, 18?-oleanolic acid, ursolic acid and their 11-oxo derivatives. Magnetic Resonance in Chemistry, 2003, 41, 636-638.	1.1	410
140	One-Pot Syntheses of 2-Pyrazoline Derivatives.. ChemInform, 2003, 34, no.	0.1	0
141	4-Aminobicyclo[2.2.2]octanone Derivatives with Antiprotozoal Activities.. ChemInform, 2003, 34, no.	0.1	0
142	One-pot syntheses of 2-pyrazoline derivatives. Tetrahedron, 2003, 59, 2811-2819.	1.0	19
143	Chiral ferrocene cyanohydrin derivativesâ€“access to novel intermolecularly linked and intramolecularly bridged ferrocene derivatives. Tetrahedron, 2003, 59, 5469-5473.	1.0	2
144	Fluorescent organophosphonates as inhibitors of microbial lipases. Chemistry and Physics of Lipids, 2003, 125, 103-114.	1.5	25

#	ARTICLE	IF	CITATIONS
145	Structure-Activity Relationships of Oligoguanidines Influence of Counterion, Diamine, and Average Molecular Weight on Biocidal Activities. <i>Biomacromolecules</i> , 2003, 4, 1811-1817.	2.6	90
146	4-Aminobicyclo[2.2.2]octanone Derivatives with Antiprotozoal Activities. <i>Monatshefte für Chemie</i> , 2003, 134, 1019-1026.	0.9	29
147	Previously published / PrÃ©dÃ©comment paru / Asymmetric total synthesis of (+)- <i>exo</i> -brevicomine based on enantioconvergent biocatalytic hydrolysis of an alkene-functionalized 2,3-disubstituted epoxide. <i>Canadian Journal of Chemistry</i> , 2002, 80, .	0.6	0
148	Investigation of 2,6-disubstituted N,N,N',N'-tetramethyl-p-phenylenediamines as precursors/building blocks for molecular magnets. <i>Journal of Materials Chemistry</i> , 2002, 12, 534-539.	6.7	11
149	Asymmetric total synthesis of (+)- <i>exo</i> -brevicomine based on enantioconvergent biocatalytic hydrolysis of an alkene-functionalized 2,3-disubstituted epoxide. <i>Canadian Journal of Chemistry</i> , 2002, 80, 362-369.	0.6	11
150	Chemoenzymatic asymmetric total syntheses of a constituent of Jamaican rum and of (+)-Pestalotin using an enantioconvergent enzyme-triggered cascade reaction. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 523-528.	1.8	13
151	Preparation and Radical Oligomerization of an Fe(II) Complex without Loss of Spin-Crossover Properties. <i>Monatshefte für Chemie</i> , 2001, 132, 519-529.	0.9	12
152	Biocatalytic asymmetric and enantioconvergent hydrolysis of trisubstituted oxiranes. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 1519-1528.	1.8	33
153	Chiral auxiliaries as docking/protecting groups: biohydroxylation of selected ketones with <i>Beauveria bassiana</i> ATCC 7159. <i>Tetrahedron</i> , 2001, 57, 8151-8157.	1.0	17
154	Preparation and Radical Oligomerization of an Fe(II) Complex without Loss of Spin-Crossover Properties. , 2001, , 99-109.		0
155	Chiral Auxiliaries as Docking/Protecting Groups in Biohydroxylation: The Hydroxylation of Enantiopure Spirooxazolidines Derived from Cyclopentanone Using <i>Beauveria bassiana</i> ATCC 7159. <i>European Journal of Organic Chemistry</i> , 2000, 2000, 3835-3847.	1.2	14
156	Title is missing!. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1999, 35, 233-242.	1.6	3
157	Synthesis and characterisation of transition metal containing polycarboxylates. <i>Synthetic Metals</i> , 1999, 101, 143-144.	2.1	3
158	Synthesis and characterization of a new chiral functional polymer. <i>Journal of Molecular Catalysis A</i> , 1998, 133, 75-82.	4.8	8
159	Novel fluorinated π -conjugated oligomers as electron transport materials in organic light emitting diodes. <i>Optical Materials</i> , 1998, 9, 159-162.	1.7	24
160	Electrospray Ionization Mass Spectrometry Investigation of Oligomers Prepared by Ring-Opening Metathesis Polymerization of MethylN-(1-Phenylethyl)-2-azabicyclo[2.2.1]hept-5-ene-3-carboxylate. <i>Macromolecules</i> , 1996, 29, 7651-7656.	2.2	13
161	Photocrosslinkable copolymers of 4-vinylbenzyl selenocyanate, 4-vinylbenzyl thiocyanate and 4-vinylbenzyl bromide: Experiments with low-molecular-weight model compounds. <i>Macromolecular Chemistry and Physics</i> , 1996, 197, 329-341.	1.1	9
162	Synthesis and characterization of conjugated polymers with imino nitroxide groups. <i>Macromolecular Chemistry and Physics</i> , 1996, 197, 1439-1447.	1.1	6

#	ARTICLE	IF	CITATIONS
163	Regioselectivity of Rhodococcus NCIMB 11216 epoxide hydrolase: applicability of E-values for description of enantioselectivity depends on substrate structure. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 2041-2046.	1.8	40
164	Synthesis and characterization of polyradicals with a polyimine backbone and nitronyl nitroxide side groups. <i>European Polymer Journal</i> , 1996, 32, 1307-1312.	2.6	7
165	Synthesis and Characterization of a Conjugated Polymer with Stable Radicals in the Side Groups. <i>Macromolecules</i> , 1995, 28, 4255-4259.	2.2	22
166	On the magnetic properties of poly(2-(3,5-diethynylphenyl)-4,4,5,5-tetramethyl-4,5-dihydro-1H-imidazol-1-oxyl-3-oxide). <i>Polymer Bulletin</i> , 1994, 32, 83-90.	1.7	2
167	Electrospray mass spectrometry using potassium iodide in aprotic organic solvents for the ion formation by cation attachment. <i>Tetrahedron Letters</i> , 1994, 35, 6653-6656.	0.7	27
168	Characterization, quantification and subcellular localization of inositol-containing sphingolipids of the yeast, <i>Saccharomyces cerevisiae</i> . <i>FEBS Journal</i> , 1994, 225, 641-649.	0.2	108
169	Influence of the precipitation method on the magnetic properties of a polyradical with conjugation in the backbone and nitronyl nitroxide side groups. <i>Polymer</i> , 1993, 34, 2680-2683.	1.8	6
170	New derivatives of 4,4,5,5-tetramethyl-4,5-dihydro-1H-imidazol-1-oxyl-3-oxide as monomers for polyradicals with special magnetic properties. <i>Journal of Heterocyclic Chemistry</i> , 1993, 30, 425-428.	1.4	4
171	Paramagnetic conjugated polymers with stable radicals in side groups. <i>Polymer Bulletin</i> , 1992, 28, 395-402.	1.7	10
172	Monte Carlo calculation of a partial reaction in radical crosslinking of 1,4-polybutadiene. <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1990, 40, 53-60.	0.6	0
173	Simulation of coupled modification reactions of polymers: 5. Formation of conjugated double bonds by substitution of 1,4-polybutadiene coupled with partial double bond shift. <i>Polymer</i> , 1990, 31, 939-943.	1.8	2
174	Enzymatic preparation of optically active 7-oxabicyclo[2.2.1] heptane derivatives. <i>Tetrahedron</i> , 1988, 44, 389-392.	1.0	57