
Else Munthe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9028726/publications.pdf Version: 2024-02-01



FISE MUNTHE

#	Article	IF	CITATIONS
1	miR-486-5p expression is regulated by DNA methylation in osteosarcoma. BMC Genomics, 2022, 23, 142.	1.2	8
2	Clathrin regulates Wnt/ \hat{l}^2 -catenin signaling by affecting Golgi to plasma membrane transport of transmembrane proteins. Journal of Cell Science, 2020, 133, .	1.2	5
3	Preclinical Evaluation of the Pan-FGFR Inhibitor LY2874455 in FRS2-Amplified Liposarcoma. Cells, 2019, 8, 189.	1.8	16
4	<scp>FDG</scp> â€based quantitative comparison of glucose metabolism <i>inÂvitro</i> , exemplified by a headâ€toâ€head comparison between a tripleâ€negative breast cancer cell line and a nonâ€malignant foetal cell line. Clinical Physiology and Functional Imaging, 2018, 38, 34-37.	0.5	0
5	Preclinical Evaluation of Vemurafenib as Therapy for BRAFV600E Mutated Sarcomas. International Journal of Molecular Sciences, 2018, 19, 969.	1.8	12
6	Noninvasive Detection of ctDNA Reveals Intratumor Heterogeneity and Is Associated with Tumor Burden in Gastrointestinal Stromal Tumor. Molecular Cancer Therapeutics, 2018, 17, 2473-2480.	1.9	61
7	PP2A Regulatory Subunit B55γ is a Gatekeeper of Osteoblast Maturation and Lineage Maintenance. Stem Cells and Development, 2017, 26, 1375-1383.	1.1	6
8	Preclinical evaluation of potential therapeutic targets in dedifferentiated liposarcoma. Oncotarget, 2016, 7, 54583-54595.	0.8	23
9	The Genomic Landscape of Pancreatic and Periampullary Adenocarcinoma. Cancer Research, 2016, 76, 5092-5102.	0.4	33
10	Metabolic reprogramming of metastatic breast cancer and melanoma by let-7a microRNA. Oncotarget, 2015, 6, 2451-2465.	0.8	68
11	Generation and Characterisation of Novel Pancreatic Adenocarcinoma Xenograft Models and Corresponding Primary Cell Lines. PLoS ONE, 2014, 9, e103873.	1.1	17
12	The tankyraseâ€specific inhibitor <scp>JW</scp> 74 affects cell cycle progression and induces apoptosis and differentiation in osteosarcoma cell lines. Cancer Medicine, 2014, 3, 36-46.	1.3	47
13	Identification and Characterization of Cells with Cancer Stem Cell Properties in Human Primary Lung Cancer Cell Lines. PLoS ONE, 2013, 8, e57020.	1.1	109
14	Characterization of Liposarcoma Cell Lines for Preclinical and Biological Studies. Sarcoma, 2012, 2012, 1-9.	0.7	33
15	Liposarcoma cells with aldefluor and CD133 activity have a cancer stem cell potential. Clinical Sarcoma Research, 2011, 1, 8.	2.3	22
16	β-catenin is involved in N-cadherin–dependent adhesion, but not in canonical Wnt signaling in E2A-PBX1–positive B acute lymphoblastic leukemia cells. Experimental Hematology, 2009, 37, 225-233.	0.2	35
17	Bone marrow stroma cells regulate TIEG1 expression in acute lymphoblastic leukemia cells: Role of TGFβ/BMPâ€6 and TIEG1 in chemotherapy escape. International Journal of Cancer, 2008, 123, 2759-2766.	2.3	19
18	Characterization of Early Stages of Human B Cell Development by Gene Expression Profiling. Journal of Immunology, 2007, 179, 3662-3671.	0.4	136

Else Munthe

#	Article	IF	CITATIONS
19	Expression and functional effects of Eph receptor tyrosine kinase A family members on Langerhans like dendritic cells. BMC Immunology, 2004, 5, 9.	0.9	18
20	A new ephrin-A1 isoform (ephrin-A1b) with altered receptor binding properties abrogates the cleavage of ephrin-A1a. Biochemical Journal, 2004, 379, 39-46.	1.7	14
21	Characterization of the human ephrin-A4 promoter. Biochemical Journal, 2002, 366, 447-458.	1.7	6
22	Characterization of a Novel Human Endogenous Retrovirus, HERV-H/F, Expressed in Human Leukemia Cell Lines. Virology, 2002, 303, 164-173.	1.1	57
23	A splice variant of human ephrin-A4 encodes a soluble molecule that is secreted by activated human B lymphocytes. Blood, 2000, 95, 221-230.	0.6	70
24	Ephrin-B2 is a candidate ligand for the Eph receptor, EphB6. FEBS Letters, 2000, 466, 169-174.	1.3	39
25	A splice variant of human ephrin-A4 encodes a soluble molecule that is secreted by activated human B lymphocytes. Blood, 2000, 95, 221-230.	0.6	4
26	Molecular Cloning of a T Cell-specific Adapter Protein (TSAd) Containing an Src Homology (SH) 2 Domain and Putative SH3 and Phosphotyrosine Binding Sites. Journal of Biological Chemistry, 1998, 273, 4539-4546.	1.6	63
27	A peroxiredoxin antioxidant is encoded by a dormancy-related gene,Per1, expressed during late development in the aleurone and embryo of barley grains. Plant Molecular Biology, 1996, 31, 1205-1216.	2.0	135