


## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9030516/publications.pdf Version: 2024-02-01



FENCELL

#	Article	IF	CITATIONS
1	<i>AR</i> regulates porcine immature Sertoli cell growth via binding to <i>RNF4</i> and miRâ€124a. Reproduction in Domestic Animals, 2021, 56, 416-426.	0.6	3
2	PIM2â€mediated phosphorylation contributes to granulosa cell survival via resisting apoptosis during folliculogenesis. Clinical and Translational Medicine, 2021, 11, e359.	1.7	2
3	Oxidative stress in oocyte aging and female reproduction. Journal of Cellular Physiology, 2021, 236, 7966-7983.	2.0	141
4	Nâ€Acetylâ€ <scp>l</scp> â€cysteine restores reproductive defects caused by <i>Ggt1</i> deletion in mice. Clinical and Translational Medicine, 2021, 11, e510.	1.7	4
5	miR-135a Suppresses Granulosa Cell Growth by Targeting Tgfbr1 and Ccnd2 during Folliculogenesis in Mice. Cells, 2021, 10, 2104.	1.8	4
6	The Function of Pre-mRNA Alternative Splicing in Mammal Spermatogenesis. International Journal of Biological Sciences, 2020, 16, 38-48.	2.6	45
7	<i>SLA-11</i> mutations are associated with litter size traits in Large White and Chinese DIV pigs. Animal Biotechnology, 2019, 30, 212-218.	0.7	7
8	miRâ€17â€5p affects porcine granulosa cell growth and oestradiol synthesis by targeting <i>E2F1</i> gene. Reproduction in Domestic Animals, 2019, 54, 1459-1469.	0.6	10
9	MicroRNA transcriptome analysis of poly I:C-stimulated and PRRSV-infected porcine alveolar macrophages. Journal of Applied Genetics, 2019, 60, 375-383.	1.0	14
10	H2AFZ, RNF4 and NR4A1 loci are associated with boar semen quality by population association studies. Animal Biotechnology, 2019, 30, 311-316.	0.7	2
11	Genetic effect and combined genotype effect of <i>ESR</i> , <i>FSH</i> î², <i>CTNNAL1</i> and <i>miR-27a</i> loci on litter size in a Large White population. Animal Biotechnology, 2019, 30, 287-292.	0.7	8
12	MicroRNA-144 is regulated by CP2 and decreases COX-2 expression and PGE2 production in mouse ovarian granulosa cells. Cell Death and Disease, 2017, 8, e2597-e2597.	2.7	24
13	Functional analysis of HSPA1A and HSPA8 in parturition. Biochemical and Biophysical Research Communications, 2017, 483, 371-379.	1.0	9
14	miR-638 Inhibits immature Sertoli cell growth by indirectly inactivating PI3K/AKT pathway via SPAG1 gene. Cell Cycle, 2017, 16, 2290-2300.	1.3	36
15	miR-144 and targets, c-fos and cyclooxygenase-2 (COX2), modulate synthesis of PGE2 in the amnion during pregnancy and labor. Scientific Reports, 2016, 6, 27914.	1.6	25
16	miR-762 promotes porcine immature Sertoli cell growth via the ring finger protein 4 (RNF4) gene. Scientific Reports, 2016, 6, 32783.	1.6	40
17	Characterization of swine testicular cell line as immature porcine Sertoli cell line. In Vitro Cellular and Developmental Biology - Animal, 2016, 52, 427-433.	0.7	42
18	Transcription factor organic cation transporter 1 (OCT-1) affects the expression of porcine Klotho ( <i>KL</i> ) gene. PeerJ, 2016, 4, e2186.	0.9	2

Fenge Li

#	Article	IF	CITATIONS
19	The transcription factor ccaat/enhancer binding protein β (C/EBPβ) and miR-27a regulate the expression of porcine Dickkopf2 (DKK2). Scientific Reports, 2015, 5, 17972.	1.6	9
20	Integrated analysis of miRNA/mRNA network in placenta identifies key factors associated with labor onset of Large White and Qingping sows. Scientific Reports, 2015, 5, 13074.	1.6	12
21	Exploiting RNA-sequencing data from the porcine testes to identify the key genes involved in spermatogenesis in Large White pigs. Gene, 2015, 573, 303-309.	1.0	14
22	Transcription factor C/EBPβ and 17β-estradiol promote transcription of the porcine p53 gene. International Journal of Biochemistry and Cell Biology, 2014, 47, 76-82.	1.2	8
23	Identification of the promoter region and genetic mutations of the porcine GALP gene. Molecular Biology Reports, 2013, 40, 2821-2827.	1.0	4
24	Associations of TCF12, CTNNAL1 and WNT10B gene polymorphisms with litter size in pigs. Animal Reproduction Science, 2013, 140, 189-194.	0.5	20
25	Discovery of two potential DAZL gene markers for sperm quality in boars by population association studies. Animal Reproduction Science, 2013, 143, 97-101.	0.5	7
26	Discovery of Potential piRNAs from Next Generation Sequences of the Sexually Mature Porcine Testes. PLoS ONE, 2012, 7, e34770.	1.1	18
27	Microarray profiling for differential gene expression in PMSG-hCG stimulated preovulatory ovarian follicles of Chinese Taihu and Large White sows. BMC Genomics, 2011, 12, 111.	1.2	30
28	Microarray-Based Approach Identifies Differentially Expressed MicroRNAs in Porcine Sexually Immature and Mature Testes. PLoS ONE, 2010, 5, e11744.	1.1	73
29	Using RNA interference to identify the different roles of SMAD2 and SMAD3 in NIH/3T3 fibroblast cells. Cell Biochemistry and Function, 2008, 26, 548-556.	1.4	10
30	Nonsynonymous SNPs within <i>C7H15orf39</i> and <i>NOS2</i> are associated with boar semen quality. Animal Biotechnology, 0, , 1-5.	0.7	0
31	BCL2â€associated athanogene 6 exon24 contributes to testosterone synthesis and male fertility in mammals. Cell Proliferation, 0, , .	2.4	3