

Monica Brenca

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9030758/publications.pdf>

Version: 2024-02-01

20
papers

651
citations

686830

13
h-index

887659

17
g-index

21
all docs

21
docs citations

21
times ranked

1417
citing authors

#	ARTICLE	IF	CITATIONS
1	Next-Generation Sequencing Approaches for the Identification of Pathognomonic Fusion Transcripts in Sarcomas: The Experience of the Italian ACC Sarcoma Working Group. <i>Frontiers in Oncology</i> , 2020, 10, 489.	1.3	38
2	Tumor genotype, location, and malignant potential shape the immunogenicity of primary untreated gastrointestinal stromal tumors. <i>JCI Insight</i> , 2020, 5, .	2.3	12
3	Pazopanib for treatment of advanced extraskeletal myxoid chondrosarcoma: a multicentre, single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2019, 20, 1252-1262.	5.1	57
4	Myoepithelial tumours of soft tissues and extraskeletal myxoid chondrosarcomas feature a distinct transcriptional pattern. <i>Annals of Oncology</i> , 2019, 30, v704.	0.6	0
5	NR4A3 fusion proteins trigger an axon guidance switch that marks the difference between EWSR1 and TAF15 translocated extraskeletal myxoid chondrosarcomas. <i>Journal of Pathology</i> , 2019, 249, 90-101.	2.1	27
6	A Pediatric Intra-Axial Malignant SMARCB1-Deficient Desmoplastic Tumor Arising in Meningioangiomas. <i>Journal of Neuropathology and Experimental Neurology</i> , 2018, 77, 883-889.	0.9	7
7	The co-existence of transcriptional activator and transcriptional repressor MEF2 complexes influences tumor aggressiveness. <i>PLoS Genetics</i> , 2017, 13, e1006752.	1.5	38
8	Identification of SRF-E2F1 fusion transcript in EWSR-negative myoepithelioma of the soft tissue. <i>Oncotarget</i> , 2017, 8, 60036-60045.	0.8	17
9	Transcriptome sequencing identifies <i>ETV6-NTRK3</i> as a gene fusion involved in GIST. <i>Journal of Pathology</i> , 2016, 238, 543-549.	2.1	156
10	Evolution of Dermatofibrosarcoma Protuberans to DFSP-Derived Fibrosarcoma: An Event Marked by Epithelial-Mesenchymal Transition-like Process and 22q Loss. <i>Molecular Cancer Research</i> , 2016, 14, 820-829.	1.5	25
11	Sunitinib (SM) in advanced extraskeletal myxoid chondrosarcoma (EMC): Updated analysis in 11 patients (pts).. <i>Journal of Clinical Oncology</i> , 2016, 34, 11059-11059.	0.8	1
12	Epithelioid peritoneal mesothelioma: a hybrid phenotype within a mesenchymal-epithelial/epithelial-mesenchymal transition framework. <i>Oncotarget</i> , 2016, 7, 75503-75517.	0.8	16
13	Sunitinib-induced morpho-functional changes and drug effectiveness in malignant solitary fibrous tumours. <i>Oncotarget</i> , 2016, 7, 45015-45026.	0.8	13
14	Abstract LB-329: Enhancing the resolution and accelerating the pace of translational fusion characterization in oncology by RNA sequencing. , 2016, , .		0
15	Massive parallel sequencing in sarcoma pathobiology: state of the art and perspectives. <i>Expert Review of Anticancer Therapy</i> , 2015, 15, 1473-1488.	1.1	13
16	<i>YAP1</i> acts as oncogenic target of 11q22 amplification in multiple cancer subtypes. <i>Oncotarget</i> , 2014, 5, 2608-2621.	0.8	62
17	Case report: long-term survival of an infant syndromic patient affected by atypical teratoid-rhabdoid tumor. <i>BMC Cancer</i> , 2013, 13, 100.	1.1	14
18	<i>SMARCB1</i> / <i>INI1</i> Genetic Inactivation Is Responsible for Tumorigenic Properties of Epithelioid Sarcoma Cell Line VAESBJ. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 1060-1072.	1.9	46

#	ARTICLE	IF	CITATIONS
19	In vivo and in vitro assessment of pathways involved in contrast media-induced renal cells apoptosis. Cell Death and Disease, 2011, 2, e155-e155.	2.7	109
20	Abstract LB-351: miR-221&222 regulate cell motility in glioma cell lines targeting the protein phosphates PTP1 β . , 2010, , .		0