

Leif J Jansson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9031990/publications.pdf>

Version: 2024-02-01

139
papers

8,427
citations

71102

41
h-index

48315

88
g-index

142
all docs

142
docs citations

142
times ranked

7574
citing authors

#	ARTICLE	IF	CITATIONS
1	Pretreatment of lignocellulose: Formation of inhibitory by-products and strategies for minimizing their effects. <i>Bioresource Technology</i> , 2016, 199, 103-112.	9.6	1,507
2	Bioconversion of lignocellulose: inhibitors and detoxification. <i>Biotechnology for Biofuels</i> , 2013, 6, 16.	6.2	1,074
3	Comparison of Different Methods for the Detoxification of Lignocellulose Hydrolyzates of Spruce. <i>Applied Biochemistry and Biotechnology</i> , 1999, 77, 91-104.	2.9	422
4	Ethanol production from enzymatic hydrolysates of sugarcane bagasse using recombinant xylose-utilising <i>Saccharomyces cerevisiae</i> . <i>Enzyme and Microbial Technology</i> , 2002, 31, 274-282.	3.2	252
5	Influence of Lignocellulose-Derived Aromatic Compounds on Oxygen-Limited Growth and Ethanolic Fermentation by <i>Saccharomyces cerevisiae</i> . <i>Applied Biochemistry and Biotechnology</i> , 2000, 84-86, 617-632.	2.9	214
6	Bacterial cellulose production from cotton-based waste textiles: Enzymatic saccharification enhanced by ionic liquid pretreatment. <i>Bioresource Technology</i> , 2012, 104, 503-508.	9.6	188
7	Detoxification of Lignocellulose Hydrolysates with Ion-Exchange Resins. <i>Applied Biochemistry and Biotechnology</i> , 2001, 91-93, 35-50.	2.9	178
8	Fermentation strategies for improved heterologous expression of laccase in <i>Pichia pastoris</i> . <i>Biotechnology and Bioengineering</i> , 2002, 79, 438-449.	3.3	178
9	Adaptation of a recombinant xylose-utilizing <i>Saccharomyces cerevisiae</i> strain to a sugarcane bagasse hydrolysate with high content of fermentation inhibitors. <i>Bioresource Technology</i> , 2007, 98, 1767-1773.	9.6	154
10	Comparison of the resistance of industrial and laboratory strains of <i>Saccharomyces</i> and <i>Zygosaccharomyces</i> to lignocellulose-derived fermentation inhibitors. <i>Enzyme and Microbial Technology</i> , 2003, 32, 386-395.	3.2	144
11	Comparison of the Fermentability of Enzymatic Hydrolysates of Sugarcane Bagasse Pretreated by Steam Explosion Using Different Impregnating Agents. <i>Applied Biochemistry and Biotechnology</i> , 2002, 98-100, 699-716.	2.9	134
12	Effect of Different Forms of Alkali Treatment on Specific Fermentation Inhibitors and on the Fermentability of Lignocellulose Hydrolysates for Production of Fuel Ethanol. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 5318-5325.	5.2	129
13	Improving the fermentability of enzymatic hydrolysates of lignocellulose through chemical in-situ detoxification with reducing agents. <i>Bioresource Technology</i> , 2011, 102, 1254-1263.	9.6	128
14	Generation of the improved recombinant xylose-utilizing TMB 3400 by random mutagenesis and physiological comparison with CBS 6054. <i>FEMS Yeast Research</i> , 2003, 3, 319-326.	2.3	126
15	Adsorption of proteins involved in hydrolysis of lignocellulose on lignins and hemicelluloses. <i>Bioresource Technology</i> , 2013, 148, 70-77.	9.6	123
16	Production of bacterial cellulose and enzyme from waste fiber sludge. <i>Biotechnology for Biofuels</i> , 2013, 6, 25.	6.2	116
17	Metabolic Engineering of <i>Saccharomyces cerevisiae</i> for Xylose Utilization. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2001, 73, 53-84.	1.1	109
18	Molecular Analysis of a <i>Saccharomyces cerevisiae</i> Mutant with Improved Ability To Utilize Xylose Shows Enhanced Expression of Proteins Involved in Transport, Initial Xylose Metabolism, and the Pentose Phosphate Pathway. <i>Applied and Environmental Microbiology</i> , 2003, 69, 740-746.	3.1	108

#	ARTICLE	IF	CITATIONS
19	Enzyme production by filamentous fungi: analysis of the secretome of <i>Trichoderma reesei</i> grown on unconventional carbon source. <i>Microbial Cell Factories</i> , 2011, 10, 68.	4.0	99
20	Characterization of a laccase gene from the white-rot fungus <i>Trametes versicolor</i> and structural features of basidiomycete laccases. <i>BBA - Proteins and Proteomics</i> , 1995, 1251, 210-215.	2.1	96
21	Detoxification of lignocellulosic hydrolysates using sodium borohydride. <i>Bioresource Technology</i> , 2013, 136, 368-376.	9.6	96
22	Comparison of methods for detoxification of spruce hydrolysate for bacterial cellulose production. <i>Microbial Cell Factories</i> , 2013, 12, 93.	4.0	86
23	Chemical and structural factors influencing enzymatic saccharification of wood from aspen, birch and spruce. <i>Biomass and Bioenergy</i> , 2018, 109, 125-134.	5.7	72
24	Aspen pectate lyase Ptxt PL1-27 mobilizes matrix polysaccharides from woody tissues and improves saccharification yield. <i>Biotechnology for Biofuels</i> , 2014, 7, 11.	6.2	71
25	Limits for Alkaline Detoxification of Dilute-Acid Lignocellulose Hydrolysates. <i>Applied Biochemistry and Biotechnology</i> , 2003, 107, 615-628.	2.9	65
26	Overexpression of <i>Saccharomyces cerevisiae</i> transcription factor and multidrug resistance genes conveys enhanced resistance to lignocellulose-derived fermentation inhibitors. <i>Process Biochemistry</i> , 2010, 45, 264-271.	3.7	65
27	Expression of a fungal glucuronoyl esterase in <i>Populus</i> : Effects on wood properties and saccharification efficiency. <i>Phytochemistry</i> , 2015, 112, 210-220.	2.9	65
28	In muro deacetylation of xylan affects lignin properties and improves saccharification of aspen wood. <i>Biotechnology for Biofuels</i> , 2017, 10, 98.	6.2	64
29	Optimal Conditions for Alkaline Detoxification of Dilute-Acid Lignocellulose Hydrolysates. <i>Applied Biochemistry and Biotechnology</i> , 2006, 130, 599-611.	2.9	61
30	Comparison of lignin derivatives as substrates for laccase-catalyzed scavenging of oxygen in coatings and films. <i>Journal of Biological Engineering</i> , 2014, 8, 1.	4.7	60
31	Purification of Ligninase Isozymes from the White-Rot Fungus <i>Trametes versicolor</i> .. <i>Acta Chemica Scandinavica</i> , 1987, 41b, 766-769.	0.7	60
32	Analytical Enzymatic Saccharification of Lignocellulosic Biomass for Conversion to Biofuels and Bio-Based Chemicals. <i>Energies</i> , 2018, 11, 2936.	3.1	55
33	Cytosolic invertase contributes to the supply of substrate for cellulose biosynthesis in developing wood. <i>New Phytologist</i> , 2017, 214, 796-807.	7.3	54
34	Dilute sulfuric acid pretreatment of agricultural and agro-industrial residues for ethanol production. <i>Applied Biochemistry and Biotechnology</i> , 2007, 137-140, 339-352.	2.9	51
35	Downregulation of <i>RWA</i> genes in hybrid aspen affects xylan acetylation and wood saccharification. <i>New Phytologist</i> , 2017, 214, 1491-1505.	7.3	50
36	Supercritical fluid extraction of a lignocellulosic hydrolysate of spruce for detoxification and to facilitate analysis of inhibitors. <i>Biotechnology and Bioengineering</i> , 2002, 79, 694-700.	3.3	48

#	ARTICLE	IF	CITATIONS
37	Ammonium Hydroxide Detoxification of Spruce Acid Hydrolysates. <i>Applied Biochemistry and Biotechnology</i> , 2005, 124, 0911-0922.	2.9	46
38	Evaluation of four ionic liquids for pretreatment of lignocellulosic biomass. <i>BMC Biotechnology</i> , 2014, 14, 34.	3.3	46
39	Heterologous Expression of <i>Trametes versicolor</i> Laccase in <i>Pichia pastoris</i> and <i>Aspergillus niger</i> . <i>Applied Biochemistry and Biotechnology</i> , 2006, 129, 195-214.	2.9	45
40	Preparation of a PET-Hydrolyzing Lipase from <i>Aspergillus oryzae</i> by the Addition of Bis(2-Hydroxyethyl) Terephthalate to the Culture Medium and Enzymatic Modification of PET Fabrics. <i>Engineering in Life Sciences</i> , 2008, 8, 268-276.	3.6	44
41	Cellulase Production from Spent Lignocellulose Hydrolysates by Recombinant <i>Aspergillus niger</i> . <i>Applied and Environmental Microbiology</i> , 2009, 75, 2366-2374.	3.1	44
42	Effects of impregnation of softwood with sulfuric acid and sulfur dioxide on chemical and physical characteristics, enzymatic digestibility, and fermentability. <i>Bioresource Technology</i> , 2018, 247, 200-208.	9.6	44
43	Enhancing saccharification of cassava stems by starch hydrolysis prior to pretreatment. <i>Industrial Crops and Products</i> , 2017, 97, 21-31.	5.2	43
44	Downregulating aspen xylan biosynthetic <sc>GT</sc>43 genes in developing wood stimulates growth via reprogramming of the transcriptome. <i>New Phytologist</i> , 2018, 219, 230-245.	7.3	43
45	Effect of sulfur oxyanions on lignocellulose-derived fermentation inhibitors. <i>Biotechnology and Bioengineering</i> , 2011, 108, 2592-2599.	3.3	40
46	Critical Conditions for Improved Fermentability During Overliming of Acid Hydrolysates from Spruce. <i>Applied Biochemistry and Biotechnology</i> , 2005, 124, 1031-1044.	2.9	38
47	Identification of <i>Saccharomyces cerevisiae</i> Genes Involved in the Resistance to Phenolic Fermentation Inhibitors. <i>Applied Biochemistry and Biotechnology</i> , 2010, 161, 106-115.	2.9	36
48	Formation of microbial inhibitors in steam-explosion pretreatment of softwood impregnated with sulfuric acid and sulfur dioxide. <i>Bioresource Technology</i> , 2018, 262, 242-250.	9.6	36
49	Engineering Non-cellulosic Polysaccharides of Wood for the Biorefinery. <i>Frontiers in Plant Science</i> , 2018, 9, 1537.	3.6	36
50	A collection of genetically engineered <i>Populus</i> trees reveals wood biomass traits that predict glucose yield from enzymatic hydrolysis. <i>Scientific Reports</i> , 2017, 7, 15798.	3.3	35
51	Effects of operational conditions on auto-catalyzed and sulfuric-acid-catalyzed hydrothermal pretreatment of sugarcane bagasse at different severity factor. <i>Industrial Crops and Products</i> , 2021, 159, 113077.	5.2	35
52	Rapid and convenient determination of oxalic acid employing a novel oxalate biosensor based on oxalate oxidase and SIRE technology. <i>Biosensors and Bioelectronics</i> , 2003, 18, 1173-1181.	10.1	34
53	Oxygen-scavenging coatings and films based on lignosulfonates and laccase. <i>Journal of Biotechnology</i> , 2012, 161, 14-18.	3.8	34
54	Analysis, pretreatment and enzymatic saccharification of different fractions of Scots pine. <i>BMC Biotechnology</i> , 2014, 14, 20.	3.3	34

#	ARTICLE	IF	CITATIONS
55	Production of bacterial nanocellulose and enzyme from [AMIM]Cl-pretreated waste cotton fabrics: effects of dyes on enzymatic saccharification and nanocellulose production. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 1413-1421.	3.2	34
56	Energy-efficient substrate pasteurisation for combined production of shiitake mushroom (<i>Lentinula</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	9.6	34
57	Comparison of productivity and quality of bacterial nanocellulose synthesized using culture media based on seven sugars from biomass. <i>Microbial Biotechnology</i> , 2019, 12, 677-687.	4.2	33
58	Effects of redox environment on hydrothermal pretreatment of lignocellulosic biomass under acidic conditions. <i>Bioresource Technology</i> , 2021, 319, 124211.	9.6	33
59	Hydrothermal Pretreatment of Lignocellulosic Feedstocks to Facilitate Biochemical Conversion. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022, 10, 846592.	4.1	32
60	Effects of aromatic compounds on the production of bacterial nanocellulose by <i>Gluconacetobacter xylinus</i> . <i>Microbial Cell Factories</i> , 2014, 13, 62.	4.0	31
61	Biochemical Conversion of Torrefied Norway Spruce After Pretreatment with Acid or Ionic Liquid. <i>Bioenergy Research</i> , 2016, 9, 355-368.	3.9	31
62	Hydrothermal Pretreatment of Wheat Straw: Effects of Temperature and Acidity on Byproduct Formation and Inhibition of Enzymatic Hydrolysis and Ethanolic Fermentation. <i>Agronomy</i> , 2021, 11, 487.	3.0	29
63	Selection of Anion Exchangers for Detoxification of Dilute-Acid Hydrolysates from Spruce. <i>Applied Biochemistry and Biotechnology</i> , 2004, 114, 525-538.	2.9	28
64	Comparison of laccase-catalyzed cross-linking of organosolv lignin and lignosulfonates. <i>International Journal of Biological Macromolecules</i> , 2017, 105, 438-446.	7.5	28
65	Scale-up of production of bacterial nanocellulose using submerged cultivation. <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 3418-3427.	3.2	28
66	Differences in stereo-preference in the oxidative degradation of diastereomers of the lignin model compound 1-(3,4-dimethoxyphenyl)-2-(2-methoxyphenoxy)-1,3-propanediol with enzymic and non-enzymic oxidants. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2007, 45, 21-26.	1.8	27
67	Reducing agents improve enzymatic hydrolysis of cellulosic substrates in the presence of pretreatment liquid. <i>Journal of Biotechnology</i> , 2011, 155, 244-250.	3.8	27
68	Enzyme-based control of oxalic acid in the pulp and paper industry. <i>Enzyme and Microbial Technology</i> , 2008, 43, 78-83.	3.2	26
69	Profiling of <i>Saccharomyces cerevisiae</i> transcription factors for engineering the resistance of yeast to lignocellulose-derived inhibitors in biomass conversion. <i>Microbial Cell Factories</i> , 2017, 16, 199.	4.0	26
70	A multi-omics approach reveals function of Secretory Carrier-Associated Membrane Proteins in wood formation of <i>Populus</i> trees. <i>BMC Genomics</i> , 2018, 19, 11.	2.8	25
71	<i>Trametes versicolor</i> ligninase: Isozyme sequence homology and substrate specificity. <i>FEBS Letters</i> , 1989, 247, 143-146.	2.8	24
72	A novel type of peroxidase gene from the white-rot fungus <i>Trametes versicolor</i> . <i>BBA - Proteins and Proteomics</i> , 1994, 1207, 255-259.	2.1	24

#	ARTICLE	IF	CITATIONS
73	Bioconversion of Waste Fiber Sludge to Bacterial Nanocellulose and Use for Reinforcement of CTMP Paper Sheets. <i>Polymers</i> , 2017, 9, 458.	4.5	24
74	Identification of Small Aliphatic Aldehydes in Pretreated Lignocellulosic Feedstocks and Evaluation of Their Inhibitory Effects on Yeast. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 9747-9754.	5.2	23
75	Evaluation of Oxalate Decarboxylase and Oxalate Oxidase for Industrial Applications. <i>Applied Biochemistry and Biotechnology</i> , 2010, 161, 255-263.	2.9	22
76	Tolerance of the Nanocellulose-Producing Bacterium <i>Gluconacetobacter xylinus</i> to Lignocellulose-Derived Acids and Aldehydes. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 9792-9799.	5.2	22
77	Comparative proteome analysis of <i>Saccharomyces cerevisiae</i> : A global overview of in vivo targets of the yeast activator protein 1. <i>BMC Genomics</i> , 2012, 13, 230.	2.8	21
78	Treatment with Lignin Residue. <i>Applied Biochemistry and Biotechnology</i> , 2002, 98-100, 563-576.	2.9	20
79	Co-immobilization of oxalate oxidase and catalase in films for scavenging of oxygen or oxalic acid. <i>Biochemical Engineering Journal</i> , 2013, 72, 96-101.	3.6	20
80	Performance of nanocellulose-producing bacterial strains in static and agitated cultures with different starting pH. <i>Carbohydrate Polymers</i> , 2019, 215, 280-288.	10.2	20
81	Identification of benzoquinones in pretreated lignocellulosic feedstocks and inhibitory effects on yeast. <i>AMB Express</i> , 2015, 5, 62.	3.0	19
82	Tandem lignin peroxidase genes of the fungus <i>Trametes versicolor</i> . <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1994, 1218, 408-412.	2.4	18
83	Oxidation of the erythro and threo forms of the phenolic lignin model compound 1-(4-hydroxy-3-methoxyphenyl)-2-(2-methoxyphenoxy)-1,3-propanediol by laccases and model oxidants. <i>Bioorganic Chemistry</i> , 2009, 37, 143-148.	4.1	18
84	Hybrid Aspen Expressing a Carbohydrate Esterase Family 5 Acetyl Xylan Esterase Under Control of a Wood-Specific Promoter Shows Improved Saccharification. <i>Frontiers in Plant Science</i> , 2020, 11, 380.	3.6	18
85	Heterologous expression of barley and wheat oxalate oxidase in an <i>E. coli</i> <i>trxB gor</i> double mutant. <i>Journal of Biotechnology</i> , 2004, 109, 53-62.	3.8	17
86	Oxidation Capacity of Laccases and Peroxidases as Reflected in Experiments With Methoxy-Substituted Benzyl Alcohols. <i>Applied Biochemistry and Biotechnology</i> , 2006, 129, 303-319.	2.9	17
87	Effects of Biosurfactants on Enzymatic Saccharification and Fermentation of Pretreated Softwood. <i>Molecules</i> , 2020, 25, 3559.	3.8	17
88	Stereospecificity in enzymic and non-enzymic oxidation of β^2 -O-4 lignin model compounds. <i>FEBS Letters</i> , 1990, 276, 45-48.	2.8	16
89	Title is missing!. <i>World Journal of Microbiology and Biotechnology</i> , 2002, 18, 857-862.	3.6	16
90	Product profiles in enzymic and non-enzymic oxidations of the lignin model compound erythro-1-(3,4-dimethoxyphenyl)-2-(2-methoxyphenoxy)-1,3-propanediol. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2005, 35, 100-107.	1.8	16

#	ARTICLE	IF	CITATIONS
91	Biorefining of wood: combined production of ethanol and xylanase from waste fiber sludge. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2011, 38, 891-899.	3.0	16
92	Comparison of catalytically non-productive adsorption of fungal proteins to lignins and pseudo-lignin using isobaric mass tagging. <i>Bioresource Technology</i> , 2018, 268, 393-401.	9.6	16
93	Dilute-sulfuric acid pretreatment of de-starched cassava stems for enhancing the enzymatic convertibility and total glucan recovery. <i>Industrial Crops and Products</i> , 2019, 132, 301-310.	5.2	16
94	The effects of chemical and structural factors on the enzymatic saccharification of <i>Eucalyptus</i> sp. samples pre-treated by various technologies. <i>Industrial Crops and Products</i> , 2021, 166, 113449.	5.2	16
95	Evaluation of the Potential of Fungal and Plant Laccases for Active-Packaging Applications. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 5390-5395.	5.2	15
96	Production of cellulosic ethanol and enzyme from waste fiber sludge using SSF, recycling of hydrolytic enzymes and yeast, and recombinant cellulase-producing <i>Aspergillus niger</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2014, 41, 1191-1200.	3.0	15
97	Techno-economic evaluation of conditioning with sodium sulfite for bioethanol production from softwood. <i>Bioresource Technology</i> , 2015, 196, 129-135.	9.6	15
98	Comparison of tolerance of four bacterial nanocellulose-producing strains to lignocellulose-derived inhibitors. <i>Microbial Cell Factories</i> , 2017, 16, 229.	4.0	15
99	The potential in bioethanol production from waste fiber sludges in pulp mill-based biorefineries. <i>Applied Biochemistry and Biotechnology</i> , 2007, 137-140, 327-337.	2.9	14
100	Coating: Oxygen scavenging enzymes in coatings – Effect of coating procedures on enzyme activity. <i>Nordic Pulp and Paper Research Journal</i> , 2011, 26, 197-204.	0.7	14
101	Influence of Lignocellulose-Derived Aromatic Compounds on Oxygen-Limited Growth and Ethanolic Fermentation by <i>Saccharomyces cerevisiae</i> . , 2000, , 617-632.		13
102	Enzymatic hydrolysis of Norway spruce and sugarcane bagasse after treatment with 1-allyl-3-methylimidazolium formate. <i>Journal of Chemical Technology and Biotechnology</i> , 2013, 88, 2209-2215.	3.2	12
103	Using <i>in situ</i> nanocellulose-coating technology based on dynamic bacterial cultures for upgrading conventional biomedical materials and reinforcing nanocellulose hydrogels. <i>Biotechnology Progress</i> , 2016, 32, 1077-1084.	2.6	11
104	Comparison of [HSO ₄] ⁻ , [Cl] ⁻ and [MeCO ₂] ⁻ as anions in pretreatment of aspen and spruce with imidazolium-based ionic liquids. <i>BMC Biotechnology</i> , 2017, 17, 82.	3.3	11
105	Diastereomer selectivity in the degradation of a lignin model compound of the arylglycerol β-aryl ether type by white-rot fungi. <i>Enzyme and Microbial Technology</i> , 2008, 43, 199-204.	3.2	10
106	Overexpression of vesicle-associated membrane protein PttVAP27-17 as a tool to improve biomass production and the overall saccharification yields in <i>Populus</i> trees. <i>Biotechnology for Biofuels</i> , 2021, 14, 43.	6.2	10
107	Enzymatic conversion of epigallocatechin gallate to epigallocatechin with an inducible hydrolase from <i>Aspergillus niger</i> . <i>Biocatalysis and Biotransformation</i> , 2008, 26, 306-312.	2.0	9
108	Fluorescence Lifetime Imaging as an <i>In Situ</i> and Label-Free Readout for the Chemical Composition of Lignin. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 17381-17392.	6.7	9

#	ARTICLE	IF	CITATIONS
109	Valorization of hydrolysis lignin from a spruce-based biorefinery by applying Î³-valerolactone treatment. <i>Bioresource Technology</i> , 2022, 359, 127466.	9.6	9
110	Extruded polymer films for optimal enzyme-catalyzed oxygen scavenging. <i>Chemical Engineering Science</i> , 2014, 108, 1-8.	3.8	7
111	Treatment of Pulp and Paper Industry Process Waters with Oxalate Oxidase: Compounds Interfering with the Activity. <i>ACS Symposium Series</i> , 2003, , 81-92.	0.5	6
112	Heterologous Expression of <i>Trametes versicolor</i> Laccase in <i>Pichia pastoris</i> and <i>Aspergillus niger</i> . , 2006, , 195-214.		6
113	Ozone detoxification of steam-pretreated Norway spruce. <i>Biotechnology for Biofuels</i> , 2015, 8, 196.	6.2	6
114	New drum-chipping technology for a more uniform size distribution of wood chips. <i>Holzforschung</i> , 2020, 74, 116-122.	1.9	6
115	Hydrothermal Pretreatment of Water-Extracted and Aqueous Ethanol-Extracted Quinoa Stalks for Enzymatic Saccharification of Cellulose. <i>Energies</i> , 2021, 14, 4102.	3.1	6
116	Saccharification Potential of Transgenic Greenhouse- and Field-Grown Aspen Engineered for Reduced Xylan Acetylation. <i>Frontiers in Plant Science</i> , 2021, 12, 704960.	3.6	6
117	Comparison of the Fermentability of Enzymatic Hydrolyzates of Sugarcane Bagasse Pretreated by Steam Explosion Using Different Impregnating Agents. , 2002, , 699-716.		6
118	Engineering Aspects of Bioethanol Synthesis. <i>Advances in Chemical Engineering</i> , 2013, 42, 1-73.	0.9	5
119	Ammonium Hydroxide Detoxification of Spruce Acid Hydrolysates. , 2005, , 911-922.		5
120	Critical Conditions for Improved Fermentability During Overliming of Acid Hydrolysates from Spruce. , 2005, , 1031-1044.		4
121	Dilute Sulfuric Acid Pretreatment of Agricultural and Agro-Industrial Residues for Ethanol Production. , 2007, , 339-352.		4
122	Oxalate decarboxylase of <i>Trametes versicolor</i> : biochemical characterization and performance in bleaching filtrates from the pulp and paper industry. <i>Journal of Chemical Technology and Biotechnology</i> , 2012, 87, 1600-1606.	3.2	4
123	Detoxification of Lignocellulose Hydrolysates with Ion-Exchange Resins. , 2001, , 35-49.		4
124	The effects of coating structure and water-holding capacity on the oxygen-scavenging ability of enzymes embedded in the coating layer. <i>Tappi Journal</i> , 2013, 12, 43-52.	0.5	4
125	Evaluation of Oxalate Decarboxylases in Industrial Bleaching Filtrates and in Pulp-Mill Experiments. <i>Industrial Biotechnology</i> , 2014, 10, 126-129.	0.8	3
126	Production of Exopolysaccharides by Cultivation of Halotolerant <i>Bacillus atrophaeus</i> BU4 in Glucose- and Xylose-Based Synthetic Media and in Hydrolysates of Quinoa Stalks. <i>Fermentation</i> , 2022, 8, 79.	3.0	3

#	ARTICLE	IF	CITATIONS
127	Effects of ionic substances in bleaching filtrates and of lignosulfonates on the activity of oxalate oxidase from barley. Engineering in Life Sciences, 2011, 11, 245-252.	3.6	2
128	Factors Affecting Detoxification of Softwood Enzymatic Hydrolysates Using Sodium Dithionite. Processes, 2021, 9, 887.	2.8	2
129	Comparison of Efficiency and Cost of Methods for Conditioning of Slurries of Steam-Pretreated Softwood. Frontiers in Energy Research, 2021, 9, .	2.3	2
130	Evaluation of novel drum chipper technology: pilot-scale production of short wood chips. Tappi Journal, 2019, 18, 585-592.	0.5	2
131	Fractionated Lignosulfonates for Laccase-Catalyzed Oxygen-Scavenging Films and Coatings. Molecules, 2021, 26, 6322.	3.8	2
132	The impact of using different wood qualities and wood species on chips produced using a novel type of pilot drum chipper. Nordic Pulp and Paper Research Journal, 2021, 36, 214-226.	0.7	1
133	Treatment with Lignin Residue. , 2002, , 563-575.		1
134	Selection of Anion Exchangers for Detoxification of Dilute-Acid Hydrolysates from Spruce. , 2004, , 525-538.		1
135	Limits for Alkaline Detoxification of Dilute-Acid Lignocellulose Hydrolysates. , 2003, , 615-628.		1
136	Optimal Conditions for Alkaline Detoxification of Dilute-Acid Lignocellulose Hydrolysates. , 2006, , 599-611.		0
137	Evaluation of chipping and impregnation of Scots pine heartwood with sulfite cooking liquor. SN Applied Sciences, 2020, 2, 1.	2.9	0
138	The Potential in Bioethanol Production From Waste Fiber Sludges in Pulp Mill-Based Biorefineries. , 2007, , 327-337.		0
139	Oxidation Capacity of Laccases and Peroxidases as Reflected in Experiments With Methoxy-Substituted Benzyl Alcohols. , 2006, , 303-319.		0