

# Adrian Whitehouse

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9032328/publications.pdf>

Version: 2024-02-01

104  
papers

2,867  
citations

156536

32  
h-index

242451

47  
g-index

112  
all docs

112  
docs citations

112  
times ranked

2870  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dysregulation of the miRâ€³0c/DLL4 axis by circHIPK3 is essential for KSHV lytic replication. <i>EMBO Reports</i> , 2022, 23, e54117.	2.0	9
2	Investigating the structural changes due to adenosine methylation of the Kaposiâ€™s sarcoma-associated herpes virus ORF50 transcript. <i>PLoS Computational Biology</i> , 2022, 18, e1010150.	1.5	8
3	TMEM16A/ANO1 calcium-activated chloride channel as a novel target for the treatment of human respiratory syncytial virus infection. <i>Thorax</i> , 2021, 76, 64-72.	2.7	13
4	Cytoplasmic long noncoding RNAs are differentially regulated and translated during human neuronal differentiation. <i>Rna</i> , 2021, 27, 1082-1101.	1.6	17
5	Insights into the Evolving Roles of Circular RNAs in Cancer. <i>Cancers</i> , 2021, 13, 4180.	1.7	17
6	Merkel Cell Polyomavirus Small Tumor Antigen Activates Matrix Metalloproteinase-9 Gene Expression for Cell Migration and Invasion. <i>Journal of Virology</i> , 2020, 94, .	1.5	8
7	Regulation of Kaposiâ€™s Sarcoma-Associated Herpesvirus Biology by Host Molecular Chaperones. <i>Heat Shock Proteins</i> , 2020, , 167-196.	0.2	0
8	Identification of potassium and calcium channel inhibitors as modulators of polyomavirus endosomal trafficking. <i>Antiviral Research</i> , 2020, 179, 104819.	1.9	19
9	MicroRNA-18a targeting of the STK4/MST1 tumour suppressor is necessary for transformation in HPV positive cervical cancer. <i>PLoS Pathogens</i> , 2020, 16, e1008624.	2.1	46
10	Merkel cell polyomavirus small tumour antigen activates the p38 MAPK pathway to enhance cellular motility. <i>Biochemical Journal</i> , 2020, 477, 2721-2733.	1.7	10
11	Styrene maleic acid recovers proteins from mammalian cells and tissues while avoiding significant cell death. <i>Scientific Reports</i> , 2019, 9, 16408.	1.6	3
12	m6A: Widespread regulatory control in virus replication. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2019, 1862, 370-381.	0.9	37
13	CircRNAs: From anonymity to novel regulators of gene expression in cancer (Review). <i>International Journal of Oncology</i> , 2019, 55, 1183-1193.	1.4	16
14	The Tudor SND1 protein is an m6A RNA reader essential for replication of Kaposiâ€™s sarcoma-associated herpesvirus. <i>ELife</i> , 2019, 8, .	2.8	107
15	The cellular chloride channels CLIC1 and CLIC4 contribute to virus-mediated cell motility. <i>Journal of Biological Chemistry</i> , 2018, 293, 4582-4590.	1.6	21
16	Merkel Cell Polyomavirus Small T Antigen Drives Cell Motility via Rho-GTPase-Induced Filopodium Formation. <i>Journal of Virology</i> , 2018, 92, .	1.5	22
17	Contribution of the KSHV and EBV lytic cycles to tumourigenesis. <i>Current Opinion in Virology</i> , 2018, 32, 60-70.	2.6	75
18	Cellular sheddases are induced by Merkel cell polyomavirus small tumour antigen to mediate cell dissociation and invasiveness. <i>PLoS Pathogens</i> , 2018, 14, e1007276.	2.1	24

#	ARTICLE	IF	CITATIONS
19	The interferon-stimulated gene product oligoadenylate synthetase-like protein enhances replication of Kaposi's sarcoma-associated herpesvirus (KSHV) and interacts with the KSHV ORF20 protein. <i>PLoS Pathogens</i> , 2018, 14, e1006937.	2.1	28
20	m6aViewer: software for the detection, analysis, and visualization of N <sup>6</sup> -methyladenosine peaks from m <sup>6</sup> A-seq/ME-RIP sequencing data. <i>Rna</i> , 2017, 23, 1493-1501.	1.6	34
21	Generation of specific inhibitors of SUMO-1 and SUMO-2/3-mediated protein-protein interactions using Affimer (Adhiron) technology. <i>Science Signaling</i> , 2017, 10, .	1.6	44
22	Targeting the human TREX complex to prevent herpesvirus replication: what is new?. <i>Future Virology</i> , 2017, 12, 81-83.	0.9	2
23	Targeting the ATP-dependent formation of herpesvirus ribonucleoprotein particle assembly as an antiviral approach. <i>Nature Microbiology</i> , 2017, 2, 16201.	5.9	38
24	The PP4R1 sub-unit of protein phosphatase PP4 is essential for inhibition of NF- $\kappa$ B by merkel polyomavirus small tumour antigen. <i>Oncotarget</i> , 2017, 8, 25418-25432.	0.8	32
25	ARID3B: a Novel Regulator of the Kaposi's Sarcoma-Associated Herpesvirus Lytic Cycle. <i>Journal of Virology</i> , 2016, 90, 9543-9555.	1.5	10
26	Interactions between KSHV ORF57 and the novel human TREX proteins, CHTOP and CIP29. <i>Journal of General Virology</i> , 2016, 97, 1904-1910.	1.3	8
27	Hsp70 Isoforms Are Essential for the Formation of Kaposi's Sarcoma-Associated Herpesvirus Replication and Transcription Compartments. <i>PLoS Pathogens</i> , 2015, 11, e1005274.	2.1	59
28	Resolution of the cellular proteome of the nucleocapsid protein from a highly pathogenic isolate of porcine reproductive and respiratory syndrome virus identifies PARP-1 as a cellular target whose interaction is critical for virus biology. <i>Veterinary Microbiology</i> , 2015, 176, 109-119.	0.8	26
29	NEDDylation Is Essential for Kaposi's Sarcoma-Associated Herpesvirus Latency and Lytic Reactivation and Represents a Novel Anti-KSHV Target. <i>PLoS Pathogens</i> , 2015, 11, e1004771.	2.1	43
30	Merkel Cell Polyomavirus Small T Antigen Mediates Microtubule Destabilization To Promote Cell Motility and Migration. <i>Journal of Virology</i> , 2015, 89, 35-47.	1.5	56
31	Stathmin drives virus-induced metastasis. <i>Oncotarget</i> , 2015, 6, 32289-32290.	0.8	4
32	Utilising proteomic approaches to understand oncogenic human herpesviruses (Review). <i>Molecular and Clinical Oncology</i> , 2014, 2, 891-903.	0.4	6
33	A Novel Mechanism Inducing Genome Instability in Kaposi's Sarcoma-Associated Herpesvirus Infected Cells. <i>PLoS Pathogens</i> , 2014, 10, e1004098.	2.1	54
34	Merkel Cell Polyomavirus: Molecular Insights into the Most Recently Discovered Human Tumour Virus. <i>Cancers</i> , 2014, 6, 1267-1297.	1.7	37
35	Long non-coding RNAs drive metastatic progression in melanoma (Review). <i>International Journal of Oncology</i> , 2014, 45, 2181-2186.	1.4	9
36	The Cellular Interactome of the Coronavirus Infectious Bronchitis Virus Nucleocapsid Protein and Functional Implications for Virus Biology. <i>Journal of Virology</i> , 2013, 87, 9486-9500.	1.5	77

#	ARTICLE	IF	CITATIONS
37	The use of high-frequency ultrasound imaging and biofluorescence for in vivo evaluation of gene therapy vectors. <i>BMC Medical Imaging</i> , 2013, 13, 35.	1.4	7
38	Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein: Exploiting All Stages of Viral mRNA Processing. <i>Viruses</i> , 2013, 5, 1901-1923.	1.5	20
39	Potential of Herpesvirus Saimiri-Based Vectors To Reprogram a Somatic Ewing's Sarcoma Family Tumor Cell Line. <i>Journal of Virology</i> , 2013, 87, 7127-7139.	1.5	2
40	Merkel Cell Polyomavirus Small T Antigen Targets the NEMO Adaptor Protein To Disrupt Inflammatory Signaling. <i>Journal of Virology</i> , 2013, 87, 13853-13867.	1.5	78
41	A Herpesvirus saimiri-based vector expressing TRAIL induces cell death in human carcinoma cell lines and multicellular spheroid cultures. <i>International Journal of Oncology</i> , 2012, 40, 2081-9.	1.4	4
42	Resveratrol Inhibits KSHV Reactivation by Lowering the Levels of Cellular EGR-1. <i>PLoS ONE</i> , 2012, 7, e33364.	1.1	25
43	The Kaposi's Sarcoma-Associated Herpesvirus ORF57 Protein and Its Multiple Roles in mRNA Biogenesis. <i>Frontiers in Microbiology</i> , 2012, 3, 59.	1.5	19
44	Using SILAC and quantitative proteomics to investigate the interactions between viral and host proteomes. <i>Proteomics</i> , 2012, 12, 666-672.	1.3	57
45	Cellular uptake of highly-functionalized ruthenium(II) tris-bipyridine protein-surface mimetics. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 985-988.	1.0	6
46	Herpesvirus saimiri-mediated delivery of the adenomatous polyposis coli tumour suppressor gene reduces proliferation of colorectal cancer cells. <i>International Journal of Oncology</i> , 2011, 39, 1173-81.	1.4	5
47	Herpesvirus saimiri-based endothelin-converting enzyme shRNA expression decreases prostate cancer cell invasion and migration. <i>International Journal of Cancer</i> , 2011, 129, 586-598.	2.3	13
48	Assessment of Infectivity Using a Herpesvirus Saimiri (HVS) Recombinant that Expresses HVS-GFP: Figure 1.. <i>Cold Spring Harbor Protocols</i> , 2011, 2011, pdb.prot066951.	0.2	2
49	Mutation of a C-Terminal Motif Affects Kaposi's Sarcoma-Associated Herpesvirus ORF57 RNA Binding, Nuclear Trafficking, and Multimerization. <i>Journal of Virology</i> , 2011, 85, 7881-7891.	1.5	16
50	Production of Recombinant Herpesvirus Saimiri-Based Vectors: Figure 1.. <i>Cold Spring Harbor Protocols</i> , 2011, 2011, pdb.prot066944.	0.2	2
51	Gardella Gel Analysis to Detect Herpesvirus Saimiri Episomal DNA. <i>Cold Spring Harbor Protocols</i> , 2011, 2011, pdb.prot066969.	0.2	2
52	Structural Basis for the Recognition of Cellular mRNA Export Factor REF by Herpes Viral Proteins HSV-1 ICP27 and HVS ORF57. <i>PLoS Pathogens</i> , 2011, 7, e1001244.	2.1	41
53	An Interaction between KSHV ORF57 and UIF Provides mRNA-Adaptor Redundancy in Herpesvirus Intronless mRNA Export. <i>PLoS Pathogens</i> , 2011, 7, e1002138.	2.1	44
54	Mutation of Herpesvirus Saimiri ORF51 Glycoprotein Specifically Targets Infectivity to Hepatocellular Carcinoma Cell Lines. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-14.	3.0	3

#	ARTICLE	IF	CITATIONS
55	Nucleolar proteomics and viral infection. <i>Proteomics</i> , 2010, 10, 4077-4086.	1.3	59
56	Kaposi's sarcoma-associated herpesvirus ORF57 protein interacts with PYM to enhance translation of viral intronless mRNAs. <i>EMBO Journal</i> , 2010, 29, 1851-1864.	3.5	60
57	ORF57: Master regulator of KSHV mRNA biogenesis. <i>Cell Cycle</i> , 2010, 9, 2702-2703.	1.3	11
58	Kaposi's Sarcoma-Associated Herpesvirus RTA Promotes Degradation of the Hey1 Repressor Protein through the Ubiquitin Proteasome Pathway. <i>Journal of Virology</i> , 2009, 83, 6727-6738.	1.5	68
59	Reduction in RNA Levels Rather than Retardation of Translation Is Responsible for the Inhibition of Major Histocompatibility Complex Class I Antigen Presentation by the Glutamic Acid-Rich Repeat of Herpesvirus Saimiri Open Reading Frame 73. <i>Journal of Virology</i> , 2009, 83, 273-282.	1.5	10
60	Identification of a response element in a herpesvirus saimiri mRNA recognized by the ORF57 protein. <i>Journal of General Virology</i> , 2009, 90, 596-601.	1.3	8
61	Nucleolar disruption impairs Kaposi's sarcoma-associated herpesvirus ORF57-mediated nuclear export of intronless viral mRNAs. <i>FEBS Letters</i> , 2009, 583, 3549-3556.	1.3	26
62	Uncoupling of hTREX demonstrates that UAP56 and hTHO-complex recruitment onto herpesvirus saimiri intronless transcripts is required for replication. <i>Journal of General Virology</i> , 2009, 90, 1455-1460.	1.3	11
63	Viral nucleolar localisation signals determine dynamic trafficking within the nucleolus. <i>Virology</i> , 2008, 380, 191-202.	1.1	34
64	Kaposi's sarcoma-associated herpesvirus (KSHV) Rta and cellular HMGB1 proteins synergistically transactivate the KSHV ORF50 promoter. <i>FEBS Letters</i> , 2008, 582, 3080-3084.	1.3	26
65	Production of an infectious Herpesvirus saimiri-based episomally maintained amplicon system. <i>Journal of Biotechnology</i> , 2008, 134, 287-296.	1.9	11
66	Recruitment of the Complete hTREX Complex Is Required for Kaposi's Sarcoma-Associated Herpesvirus Intronless mRNA Nuclear Export and Virus Replication. <i>PLoS Pathogens</i> , 2008, 4, e1000194.	2.1	85
67	Mapping the minimal regions within the ORF73 protein required for herpesvirus saimiri episomal persistence. <i>Journal of General Virology</i> , 2008, 89, 2843-2850.	1.3	6
68	Herpesvirus saimiri ORF57: a post-transcriptional regulatory protein. <i>Frontiers in Bioscience - Landmark</i> , 2008, 13, 2928.	3.0	37
69	X Box Binding Protein XBP-1s Transactivates the Kaposi's Sarcoma-Associated Herpesvirus (KSHV) ORF50 Promoter, Linking Plasma Cell Differentiation to KSHV Reactivation from Latency. <i>Journal of Virology</i> , 2007, 81, 13578-13586.	1.5	98
70	Herpesvirus Saimiri Episomal Persistence Is Maintained via Interaction between Open Reading Frame 73 and the Cellular Chromosome-Associated Protein MeCP2. <i>Journal of Virology</i> , 2007, 81, 4021-4032.	1.5	46
71	Herpesvirus Saimiri-Based Gene Delivery Vectors. <i>Current Gene Therapy</i> , 2006, 6, 1-15.	0.9	18
72	Nucleolar trafficking is essential for nuclear export of intronless herpesvirus mRNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 15190-15195.	3.3	72

#	ARTICLE	IF	CITATIONS
73	Efficient infection and persistence of a herpesvirus saimiri-based gene delivery vector into human tumor xenografts and multicellular spheroid cultures. <i>Cancer Gene Therapy</i> , 2005, 12, 248-256.	2.2	13
74	Open reading frame 73 is required for herpesvirus saimiri A11-S4 episomal persistence. <i>Journal of General Virology</i> , 2005, 86, 2703-2708.	1.3	25
75	The herpesvirus saimiri Rta gene autostimulates via binding to a non-consensus response element. <i>Journal of General Virology</i> , 2005, 86, 581-587.	1.3	3
76	The Herpesvirus Saimiri Replication and Transcription Activator Acts Synergistically with CCAAT Enhancer Binding Protein Alpha To Activate the DNA Polymerase Promoter. <i>Journal of Virology</i> , 2005, 79, 13548-13560.	1.5	3
77	The prototype $\hat{I}^3$ -2 herpesvirus nucleocytoplasmic shuttling protein, ORF 57, transports viral RNA through the cellular mRNA export pathway. <i>Biochemical Journal</i> , 2005, 387, 295-308.	1.7	69
78	Development of herpesvirus-based episomally maintained gene delivery vectors. <i>Expert Opinion on Biological Therapy</i> , 2004, 4, 493-505.	1.4	9
79	The Herpesvirus Saimiri Open Reading Frame (ORF) 50 (Rta) Protein Contains an AT Hook Required for Binding to the ORF 50 Response Element in Delayed-Early Promoters. <i>Journal of Virology</i> , 2004, 78, 4936-4942.	1.5	11
80	The herpesvirus saimiri ORF73 gene product interacts with host-cell mitotic chromosomes and self-associates via its C terminus. <i>Journal of General Virology</i> , 2004, 85, 147-153.	1.3	33
81	The herpesvirus saimiri ORF 73 regulatory region provides long-term transgene expression in human carcinoma cell lines. <i>Cancer Gene Therapy</i> , 2003, 10, 49-56.	2.2	9
82	Generation and precise modification of a herpesvirus saimiri bacterial artificial chromosome demonstrates that the terminal repeats are required for both virus production and episomal persistence. <i>Journal of General Virology</i> , 2003, 84, 3393-3403.	1.3	49
83	Herpesvirus saimiri: A potential gene delivery vector (Review). <i>International Journal of Molecular Medicine</i> , 2003, 11, 139.	1.8	2
84	Herpesvirus saimiri: a potential gene delivery vector (review). <i>International Journal of Molecular Medicine</i> , 2003, 11, 139-48.	1.8	8
85	The Herpesvirus Saimiri Open Reading Frame 73 Gene Product Interacts with the Cellular Protein p32. <i>Journal of Virology</i> , 2002, 76, 11612-11622.	1.5	33
86	Identification and Utilisation of the ORF 73 Latency-Associated Regulatory Region in Herpesvirus Saimiri-Based Vectors. <i>Clinical Science</i> , 2002, 103, 72P-72P.	0.0	0
87	A $\hat{I}^3$ -2 Herpesvirus Nucleocytoplasmic Shuttle Protein Interacts with Importin $\hat{I}^{\pm 1}$ and $\hat{I}^{\pm 5}$ . <i>Journal of Biological Chemistry</i> , 2001, 276, 19905-19912.	1.6	34
88	Herpesvirus Saimiri Open Reading Frame 50 (Rta) Protein Reactivates the Lytic Replication Cycle in a Persistently Infected A549 Cell Line. <i>Journal of Virology</i> , 2001, 75, 4008-4013.	1.5	39
89	A herpesvirus saimiri-based gene therapy vector with potential for use in cancer immunotherapy. <i>Cancer Gene Therapy</i> , 2000, 7, 1077-1085.	2.2	22
90	Distinct Transcriptional and Functional Properties of the R Transactivator Gene orf50 of the Transforming Herpesvirus Saimiri Strain C488. <i>Virology</i> , 2000, 268, 167-177.	1.1	17

#	ARTICLE	IF	CITATIONS
91	Analysis of Gene Expression in a Human Cell Line Stably Transduced with Herpesvirus Saimiri. Journal of Virology, 2000, 74, 7331-7337.	1.5	36
92	Characterization of the herpesvirus saimiri ORF73 gene product. Journal of General Virology, 2000, 81, 2653-2658.	1.3	27
93	The carboxy terminus of the herpesvirus saimiri ORF 57 gene contains domains that are required for transactivation and transrepression. Journal of General Virology, 2000, 81, 2253-2265.	1.3	33
94	Assessment of Herpesvirus saimiri as a potential human gene therapy vector. Journal of Medical Virology, 1999, 57, 269-277.	2.5	25
95	The human herpesvirus-8 ORF 57 gene and its properties. Journal of General Virology, 1999, 80, 3207-3215.	1.3	71
96	The Open Reading Frame 57 Gene Product of Herpesvirus Saimiri Shuttles between the Nucleus and Cytoplasm and Is Involved in Viral RNA Nuclear Export. Journal of Virology, 1999, 73, 10519-10524.	1.5	47
97	The Activation Domain of Herpesvirus Saimiri R Protein Interacts with the TATA-Binding Protein. Journal of Virology, 1999, 73, 9756-9763.	1.5	30
98	Structural and evolutionary characterization of the human sorbitol dehydrogenase gene duplication. Mammalian Genome, 1998, 9, 1042-1048.	1.0	4
99	The Immediate-Early Gene Product Encoded by Open Reading Frame 57 of Herpesvirus Saimiri Modulates Gene Expression at a Posttranscriptional Level. Journal of Virology, 1998, 72, 857-861.	1.5	68
100	The Open Reading Frame (ORF) 50a Gene Product Regulates ORF 57 Gene Expression in Herpesvirus Saimiri. Journal of Virology, 1998, 72, 1967-1973.	1.5	41
101	Mapping the Minimal Domain of hMSH-2 Sufficient for Binding Mismatched Oligonucleotides. Biochemical and Biophysical Research Communications, 1997, 232, 10-13.	1.0	9
102	Analysis of the Mismatch and Insertion/Deletion Binding Properties of Thermus thermophilus, HB8, MutS. Biochemical and Biophysical Research Communications, 1997, 233, 834-837.	1.0	23
103	A Carboxy Terminal Domain of the hMSH-2 Gene Product Is Sufficient for Binding Specific Mismatched Oligonucleotides. Biochemical and Biophysical Research Communications, 1996, 225, 289-295.	1.0	11
104	Mutational Analysis of the Nucleotide Binding Domain of the Mismatch Repair Enzyme hMSH-2. Biochemical and Biophysical Research Communications, 1996, 229, 147-153.	1.0	5