

# Wataru Sugimoto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9032965/publications.pdf>

Version: 2024-02-01

150  
papers

5,944  
citations

66343

42  
h-index

76900

74  
g-index

156  
all docs

156  
docs citations

156  
times ranked

6636  
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation of Ruthenic Acid Nanosheets and Utilization of Its Interlayer Surface for Electrochemical Energy Storage. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 4092-4096.	13.8	515
2	Proton and Electron Conductivity in Hydrous Ruthenium Oxides Evaluated by Electrochemical Impedance Spectroscopy: The Origin of Large Capacitance. <i>Journal of Physical Chemistry B</i> , 2005, 109, 7330-7338.	2.6	406
3	Asymmetric electrochemical capacitors "Stretching the limits of aqueous electrolytes. <i>MRS Bulletin</i> , 2011, 36, 513-522.	3.5	368
4	Perspective "A Guideline for Reporting Performance Metrics with Electrochemical Capacitors: From Electrode Materials to Full Devices. <i>Journal of the Electrochemical Society</i> , 2017, 164, A1487-A1488.	2.9	198
5	Charge storage mechanism of nanostructured anhydrous and hydrous ruthenium-based oxides. <i>Electrochimica Acta</i> , 2006, 52, 1742-1748.	5.2	169
6	Synthesis of electro-deposited ordered mesoporous RuO using lyotropic liquid crystal and application toward micro-supercapacitors. <i>Journal of Power Sources</i> , 2013, 227, 153-160.	7.8	162
7	Effect of Structure of Carbon-Supported PtRu Electrocatalysts on the Electrochemical Oxidation of Methanol. <i>Journal of the Electrochemical Society</i> , 2000, 147, 4421.	2.9	159
8	Effects of the surface area of carbon support on the characteristics of highly-dispersed Pt-Ru particles as catalysts for methanol oxidation. <i>Electrochimica Acta</i> , 2003, 48, 3861-3868.	5.2	147
9	Size effects of platinum particles on the electro-oxidation of methanol in an aqueous solution of HClO <sub>4</sub> . <i>Electrochemistry Communications</i> , 2000, 2, 671-674.	4.7	130
10	Electrophoretic deposition of negatively charged tetratitanate nanosheets and transformation into preferentially oriented TiO <sub>2</sub> (B) film. <i>Journal of Materials Chemistry</i> , 2002, 12, 3814-3818.	6.7	124
11	Evaluation of the pseudocapacitance in RuO <sub>2</sub> with a RuO <sub>2</sub> /GC thin film electrode. <i>Electrochimica Acta</i> , 2004, 49, 313-320.	5.2	112
12	Kinetics of CH <sub>3</sub> OH oxidation on PtRu/C studied by impedance and CO stripping voltammetry. <i>Journal of Electroanalytical Chemistry</i> , 2005, 576, 215-221.	3.8	108
13	Synthesis of Nanosheet Crystallites of Ruthenate with an $\pm$ -NaFeO <sub>2</sub> -Related Structure and Its Electrochemical Supercapacitor Property. <i>Inorganic Chemistry</i> , 2010, 49, 4391-4393.	4.0	106
14	High oxygen-reduction activity of silk-derived activated carbon. <i>Electrochemistry Communications</i> , 2009, 11, 376-378.	4.7	105
15	Intercalation Behavior of n-Alkylamines into a Protonated Form of a Layered Perovskite Derived from Aurivillius Phase Bi <sub>2</sub> SrTa <sub>2</sub> O <sub>9</sub> . <i>Chemistry of Materials</i> , 2003, 15, 632-635.	6.7	101
16	Particle growth behavior of carbon-supported Pt, Ru, PtRu catalysts prepared by an impregnation reductive-pyrolysis method for direct methanol fuel cell anodes. <i>Journal of Catalysis</i> , 2005, 229, 176-184.	6.2	96
17	Oxygen reduction behavior of RuO <sub>2</sub> /Ti, IrO <sub>2</sub> /Ti and IrM (M: Ru, Mo, W, V) Ox/Ti binary oxide electrodes in a sulfuric acid solution. <i>Electrochemistry Communications</i> , 2008, 10, 668-672.	4.7	91
18	Temperature dependence of the oxidation of carbon monoxide on carbon supported Pt, Ru, and PtRu. <i>Electrochemistry Communications</i> , 2004, 6, 480-483.	4.7	90

#	ARTICLE	IF	CITATIONS
19	Size effects of ultrafine Pt/Ru particles on the electrocatalytic oxidation of methanol. <i>Chemical Communications</i> , 2001, , 341-342.	4.1	87
20	All-Nanosheet Ultrathin Capacitors Assembled Layer-by-Layer via Solution-Based Processes. <i>ACS Nano</i> , 2014, 8, 2658-2666.	14.6	82
21	Electrochemical Capacitor Behavior of Layered Ruthenic Acid Hydrate. <i>Journal of the Electrochemical Society</i> , 2004, 151, A1181.	2.9	79
22	Fabrication of Thin-Film, Flexible, and Transparent Electrodes Composed of Ruthenic Acid Nanosheets by Electrophoretic Deposition and Application to Electrochemical Capacitors. <i>Journal of the Electrochemical Society</i> , 2006, 153, A255.	2.9	78
23	Oxygen-reduction activity of silk-derived carbons. <i>Journal of Power Sources</i> , 2010, 195, 5840-5847.	7.8	69
24	Molybdenum Oxide/Carbon Composite Electrodes as Electrochemical Supercapacitors. <i>Electrochemical and Solid-State Letters</i> , 2001, 4, A145.	2.2	68
25	Development of a 4.2 V aqueous hybrid electrochemical capacitor based on MnO <sub>2</sub> positive and protected Li negative electrodes. <i>Journal of Power Sources</i> , 2013, 241, 572-577.	7.8	60
26	Oxidized Ti <sub>3</sub> C <sub>2</sub> MXene nanosheets for dye-sensitized solar cells. <i>New Journal of Chemistry</i> , 2018, 42, 16446-16450.	2.8	60
27	New Conversion Reaction of an Aurivillius Phase into the Protonated Form of the Layered Perovskite by the Selective Leaching of the Bismuth Oxide Sheet. <i>Journal of the American Chemical Society</i> , 1999, 121, 11601-11602.	13.7	59
28	Preparation and HREM Characterization of a Protonated Form of a Layered Perovskite Tantalate from an Aurivillius Phase Bi <sub>2</sub> SrTa <sub>2</sub> O <sub>9</sub> via Acid Treatment. <i>Inorganic Chemistry</i> , 2001, 40, 5768-5771.	4.0	58
29	Structural analyses of RuO <sub>2</sub> -TiO <sub>2</sub> /Ti and IrO <sub>2</sub> -RuO <sub>2</sub> -TiO <sub>2</sub> /Ti anodes used in industrial chlor-alkali membrane processes. <i>Journal of Applied Electrochemistry</i> , 2010, 40, 1789-1795.	2.9	58
30	Charge Storage Capabilities of Rutile-Type RuO <sub>2</sub> -VO <sub>2</sub> Solid Solution for Electrochemical Supercapacitors. <i>Electrochemical and Solid-State Letters</i> , 2002, 5, A170.	2.2	54
31	Reactions of Alkoxy Derivatives of a Layered Perovskite with Alcohols: Substitution Reactions on the Interlayer Surface of a Layered Perovskite. <i>Chemistry of Materials</i> , 2003, 15, 636-641.	6.7	53
32	A Layered Tungstic Acid H <sub>2</sub> W <sub>2</sub> O <sub>7</sub> ·nH <sub>2</sub> O with a Double-Octahedral Sheet Structure: Conversion Process from an Aurivillius Phase Bi <sub>2</sub> W <sub>2</sub> O <sub>9</sub> and Structural Characterization. <i>Inorganic Chemistry</i> , 2003, 42, 4479-4484.	4.0	53
33	Oxygen reduction behavior of rutile-type iridium oxide in sulfuric acid solution. <i>Electrochimica Acta</i> , 2008, 54, 566-573.	5.2	53
34	Conductivity of Ruthenate Nanosheets Prepared via Electrostatic Self-Assembly: Characterization of Isolated Single Nanosheet Crystallite to Mono- and Multilayer Electrodes. <i>Langmuir</i> , 2010, 26, 18049-18054.	3.5	51
35	Co-catalytic effect of nanostructured ruthenium oxide towards electro-oxidation of methanol and carbon monoxide. <i>Electrochemistry Communications</i> , 2006, 8, 411-415.	4.7	50
36	4 V class aqueous hybrid electrochemical capacitor with battery-like capacity. <i>RSC Advances</i> , 2012, 2, 12144.	3.6	49

#	ARTICLE	IF	CITATIONS
37	Preparation of Mesoporous Pt~Ru Alloy Fibers with Tunable Compositions via Evaporation-Mediated Direct Templating (EDIT) Method Utilizing Porous Anodic Alumina Membranes. <i>Chemistry of Materials</i> , 2009, 21, 3414-3423.	6.7	48
38	Towards Implantable Bio-Supercapacitors: Pseudocapacitance of Ruthenium Oxide Nanoparticles and Nanosheets in Acids, Buffered Solutions, and Bioelectrolytes. <i>Journal of the Electrochemical Society</i> , 2015, 162, A5001-A5006.	2.9	48
39	Titanium Oxide Nanosheet Modified PtRu/C Electrocatalyst for Direct Methanol Fuel Cell Anodes. <i>Journal of Physical Chemistry C</i> , 2010, 114, 13390-13396.	3.1	45
40	Catalytic creation of channels in the surface layers of highly oriented pyrolytic graphite by cobalt nanoparticles. <i>Carbon</i> , 2006, 44, 2338-2340.	10.3	44
41	Swelling, intercalation, and exfoliation behavior of layered ruthenate derived from layered potassium ruthenate. <i>Journal of Solid State Chemistry</i> , 2009, 182, 2997-3002.	2.9	44
42	Fabrication of Ruthenium Metal Nanosheets via Topotactic Metallization of Exfoliated Ruthenate Nanosheets. <i>Inorganic Chemistry</i> , 2013, 52, 2280-2282.	4.0	43
43	High-performance hybrid supercapacitors enabled by protected lithium negative electrode and "water-in-salt" electrolyte. <i>Journal of Power Sources</i> , 2018, 396, 498-505.	7.8	43
44	Steam activation of boron doped diamond electrodes. <i>Electrochimica Acta</i> , 2011, 56, 5599-5604.	5.2	40
45	Catalytic roughening of surface layers of BDD for various applications. <i>Electrochimica Acta</i> , 2009, 54, 5223-5229.	5.2	37
46	Activity and Durability of Ternary PtRu~C for Methanol Electro-oxidation. <i>Journal of the Electrochemical Society</i> , 2009, 156, B397.	2.9	36
47	Enhanced activity and stability of Pt/C fuel cell anodes by the modification with ruthenium-oxide nanosheets. <i>Electrochimica Acta</i> , 2010, 55, 857-864.	5.2	36
48	Electrochemical supercapacitor behavior of nanoparticulate rutile-type Ru~VO <sub>2</sub> . <i>Journal of Power Sources</i> , 2006, 160, 1480-1486.	7.8	35
49	Catalytic etching of {100}-oriented diamond coating with Fe, Co, Ni, and Pt nanoparticles under hydrogen. <i>Diamond and Related Materials</i> , 2011, 20, 1165-1170.	3.9	35
50	Photochromogenic Nanosheet Crystallites of Tungstate with a 2D Bronze Structure. <i>Inorganic Chemistry</i> , 2012, 51, 1540-1543.	4.0	34
51	Correlation in structure and properties of highly-porous graphene monoliths studied with a thermal treatment method. <i>Carbon</i> , 2016, 96, 174-183.	10.3	34
52	Performance of ternary PtRuRh/C electrocatalyst with varying Pt:Ru:Rh ratio for methanol electro-oxidation. <i>Journal of Applied Electrochemistry</i> , 2006, 36, 1117-1125.	2.9	33
53	Oxygen reduction characteristics of several valve metal oxide electrodes in HClO <sub>4</sub> solution. <i>Electrochimica Acta</i> , 2010, 55, 8220-8229.	5.2	33
54	Preparation of a novel organic derivative of the layered perovskite bearing HLaNb <sub>2</sub> O <sub>7</sub> ·nH <sub>2</sub> O interlayer surface trifluoroacetate groups. <i>Materials Research Bulletin</i> , 2006, 41, 834-841.	5.2	31

#	ARTICLE	IF	CITATIONS
55	Ru-core@Pt-shell nanosheet for fuel cell electrocatalysts with high activity and durability. Journal of Catalysis, 2017, 345, 207-215.	6.2	31
56	Synthesis of ordered mesoporous ruthenium by lyotropic liquid crystals and its electrochemical conversion to mesoporous ruthenium oxide with high surface area. Journal of Power Sources, 2012, 204, 244-248.	7.8	30
57	Synthesis and Oxygen Electrocatalysis of Iridium Oxide Nanosheets. Electrocatalysis, 2017, 8, 144-150.	3.0	30
58	Conversion of Aurivillius Phases Bi <sub>2</sub> ANa <sub>1-x</sub> Nb <sub>3</sub> O <sub>12</sub> (A = Sr or Ca) into the Protonated Forms of Layered Perovskite via Acid Treatment. Chemistry of Materials, 2002, 14, 2946-2952.	6.7	27
59	An examination of the oxygen reduction reaction on RuO <sub>2</sub> -based oxide coatings formed on titanium substrates. Catalysis Today, 2009, 146, 248-252.	4.4	26
60	Effect of the boron content on the steam activation of boron-doped diamond electrodes. Carbon, 2013, 65, 206-213.	10.3	26
61	Oxygen Reduction Reaction Activity of Pt/Graphene Composites with Various Graphene Size. Electrochemistry, 2011, 79, 337-339.	1.4	25
62	Materials for Electrochemical Capacitors. , 2017, , 495-561.		25
63	Catalytic Formation of Nanochannels in the Surface Layers of Diamonds by Metal Nanoparticles. Electrochemical and Solid-State Letters, 2006, 9, C114.	2.2	24
64	Catalytic etching of synthetic diamond crystallites by iron. Applied Surface Science, 2012, 258, 8128-8133.	6.1	23
65	Hunting for Monolayer Oxide Nanosheets and Their Architectures. Scientific Reports, 2016, 6, 19402.	3.3	23
66	Effect of the Crystal Plane on the Catalytic Etching Behavior of Diamond Crystallites by Cobalt Nanoparticles. Chemistry Letters, 2006, 35, 1216-1217.	1.3	19
67	Synthesis of Mesoporous Carbon Using a Fullerenol-based Precursor Solution via Nanocasting with SBA-15. Chemistry Letters, 2010, 39, 777-779.	1.3	18
68	Preferential {100} etching of boron-doped diamond electrodes and diamond particles by CO <sub>2</sub> activation. Carbon, 2014, 70, 207-214.	10.3	18
69	Vertically Aligned Reduced Graphite Oxide Nanosheet Film and its Application in a High-Speed Charge/Discharge Electrochemical Capacitor. ACS Applied Energy Materials, 2019, 2, 1033-1039.	5.1	18
70	Synthesis and structures of carrier doped titanates with the Ruddlesden-Popper structure (Sr <sub>0.95</sub> La <sub>0.05</sub> ) <sub>n+1</sub> Ti <sub>n</sub> O <sub>3n+1</sub> (n=1, 2). Solid State Ionics, 1998, 108, 315-319.	2.7	16
71	Electrochemical Capacitor Behavior of RuO <sub>2</sub> Nanosheets in Buffered Solution and Its Application to Hybrid Capacitor. Electrochemistry, 2013, 81, 795-797.	1.4	16
72	Influence of the RuO <sub>2</sub> Nanosheet Content in RuO <sub>2</sub> Nanosheet-Pt/C Composite Toward Improved Performance of Oxygen Reduction Electrocatalysts. Journal of the Electrochemical Society, 2014, 161, F318-F322.	2.9	16

#	ARTICLE	IF	CITATIONS
73	Room temperature performance of 4V aqueous hybrid supercapacitor using multi-layered lithium-doped carbon negative electrode. <i>Journal of Power Sources</i> , 2016, 326, 711-716.	7.8	16
74	Uncovering the real active sites of ruthenium oxide for the carbon monoxide electro-oxidation reaction on platinum: The catalyst acts as a co-catalyst. <i>Journal of Electroanalytical Chemistry</i> , 2018, 810, 109-118.	3.8	16
75	Two-Dimensional Effects on the Oxygen Reduction Reaction and Irreversible Surface Oxidation of Metallic Ru Nanosheets and Nanoparticles. <i>ACS Applied Nano Materials</i> , 2019, 2, 5743-5751.	5.0	16
76	Pseudocapacitance of Molybdenum Oxide Particles Highly Dispersed on Glassy Carbon Surface. <i>Electrochemistry</i> , 1999, 67, 1187-1188.	1.4	16
77	Electrical and magnetic properties of ion-exchangeable layered ruthenates. <i>Journal of Solid State Chemistry</i> , 2004, 177, 4542-4545.	2.9	15
78	Insights into the enhanced tolerance to carbon monoxide on model tungsten trioxide-decorated polycrystalline platinum electrode. <i>Electrochemistry Communications</i> , 2016, 71, 69-72.	4.7	14
79	Synthesis of Stacked Graphene-Sn Composite as a High-Performance Anode for Lithium-Ion Capacitors. <i>Journal of the Electrochemical Society</i> , 2020, 167, 040519.	2.9	14
80	Title is missing!. <i>Catalysis Surveys From Asia</i> , 2003, 7, 21-29.	2.6	13
81	Improving oxygen reduction reaction activity and durability of 1.5nm Pt by addition of ruthenium oxide nanosheets. <i>Electrochemistry Communications</i> , 2013, 33, 123-126.	4.7	13
82	Model Electrode Studies of the Electrostatic Interaction between Electrochemically Dissolved Pt Ions and RuO <sub>2</sub> Nanosheets. <i>Journal of the Electrochemical Society</i> , 2014, 161, F259-F262.	2.9	13
83	57 Characteristics of highly active PtRu/C anode catalysts for DMFC. <i>Studies in Surface Science and Catalysis</i> , 2003, , 279-282.	1.5	12
84	Catalytic Excavation and Graphitization of Activated Carbon by Cobalt Nanoparticles. <i>Chemistry Letters</i> , 2008, 37, 1194-1195.	1.3	12
85	Achieving 100% Utilization of Reduced Graphene Oxide by Layer-by-Layer Assembly: Insight into the Capacitance of Chemically Derived Graphene in a Monolayer State. <i>Journal of Physical Chemistry C</i> , 2014, 118, 6624-6630.	3.1	12
86	Suppression of CO Adsorption on PtRu/C and Pt/C with RuO <sub>2</sub> Nanosheets. <i>ECS Electrochemistry Letters</i> , 2015, 4, F35-F37.	1.9	12
87	Electrochemical and Spectroscopic Analysis of the Ionogel Electrode Interface. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 12088-12097.	8.0	12
88	Scalable Design of Two-Dimensional Oxide Nanosheets for Construction of Ultrathin Multilayer Nanocapacitor. <i>Small</i> , 2020, 16, 2003485.	10.0	12
89	Catalytic Linear Grooving of Graphite Surface Layers by Pt, Ru, and PtRu Nanoparticles. <i>Chemistry Letters</i> , 2005, 34, 1008-1009.	1.3	11
90	Dependence of the Preparation Temperature of Pt <sub>0.7</sub> Co <sub>0.3</sub> /C Catalysts on the Structure of the Alloy Particles and the Carbon Supports. <i>Electrochemical and Solid-State Letters</i> , 2005, 8, B34.	2.2	11

#	ARTICLE	IF	CITATIONS
91	Graphene Nanoplatelets via Exfoliation of Platelet Carbon Nanofibers and Its Electric Double Layer Capacitance. <i>Chemistry Letters</i> , 2011, 40, 44-45.	1.3	11
92	Application of Sn-Ni Alloy as an Anode for Lithium-Ion Capacitors with Improved Volumetric Energy and Power Density. <i>Journal of the Electrochemical Society</i> , 2019, 166, A3615-A3619.	2.9	11
93	Suppression of CO Adsorption on PtRu/C Catalysts Modified with Metallic Ruthenium Nanosheets. <i>Journal of the Electrochemical Society</i> , 2016, 163, F367-F371.	2.9	10
94	Lateral Size Effects of Two-dimensional IrO <sub>2</sub> Nanosheets towards the Oxygen Evolution Reaction Activity. <i>Electrochemistry</i> , 2017, 85, 779-783.	1.4	10
95	Synthesis and Structures of Reduced Niobates with Four Perovskite-like Layers and Their Semiconducting Properties. <i>Journal of Solid State Chemistry</i> , 1999, 148, 508-512.	2.9	9
96	Development of Materials and Evaluation Methods for PEFCs. <i>Electrochemistry</i> , 2007, 75, 105-114.	1.4	9
97	Evaluation of the Redox Behavior of Hydrous Ruthenium Oxides: Effect of Temperature and Acid Concentration on the Electrochemical Behavior of Layered Ruthenium Oxide. <i>Electrochemistry</i> , 2007, 75, 645-648.	1.4	9
98	The Rare-Earth Dependence on the Solid Solution Formation and Electrical Properties of KCa <sub>2-x</sub> R <sub>x</sub> Nb <sub>3</sub> O <sub>10</sub> (R=Nd, Sm, Gd and Ce). <i>Journal of the Ceramic Society of Japan</i> , 1997, 105, 284-287.		
99	Effect of charging methods on self-discharge and leakage current of supercapacitors. , 2016, , .		8
100	High-temperature dielectric responses in all-nanosheet capacitors. <i>Japanese Journal of Applied Physics</i> , 2017, 56, 06GH09.	1.5	8
101	Effect of fluoroethylene carbonate and vinylene carbonate additives on full-cell optimization of Li-ion capacitors. <i>Electrochemistry Communications</i> , 2021, 122, 106905.	4.7	8
102	Preparation of Stoichiometric and Nonstoichiometric Magnesium Titanate Spinel. <i>Journal of the Ceramic Society of Japan</i> , 1997, 105, 101-105.	1.3	7
103	Synthesis of reduced layered titanoniobates KTi <sub>1-x</sub> Nb <sub>1+x</sub> O <sub>5</sub> . <i>Materials Letters</i> , 1999, 39, 184-187.	2.6	7
104	Self-Embedment of Small Rectangular Parallelepiped Platinum Particle Array in Etch Pits on {100} Planes of Diamond Crystallites. <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 376-378.	3.2	7
105	Conductive Nanosized MagnÃ©li-Phase Ti <sub>4</sub> O <sub>7</sub> with a Core@Shell Structure. <i>Inorganic Chemistry</i> , 2019, 58, 7062-7068.	4.0	7
106	Platinum Group Metal-based Nanosheets: Synthesis and Application towards Electrochemical Energy Storage and Conversion. <i>Chemistry Letters</i> , 2021, 50, 1304-1312.	1.3	7
107	The relationship between structural variation and electrical properties in the spinel MgV <sub>2-x</sub> Ti <sub>x</sub> O <sub>4</sub> (0) Tj ETQq1 1 0,784314 rgBT /Over	4.0	6
108	Electrochemical Capacitor Properties of NiO in Ionic Liquids. <i>Chemistry Letters</i> , 2010, 39, 544-545.	1.3	6



#	ARTICLE	IF	CITATIONS
109	Methanol Adsorption and Oxidation Behavior of Various Nanostructured Ruthenium-Oxides in Acidic Electrolyte. <i>Electrochemistry</i> , 2011, 79, 371-373.	1.4	6
110	Model electrode study of Ru@Pt core-shell nanosheet catalysts: Pure two-dimensional growth via surface limited redox replacement. <i>Electrochimica Acta</i> , 2018, 283, 826-833.	5.2	6
111	AlCl <sub>3</sub> -graphite intercalation compounds as negative electrode materials for lithium-ion capacitors. <i>Journal of Materials Chemistry A</i> , 2021, 9, 27459-27467.	10.3	6
112	Zero-Overpotential Redox Reactions of Quinone-Based Molecules Confined in Carbon Micropores. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 31131-31139.	8.0	6
113	Microporous Structure of Alumina Prepared by a Salt Catalytic Sol-Gel Process. <i>Chemistry Letters</i> , 2002, 31, 110-111.	1.3	5
114	Lateral Size Effect on Electrochemical Capacitor Performance of Reduced Graphite Oxide Nanosheets. <i>Electrochemistry</i> , 2013, 81, 873-876.	1.4	5
115	Evidence of Strong Metal-Support Interaction between Pt and Crystalline RuO <sub>2</sub> Nanosheets by In-Situ AFM. <i>Journal of the Electrochemical Society</i> , 2014, 161, F360-F363.	2.9	5
116	RuO <sub>2</sub> Nanosheet Modified Pt <sub>3</sub> Co/C Cathode: Mitigating Activity Loss at High Temperature and High Potential Conditions. <i>Journal of the Electrochemical Society</i> , 2016, 163, F11-F15.	2.9	5
117	4V Aqueous hybrid supercapacitors based on dual electrolyte technologies. <i>Current Opinion in Electrochemistry</i> , 2017, 6, 127-130.	4.8	5
118	Fabrication of Three-Dimensional Porous Materials with NiO Nanowalls for Electrocatalytic Oxygen Evolution. <i>ACS Applied Nano Materials</i> , 2021, 4, 8059-8065.	5.0	5
119	Ruthenium Oxides as Supercapacitor Electrodes. , 2014, , 1813-1821.		5
120	Microporous Silica Particles Prepared by the Salt-Catalytic Sol-Gel Process with Extremely Low Content of Water. <i>Journal of Sol-Gel Science and Technology</i> , 2004, 29, 19-24.	2.4	4
121	Incorporation of Ethylenediamine as a Bi-layer in the Interlayer Space of Tetra-titanic Acid by Re-stacking Exfoliated Nanosheets. <i>Bulletin of the Chemical Society of Japan</i> , 2005, 78, 633-637.	3.2	4
122	A gas-diffusion cathode coated with oxide-catalyst for polymer electrolyte fuel cells using neither platinum catalyst nor carbon catalyst-support. <i>Electrochimica Acta</i> , 2013, 105, 224-229.	5.2	4
123	Preparation of Mesoporous Bimetallic Au@Pt with a Phase-Segregated Heterostructure Using Mesoporous Silica. <i>Chemistry - A European Journal</i> , 2015, 21, 19142-19148.	3.3	4
124	Direct preparation of core-shell platinum cathode in membrane electrode assembly catalyst layer for polymer electrolyte fuel cell. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 14547-14551.	7.1	4
125	Size Dependent Fast Li Ion Storage Based on Size Regulated TiO <sub>2</sub> (B) Nanosheet Electrodes with Vertical, Horizontal and Random Alignment. <i>Electrochemistry</i> , 2020, 88, 305-309.	1.4	4
126	Synthesis and Structural Study of the KNb <sub>4</sub> O <sub>6</sub> -Type Compound.. <i>Journal of the Ceramic Society of Japan</i> , 1999, 107, 318-321.	1.3	3



#	ARTICLE	IF	CITATIONS
127	Preparation of a transparent and flexible self-standing film of layered titania/isostearate nanocomposite. <i>Journal of Materials Research</i> , 2005, 20, 1308-1315.	2.6	3
128	Effect of Temperature and Adsorption Potential on the Electro-oxidation of Adsorbed Carbon Monoxide on Carbon Supported PtRu. <i>Electrochemistry</i> , 2010, 78, 36-41.	1.4	3
129	Energy Storage Systems. <i>Nanostructure Science and Technology</i> , 2017, , 315-329.	0.1	3
130	Effect of Mass Balancing on Cell Performance and Electrochemical Investigation of Sn-Ni Alloy as Anode for Li-Ion Capacitors. <i>Journal of the Electrochemical Society</i> , 2020, 167, 130512.	2.9	3
131	Effects of the Addition of Calcium on the Pseudocapacitance of Ruthenium Oxide Electrodes. <i>Electrochemistry</i> , 2001, 69, 493-494.	1.4	3
132	Colossal Change in Capacitance of VO <sub>2</sub> near the Metal-Insulator Transition. <i>Electrochemistry</i> , 2013, 81, 787-788.	1.4	2
133	Electrodeposited Si <sub>3</sub> N <sub>4</sub> -O <sub>2</sub> -C as a High-Rate Performance Anode for Li-ion Capacitor. <i>Journal of the Electrochemical Society</i> , 2019, 166, A2683-A2688.	2.9	2
134	Influence of Li-salts on Cycle Durability of Sn-Ni Alloy Anode for Lithium-ion Capacitor. <i>Electrochemistry</i> , 2020, 88, 74-78.	1.4	2
135	Improved Water-stable Protected Anodes with Low Resistance for Aqueous Energy Storage Devices. <i>Electrochemistry</i> , 2020, 88, 139-142.	1.4	1
136	Investigation on the Redox Behavior of Rutile-Type Ti <sub>1-x</sub> V <sub>x</sub> O <sub>2</sub> . <i>Electrochemistry</i> , 2005, 73, 1026-1029.	1.4	1
137	Enhancement in the Charge-Transfer Kinetics of Pseudocapacitive Iridium-Doped Layered Manganese Oxide. <i>Inorganic Chemistry</i> , 2022, 61, 4566-4571.	4.0	1
138	Synthesis of Na <sub>1-x</sub> Ln <sub>x</sub> NbO <sub>3</sub> (Ln=La, Nd, Sm, Gd) and their Structures and Electrical Properties. <i>Materials Research Society Symposia Proceedings</i> , 1998, 547, 267.	0.1	0
139	Conversion of an Aurivillius Phase Bi <sub>2</sub> SrNaNb <sub>3</sub> O <sub>12</sub> into Its Protonated Form via Treatment with Various Mineral Acids. <i>Materials Research Society Symposia Proceedings</i> , 2000, 658, 6241.	0.1	0
140	The Effect of the Nano and Microstructure of PtRu/C Electrocatalysts Towards Methanol and Carbon Monoxide Oxidation. <i>Materials Research Society Symposia Proceedings</i> , 2002, 756, 1.	0.1	0
141	A Layered Tungstic Acid H <sub>2</sub> W <sub>2</sub> O <sub>7</sub> ·nH <sub>2</sub> O with a Double-Octahedral Sheet Structure: Conversion Process from an Aurivillius Phase Bi <sub>2</sub> W <sub>2</sub> O <sub>9</sub> and Structural Characterization.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
142	Metal Nanoparticle Arrays Self-Implanted in Synthetic Diamond Crystallites and Films. <i>ECS Meeting Abstracts</i> , 2006, , .	0.0	0
143	Swelling of Layered Potassium Ruthenate into Nanosheet Crystallites. <i>Materials Research Society Symposia Proceedings</i> , 2008, 1148, 1.	0.1	0
144	ã,1ãf¼ãfãf¼ã,ãfãfã,ã,ã,ã. <i>Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan</i> , 2010, 61, 14-17.	0.2	0

