List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9035773/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Reorganization and expansion of the nidoviral family Arteriviridae. Archives of Virology, 2016, 161, 755-768.	0.9	254
2	Control Measures for SARS-CoV-2: A Review on Light-Based Inactivation of Single-Stranded RNA Viruses. Pathogens, 2020, 9, 737.	1.2	71
3	Impact of hospitalization and antimicrobial drug administration on antimicrobial susceptibility patterns of commensalEscherichia coliisolated from the feces of horses. Journal of the American Veterinary Medical Association, 2006, 228, 1909-1917.	0.2	69
4	Genomic characterisation of the feline sarcoid-associated papillomavirus and proposed classification as Bos taurus papillomavirus type 14. Veterinary Microbiology, 2015, 177, 289-295.	0.8	64
5	ICTV Virus Taxonomy Profile: Arteriviridae 2021. Journal of General Virology, 2021, 102, .	1.3	64
6	Equine respiratory viruses in foals in New Zealand. New Zealand Veterinary Journal, 2002, 50, 140-147.	0.4	61
7	Equine Penile Squamous Cell Carcinomas Are Associated With the Presence of Equine Papillomavirus Type 2 DNA Sequences. Veterinary Pathology, 2011, 48, 1190-1194.	0.8	56
8	Viruses associated with outbreaks of equine respiratory disease in New Zealand. New Zealand Veterinary Journal, 2002, 50, 132-139.	0.4	47
9	Identification of a novel nidovirus associated with a neurological disease of the Australian brushtail possum (Trichosurus vulpecula). Veterinary Microbiology, 2012, 156, 418-424.	0.8	43
10	Genomic characterization of Felis catus papillomavirus-3: A novel papillomavirus detected in a feline Bowenoid in situ carcinoma. Veterinary Microbiology, 2013, 165, 319-325.	0.8	42
11	Comparison of the levels of Equus caballus papillomavirus type 2 (EcPV-2) DNA in equine squamous cell carcinomas and non-cancerous tissues using quantitative PCR. Veterinary Microbiology, 2013, 166, 257-262.	0.8	37
12	Design and evaluation of a novel chitosan-based system for colon-specific drug delivery. International Journal of Biological Macromolecules, 2016, 85, 539-546.	3.6	36
13	The effect of Virkon®S fogging on survival of Salmonella enterica and Staphylococcus aureus on surfaces in a veterinary teaching hospital. Veterinary Microbiology, 2005, 105, 281-289.	0.8	35
14	Comparison of Salmonella enterica serotype Infantis isolates from a veterinary teaching hospital. Journal of Applied Microbiology, 2007, 102, 1527-1536.	1.4	35
15	Isolation of equine herpesvirus type 5 in New Zealand. New Zealand Veterinary Journal, 1999, 47, 44-46.	0.4	34
16	Genomic characterisation of canine papillomavirus type 17, a possible rare cause of canine oral squamous cell carcinoma. Veterinary Microbiology, 2016, 182, 135-140.	0.8	34
17	Kinetics of Equid herpesvirus type 2 infections in a group of Thoroughbred foals. Veterinary Microbiology, 2011, 152, 176-180.	0.8	33
18	Genomic characterisation of Felis catus papillomavirus 4, a novel papillomavirus detected in the oral cavity of a domestic cat. Virus Genes, 2014, 48, 111-119.	0.7	32

#	Article	IF	CITATIONS
19	Evaluation of the efficacy of a peroxygen disinfectant-filled footmat for reduction of bacterial load on footwear in a large animal hospital setting. Journal of the American Veterinary Medical Association, 2006, 228, 1935-1939.	0.2	30
20	The use of quantitative PCR to detect Felis catus papillomavirus type 2 DNA from a high proportion of queens and their kittens. Veterinary Microbiology, 2015, 175, 211-217.	0.8	30
21	Genomic variability of equine herpesvirus-5. Archives of Virology, 2000, 145, 1359-1371.	0.9	27
22	Prevalence and sequence analysis of equid herpesviruses from the respiratory tract of Polish horses. Virology Journal, 2018, 15, 106.	1.4	27
23	Evaluation of the effects of footwear hygiene protocols on nonspecific bacterial contamination of floor surfaces in an equine hospital. Journal of the American Veterinary Medical Association, 2006, 228, 1068-1073.	0.2	26
24	A review of equid herpesvirus 1 for the veterinary practitioner. Part B: pathogenesis and epidemiology. New Zealand Veterinary Journal, 2014, 62, 179-188.	0.4	26
25	An overview of infection control strategies for equine facilities, with an emphasis on veterinary hospitals. Veterinary Clinics of North America Equine Practice, 2004, 20, 507-520.	0.3	23
26	Amplification of three different papillomaviral DNA sequences from a cat with viral plaques. Veterinary Dermatology, 2008, 19, 400-404.	0.4	22
27	A review of equid herpesvirus 1 for the veterinary practitioner. Part A: clinical presentation, diagnosis and treatment. New Zealand Veterinary Journal, 2014, 62, 171-178.	0.4	22
28	Domain Organization and Evolution of the Highly Divergent 5′ Coding Region of Genomes of Arteriviruses, Including the Novel Possum Nidovirus. Journal of Virology, 2017, 91, .	1.5	22
29	Efficacy of directed misting application of a peroxygen disinfectant for environmental decontamination of a veterinary hospital. Journal of the American Veterinary Medical Association, 2005, 227, 597-602.	0.2	21
30	A survey of respiratory viruses in New Zealand horses. New Zealand Veterinary Journal, 2013, 61, 254-261.	0.4	21
31	The first reported outbreak of equine herpesvirus myeloencephalopathy in New Zealand. New Zealand Veterinary Journal, 2016, 64, 125-134.	0.4	21
32	Canine parvoviruses in New Zealand form a monophyletic group distinct from the viruses circulating in other parts of the world. Veterinary Microbiology, 2015, 178, 190-200.	0.8	20
33	A serological survey of canine respiratory coronavirus in New Zealand. New Zealand Veterinary Journal, 2020, 68, 54-59.	0.4	19
34	A survey of canine respiratory pathogens in New Zealand dogs. New Zealand Veterinary Journal, 2018, 66, 236-242.	0.4	18
35	Pilot study to evaluate 3 hygiene protocols on the reduction of bacterial load on the hands of veterinary staff performing routine equine physical examinations. Canadian Veterinary Journal, 2006, 47, 671-6.	0.0	17
36	Detection of two different papillomaviruses within a feline cutaneous squamous cell carcinoma: Case report and review of the literature. New Zealand Veterinary Journal, 2009, 57, 248-251.	0.4	15

#	Article	IF	CITATIONS
37	Ovine herpesvirus-2 glycoprotein B sequences from tissues of ruminant malignant catarrhal fever cases and healthy sheep are highly conserved. Journal of General Virology, 2001, 82, 2785-2790.	1.3	14
38	The aetiology of wobbly possum disease: Reproduction of the disease with purified nidovirus. Virology, 2016, 491, 20-26.	1.1	13
39	Seroconversion to avian influenza virus in free-range chickens in the Riverland region of Victoria. Australian Veterinary Journal, 2010, 88, 290-293.	0.5	11
40	Influence of equine herpesvirus type 2 infection on monocyte chemoattractant protein 1 gene transcription in equine blood mononuclear cells. Research in Veterinary Science, 2001, 71, 111-113.	0.9	10
41	Effects of physiologic concentrations of l-lysine on in vitro replication of feline herpesvirus 1. American Journal of Veterinary Research, 2014, 75, 572-580.	0.3	10
42	Virological and serological investigation of Equid herpesvirus 1 infection in New Zealand. Veterinary Microbiology, 2015, 176, 219-228.	0.8	10
43	Genetic characterization of equid herpesvirus type 1 from cases of abortion in Poland. Archives of Virology, 2017, 162, 2329-2335.	0.9	10
44	Virucidal Efficacy of Blue LED and Far-UVC Light Disinfection against Feline Infectious Peritonitis Virus as a Model for SARS-CoV-2. Viruses, 2021, 13, 1436.	1.5	10
45	Development of an indirect ELISA for detection of antibody to wobbly possum disease virus in archival sera of Australian brushtail possums ( <i>Trichosurus vulpecula</i> ) in New Zealand. New Zealand Veterinary Journal, 2018, 66, 186-193.	0.4	9
46	Outbreak of equid herpesvirus 1 abortions at the Arabian stud in Poland. BMC Veterinary Research, 2020, 16, 374.	0.7	9
47	Development of a real-time reverse transcription PCR assay for detection of a novel nidovirus associated with a neurological disease of the Australian brushtail possum (Trichosurus vulpecula). New Zealand Veterinary Journal, 2013, 61, 286-291.	0.4	8
48	Identification of the first New Zealand case of equine multinodular pulmonary fibrosis. New Zealand Veterinary Journal, 2014, 62, 226-231.	0.4	8
49	In situ hybridization and histopathological observations during ostreid herpesvirus-1-associated mortalities in Pacific oysters Crassostrea gigas. Diseases of Aquatic Organisms, 2016, 122, 43-55.	O.5	8
50	Primary possum macrophage cultures support the growth of a nidovirus associated with wobbly possum disease. Journal of Virological Methods, 2015, 222, 66-71.	1.0	7
51	Lack of protection against feline immunodeficiency virus infection among domestic cats in New Zealand vaccinated with the Fel-O-Vax® FIV vaccine. Veterinary Microbiology, 2020, 250, 108865.	0.8	7
52	Viral RNA load and histological changes in tissues following experimental infection with an arterivirus of possums (wobbly possum disease virus). Virology, 2018, 522, 73-80.	1.1	6
53	Spread of equine arteritis virus among Hucul horses with different EqCXCL16 genotypes and analysis of viral quasispecies from semen of selected stallions. Scientific Reports, 2020, 10, 2909.	1.6	6
54	A molecular survey of canine respiratory viruses in New Zealand. New Zealand Veterinary Journal, 2021, 69, 224-233.	0.4	6

#	Article	IF	CITATIONS
55	Genomic characterization of a novel Epsilonpapillomavirus associated with pigmented papillomas in a red deer (Cervus elaphus). Virus Genes, 2016, 52, 633-639.	0.7	5
56	Sequence variation of the feline immunodeficiency virus genome and its clinical relevance. Veterinary Record, 2013, 172, 607-614.	0.2	4
57	A survey of avian paramyxovirus type 1 infections among backyard poultry in New Zealand. New Zealand Veterinary Journal, 2013, 61, 316-322.	0.4	4
58	How common is equine herpesvirus type 1Âinfection?. Veterinary Record, 2016, 178, 67-69.	0.2	4
59	What is causing acute haemorrhagic diarrhoea syndrome in dogs?. Veterinary Record, 2017, 180, 539-541.	0.2	4
60	Frequency of latent equine herpesvirus type-1 infection among a sample of horses in the central North Island of New Zealand. New Zealand Veterinary Journal, 2020, 68, 23-30.	0.4	4
61	In Vitro Effects of Doxycycline on Replication of Feline Coronavirus. Pathogens, 2021, 10, 312.	1.2	4
62	Genetic Variation in the Glycoprotein B Sequence of Equid Herpesvirus 5 among Horses of Various Breeds at Polish National Studs. Pathogens, 2021, 10, 322.	1.2	3
63	Kinetics of the Equid Herpesvirus 2 and 5 Infections among Mares and Foals from Three Polish National Studs. Viruses, 2022, 14, 713.	1.5	3
64	Serological evidence for the presence of wobbly possum disease virus in Australia. PLoS ONE, 2020, 15, e0237091.	1.1	2
65	Biosecurity. , 2007, , 528-539.		2
66	Differential recognition of peptides within feline coronavirus polyprotein 1 ab by sera from healthy cats and cats with feline infectious peritonitis. Virology, 2019, 532, 88-96.	1.1	1
67	Re: Development of real-time reverse transcription PCR assay for detection of a novel nidovirus associated with a neurological disease of the Australian brushtail possum ( <i>Trichosurus) Tj ETQq1 1 0.78431</i>	4 rg <b>ð</b> 14/Ov	erlæk 10 Tf 5 -
68	Genomic Variability of Canine Parvoviruses from a Selected Population of Dogs and Cats in Sri Lanka. Pathogens, 2021, 10, 1102.	1.2	0