## Harriet J Forbes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/903614/publications.pdf

Version: 2024-02-01

57 papers 10,864 citations

257101 24 h-index 56 g-index

74 all docs

74 docs citations

74 times ranked 21384 citing authors

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 1  | Factors associated with COVID-19-related death using OpenSAFELY. Nature, 2020, 584, 430-436.   | 13.7 | 4,674     |
| 2  | Data Resource Profile: Clinical Practice Research Datalink (CPRD). International Journal of Epidemiology, 2015, 44, 827-836.   | 0.9  | 1,969     |
| 3  | Body-mass index and risk of 22 specific cancers: a population-based cohort study of 5·24 million UK adults. Lancet, The, 2014, 384, 755-765.   | 6.3  | 1,255     |
| 4  | HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. Lancet HIV,the, 2021, 8, e24-e32.   | 2.1  | 340       |
| 5  | Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. Lancet, The, 2021, 397, 1711-1724. | 6.3  | 332       |
| 6  | Indirect acute effects of the COVID-19 pandemic on physical and mental health in the UK: a population-based study. The Lancet Digital Health, 2021, 3, e217-e230.  | 5.9  | 220       |
| 7  | Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. Lancet Respiratory Medicine,the, 2020, 8, 1106-1120.   | 5.2  | 211       |
| 8  | Validation of chronic obstructive pulmonary disease recording in the Clinical Practice Research Datalink (CPRD-GOLD). BMJ Open, 2014, 4, e005540-e005540.  | 0.8  | 203       |
| 9  | A systematic review and meta-analysis of risk factors for postherpetic neuralgia. Pain, 2016, 157, 30-54.  | 2.0  | 200       |
| 10 | Quantification of risk factors for herpes zoster: population based case-control study. BMJ, The, 2014, 348, g2911.   | 3.0  | 182       |
| 11 | Severe and predominantly active atopic eczema in adulthood and long term risk of cardiovascular disease: population based cohort study. BMJ: British Medical Journal, 2018, 361, k1786.  | 2.4  | 108       |
| 12 | Quantification of risk factors for postherpetic neuralgia in herpes zoster patients. Neurology, 2016, 87, 94-102.  | 1.5  | 101       |
| 13 | Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. British Journal of General Practice, 2022, 72, e51-e62.                           | 0.7  | 75        |
| 14 | Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records <i>in situ</i> using OpenSAFELY. British Journal of General Practice, 2021, 71, e806-e814.   | 0.7  | 74        |
| 15 | Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. Annals of the Rheumatic Diseases, 2021, 80, 943-951.   | 0.5  | 66        |
| 16 | Human herpesvirus infections and dementia or mild cognitive impairment: a systematic review and meta-analysis. Scientific Reports, 2019, 9, 4743.  | 1.6  | 65        |
| 17 | Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. BMJ, The, 2021, 372, n628.   | 3.0  | 56        |
| 18 | Varicella and herpes zoster vaccine development: lessons learned. Expert Review of Vaccines, 2017, 16, 1191-1201.  | 2.0  | 49        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 19 | Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. Lancet Rheumatology, The, 2021, 3, e19-e27.                                   | 2.2 | 49        |
| 20 | Herpes zoster risk after 21 specific cancers: population-based case–control study. British Journal of Cancer, 2017, 116, 1643-1651.  | 2.9 | 48        |
| 21 | Effectiveness of herpes zoster vaccination in an older United Kingdom population. Vaccine, 2018, 36, 2371-2377.  | 1.7 | 39        |
| 22 | Mortality among Care Home Residents in England during the first and second waves of the COVID-19 pandemic: an observational study of 4.3 million adults over the age of 65. Lancet Regional Health - Europe, The, 2022, 14, 100295.  | 3.0 | 38        |
| 23 | Association of herpesviruses and stroke: Systematic review and meta-analysis. PLoS ONE, 2018, 13, e0206163.  | 1.1 | 37        |
| 24 | Association of Relative Age in the School Year With Diagnosis of Intellectual Disability, Attention-Deficit/Hyperactivity Disorder, and Depression. JAMA Pediatrics, 2019, 173, 1068.  | 3.3 | 28        |
| 25 | Risk of acute respiratory infection and acute cardiovascular events following acute respiratory infection among adults with increased cardiovascular risk in England between 2008 and 2018: a retrospective, population-based cohort study. The Lancet Digital Health, 2021, 3, e773-e783. | 5.9 | 26        |
| 26 | Metformin and cancer in type 2 diabetes: a systematic review and comprehensive bias evaluation. International Journal of Epidemiology, 2017, 46, dyw275.   | 0.9 | 25        |
| 27 | Risk of herpes zoster after exposure to varicella to explore the exogenous boosting hypothesis: self controlled case series study using UK electronic healthcare data. BMJ, The, 2020, 368, 16987.   | 3.0 | 22        |
| 28 | OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. British Journal of General Practice, 2022, 72, e63-e74.   | 0.7 | 22        |
| 29 | What are the effects of having an illness or injury whilst deployed on post deployment mental health?<br>A population based record linkage study of UK Army personnel who have served in Iraq or<br>Afghanistan. BMC Psychiatry, 2012, 12, 178.  | 1.1 | 18        |
| 30 | Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. Wellcome Open Research, 2021, 6, 90.   | 0.9 | 18        |
| 31 | OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. Open Heart, 2021, 8, e001784.   | 0.9 | 17        |
| 32 | The Epidemiology and Prevention of Herpes Zoster. Current Dermatology Reports, 2012, 1, 39-47.   | 1.1 | 16        |
| 33 | Partner Bereavement and Risk of Herpes Zoster: Results from Two Population-Based Case-Control Studies in Denmark and the United Kingdom. Clinical Infectious Diseases, 2017, 64, ciw840.   | 2.9 | 16        |
| 34 | Risk factors for herpes simplex virus type-1 infection and reactivation: Cross-sectional studies among EPIC-Norfolk participants. PLoS ONE, 2019, 14, e0215553.  | 1.1 | 15        |
| 35 | Zoster vaccination inequalities: A population based cohort study using linked data from the UK<br>Clinical Practice Research Datalink. PLoS ONE, 2018, 13, e0207183.   | 1.1 | 13        |
| 36 | Incidence of acute complications of herpes zoster among immunocompetent adults in England: a matched cohort study using routine health data*. British Journal of Dermatology, 2021, 184, 1077-1084.  | 1.4 | 13        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Viral load and antibody boosting following herpes zoster diagnosis. Journal of Clinical Virology, 2018, 103, 12-15.   | 1.6 | 12        |
| 38 | Mood Disorders and Risk of Herpes Zoster in 2 Population-Based Case-Control Studies in Denmark and the United Kingdom. American Journal of Epidemiology, 2018, 187, 1019-1028.  | 1.6 | 12        |
| 39 | Inequalities in zoster disease burden: a population-based cohort study to identify social determinants using linked data from the U.K. Clinical Practice Research Datalink. British Journal of Dermatology, 2018, 178, 1324-1330. | 1.4 | 11        |
| 40 | Prescription of antiviral therapy after herpes zoster in general practice: who receives therapy?. British Journal of General Practice, 2012, 62, e808-e814.   | 0.7 | 10        |
| 41 | Rapid Increase in Prevalence of Male Circumcision in Rural Tanzania in the Absence of a Promotional Campaign. PLoS ONE, 2012, 7, e40507.  | 1.1 | 9         |
| 42 | Partner bereavement and risk of psoriasis and atopic eczema: cohort studies in the U.K. and Denmark. British Journal of Dermatology, 2020, 183, 321-331.  | 1.4 | 8         |
| 43 | Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. Journal of Hematology and Oncology, 2021, 14, 172.  | 6.9 | 8         |
| 44 | <p>Association Between Common Infections and Incident Post-Stroke Dementia: A Cohort Study Using the Clinical Practice Research Datalink</p> . Clinical Epidemiology, 2020, Volume 12, 907-916.                                   | 1.5 | 7         |
| 45 | The association between partner bereavement and melanoma: cohort studies in the U.K. and Denmark. British Journal of Dermatology, 2020, 183, 673-683.   | 1.4 | 6         |
| 46 | Potentially inappropriate prescribing of DOACs to people with mechanical heart valves: A federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY. Thrombosis Research, 2022, 211, 150-153.     | 0.8 | 6         |
| 47 | Self-harm and suicide during and after opioid agonist treatment among primary care patients in England: a cohort study. Lancet Psychiatry,the, 2022, 9, 151-159.  | 3.7 | 6         |
| 48 | Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19 in England: a descriptive cohort study within the OpenSAFELY platform. Wellcome Open Research, 0, 7, 142.  | 0.9 | 6         |
| 49 | Vitamin D deficiency or supplementation and the risk of human herpesvirus infections or reactivation: a systematic review protocol. BMJ Open, 2019, 9, e031867.   | 0.8 | 4         |
| 50 | Healthcare use by people who use illicit opioids (HUPIO): development of a cohort based on electronic primary care records in England. Wellcome Open Research, 2020, 5, 282.  | 0.9 | 4         |
| 51 | The association between human herpesvirus infections and stroke: a systematic review protocol. BMJ Open, 2017, 7, e016427.  | 0.8 | 3         |
| 52 | Partner Bereavement and Detection of Dementia: A UK-Based Cohort Study Using Routine Health Data. Journal of Alzheimer's Disease, 2019, 72, 653-662.  | 1.2 | 3         |
| 53 | Vitamin D Deficiency or Supplementation and the Risk of Human Herpesvirus Infections or Reactivation: A Systematic Review and Meta-analysis. Open Forum Infectious Diseases, 2021, 8, ofaa570.                                    | 0.4 | 3         |
| 54 | Association between oral anticoagulants and COVID-19-related outcomes: a population-based cohort study. British Journal of General Practice, 2022, 72, e456-e463.   | 0.7 | 3         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Association between human herpesvirus infections and dementia or mild cognitive impairment: a systematic review protocol. BMJ Open, 2017, 7, e016522.                                     | 0.8 | 2         |
| 56 | Partner bereavement and risk of chronic urticaria, alopecia areata and vitiligo: cohort studies in the UK and Denmark. British Journal of Dermatology, 2020, 183, 761-763.                | 1.4 | 1         |
| 57 | Hydroxychloroquine treatment does not reduce COVID-19 mortality; underdosing to the wrong patients? $\hat{a} \in \text{``Authors''}$ reply. Lancet Rheumatology, The, 2021, 3, e172-e173. | 2.2 | 1         |