
## Harriet J Forbes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/903614/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. British Journal of General Practice, 2022, 72, e63-e74.	0.7	22
2	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. British Journal of General Practice, 2022, 72, e51-e62.	0.7	75
3	Mortality among Care Home Residents in England during the first and second waves of the COVID-19 pandemic: an observational study of 4.3 million adults over the age of 65. Lancet Regional Health - Europe, The, 2022, 14, 100295.	3.0	38
4	Potentially inappropriate prescribing of DOACs to people with mechanical heart valves: A federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY. Thrombosis Research, 2022, 211, 150-153.	0.8	6
5	Self-harm and suicide during and after opioid agonist treatment among primary care patients in England: a cohort study. Lancet Psychiatry,the, 2022, 9, 151-159.	3.7	6
6	Association between oral anticoagulants and COVID-19-related outcomes: a population-based cohort study. British Journal of General Practice, 2022, 72, e456-e463.	0.7	3
7	Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. Lancet Rheumatology, The, 2021, 3, e19-e27.	2.2	49
8	Incidence of acute complications of herpes zoster among immunocompetent adults in England: a matched cohort study using routine health data*. British Journal of Dermatology, 2021, 184, 1077-1084.	1.4	13
9	Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. Annals of the Rheumatic Diseases, 2021, 80, 943-951.	0.5	66
10	HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. Lancet HIV,the, 2021, 8, e24-e32.	2.1	340
11	Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. BMJ, The, 2021, 372, n628.	3.0	56
12	Hydroxychloroquine treatment does not reduce COVID-19 mortality; underdosing to the wrong patients? – Authors' reply. Lancet Rheumatology, The, 2021, 3, e172-e173.	2.2	1
13	Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. Wellcome Open Research, 2021, 6, 90.	0.9	18
14	Indirect acute effects of the COVID-19 pandemic on physical and mental health in the UK: a population-based study. The Lancet Digital Health, 2021, 3, e217-e230.	5.9	220
15	Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. Lancet, The, 2021, 397, 1711-1724.	6.3	332
16	Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records <i>in situ</i> using OpenSAFELY. British Journal of General Practice, 2021, 71, e806-e814.	0.7	74
17	Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. Journal of Hematology and Oncology, 2021, 14, 172.	6.9	8
18	Vitamin D Deficiency or Supplementation and the Risk of Human Herpesvirus Infections or Reactivation: A Systematic Review and Meta-analysis. Open Forum Infectious Diseases, 2021, 8, ofaa570.	0.4	3

HARRIET J FORBES

#	Article	IF	CITATIONS
19	OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. Open Heart, 2021, 8, e001784.	0.9	17
20	Risk of acute respiratory infection and acute cardiovascular events following acute respiratory infection among adults with increased cardiovascular risk in England between 2008 and 2018: a retrospective, population-based cohort study. The Lancet Digital Health, 2021, 3, e773-e783.	5.9	26
21	Partner bereavement and risk of psoriasis and atopic eczema: cohort studies in the U.K. and Denmark. British Journal of Dermatology, 2020, 183, 321-331.	1.4	8
22	Factors associated with COVID-19-related death using OpenSAFELY. Nature, 2020, 584, 430-436.	13.7	4,674
23	Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. Lancet Respiratory Medicine,the, 2020, 8, 1106-1120.	5.2	211
24	<p>Association Between Common Infections and Incident Post-Stroke Dementia: A Cohort Study Using the Clinical Practice Research Datalink</p> . Clinical Epidemiology, 2020, Volume 12, 907-916.	1.5	7
25	The association between partner bereavement and melanoma: cohort studies in the U.K. and Denmark. British Journal of Dermatology, 2020, 183, 673-683.	1.4	6
26	Risk of herpes zoster after exposure to varicella to explore the exogenous boosting hypothesis: self controlled case series study using UK electronic healthcare data. BMJ, The, 2020, 368, l6987.	3.0	22
27	Partner bereavement and risk of chronic urticaria, alopecia areata and vitiligo: cohort studies in the UK and Denmark. British Journal of Dermatology, 2020, 183, 761-763.	1.4	1
28	Healthcare use by people who use illicit opioids (HUPIO): development of a cohort based on electronic primary care records in England. Wellcome Open Research, 2020, 5, 282.	0.9	4
29	Partner Bereavement and Detection of Dementia: A UK-Based Cohort Study Using Routine Health Data. Journal of Alzheimer's Disease, 2019, 72, 653-662.	1.2	3
30	Association of Relative Age in the School Year With Diagnosis of Intellectual Disability, Attention-Deficit/Hyperactivity Disorder, and Depression. JAMA Pediatrics, 2019, 173, 1068.	3.3	28
31	Risk factors for herpes simplex virus type-1 infection and reactivation: Cross-sectional studies among EPIC-Norfolk participants. PLoS ONE, 2019, 14, e0215553.	1.1	15
32	Human herpesvirus infections and dementia or mild cognitive impairment: a systematic review and meta-analysis. Scientific Reports, 2019, 9, 4743.	1.6	65
33	Vitamin D deficiency or supplementation and the risk of human herpesvirus infections or reactivation: a systematic review protocol. BMJ Open, 2019, 9, e031867.	0.8	4
34	Viral load and antibody boosting following herpes zoster diagnosis. Journal of Clinical Virology, 2018, 103, 12-15.	1.6	12
35	Inequalities in zoster disease burden: a population-based cohort study to identify social determinants using linked data from the U.K. Clinical Practice Research Datalink. British Journal of Dermatology, 2018, 178, 1324-1330.	1.4	11
36	Mood Disorders and Risk of Herpes Zoster in 2 Population-Based Case-Control Studies in Denmark and the United Kingdom. American Journal of Epidemiology, 2018, 187, 1019-1028.	1.6	12

HARRIET J FORBES

#	Article	IF	CITATIONS
37	Effectiveness of herpes zoster vaccination in an older United Kingdom population. Vaccine, 2018, 36, 2371-2377.	1.7	39
38	Zoster vaccination inequalities: A population based cohort study using linked data from the UK Clinical Practice Research Datalink. PLoS ONE, 2018, 13, e0207183.	1.1	13
39	Association of herpesviruses and stroke: Systematic review and meta-analysis. PLoS ONE, 2018, 13, e0206163.	1.1	37
40	Severe and predominantly active atopic eczema in adulthood and long term risk of cardiovascular disease: population based cohort study. BMJ: British Medical Journal, 2018, 361, k1786.	2.4	108
41	Metformin and cancer in type 2 diabetes: a systematic review and comprehensive bias evaluation. International Journal of Epidemiology, 2017, 46, dyw275.	0.9	25
42	Partner Bereavement and Risk of Herpes Zoster: Results from Two Population-Based Case-Control Studies in Denmark and the United Kingdom. Clinical Infectious Diseases, 2017, 64, ciw840.	2.9	16
43	Herpes zoster risk after 21 specific cancers: population-based case–control study. British Journal of Cancer, 2017, 116, 1643-1651.	2.9	48
44	The association between human herpesvirus infections and stroke: a systematic review protocol. BMJ Open, 2017, 7, e016427.	0.8	3
45	Varicella and herpes zoster vaccine development: lessons learned. Expert Review of Vaccines, 2017, 16, 1191-1201.	2.0	49
46	Association between human herpesvirus infections and dementia or mild cognitive impairment: a systematic review protocol. BMJ Open, 2017, 7, e016522.	0.8	2
47	Quantification of risk factors for postherpetic neuralgia in herpes zoster patients. Neurology, 2016, 87, 94-102.	1.5	101
48	A systematic review and meta-analysis of risk factors for postherpetic neuralgia. Pain, 2016, 157, 30-54.	2.0	200
49	Data Resource Profile: Clinical Practice Research Datalink (CPRD). International Journal of Epidemiology, 2015, 44, 827-836.	0.9	1,969
50	Quantification of risk factors for herpes zoster: population based case-control study. BMJ, The, 2014, 348, g2911.	3.0	182
51	Validation of chronic obstructive pulmonary disease recording in the Clinical Practice Research Datalink (CPRD-GOLD). BMJ Open, 2014, 4, e005540-e005540.	0.8	203
52	Body-mass index and risk of 22 specific cancers: a population-based cohort study of 5·24 million UK adults. Lancet, The, 2014, 384, 755-765.	6.3	1,255
53	What are the effects of having an illness or injury whilst deployed on post deployment mental health? A population based record linkage study of UK Army personnel who have served in Iraq or Afghanistan. BMC Psychiatry, 2012, 12, 178.	1.1	18
54	Rapid Increase in Prevalence of Male Circumcision in Rural Tanzania in the Absence of a Promotional Campaign. PLoS ONE, 2012, 7, e40507.	1.1	9

#	Article	IF	CITATIONS
55	Prescription of antiviral therapy after herpes zoster in general practice: who receives therapy?. British Journal of General Practice, 2012, 62, e808-e814.	0.7	10
56	The Epidemiology and Prevention of Herpes Zoster. Current Dermatology Reports, 2012, 1, 39-47.	1.1	16
57	Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19 in England: a descriptive cohort study within the OpenSAFELY platform. Wellcome Open Research, 0, 7, 142.	0.9	6