
Wissam El-Hage

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9037278/publications.pdf Version: 2024-02-01



WISSAM FL-HACE

#	Article	IF	CITATIONS
1	A new meta-analytic method for neuroimaging studies that combines reported peak coordinates and statistical parametric maps. European Psychiatry, 2012, 27, 605-611.	0.1	577
2	Neuroinflammation and depression: A review. European Journal of Neuroscience, 2021, 53, 151-171.	1.2	489
3	Psychometric Validation of the English and French Versions of the Posttraumatic Stress Disorder Checklist for DSM-5 (PCL-5). PLoS ONE, 2016, 11, e0161645.	1.1	360
4	Olfaction: A potential cognitive marker of psychiatric disorders. Neuroscience and Biobehavioral Reviews, 2008, 32, 1315-1325.	2.9	202
5	Cognitive inhibition and working memory in unipolar depression. Journal of Affective Disorders, 2009, 116, 100-105.	2.0	194
6	Neural response to specific components of fearful faces in healthy and schizophrenic adults. NeuroImage, 2010, 49, 939-946.	2.1	183
7	Differences between effects of psychological versus pharmacological treatments on functional and morphological brain alterations in anxiety disorders and major depressive disorder: A systematic review. Neuroscience and Biobehavioral Reviews, 2012, 36, 626-644.	2.9	145
8	Behavioral and neurochemical changes following predatory stress in mice. Neuropharmacology, 2001, 41, 400-408.	2.0	125
9	Risk factors for treatment resistance in unipolar depression: A systematic review. Journal of Affective Disorders, 2015, 171, 137-141.	2.0	95
10	Depression is associated with increased sensitivity to signals of disgust: AÂfunctional magnetic resonance imaging study. Journal of Psychiatric Research, 2010, 44, 894-902.	1.5	90
11	Mechanisms of antidepressant resistance. Frontiers in Pharmacology, 2013, 4, 146.	1.6	89
12	Access to diagnostic and therapeutic facilities for psychogenic nonepileptic seizures: An international survey by the <scp>ILAE PNES</scp> Task Force. Epilepsia, 2018, 59, 203-214.	2.6	89
13	State and Trait Olfactory Markers of Major Depression. PLoS ONE, 2012, 7, e46938.	1.1	76
14	COVID-19: urgency for distancing from domestic violence. Högre Utbildning, 2020, 11, 1800245.	1.4	74
15	Safety and efficacy of repetitive transcranial magnetic stimulation in the treatment of obsessive-compulsive disorder: A review. World Journal of Biological Psychiatry, 2012, 13, 164-177.	1.3	68
16	Depression, Olfaction, and Quality of Life: A Mutual Relationship. Brain Sciences, 2018, 8, 80.	1.1	67
17	Olfactory anhedonia and negative olfactory alliesthesia in depressed patients. Psychiatry Research, 2010, 176, 190-196.	1.7	64
18	Preserved subcortical volumes and cortical thickness in women with sexual abuse-related PTSD. Psychiatry Research - Neuroimaging, 2010, 183, 181-186.	0.9	61

#	Article	IF	CITATIONS
19	Mental health responses to COVID-19 around the world. Högre Utbildning, 2021, 12, 1929754.	1.4	58
20	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. BMC Psychiatry, 2019, 19, 262.	1.1	56
21	e-PTSD: an overview on how new technologies can improve prediction and assessment of Posttraumatic Stress Disorder (PTSD). Högre Utbildning, 2018, 9, 1424448.	1.4	52
22	Vécu psychologique des femmes receveuses en attente d'un don d'ovocytes en procréation médicalement assistée. European Psychiatry, 2013, 28, 30-30.	0.1	51
23	Vulnerability to depression: what is the role of stress genes in gene × environment interaction?. Psychological Medicine, 2009, 39, 1407-1411.	2.7	50
24	Hypnosis for Awake Surgery of Low-grade Gliomas. Neurosurgery, 2016, 78, 53-61.	0.6	50
25	Post-traumatic stress disorder following childbirth. BMC Psychiatry, 2021, 21, 155.	1.1	49
26	Ketamine for the acute treatment of severe suicidal ideation: double blind, randomised placebo controlled trial. BMJ, The, 2022, 376, e067194.	3.0	47
27	Interaction of catechol O-methyltransferase and serotonin transporter genes modulates effective connectivity in a facial emotion-processing circuitry. Translational Psychiatry, 2012, 2, e70-e70.	2.4	40
28	Understanding the link between childhood trauma and schizophrenia: A systematic review of neuroimaging studies. Neuroscience and Biobehavioral Reviews, 2019, 107, 492-504.	2.9	40
29	Episodic memory and organizational strategy in free recall in unipolar depression: The role of cognitive support and executive functions. Journal of Clinical and Experimental Neuropsychology, 2010, 32, 719-727.	0.8	38
30	Gender Differences in the Sensitivity to Negative Stimuli: Cross-Modal Affective Priming Study. European Psychiatry, 2013, 28, 74-80.	0.1	36
31	Psychogenic non-epileptic seizures (PNES). Revue Neurologique, 2016, 172, 263-269.	0.6	36
32	Trauma-related deficits in working memory. Cognitive Neuropsychiatry, 2006, 11, 33-46.	0.7	34
33	Residual symptoms and functional performance in a large sample of euthymic bipolar patients in France (the OPTHYMUM study). Journal of Affective Disorders, 2014, 159, 94-102.	2.0	33
34	Posttraumatic Somatoform Dissociation in French Psychiatric Outpatients. Journal of Trauma and Dissociation, 2002, 3, 59-74.	1.0	32
35	Long-term impaired memory following predatory stress in mice. Physiology and Behavior, 2006, 87, 45-50.	1.0	32
36	Genetic modulation of the response bias towards facial displays of anger and happiness. European Psychiatry, 2014, 29, 197-202.	0.1	29

#	Article	IF	CITATIONS
37	The Dutch Eating Behavior Questionnaire: Further psychometric validation and clinical implications of the French version in normal weight and obese persons. Presse Medicale, 2015, 44, e363-e372.	0.8	29
38	Translational Identification of Transcriptional Signatures of Major Depression and Antidepressant Response. Frontiers in Molecular Neuroscience, 2017, 10, 248.	1.4	29
39	Perceptive Biases in Major Depressive Episode. PLoS ONE, 2014, 9, e86832.	1.1	27
40	Brain Tissue Pulsatility is Increased in Midlife Depression: a Comparative Study Using Ultrasound Tissue Pulsatility Imaging. Neuropsychopharmacology, 2017, 42, 2575-2582.	2.8	26
41	Working memory processing of traumatic material in women with pottraumatic stress disorder. Journal of Psychiatry and Neuroscience, 2012, 37, 87-94.	1.4	25
42	Long-term odor recognition memory in unipolar major depression and Alzheimer׳s disease. Psychiatry Research, 2014, 220, 861-866.	1.7	25
43	A cross-sectional survey on French psychiatrists' knowledge and perceptions of psychogenic nonepileptic seizures. Epilepsy and Behavior, 2016, 60, 21-26.	0.9	25
44	Using the Script Concordance Test to Evaluate Clinical Reasoning Skills in Psychiatry. Academic Psychiatry, 2017, 41, 86-90.	0.4	25
45	Association between anhedonia and suicidal events in patients with mood disorders: A 3â€year prospective study. Depression and Anxiety, 2021, 38, 17-27.	2.0	25
46	Impaired memory following predatory stress in mice is improved by fluoxetine. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2004, 28, 123-128.	2.5	24
47	Cenetic modulation of neural response during working memory in healthy individuals: interaction of glucocorticoid receptor and dopaminergic genes. Molecular Psychiatry, 2013, 18, 174-182.	4.1	22
48	The BDNF Val66Met polymorphism is associated with escitalopram response in depressed patients. Psychopharmacology, 2015, 232, 575-581.	1.5	22
49	Olfactory and gustatory functions in bipolar disorders: A systematic review. Neuroscience and Biobehavioral Reviews, 2017, 80, 69-79.	2.9	22
50	Traumatic memory reactivation with or without propranolol for PTSD and comorbid MD symptoms: a randomised clinical trial. Neuropsychopharmacology, 2021, 46, 1643-1649.	2.8	22
51	The Relationship between Insight and Uncertainty in Obsessive-Compulsive Disorder. Psychopathology, 2011, 44, 272-276.	1.1	21
52	Trauma and trauma care in Europe. Högre Utbildning, 2018, 9, 1556553.	1.4	21
53	Prevalence of Metabolic Syndrome and Associated Factors in a Cohort of Individuals With Treatment-Resistant Depression. Journal of Clinical Psychiatry, 2019, 80, .	1.1	21
54	Functional morphological imaging of autism spectrum disorders: Current position and theories proposed. Diagnostic and Interventional Imaging, 2012, 93, 139-147.	1.8	20

#	Article	IF	CITATIONS
55	Anticipatory anxiety of epileptic seizures: An overlooked dimension linked to trauma history. Seizure: the Journal of the British Epilepsy Association, 2021, 85, 64-69.	0.9	20
56	Recollection of negative information in posttraumatic stress disorder. Journal of Traumatic Stress, 2012, 25, 120-123.	1.0	19
57	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and) Tj ETQq1 1 0.784	314 rg BT /	Overbock 10 T
58	PTSD psychiatric patients exhibit a deficit in remembering. Memory, 2007, 15, 145-153.	0.9	18
59	Serotonin transporter gene expression predicts the worsening of suicidal ideation and suicide attempts along a long-term follow-up of a Major Depressive Episode. European Neuropsychopharmacology, 2018, 28, 401-414.	0.3	18
60	Validation of the Arabic version of the MADRS scale among Lebanese patients with depression. L'Encephale, 2019, 45, 195-199.	0.3	18
61	COVIDâ€19 and (hydroxy)chloroquine–azithromycin combination: Should we take the risk for our patients?. British Journal of Clinical Pharmacology, 2020, 86, 1176-1177.	1.1	18
62	Patients' Perspectives on Residual Symptoms in Bipolar Disorder. Journal of Nervous and Mental Disease, 2014, 202, 550-555.	0.5	17
63	Smaller hippocampal volume following sexual assault in women is associated with postâ€ŧraumatic stress disorder. Acta Psychiatrica Scandinavica, 2018, 138, 312-324.	2.2	17
64	Prefrontal cortex rTMS reverses behavioral impairments and differentially activates c-Fos in a mouse model of post-traumatic stressÂdisorder. Brain Stimulation, 2019, 12, 87-95.	0.7	17
65	The Early Impacts of the COVID-19 Pandemic on Mental Health Facilities and Psychiatric Professionals. International Journal of Environmental Research and Public Health, 2021, 18, 8034.	1.2	17
66	Psychological Impact of Exposure to the COVID-19 Sanitary Crisis on French Healthcare Workers: Risk Factors and Coping Strategies. Frontiers in Psychiatry, 2021, 12, 701127.	1.3	17
67	Increased Affective Reactivity to Neutral Stimuli and Decreased Maintenance of Affective Responses in Bipolar Disorder. European Psychiatry, 2015, 30, 852-860.	0.1	16
68	Olfactory markers for depression: Differences between bipolar and unipolar patients. PLoS ONE, 2020, 15, e0237565.	1.1	16
69	Childhood maltreatment and clinical severity of treatmentâ€resistant depression in a French cohort of outpatients (FACEâ€DR): Oneâ€year followâ€up. Depression and Anxiety, 2020, 37, 365-374.	2.0	16
70	Do Transactive Memory and Participative Teamwork Improve Nurses' Quality of Work Life?. Western Journal of Nursing Research, 2014, 36, 329-345.	0.6	15
71	Are the clinical classifications for psychogenic nonepileptic seizures reliable?. Epilepsy and Behavior, 2017, 77, 53-57.	0.9	15
72	Measurement and conceptualization of maternal PTSD following childbirth: Psychometric properties of the City Birth Trauma Scale—French Version (City BiTS-F) Psychological Trauma: Theory, Research, Practice, and Policy, 2022, 14, 696-704.	1.4	15

#	Article	IF	CITATIONS
73	Policy, service, and training provision for women following a traumatic birth: an international knowledge mapping exercise. BMC Health Services Research, 2021, 21, 1206.	0.9	15
74	Peut-on objectiver et éviter les erreurs diagnostiques en situation transculturelle�. Annales Medico-Psychologiques, 2012, 170, 591-595.	0.2	14
75	<i>COMT Val</i> ¹⁵⁸ <i>Met</i> × <i>SLC6A4</i> 5-HTTLPR interaction impacts on gray matter volume of regions supporting emotion processing. Social Cognitive and Affective Neuroscience, 2014, 9, 1232-1238.	1.5	14
76	Assessment of Translocator Protein Density, as Marker of Neuroinflammation, in Major Depressive Disorder: A Pilot, Multicenter, Comparative, Controlled, Brain PET Study (INFLADEP Study). Frontiers in Psychiatry, 2018, 9, 326.	1.3	14
77	Neurocognitive, emotional and neuroendocrine correlates of exposure to sexual assault in women. Journal of Psychiatry and Neuroscience, 2018, 43, 318-326.	1.4	14
78	Opportunities and Challenges for Professionals in Psychiatry and Mental Health Care Using Digital Technologies During the COVID-19 Pandemic: Systematic Review. JMIR Human Factors, 2022, 9, e30359.	1.0	14
79	Les troubles cognitifs dans le Post-Traumatic Stress Disorder (PTSD) : une revue de la littérature. Annee Psychologique, 2007, 107, 489.	0.2	13
80	Resting-state cerebral blood flow in amygdala is modulated by sex and serotonin transporter genotype. NeuroImage, 2013, 76, 90-97.	2.1	13
81	Taste identification used as a potential discriminative test among depression and Alzheimer׳s disease in elderly: A pilot study. Psychiatry Research, 2015, 228, 228-232.	1.7	13
82	Towards a pharmacochemical hypothesis of the prophylaxis of SARS-CoV-2 by psychoactive substances. Medical Hypotheses, 2020, 144, 110025.	0.8	13
83	Exploring strategies to cope with dissociation and its determinants through functional analysis in patients suffering from PTSD: A qualitative study. European Journal of Trauma and Dissociation, 2022, 6, 100235.	0.6	13
84	Functional (psychogenic non-epileptic/dissociative) seizures: why and how?. Journal of Neurology, Neurosurgery and Psychiatry, 2022, 93, 144-157.	0.9	13
85	Obsessive Compulsive Disorder in a Patient with Twiddler's Syndrome. PACE - Pacing and Clinical Electrophysiology, 2009, 32, 399-402.	0.5	12
86	Benzodiazepine use and brain amyloid load in nondemented older individuals: a florbetapir PET study in the Multidomain Alzheimer Preventive Trial cohort. Neurobiology of Aging, 2019, 84, 61-69.	1.5	12
87	Skin conductance response and emotional response in women with psychogenic non-epileptic seizures. Seizure: the Journal of the British Epilepsy Association, 2020, 81, 123-131.	0.9	12
88	Trauma exposure and PTSD prevalence among Yazidi, Christian and Muslim asylum seekers and refugees displaced to Iraqi Kurdistan. PLoS ONE, 2020, 15, e0233681.	1.1	12
89	From Depersonalization to Hallucination. Psychopathology, 2012, 45, 42-52.	1.1	11
90	Subjective and physiological emotional response in euthymic bipolar patients: A pilot study. Psychiatry Research, 2014, 220, 294-301.	1.7	11

#	Article	IF	CITATIONS
91	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). Frontiers in Psychiatry, 2017, 8, 244.	1.3	11
92	Ultrasound Measures of Brain Pulsatility Correlate with Subcortical Brain Volumes in Healthy Young Adults. Ultrasound in Medicine and Biology, 2018, 44, 2307-2313.	0.7	11
93	Trauma reactivation under propranolol among traumatized Syrian refugee children: preliminary evidence regarding efficacy. HA¶gre Utbildning, 2020, 11, 1733248.	1.4	11
94	Differentiating PNES from epileptic seizures using conversational analysis on French patients: A prospective blinded study. Epilepsy and Behavior, 2020, 111, 107239.	0.9	11
95	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. Journal of Psychiatric Research, 2021, 135, 20-27.	1.5	11
96	Heterogeneity of patients with functional/dissociative seizures: Three multidimensional profiles. Epilepsia, 2022, 63, 1500-1515.	2.6	11
97	Prevalence of Alcohol, Drug Use and Psychoactive Substance Consumption in Samples of French and Congolese High School Students. Tropical Doctor, 2004, 34, 15-17.	0.2	10
98	Hashimoto encephalopathy diagnosis after 40years of a schizophrenia-like disorder. Schizophrenia Research, 2012, 139, 269-270.	1.1	10
99	Posttraumatic Stress Disorder Is a Risk Factor for Multiple Addictions in Police Officers Hospitalized for Alcohol. European Addiction Research, 2019, 25, 198-206.	1.3	10
100	When classical music relaxes the brain: An experimental study using Ultrasound Brain Tissue Pulsatility Imaging. International Journal of Psychophysiology, 2020, 150, 29-36.	0.5	10
101	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. Journal of Affective Disorders, 2020, 264, 318-323.	2.0	9
102	Adherence to mental health care and caregiver-patient relationship after diagnosis of psychogenic non-epileptic seizures: Longitudinal follow-up study. Seizure: the Journal of the British Epilepsy Association, 2020, 80, 227-233.	0.9	9
103	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. Brain Sciences, 2020, 10, 962.	1.1	9
104	The negative association between trait mindfulness and postâ€ŧraumatic stress disorder: A 4.5â€year prospective cohort study. Brain and Behavior, 2021, 11, e02163.	1.0	9
105	Amniocentesis, Maternal Psychopathology and Prenatal Representations of Attachment: A Prospective Comparative Study. PLoS ONE, 2012, 7, e41777.	1.1	9
106	Early Interventions to Prevent Post-Traumatic Stress Disorder in Youth after Exposure to a Potentially Traumatic Event: A Scoping Review. Healthcare (Switzerland), 2022, 10, 818.	1.0	9
107	Neural correlates of delusional infestation responding to aripiprazole monotherapy: a case report. Neuropsychiatric Disease and Treatment, 2015, 11, 257.	1.0	8
108	Investigating biological traces of traumatic stress in changing societies: challenges and directions from the ESTSS Task Force on Neurobiology. Högre Utbildning, 2016, 7, 29453.	1.4	8

#	Article	IF	CITATIONS
109	Relationship between the big five personality traits and PTSD among French police officers. European Journal of Trauma and Dissociation, 2018, 2, 83-89.	0.6	8
110	2015 Paris terrorist attacks: Care guidance for the massive influx of psychologically traumatized civilian casualties. Helping victims to develop their capacity to create a safe and protective environment by leveraging social resources like family, and inner resources like mindfulness should optimize global resilience. European Journal of Trauma and Dissociation, 2020, 4, 100079.	0.6	8
111	Aberrant intrinsic connectivity in women victims of sexual assault. Brain Imaging and Behavior, 2021, 15, 2356-2366.	1.1	8
112	Working toward the ideal situation: A pragmatic Epi-Psy approach for the diagnosis and treatment of psychogenic nonepileptic seizures. Epilepsy and Behavior, 2021, 120, 108000.	0.9	8
113	Is There a Link between Oropharyngeal Microbiome and Schizophrenia? A Narrative Review. International Journal of Molecular Sciences, 2022, 23, 846.	1.8	8
114	Benzodiazepine use and neuroimaging markers of Alzheimer's disease in nondemented older individuals: an MRI and 18F Florbetapir PET study in the MEMENTO cohort. Neuropsychopharmacology, 2022, 47, 1114-1120.	2.8	8
115	Mémoire et émotion dans le trouble de stress post-traumatique (TSPT) Canadian Psychology, 2007, 48, 106-119.	1.4	7
116	Comorbidity between personality disorders and depressive symptomatology in women: A crossâ€sectional study of three different transitional life stages. Personality and Mental Health, 2013, 7, 233-241.	0.6	7
117	Reappraising suppression: subjective and physiological correlates of experiential suppression in healthy adults. Frontiers in Psychology, 2014, 5, 571.	1.1	7
118	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). BMC Pharmacology & Toxicology, 2017, 18, 70.	1.0	7
119	Cerebral blood flow velocity positively correlates with brain volumes in long-term remitted depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 81, 243-249.	2.5	7
120	Internet-Based Intervention for Posttraumatic Stress Disorder: Using Remote Imagery Rehearsal Therapy to Treat Nightmares. Psychotherapy and Psychosomatics, 2019, 88, 315-316.	4.0	7
121	Completeness of Descriptions of Repetitive Transcranial Magnetic Stimulation Intervention. Journal of ECT, 2019, 35, 7-13.	0.3	7
122	Beyond Clinical Outcomes: Posttraumatic Stress Symptoms Favor Attentional and Memory Control Abilities for Traumaâ€Related Words. Journal of Traumatic Stress, 2020, 33, 783-793.	1.0	7
123	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 114, 110479.	2.5	7
124	Examining transcranial random noise stimulation as an add-on treatment for persistent symptoms in schizophrenia (STIM'Zo): a study protocol for a multicentre, double-blind, randomized sham-controlled clinical trial. Trials, 2021, 22, 964.	0.7	7
125	Emerging treatments in the management of bipolar disorder – focus on risperidone long acting injection. Neuropsychiatric Disease and Treatment, 2010, 6, 455.	1.0	6
126	Exploratory Study toward Development of the French Version of the Questionnaire on Personality Traits (QPT/VKP–4) in an Elderly Population in Comparison to Young Adults. Psychological Reports, 2014, 115, 115-132.	0.9	6

#	Article	IF	CITATIONS
127	A systematic review of ultrasound imaging and therapy in mental disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 101, 109919.	2.5	6
128	Olfactory Memory in Depression: State and Trait Differences between Bipolar and Unipolar Disorders. Brain Sciences, 2020, 10, 189.	1.1	6
129	Explanatory factors of quality of life in psychogenic non-epileptic seizure. Seizure: the Journal of the British Epilepsy Association, 2021, 84, 6-13.	0.9	6
130	A Case of Sustained Antidepressant Effects and Large Changes in the Brain With a Single Brief Exposure to Nitrous Oxide. American Journal of Geriatric Psychiatry, 2021, 29, 1298-1300.	0.6	6
131	Combining Trauma Script Exposure With rTMS to Reduce Symptoms of Post-Traumatic Stress Disorder: Randomized Controlled Trial. Neuromodulation, 2022, 25, 549-557.	0.4	6
132	Disentangling the link between mindfulness and dissociation: The mediating role of attention and emotional acceptance. European Journal of Trauma and Dissociation, 2021, 5, 100220.	0.6	6
133	Hedonic Olfactory Perception in Depression: Relationship between Self-Evaluation and Autonomic Response. Psychology, 2012, 03, 959-965.	0.3	6
134	Validation of the French ADNM-20 in the assessment of emotional difficulties resulting from COVID-19 quarantine and outbreak. BMC Psychology, 2021, 9, 180.	0.9	6
135	Relationships between hardiness, exposure to traumatic events and PTSD symptoms among French police officers. European Journal of Trauma and Dissociation, 2018, 2, 165-171.	0.6	5
136	Inhibitory control of threat remembering in PTSD. Memory, 2019, 27, 1404-1414.	0.9	5
137	Improving the mental health system for trauma victims in France. Högre Utbildning, 2019, 10, 1617610.	1.4	5
138	"Stop playing ping-pong! Epi-Psy, an effective discipline to promote―Comment on "Psychiatric comorbidities go unrecognized in patients with epilepsy: †You see what you know'― Epilepsy and Behavior, 2020, 104, 106937.	0.9	5
139	Psychoactive compounds as multifactorial protection factors against COVID-19. Irish Journal of Medical Science, 2021, 190, 849-850.	0.8	5
140	Decrease in ultrasound Brain Tissue Pulsations as a potential surrogate marker of response to antidepressant. Journal of Psychiatric Research, 2022, 146, 186-191.	1.5	5
141	Incidence clinique des psychotraumatismes dans la consultation externe d'un service de psychiatrie. Annales Medico-Psychologiques, 2003, 161, 743-748.	0.2	4
142	Severe recurrent vasovagal syncope and multidisciplinary rehabilitation: A prospective randomized pilot study. International Journal of Cardiology, 2015, 187, 658-659.	0.8	4
143	Sexâ€specific effects of <i><scp>COMT</scp></i> Val158Met polymorphism on corpus callosum structure: A wholeâ€brain diffusionâ€weighted imaging study. Brain and Behavior, 2017, 7, e00786.	1.0	4
144	Posttraumatic Stress Disorder Is Highly Comorbid With Adult ADHD in Alcohol Use Disorder Inpatients. Journal of Attention Disorders, 2021, 25, 1594-1602.	1.5	4

#	Article	IF	CITATIONS
145	Post-traumatic factors are involved in the evolution of the number of seizures in patients with PNES. Epilepsy and Behavior, 2021, 115, 107544.	0.9	4
146	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. PLoS ONE, 2021, 16, e0250148.	1.1	4
147	Psychometric Properties of the Schizophrenia Oral Health Profile: Preliminary Results. International Journal of Environmental Research and Public Health, 2021, 18, 9090.	1.2	4
148	Functional MRI-based study of emotional experience in patients with psychogenic non-epileptic seizures: Protocol for an observational case-control study–EMOCRISES study. PLoS ONE, 2022, 17, e0262216.	1.1	4
149	International professional practices in mental health, organization of psychiatric care, and COVID-19: A survey protocol. PLoS ONE, 2021, 16, e0261818.	1.1	4
150	Efficacy and Safety of Intranasal Esketamine in Patients With Treatment-Resistant Depression and Comorbid Chronic Post-traumatic Stress Disorder: Open-Label Single-Arm Pilot Study. Frontiers in Psychiatry, 0, 13, .	1.3	4
151	Efficacy and Safety of Transcranial Electric Stimulation during the Perinatal Period: A Systematic Literature Review and Three Case Reports. Journal of Clinical Medicine, 2022, 11, 4048.	1.0	4
152	Higher fundamental voice frequency is related to extrapyramidal symptoms in schizophrenia. Schizophrenia Research, 2015, 161, 517-518.	1.1	3
153	Hedonic Assessment of Odors: A Comparison of Two Sensory Scales for Use with Alzheimer's Disease Patients and Elderly Individuals. Journal of Alzheimer's Disease, 2018, 61, 929-938.	1.2	3
154	Prospective and retrospective episodic metamemory in posttraumatic stress disorder. Journal of Clinical and Experimental Neuropsychology, 2018, 40, 865-873.	0.8	3
155	Childhood Trauma Predicts Less Remission from PTSD among Patients with Co-Occurring Alcohol Use Disorder and PTSD. Journal of Clinical Medicine, 2020, 9, 2054.	1.0	3
156	Past Trauma Is Associated With a Higher Risk of Experiencing an Epileptic Seizure as Traumatic in Patients With Pharmacoresistant Focal Epilepsy. Frontiers in Neurology, 2021, 12, 669411.	1.1	3
157	Stress induced by the COVID-19 health situation in a cohort of 111 subjects present in the Bataclan concert hall during the November 2015 terrorist attacks in Paris. Högre Utbildning, 2021, 12, 1980274.	1.4	3
158	Cognitive impairments in treatment-resistant depression: Results from the French cohort of outpatients (FACE-DR). Journal of Affective Disorders Reports, 2021, 6, 100272.	0.9	3
159	COVID-19 and Physical Distancing Measures: Experience of Psychiatric Professionals in Europe. International Journal of Environmental Research and Public Health, 2022, 19, 2214.	1.2	3
160	Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics. Frontiers in Psychiatry, 2021, 12, 795666.	1.3	3
161	Treatment of tardive dyskinesia: a systematic review (1997-2011). European Journal of Psychiatry, 2013, 27, 160-173.	0.7	2
162	The clinician-administered PTSD Scale for DSM-5 (CAPS-5) structured interview for PTSD: A French language validation study Psychological Assessment, 2022, 34, e26-e31.	1.2	2

#	Article	IF	CITATIONS
163	Olfaction as a Marker for Psychiatric and Neurological Diseases. Brain Sciences, 2022, 12, 23.	1.1	2
164	Insight cognitif et schizophrénie. Annales Medico-Psychologiques, 2011, 169, 462-463.	0.2	1
165	Left amygdala volume and brain tissue pulsatility are associated with neuroticism: an MRI and ultrasound study. Brain Imaging and Behavior, 2020, 15, 1499-1507.	1.1	1
166	Dimensional Structure and Preliminary Results of the External Constructs of the Schizophrenia Coping Oral Health Profile and Index (SCOOHPI). International Journal of Environmental Research and Public Health, 2021, 18, 12413.	1.2	1
167	Validation of the French Version of the Positivity Scale (P Scale). Frontiers in Psychology, 2021, 12, 724253.	1.1	1
168	Errance diagnostique, entre syndrome d'influence et réalité chez un patient souffrant d'une schizophrénie paranoÃ⁻deÃ: découverte d'un implant sous-cutané de disulfirame. European Psychiatry, 2014, 29, 563-563.	0.1	0
169	Modalités de prise en charge des crises non épileptiques psychogènes (CNEP) en France. European Psychiatry, 2015, 30, S125-S126.	0.1	0
170	What are Probable Olfactory Markers of Alcohol Dependence?. Chemical Senses, 2016, 42, bjw097.	1.1	0
171	452. Longitudinal Study of Cognitive and Emotional Brain Correlates of PTSD in Females Rape Victims. Biological Psychiatry, 2017, 81, S184-S185.	0.7	0
172	L'ocytocine et la dépression du post-partum. Revue Sage - Femme, 2017, 16, 187-196.	0.1	0
173	ls autonoetic recollection of threat in PTSD related to impaired inhibitory skills?. European Psychiatry, 2017, 41, S360-S360.	0.1	0
174	Management of treatment resistant depression: A comparison between French expert consensus guidelines and international evidence based guidelines. European Psychiatry, 2017, 41, S525-S525.	0.1	0
175	S26. Smaller Hippocampal Volume Predicts the Development of Posttraumatic Stress Disorder Following Sexual Assault in Females. Biological Psychiatry, 2018, 83, S356-S357.	0.7	Ο
176	Efficacy of rTMS in a mouse model of posttraumatic stress disorder. L'Encephale, 2019, 45, S80.	0.3	0
177	The influence of affective state on sensory and emotional perception: Application of the Sense'n Feel™ method. European Journal of Neuroscience, 2021, 53, 298-310.	1.2	Ο
178	Two Intravenous Injections of Ketamine at 24h-Interval for the Acute Treatment of Severe Suicidal Ideas: A Randomised Double-Blind Placebo-Controlled Superiority Trial. SSRN Electronic Journal, 0, , .	0.4	0
179	Lessons learned from the beirut blast: Empower the local professionals. L'Encephale, 2021, , .	0.3	Ο
180	COGNITIVE DISTORTIONS AND EMOTION REGULATION AMONG POST TRAUMATIC STRESS DISORDER VICTIMS.		0

, 2019, , .

#	Article	IF	CITATIONS
181	ChapitreÂ2. Dépression unipolaire majeureÂ: définition, prévalence, incidence, évolution etÂtraitement. 2015, , 14-23.	,	0

182 Representation of women at American Psychiatric Association annual meetings over 10 years (between) Tj ETQq0 Q Q rgBT /Qverlock 10

183	Positive and negative correlates of suicidal ideations and behaviors in the emergency department of a university hospital in Beirut: A cross-sectional comparative study. L'Encephale, 2023, 49, 248-253.	0.3	0
184	Posttraumatic Stress Symptoms Increase the Efficiency of Memory Functioning for Trauma-Related Information. Journal of the International Neuropsychological Society, 2022, , 1-10.	1.2	0
185	Interaction of mediation and moderation effects of positivity, cognitive fusion, brooding and mindfulness. L'Encephale, 2022, , .	0.3	0
186	Psychological consequences of the COVID-19 pandemic: a qualitative study. L'Encephale, 2022, , .	0.3	0